

http://farbe.li-berlin.de/AEVI/IAEVI1.L0N1.TXT /PS; only vector graphic VG; start output
N: no 3D-linearization (OL) in file (F) or PS-startup (S), page 1/1

Oswald optimal colours (o), maximum (m) C _{AB} for D65, Y _N =3.6, Y _W =90, Y _m =520...770															
i	λ _i	i ₂	λ ₂	X	Y	Z	x	y	z	h _{xy}	i _d	λ _d	i _c	λ _c	Code
0	405	32	561	31.49	53.78	97.34	0.1724	0.2945	0.533	193.8	16	483	37	589	Cm
6	435	32	562	28.55	54.39	80.58	0.1746	0.3326	0.4927	178.5	17	486	42	610	
10	450	32	563	23.35	55.1	49.17	0.1829	0.4317	0.3852	141.6	19	496	-1	496c	
12	460	33	565	21.28	55.49	33.31	0.1933	0.504	0.3026	124.2	21	505	-1	505c	
12	465	33	567	22.36	56.83	33.32	0.1987	0.5051	0.2961	122.8	21	506	-1	506c	
14	470	33	569	22.16	58.03	21.18	0.2186	0.5724	0.2089	111.1	24	520	-1	520c	
15	475	34	573	24.05	60.12	16.8	0.2382	0.5953	0.1664	105.6	25	528	-1	528c	Gm
16	480	36	580	28.23	63.83	13.47	0.2674	0.6048	0.1276	99.2	27	537	-1	537c	
17	485	39	595	39.58	71.51	11.03	0.3241	0.5855	0.0903	87.4	29	548	-1	548c	
18	490	-1	490c	70.02	84.64	9.22	0.4272	0.5164	0.0562	58.5	33	565	11	459	max
19	495	-1	495c	69.98	83.35	7.84	0.4342	0.5171	0.0485	57.1	33	566	12	462	
20	500	-1	500c	69.96	81.72	6.74	0.4416	0.5158	0.0425	55.3	33	567	12	464	
22	510	-1	510c	69.85	77.28	5.33	0.4581	0.5068	0.035	50.6	33	569	13	469	
23	520	-1	519c	69.66	74.43	4.92	0.4674	0.4995	0.033	47.7	34	570	14	471	Ym
25	530	-1	529c	68.68	67.57	4.41	0.4882	0.4803	0.0314	40.7	34	573	15	475	
27	540	-1	539c	66.72	59.67	4.15	0.511	0.4571	0.0318	32.8	35	575	15	478	
28	545	-1	544c	65.33	55.55	4.08	0.5228	0.4445	0.0326	28.7	35	579	15	479	
29	550	-1	549c	63.64	51.35	4.03	0.5347	0.4313	0.0338	24.7	36	582	16	480	
30	555	-1	554c	61.66	47.14	4.0	0.5465	0.4179	0.0354	20.8	36	584	16	481	
32	560	-1	560c	56.8	39.03	3.96	0.5691	0.391	0.0397	13.6	37	589	16	483	
32	561	0	405	63.55	46.21	11.54	0.5238	0.3809	0.0951	13.6	37	589	16	483	Rm
32	562	6	435	66.48	45.6	28.3	0.4735	0.3248	0.2016	358.5	42	610	17	486	
32	563	10	450	71.69	44.89	59.71	0.4066	0.2546	0.3387	321.6	-1	496c	19	496	
33	565	12	460	73.75	44.5	75.57	0.3805	0.2295	0.3898	304.3	-1	505c	21	505	
33	567	12	465	72.68	43.16	75.56	0.3797	0.2254	0.3947	302.9	-1	506c	21	506	
33	569	14	470	72.87	41.96	87.7	0.3598	0.2071	0.433	291.1	-1	520c	24	520	
34	573	15	475	70.98	39.87	92.08	0.3497	0.1964	0.4537	285.6	-1	528c	25	528	Mm
36	580	16	480	66.81	36.16	95.41	0.3367	0.1822	0.4809	279.3	-1	537c	27	537	
39	595	17	485	55.46	28.48	97.85	0.305	0.1567	0.5382	267.4	-1	548c	29	548	
-1	490c	18	490	25.01	15.35	99.66	0.1786	0.1096	0.7117	238.5	11	459	33	565	min
-1	495c	19	495	25.05	16.64	101.06	0.1755	0.1166	0.7078	237.1	12	462	33	566	
-1	500c	20	500	25.07	18.27	102.14	0.1723	0.1256	0.702	235.4	12	464	33	567	
-1	510c	22	510	25.18	22.71	103.55	0.1662	0.1499	0.6837	230.7	13	469	33	569	
-1	519c	23	520	25.38	25.56	103.96	0.1638	0.165	0.6711	227.7	14	471	34	570	Bm
-1	529c	25	530	26.35	32.42	104.47	0.1614	0.1986	0.6399	220.7	15	475	34	573	
-1	539c	27	540	28.32	40.32	104.73	0.1633	0.2325	0.604	212.8	15	478	35	577	
-1	544c	28	545	29.7	44.74	104.81	0.1659	0.2483	0.5856	208.8	15	479	35	579	
-1	549c	29	550	31.39	48.64	104.85	0.1697	0.2631	0.567	204.7	16	480	36	582	
-1	554c	30	555	33.38	52.85	104.88	0.1746	0.2765	0.5488	200.6	16	481	36	584	
-1	560c	32	560	38.24	60.96	104.92	0.1873	0.2986	0.5139	193.6	16	483	37	589	
W0	380	770	85.53	90.0	98.0	0.3127	0.329	0.3582	0.0						
N0	380	770	3.42	3.6	3.92	0.3127	0.329	0.3582	0.0						

Oswald optimal colours (o), maximum (m) C _{AB} for D65, Y _N =3.6, Y _W =90, Y _m =520/770																
i ₁ , λ ₁	i ₂ , λ ₂	Y	A	B	C	A _B	a	b	h _{xy}	i _d , λ _d	i _c , λ _c	Code				
0 405 32 561 53.78	-49.05	-38.76	62.52	0.5853	-0.7237	218.3	16	483	37 589	Cm						
6 435 32 562 54.39	-57.84	-21.34	61.65	0.5247	-0.5924	200.2	17	486	42 610							
10 450 32 563 55.1	-72.53	10.82	73.34	0.4236	-0.3568	171.5	19	496	-1 496c							
12 460 33 565 55.49	-78.62	27.09	83.16	0.3834	-0.2401	160.9	21	505	-1 505c							
12 465 33 567 56.83	-79.12	28.55	84.12	0.3933	-0.2344	160.1	21	506	-1 506c							
14 470 33 569 58.03	-82.45	41.99	92.53	0.3818	-0.146	153.0	24	520	-1 520c							
15 475 34 573 60.12	-82.67	48.63	95.92	0.4	-0.1118	149.5	25	528	-1 528c	Gm						
16 480 36 580 63.83	-81.06	56.01	98.53	0.4421	-0.0844	145.3	27	537	-1 537c							
17 485 39 595 71.51	-70.92	66.8	97.43	0.5534	-0.0617	136.7	29	548	-1 548c							
18 490 -1 490c 84.64	-26.03	82.92	86.91	0.8271	-0.0435	107.4	33	565	11 459	max						
19 495 -1 495c 83.35	-23.06	82.9	86.05	0.8394	-0.0375	105.5	33	566	12 462							
20 500 -1 500c 81.72	-19.23	82.21	84.43	0.8559	-0.033	103.1	33	567	12 464							
22 510 -1 510c 77.28	-8.95	78.79	79.29	0.9037	-0.0276	96.4	33	569	13 469							
23 520 -1 519c 74.43	-2.7	76.1	76.15	0.9356	-0.0264	92.0	34	570	14 471	Ym						
25 530 -1 529c 67.57	11.15	69.14	70.04	1.0161	-0.0261	80.8	34	573	15 475							
27 540 -1 539c 59.67	25.01	60.81	65.75	1.1178	-0.0278	67.6	35	577	15 478							
28 545 -1 544c 55.55	31.34	56.39	64.52	1.1758	-0.0293	60.9	35	579	15 479							
29 550 -1 549c 51.35	37.11	51.86	63.77	1.2392	-0.0314	54.4	36	582	16 480							
30 555 -1 554c 47.14	42.11	47.32	63.35	1.3074	-0.0339	48.3	36	584	16 481							
32 560 -1 560c 39.03	49.24	38.52	62.52	1.4548	-0.0406	38.0	37	589	16 483							
32 561 0 405 46.21	49.05	38.76	62.52	1.3747	-0.0999	38.3	37	589	16 483	Rm						
32 562 6 435 45.6	57.84	21.34	61.65	1.4575	-0.2481	20.2	42	610	17 486							
32 563 10 450 44.89	72.52	-10.82	73.32	1.5963	-0.5318	351.5	-1	496c	19 496							
33 565 12 460 44.5	78.6	-27.09	83.14	1.6566	-0.6789	340.9	-1	505c	21 505							
33 567 12 465 43.16	79.1	-28.55	84.09	1.6832	-0.7	340.1	-1	506c	21 506							
33 569 14 470 41.96	82.43	-41.98	92.5	1.7359	-0.8356	333.0	-1	520c	24 520							
34 573 15 475 39.87	82.64	-48.62	95.89	1.7791	-0.9231	329.5	-1	528c	25 528	Mm						
36 580 16 480 36.16	81.03	-55.99	98.49	1.8464	-1.0547	325.3	-1	537c	27 537							
39 595 17 485 28.48	70.88	-66.77	97.39	1.9454	-1.373	316.7	-1	548c	29 548							
-1 490c 18 490 15.35	26.01	-82.86	86.85	1.6281	-2.5947	287.4	11	459	33 565	min						
-1 495c 19 495 16.64	23.04	-82.85	85.99	1.5038	-2.4259	285.5	12	462	33 566							
-1 500c 20 500 18.27	19.22	-82.16	84.38	1.3709	-2.2338	281.3	12	464	33 567							
-1 510c 22 510 22.71	8.95	-78.75	79.26	1.1078	-1.822	276.4	13	469	33 569							
-1 519c 23 520 25.38	2.7	-76.07	76.12	0.9924	-1.6259	272.0	14	471	34 570	Bm						
-1 529c 25 530 26.35	-11.15	-69.12	70.01	0.8125	-1.2882	260.8	15	475	34 573							
-1 539c 27 540 28.32	-25.0	-60.8	65.74	0.702	-1.0385	247.6	15	478	35 577							
-1 544c 28 545 29.7	-31.33	-56.38	64.5	0.6681	-0.9428	240.9	15	479	35 579							
-1 549c 29 550 31.39	-37.1	-51.85	63.76	0.645	-0.8618	234.4	16	480	36 582							
-1 554c 30 555 33.38	-42.1	-47.31	63.34	0.6314	-0.7935	228.3	16	481	36 584							
-1 560c 32 560 38.24	-49.24	-38.51	62.51	0.627	-0.6881	218.0	16	483	37 589							
W0 380 770 90	0.0	0.0	0.0	0.9501	-0.4354	0.0	Bc=1	0.000								
N0 380 770 3.6	0.0	0.0	0.0	0.9501	-0.4354	0.0	x _c =0.000									