


WCGa-Daten rgb^* , XYZxy und LabC* h_{ab} im CIELAB-Farbraum

Normfarbwerte von Schwarz und Weiß: $Y_N=0.0, Y_W=88.6$

	CIEXYZ-Daten				LabC* h_{ab} -Daten						
	rgb^*	X_d	Y_d	Z_d	x_d	y_d	L_d^*	a_d^*	b_d^*	$C_{ab,d}^*$	$h_{ab,d}$
R_d	1.00	56.43	23.27	0.00	0.708	0.291	55.34	112.69	95.42	147.66	40
Y_d	1.10	69.24	83.34	2.48	0.446	0.537	93.16	-20.64	131.52	133.13	98
G_d	0.10	12.81	60.07	2.48	0.169	0.797	81.87	-165.52	112.06	199.89	145
C_d	0.11	27.77	66.32	96.48	0.145	0.348	85.15	-104.25	-17.67	105.74	189
B_d	0.01	14.96	5.25	94.00	0.130	0.045	27.43	82.73	-115.53	142.10	305
M_d	1.01	71.39	28.52	94.00	0.368	0.147	60.35	125.37	-58.77	138.47	334
N_d	0.00	0.01	0.01	0.01	0.333	0.333	0.09	0.02	0.01	0.02	0
W_d	1.11	84.21	88.60	96.48	0.312	0.329	95.41	-0.00	0.00	0.00	0
Nl_d	0.00	0.01	0.01	0.01	0.333	0.333	0.09	0.02	0.01	0.02	0
Wl_d	1.11	71.39	28.52	94.00	0.368	0.147	60.35	125.37	-58.77	138.47	334
Zl_d	0.18	17.11	18.00	19.60	0.312	0.329	49.49	0.00	0.00	0.00	0

AGI20-1N
















WCGa-Daten rgb^* , XYZxy und LabC* h_{ab} im CIELAB-Farbraum

Normfarbwerte von Schwarz und Weiß: $Y_N=40.3, Y_W=88.6, Y_{Wa}=88.6$

	CIEXYZ-Daten				LabC* h_{ab} -Daten						
	rgb^*	X_d	Y_d	Z_d	x_d	y_d	L_d^*	a_d^*	b_d^*	$C_{ab,d}^*$	$h_{ab,d}$
R_d	1.00	69.07	53.00	43.90	0.708	0.291	77.87	44.89	14.11	47.05	17
Y_d	1.10	76.05	85.73	45.25	0.446	0.537	94.19	-10.80	40.75	42.16	104
G_d	0.10	45.30	73.05	45.25	0.169	0.797	88.47	-59.75	30.88	67.26	152
C_d	0.11	53.45	76.45	96.48	0.145	0.348	90.07	-44.49	-9.20	45.43	191
B_d	0.01	46.47	43.18	95.13	0.130	0.045	71.67	15.97	-40.02	43.09	291
M_d	1.01	77.22	55.86	95.13	0.368	0.147	79.53	54.77	-26.47	60.83	334
N_d	0.00	0.01	0.01	0.01	0.333	0.333	0.09	0.01	0.01	0.01	0
W_d	1.11	84.21	88.60	96.48	0.312	0.329	95.41	-0.00	0.00	0.00	0
Nl_d	0.00	0.01	0.01	0.01	0.333	0.333	0.09	0.01	0.01	0.01	0
Wl_d	1.11	71.39	28.52	94.00	0.368	0.147	60.35	125.37	-58.77	138.47	334
Zl_d	0.18	17.11	18.00	19.60	0.312	0.329	49.49	0.00	0.00	0.00	0

AGI21-1N



Siehe ähnliche Dateien: <http://farbe.li.tu-berlin.de/AGI2/AGI2L0NA.TXT>
 Technische Information: <http://farbe.li.tu-berlin.de> oder <http://130.149.60.45/~farbmetrik>

TUB-Registrierung: 20201101-AGI2/AGI2L0NA.TXT /.PS TUB-Material: Code=rh4kta
 Anwendung für Beurteilung und Messung von Display- oder Druck-Ausgabe