

Farbmétrische "Norm-Daten": Fernseh-Lichtfarben-System TLS00 für Helligkeit L*=00 von Schwarz und für CIE-Normlichtart D65

System TLS00	Farbe	r_d	g_d	b_d	L^*_d	$C^*_{ab,d}$	$h_{ab,d}$	a^*_d	b^*_d	X_d	Y_d	Z_d	x_d	y_d	$Y_d/88.59$	
sRGB	R_d	1.0	0.0	0.0	50.5	100.43	40	76.92	64.57	36.54	18.84	1.71	0.64	0.33	0.2126	
$LabC^*h_{ab}$	Y_d	1.0	1.0	0.0	97.14	96.92	103	-21.57	94.49	76.99	92.78	13.85	0.4193	0.5053	1.0472	
D65-Reflexion:	G_d	0.0	1.0	0.0	87.74	119.8	136	-86.18	83.21	35.76	71.52	11.91	0.3	0.6	0.8072	
$Y_N = 0.01$	C_d	0.0	1.0	1.0	91.12	50.12	196	-48.07	-14.12	53.81	78.74	106.98	0.2246	0.3287	0.8887	
$L^*_d = 0.09$	B_d	0.0	0.0	1.0	32.3	133.81	306	79.19	-107.85	18.05	7.22	95.06	0.15	0.06	0.0815	
$N_0^*_d$	M_d	1.0	0.0	1.0	60.32	115.54	328	98.23	-60.83	59.28	28.48	96.99	0.3209	0.1542	0.3214	
Normierung:	$W_0^*_d$	0.0	0.0	0.0	0.09	0.01	0	0.02	0.01	0.01	0.01	0.01	0.01	0.3322	0.3322	0.0001
Grau $Y_Z=18$	$W_I^*_d$	1.13	1.13	1.13	100.0	0.0	0	0.0	0.0	95.05	100.0	108.9	0.3127	0.329	1.1287	
	ZI_d	0.18	0.18	0.18	49.5	0.01	0	0.01	0.0	17.11	18.0	19.6	0.3127	0.329	0.2032	

Farbmétrische "Adaptierte Daten (a)": Fernseh-Lichtfarben-System TLS00a für Helligkeit L*=00a von Schwarz und für CIE-Normlichtart D65

System TLS00a	Farbe	r_d	g_d	b_d	L^*_d	$C^*_{ab,d}$	$h_{ab,d}$	a^*_d	b^*_d	X_d	Y_d	Z_d	x_d	y_d	$Y_d/88.59$	
sRGB	R_d	1.0	0.0	0.0	50.5	100.43	40	76.92	64.57	36.54	18.84	1.71	0.64	0.33	0.2126	
$LabC^*h_{ab}$	Y_d	1.0	1.0	0.0	97.14	96.92	103	-21.57	94.49	76.99	92.78	13.85	0.4193	0.5053	1.0472	
D65-Reflexion:	G_d	0.0	1.0	0.0	87.74	119.8	136	-86.18	83.21	35.76	71.52	11.91	0.3	0.6	0.8072	
$Y_N = 0.01$	C_d	0.0	1.0	1.0	91.12	50.12	196	-48.07	-14.12	53.81	78.74	106.98	0.2246	0.3287	0.8887	
$L^*_d = 0.09$	B_d	0.0	0.0	1.0	32.3	133.81	306	79.19	-107.85	18.05	7.22	95.06	0.15	0.06	0.0815	
$N_0^*_d$	M_d	1.0	0.0	1.0	60.32	115.54	328	98.23	-60.83	59.28	28.48	96.99	0.3209	0.1542	0.3214	
Normierung:	$W_0^*_d$	0.0	0.0	0.0	0.09	0.02	0	0.02	0.01	0.01	0.01	0.01	0.01	0.3322	0.3322	0.0001
Grau $Y_Z=18$	$W_I^*_d$	1.13	1.13	1.13	100.0	0.0	0	0.0	0.0	95.05	100.0	108.9	0.3127	0.329	1.1287	
	ZI_d	0.18	0.18	0.18	49.5	0.01	0	0.01	0.0	17.11	18.0	19.6	0.3127	0.329	0.2032	

Farbmétrische "Adaptierte Daten (b)": Fernseh-Lichtfarben-System TLS00b für Helligkeit L*=00b von Schwarz und für CIE-Normlichtart D65

System TLS00b	Farbe	r_d	g_d	b_d	L^*_d	$C^*_{ab,d}$	$h_{ab,d}$	a^*_d	b^*_d	X_d	Y_d	Z_d	x_d	y_d	$Y_d/88.59$
sRGB	R_d	1.0	0.0	0.0	50.5	100.43	40	76.92	64.57	36.54($=36.53+0.01$)	18.84($=18.83+0.01$)	1.71($=1.7+0.01$)	36.54	18.84	0.2126
$LabC^*h_{ab}$	Y_d	1.0	1.0	0.0	97.14	96.92	103	-21.57	94.49	76.99($=76.98+0.01$)	92.78($=92.77+0.01$)	13.85($=13.84+0.01$)	76.99	92.78	1.0472
D65-Reflexion:	G_d	0.0	1.0	0.0	87.74	119.8	136	-86.18	83.21	35.76($=35.75+0.01$)	71.52($=71.51+0.01$)	11.91($=11.9+0.01$)	35.76	71.52	0.8072
$Y_N = 0.0$	C_d	0.0	1.0	1.0	91.12	50.12	196	-48.07	-14.12	53.81($=53.8+0.01$)	78.74($=78.73+0.01$)	106.98($=106.97+0.01$)	53.81	78.74	0.8887
$L^*_d = 0.0$	B_d	0.0	0.0	1.0	32.3	133.81	306	79.19	-107.85	18.05($=18.04+0.01$)	7.22($=7.21+0.01$)	95.06($=95.05+0.01$)	18.05	7.22	0.0815
$N_0^*_d$	M_d	1.0	0.0	1.0	60.32	115.54	328	98.23	-60.83	59.28($=59.27+0.01$)	28.48($=28.47+0.01$)	96.99($=96.98+0.01$)	59.28	28.48	0.3214
Normierung:	$W_0^*_d$	1.0	1.0	1.0	95.41	0.01	0	0.0	0.0	84.21($=84.2+0.01$)	88.6($=88.59+0.01$)	96.48($=96.47+0.01$)	84.21	88.6	1.0
Grau $Y_Z=18$	$W_I^*_d$	0.0	0.0	0.0	0.09	0.02	0	0.02	0.01	0.01($=0.0+0.01$)	0.01($=0.0+0.01$)	0.01($=0.0+0.01$)	0.01	0.01	0.0001
	ZI_d	1.13	1.13	1.13	100.0	0.0	0	0.0	0.0	95.05($=95.04+0.01$)	100.0($=99.99+0.01$)	108.9($=108.89+0.01$)	95.05	100.0	1.1287
		0.18	0.18	0.18	49.5	0.01	0	0.01	0.0	17.11($=17.1+0.01$)	18.0($=17.99+0.01$)	19.6($=19.59+0.01$)	17.11	18.0	0.2032

Farbmétrische "Adaptierte Daten (b)": Fernseh-Lichtfarben-System TLS00b für Helligkeit L*=00 von Schwarz und für CIE-Normlichtart D65															
System TLS00b	Farbe	r _d	g _d	b _d	L* _d	C* _{ab,d}	h _{ab,d}	a* _d	b* _d	X _d	Y _d	Z _d	x _d	y _d	Y _{d/88.59}
sRGB	R _d	1.0	0.0	0.0	50.5	100.43	40	76.92	64.57	36.54(=36.53+0.01)	18.84(=18.83+0.01)	1.71(=1.7+0.01)	0.64	0.33	0.2126
LabC*h _{ab}	Y _d	1.0	1.0	0.0	97.14	96.92	103	-21.57	94.49	76.99(-76.98+0.01)	92.78(-92.77+0.01)	13.85(-13.84+0.01)	0.4193	0.5053	1.0472
D65-Reflexion:	G _d	0.0	1.0	0.0	87.74	119.8	136	-86.18	83.21	35.76(=35.75+0.01)	71.52(=71.51+0.01)	11.91(=11.9+0.01)	0.3	0.6	0.8072
Y _N = 0.0	C _d	0.0	1.0	1.0	91.12	50.12	196	-48.07	-14.12	53.81(-53.8+0.01)	78.74(-78.73+0.01)	106.98(=106.97+0.01)	0.2246	0.3287	0.8887
L* _N = 0.0	B _d	0.0	0.0	1.0	32.3	133.81	306	79.19	-107.85	18.05(=18.04+0.01)	7.22(-7.21+0.01)	95.06(-95.05+0.01)	0.15	0.06	0.0815
N _O _d	M _d	1.0	0.0	1.0	60.32	115.54	328	98.23	-60.83	59.28(-59.27+0.01)	28.48(-28.47+0.01)	96.99(-96.98+0.01)	0.3209	0.1542	0.3214
W _O _d	N _O _d	0.0	0.0	0.0	0.09	0.02	0	0.02	0.01	0.01(=0.0+0.01)	0.01(=0.0+0.01)	0.01(=0.0+0.01)	0.3322	0.3322	0.0001
Normierung:	W _O _d	1.0	1.0	1.0	95.41	0.01	0	0.0	0.0	84.21(-84.2+0.01)	88.6(=88.59+0.01)	96.48(-96.47+0.01)	0.3127	0.329	1.0
Grau Y _Z =18	N _I _d	0.0	0.0	0.0	0.09	0.02	0	0.02	0.01	0.01(=0.0+0.01)	0.01(=0.0+0.01)	0.01(=0.0+0.01)	0.3322	0.3322	0.0001
Grau Y _Z =18	W _I _d	1.13	1.13	1.13	100.0	0.0	0	0.0	0.0	95.05(=95.04+0.01)	100.0(=99.99+0.01)	108.9(=108.89+0.01)	0.3127	0.329	1.1287
Z _I _d	0.18	0.18	0.18	49.5	0.01	0	0.01	0.0	17.11(-17.1+0.01)	18.0(=17.99+0.01)	19.6(=19.59+0.01)	0.3127	0.329	0.2032	
Berechnete farbmétrische Daten: Fernseh-Lichtfarben-Systeme TLSxx für Helligkeit L*=00, 06, 11, 18 von Schwarz und für CIE-Normlichtart D65															
System TLS00a	Farbe	r _d	g _d	b _d	L* _d	C* _{ab,d}	h _{ab,d}	a* _d	b* _d	X _d	Y _d	Z _d	x _d	y _d	Y _{d/88.59}
sRGB	R _d	1.0	0.0	0.0	50.5	100.35	40	76.89	64.48	36.53(=36.53+0.0)	18.84(=18.84+0.0)	1.72(=1.72+0.0)	0.6399	0.33	0.2127
LabC*h _{ab}	Y _d	1.0	1.0	0.0	97.12	96.89	103	-21.57	94.45	76.96(-76.96+0.0)	92.74(-92.74+0.0)	13.85(-13.85+0.0)	0.4193	0.5053	1.0472
D65-Reflexion:	G _d	0.0	1.0	0.0	87.72	119.76	136	-86.15	83.18	35.75(=35.75+0.0)	71.49(=71.49+0.0)	11.91(=11.91+0.0)	0.3	0.6	0.8072
Y _N = 0.0	C _d	0.0	1.0	1.0	91.1	50.11	196	-48.06	-14.12	53.79(-53.79+0.0)	78.71(-78.71+0.0)	106.94(-106.94+0.0)	0.2247	0.3287	0.8887
L* _N = 0.0	B _d	0.0	0.0	1.0	32.32	133.74	306	79.13	-107.8	18.05(=18.05+0.0)	7.23(-7.23+0.0)	95.02(-95.02+0.0)	0.15	0.0601	0.0816
N _O _d	M _d	1.0	0.0	1.0	60.31	115.5	328	98.19	-60.81	59.26(-59.26+0.0)	28.47(-28.47+0.0)	96.95(-96.95+0.0)	0.3209	0.1542	0.3215
W _O _d	N _O _d	0.0	0.0	0.0	0.18	0.05	0	0.04	0.03	0.02(=0.02+0.0)	0.02(=0.02+0.0)	0.02(=0.02+0.0)	0.3328	0.3328	0.0002
Normierung:	W _O _d	1.0	1.0	1.0	95.4	0.01	0	0.0	0.0	84.17(-84.17+0.0)	88.56(=88.56+0.0)	96.44(-96.44+0.0)	0.3127	0.329	1.0
Grau Y _Z =18	N _I _d	0.0	0.0	0.0	0.18	0.05	0	0.04	0.03	0.02(=0.02+0.0)	0.02(=0.02+0.0)	0.02(=0.02+0.0)	0.3328	0.3328	0.0002
Grau Y _Z =18	W _I _d	1.13	1.13	1.13	99.98	0.0	0	0.0	0.0	95.0(=95.0+0.0)	99.95(=99.95+0.0)	108.85(=108.85+0.0)	0.3127	0.329	1.1287
Z _I _d	0.18	0.18	0.18	49.5	0.01	0	0.01	0.0	17.11(-17.1+0.0)	18.0(=18.0+0.0)	19.6(=19.6+0.0)	0.3127	0.329	0.2032	
System TLS06a	Farbe	r _d	g _d	b _d	L* _d	C* _{ab,d}	h _{ab,d}	a* _d	b* _d	X _d	Y _d	Z _d	x _d	y _d	Y _{d/88.59}
sRGB	R _d	1.0	0.0	0.0	50.5	100.35	40	76.89	64.48	36.53(=35.93+0.6)	18.84(=18.21+0.63)	1.72(=1.03+0.69)	0.6399	0.33	0.2127
LabC*h _{ab}	Y _d	1.0	1.0	0.0	97.12	96.89	103	-21.57	94.45	76.96(-76.36+0.6)	92.74(-92.11+0.63)	13.85(-13.17+0.69)	0.4193	0.5053	1.0472
D65-Reflexion:	G _d	0.0	1.0	0.0	87.72	119.76	136	-86.15	83.18	35.75(=35.15+0.6)	71.49(-70.86+0.63)	11.91(-11.23+0.69)	0.3	0.6	0.8072
Y _N = 0.63	C _d	0.0	1.0	1.0	91.1	50.11	196	-48.06	-14.12	53.79(-53.19+0.6)	78.71(-78.08+0.63)	106.94(-106.25+0.69)	0.2247	0.3287	0.8887
L* _N = 5.69	B _d	0.0	0.0	1.0	32.32	133.74	306	79.13	-107.8	18.05(-17.45+0.6)	7.23(-6.6+0.63)	95.02(-94.34+0.69)	0.15	0.0601	0.0816
N _O _d	M _d	1.0	0.0	1.0	60.31	115.5	328	98.19	-60.81	59.26(-58.66+0.6)	28.47(-27.84+0.63)	96.95(-96.26+0.69)	0.3209	0.1542	0.3215
W _O _d	W _O _d	1.0	1.0	1.0	95.4	0.01	0	0.0	0.0	84.17(-83.57+0.6)	88.56(-87.93+0.63)	96.44(-95.75+0.69)	0.3127	0.329	1.0
Normierung:	N _I _d	0.0	0.0	0.0	0.18	0.05	0	0.04	0.03	0.02(=0.02+0.6)	0.02(=0.02+0.63)	0.02(=0.02+0.69)	0.3328	0.3328	0.0002
Grau Y _Z =18	W _I _d	1.13	1.13	1.13	99.98	0.0	0	0.0	0.0	95.0(=94.41+0.6)	99.95(-99.32+0.63)	108.85(-108.17+0.69)	0.3127	0.329	1.1287
Z _I _d	0.18	0.18	0.18	49.5	0.01	0	0.01	0.0	17.11(-16.51+0.6)	18.0(=17.37+0.63)	19.6(=18.91+0.69)	0.3127	0.329	0.2032	
System TLS11a	Farbe	r _d	g _d	b _d	L* _d	C* _{ab,d}	h _{ab,d}	a* _d	b* _d	X _d	Y _d	Z _d	x _d	y _d	Y _{d/88.59}
sRGB	R _d	1.0	0.0	0.0	50.5	100.35	40	76.89	64.48	36.53(=35.33+1.2)	18.84(=17.58+1.26)	1.72(=0.35+1.37)	0.6399	0.33	0.2127
LabC*h _{ab}	Y _d	1.0	1.0	0.0	97.12	96.89	103	-21.57	94.45	76.96(-75.76+1.2)	92.74(-91.48+1.26)	13.85(-12.48+1.37)	0.4193	0.5053	1.0472
D65-Reflexion:	G _d	0.0	1.0	0.0	87.72	119.76	136	-86.15	83.18	35.75(=34.55+1.2)	71.49(-70.23+1.26)	11.91(-10.54+1.37)	0.3	0.6	0.8072
Y _N = 1.26	C _d	0.0	1.0	1.0	91.1	50.11	196	-48.06	-14.12	53.79(-52.59+1.2)	78.71(-77.45+1.26)	106.94(-105.56+1.37)	0.2247	0.3287	0.8887
L* _N = 11.0	B _d	0.0	0.0	1.0	32.32	133.74	306	79.13	-107.8	18.05(-16.85+1.2)	7.23(-5.97+1.26)	95.02(-93.65+1.37)	0.15	0.0601	0.0816
N _O _d	M _d	1.0	0.0	1.0	60.31	115.5	328	98.19	-60.81	59.26(-58.06+1.2)	28.47(-27.21+1.26)	96.95(-95.58+1.37)	0.3209	0.1542	0.3215
W _O _d	W _O _d	1.0	1.0	1.0	95.4	0.01	0	0.0	0.0	84.17(-82.97+1.2)	88.56(-87.3+1.26)	96.44(-95.07+1.37)	0.3127	0.329	1.0
Normierung:	N _I _d	0.0	0.0	0.0	0.18	0.05	0	0.04	0.03	0.02(=0.02+1.2)	0.02(=0.02+1.26)	0.02(=0.02+1.37)	0.3328	0.3328	0.0002
Grau Y _Z =18	W _I _d	1.13	1.13	1.13	99.98	0.0	0	0.0	0.0	95.0(=93.81+1.2)	99.95(-98.69+1.26)	108.85(-107.48+1.37)	0.3127	0.329	1.1287
Z _I _d	0.18	0.18	0.18	49.5	0.01	0	0.01	0.0	17.11(-15.91+1.2)	18.0(=16.74+1.26)	19.6(=18.23+1.37)	0.3127	0.329	0.2032	
System TLS18a	Farbe	r _d	g _d	b _d	L* _d	C* _{ab,d}	h _{ab,d}	a* _d	b* _d	X _d	Y _d	Z _d	x _d	y _d	Y _{d/88.59}
sRGB	R _d	1.0	0.0	0.0	50.5	100.35	40	76.89	64.48	36.53(-34.13+2.4)	18.84(-16.32+2.52)	1.72(-1.01+2.74)	0.6399	0.33	0.2127
LabC*h _{ab}	Y _d	1.0	1.0	0.0	97.12	96.89	103	-21.57	94.45	76.96(-74.56+2.4)	92.74(-90.22+2.52)	13.85(-11.11+2.74)	0.4193	0.5053	1.0472
D65-Reflexion:	G _d	0.0	1.0	0.0	87.72	119.76	136	-86.15	83.18	35.75(-33.35+2.4)	71.49(-68.97+2.52)	11.91(-9.17+2.74)	0.3	0.6	0.8072
Y _N = 2.52	C _d	0.0	1.0	1.0	91.1	50.11	196	-48.06	-14.12	53.79(-51.39+2.4)	78.71(-76.19+2.52)	106.94(-104.19+2.74)	0.2247	0.3287	0.8887
L* _N = 18.01	B _d	0.0	0.0	1.0	32.32	133.74	306	79.13	-107.8	18.05(-15.65+2.4)	7.23(-4.71+2.52)	95.02(-92.28+2.74)	0.15	0.0601	0.0816
N _O _d	M _d	1.0	0.0	1.0	60.31	115.5	328	98.19	-60.81	59.26(-58.68+2.4)	28.47(-25.95+2.52)	96.95(-94.21+2.74)	0.3209	0.1542	0.3215
W _O _d	W _O _d	1.0	1.0	1.0	95.4	0.01	0	0.0	0.0	84.17(-81.78+2.4)	88.56(-86.04+2.52)	96.44(-93.7+2.74)	0.3127	0.329	1.0
Normierung:	N _I _d	0.0	0.0	0.0	0.18	0.05	0	0.04	0.03	0.02(=0.02+2.4)	0.02(=0.02+2.49+2.52)	0.02(=0.02+2.71+2.74)	0.3328	0.3328	0.0002
Grau Y _Z =18	W _I _d	1.13	1.13	1.13	99.98	0.0	0	0.0	0.0	95.0(=92.61+2.4)	99.95(-97.43+2.52)	108.85(-106.11+2.74)	0.3127	0.329	1.1287
Z _I _d	0.18	0.18	0.18	49.5	0.01	0	0.01	0.0	17.11(-14.71+2.4)	18.0(=15.48+2.52)	19.6(=16.86+2.74)	0.3127	0.329	0.2032	

Farbmétrische "Adaptierte Daten (b)": Fernseh-Lichtfarben-System TLS00b für Helligkeit L*=00 von Schwarz und für CIE-Normlichtart D65															
System TLS00b	Farbe	r _d	g _d	b _d	L* _d	C* _{ab,d}	h _{ab,d}	a* _d	b* _d	X _d	Y _d	Z _d	x _d	y _d	Y _{d/88.59}
sRGB	R _d	1.0	0.0	0.0	50.5	100.43	40	76.92	64.57	36.54(=36.53+0.01)	18.84(=18.83+0.01)	1.71(=1.7+0.01)	0.64	0.33	0.2126
LabC*h _{ab}	Y _d	1.0	1.0	0.0	97.14	96.92	103	-21.57	94.49	76.99(-76.98+0.01)	92.78(-92.77+0.01)	13.85(-13.84+0.01)	0.4193	0.5053	1.0472
D65-Reflexion:	G _d	0.0	1.0	0.0	87.74	119.8	136	-86.18	83.21	35.76(-35.75+0.01)	71.52(-71.51+0.01)	11.91(-11.9+0.01)	0.3	0.6	0.8072
Y _N = 0.0	C _d	0.0	1.0	1.0	91.12	50.12	196	-48.07	-14.12	53.81(-53.8+0.01)	78.74(-78.73+0.01)	106.98(-106.97+0.01)	0.2246	0.3287	0.8887
L* _N = 0.0	B _d	0.0	0.0	1.0	32.3	133.81	306	79.19	-107.85	18.05(-18.04+0.01)	7.22(-7.21+0.01)	95.06(-95.05+0.01)	0.15	0.06	0.0815
N _O _d	M _d	1.0	0.0	1.0	60.32	115.54	328	98.23	-60.83	59.28(-59.27+0.01)	28.48(-28.47+0.01)	96.99(-96.98+0.01)	0.3209	0.1542	0.3214
W _O _d	N _I _d	0.0	0.0	0.0	0.09	0.02	0	0.02	0.01	0.01(-0.0+0.01)	0.01(-0.0+0.01)	0.01(-0.0+0.01)	0.3322	0.3322	0.0001
Normierung:	W _I _d	1.0	1.0	1.0	95.41	0.01	0	0.0	0.0	84.21(-84.2+0.01)	88.6(-88.59+0.01)	96.48(-96.47+0.01)	0.3127	0.329	1.0
Grau Y _Z =18	Z _I _d	1.13	1.13	1.13	100.0	0.0	0	0.0	0.0	95.05(-95.04+0.01)	100.0(-99.99+0.01)	108.9(-108.89+0.01)	0.3127	0.329	1.1287
	Z _I _d	0.18	0.18	0.18	49.5	0.01	0	0.01	0.0	17.11(-17.1+0.01)	18.0(-17.99+0.01)	19.6(-19.59+0.01)	0.3127	0.329	0.2032
Berechnete farbmétrische Daten: Fernseh-Lichtfarben-Systeme TLSxx für Helligkeit L*=27, 33, 52, 70 von Schwarz und für CIE-Normlichtart D65															
System TLS27a	Farbe	r _d	g _d	b _d	L* _d	C* _{ab,d}	h _{ab,d}	a* _d	b* _d	X _d	Y _d	Z _d	x _d	y _d	Y _{d/88.59}
sRGB	R _d	1.0	0.0	0.0	50.5	100.35	40	76.89	64.48	36.53(=31.74+4.79)	18.84(=13.8+5.04)	1.72(=3.76+5.49)	0.6399	0.33	0.2127
LabC*h _{ab}	Y _d	1.0	1.0	0.0	97.12	96.89	103	-21.57	94.45	76.96(-72.17+4.79)	92.74(-87.7+5.04)	13.85(-8.37+5.49)	0.4193	0.5053	1.0472
D65-Reflexion:	G _d	0.0	1.0	0.0	87.72	119.76	136	-86.15	83.18	35.75(-30.96+4.79)	71.49(-66.45+5.04)	11.91(=6.43+5.49)	0.3	0.6	0.8072
Y _N = 5.04	C _d	0.0	1.0	1.0	91.1	50.11	196	-48.06	-14.12	53.79(-49.0+4.79)	78.71(-73.67+5.04)	106.94(-101.45+5.49)	0.2247	0.3287	0.8887
L* _N = 26.85	B _d	0.0	0.0	1.0	32.32	133.74	306	79.13	-107.8	18.05(-13.26+4.79)	7.23(-2.19+5.04)	95.02(-89.53+5.49)	0.15	0.0601	0.0816
N _O _d	M _d	1.0	0.0	1.0	60.31	115.5	328	98.19	-60.81	59.26(-54.47+4.79)	28.47(-23.43+5.04)	96.95(-91.46+5.49)	0.3209	0.1542	0.3215
W _O _d	N _I _d	0.0	0.0	0.0	0.18	0.05	0	0.04	0.03	0.02(-4.76+4.79)	0.02(-5.01+5.04)	0.02(-5.46+5.49)	0.3328	0.0002	
Normierung:	W _I _d	1.0	1.0	1.0	95.4	0.01	0	0.0	0.0	84.17(-79.38+4.79)	88.56(-83.52+5.04)	96.44(-90.95+5.49)	0.3127	0.329	1.0
Grau Y _Z =18	Z _I _d	0.0	0.0	0.0	0.18	0.05	0	0.04	0.03	0.02(-4.76+4.79)	0.02(-5.01+5.04)	0.02(-5.46+5.49)	0.3328	0.0002	
System TLS38a	Farbe	r _d	g _d	b _d	L* _d	C* _{ab,d}	h _{ab,d}	a* _d	b* _d	X _d	Y _d	Z _d	x _d	y _d	Y _{d/88.59}
sRGB	R _d	1.0	0.0	0.0	50.5	100.35	40	76.89	64.48	36.53(-26.95+9.58)	18.84(-8.76+10.08)	1.72(-9.25+10.98)	0.6399	0.33	0.2127
LabC*h _{ab}	Y _d	1.0	1.0	0.0	97.12	96.89	103	-21.57	94.45	76.96(-67.37+9.58)	92.74(-82.66+10.08)	13.85(-2.88+10.98)	0.4193	0.5053	1.0472
D65-Reflexion:	G _d	0.0	1.0	0.0	87.72	119.76	136	-86.15	83.18	35.75(-26.17+9.58)	71.49(-61.41+10.08)	11.91(-0.94+10.98)	0.3	0.6	0.8072
Y _N = 10.08	C _d	0.0	1.0	1.0	91.1	50.11	196	-48.06	-14.12	53.79(-44.21+9.58)	78.71(-68.63+10.08)	106.94(-95.96+10.98)	0.2247	0.3287	0.8887
L* _N = 37.99	B _d	0.0	0.0	1.0	32.32	133.74	306	79.13	-107.8	18.05(-8.47+9.58)	7.23(-2.84+10.08)	95.02(-84.05+10.98)	0.15	0.0601	0.0816
N _O _d	M _d	1.0	0.0	1.0	60.31	115.5	328	98.19	-60.81	59.26(-49.68+9.58)	28.47(-18.39+10.08)	96.95(-85.98+10.98)	0.3209	0.1542	0.3215
W _O _d	N _I _d	1.0	1.0	1.0	95.4	0.01	0	0.0	0.0	84.17(-74.59+9.58)	88.56(-78.48+10.08)	96.44(-85.47+10.98)	0.3127	0.329	1.0
Normierung:	W _I _d	0.0	0.0	0.0	0.18	0.05	0	0.04	0.03	0.02(-9.55+9.58)	0.02(-10.05+10.08)	0.02(-10.95+10.98)	0.3328	0.0002	
Grau Y _Z =18	Z _I _d	1.13	1.13	1.13	99.98	0.0	0	0.0	0.0	95.0(-85.42+9.58)	99.95(-89.87+10.08)	108.85(-97.88+10.98)	0.3127	0.329	1.1287
System TLS52a	Farbe	r _d	g _d	b _d	L* _d	C* _{ab,d}	h _{ab,d}	a* _d	b* _d	X _d	Y _d	Z _d	x _d	y _d	Y _{d/88.59}
sRGB	R _d	1.0	0.0	0.0	50.5	100.35	40	76.89	64.48	36.53(-26.95+9.58)	18.84(-8.76+10.08)	1.72(-9.25+10.98)	0.6399	0.33	0.2127
LabC*h _{ab}	Y _d	1.0	1.0	0.0	97.12	96.89	103	-21.57	94.45	76.96(-67.37+9.58)	92.74(-82.66+10.08)	13.85(-2.88+10.98)	0.4193	0.5053	1.0472
D65-Reflexion:	G _d	0.0	1.0	0.0	87.72	119.76	136	-86.15	83.18	35.75(-16.59+19.16)	71.49(-51.33+20.16)	11.91(-10.03+21.95)	0.3	0.6	0.8072
Y _N = 20.16	C _d	0.0	1.0	1.0	91.1	50.11	196	-48.06	-14.12	53.79(-34.63+19.16)	78.71(-58.55+20.16)	106.94(-84.99+21.95)	0.2247	0.3287	0.8887
L* _N = 52.02	B _d	0.0	0.0	1.0	32.32	133.74	306	79.13	-107.8	18.05(-1.1+19.16)	7.23(-12.92+20.16)	95.02(-73.07+21.95)	0.15	0.0601	0.0816
N _O _d	M _d	1.0	0.0	1.0	60.31	115.5	328	98.19	-60.81	59.26(-40.1+19.16)	28.47(-8.31+20.16)	96.95(-75.0+21.95)	0.3209	0.1542	0.3215
W _O _d	N _I _d	1.0	1.0	1.0	95.4	0.01	0	0.0	0.0	84.17(-65.01+19.16)	88.56(-68.4+20.16)	96.44(-74.49+21.95)	0.3127	0.329	1.0
Normierung:	W _I _d	0.0	0.0	0.0	0.18	0.05	0	0.04	0.03	0.02(-19.13+19.16)	0.02(-20.13+20.16)	0.02(-21.92+21.95)	0.3328	0.0002	
Grau Y _Z =18	Z _I _d	1.13	1.13	1.13	99.98	0.0	0	0.0	0.0	95.0(-75.84+19.16)	99.95(-79.79+20.16)	108.85(-86.9+21.95)	0.3127	0.329	1.1287
System TLS70a	Farbe	r _d	g _d	b _d	L* _d	C* _{ab,d}	h _{ab,d}	a* _d	b* _d	X _d	Y _d	Z _d	x _d	y _d	Y _{d/88.59}
sRGB	R _d	1.0	0.0	0.0	50.5	100.35	40	76.89	64.48	36.53(-17.37+19.16)	18.84(-1.31+20.16)	1.72(-20.22+21.95)	0.6399	0.33	0.2127
LabC*h _{ab}	Y _d	1.0	1.0	0.0	97.12	96.89	103	-21.57	94.45	76.96(-57.79+19.16)	92.74(-72.58+20.16)	13.85(-8.09+21.95)	0.4193	0.5053	1.0472
D65-Reflexion:	G _d	0.0	1.0	0.0	87.72	119.76	136	-86.15	83.18	35.75(-16.59+19.16)	71.49(-51.33+20.16)	11.91(-10.03+21.95)	0.3	0.6	0.8072
Y _N = 40.32	C _d	0.0	1.0	1.0	91.1	50.11	196	-48.06	-14.12	53.79(-15.47+38.32)	78.71(-38.39+40.32)	106.94(-63.04+43.9)	0.2247	0.3287	0.8887
L* _N = 69.7	B _d	0.0	0.0	1.0	32.32	133.74	306	79.13	-107.8	18.05(-20.26+38.32)	7.23(-33.08+40.32)	95.02(-51.12+43.9)	0.15	0.0601	0.0816
N _O _d	M _d	1.0	0.0	1.0	60.31	115.5	328	98.19	-60.81	59.26(-20.94+38.32)	28.47(-11.84+40.32)	96.95(-53.05+43.9)	0.3209	0.1542	0.3215
W _O _d	N _I _d	1.0	1.0	1.0	95.4	0.01	0	0.0	0.0	84.17(-45.85+38.32)	88.56(-48.24+40.32)	96.44(-52.54+43.9)	0.3127	0.329	1.0
Normierung:	W _I _d	0.0	0.0	0.0	0.18	0.05	0	0.04	0.03	0.02(-38.29+38.32)	0.02(-40.29+40.32)	0.02(-43.87+43.9)	0.3328	0.0002	
Grau Y _Z =18	Z _I _d	1.13	1.13	1.13	99.98	0.0	0	0.0	0.0	95.0(-56.68+38.32)	99.95(-59.63+40.32)	108.85(-64.95+43.9)	0.3127	0.329	1.1287
	Z _I _d	0.18	0.18	0.18	49.5	0.01	0	0.01	0.0	17.11(-21.2+38.32)	18.0(-22.31+40.32)	19.6(-24.29+43.9)	0.3127	0.329	0.2032