

10 Optimalfarben (o), $Y_W=90$, $Y_N=3,6$
 8 von maximalem (m) C_{AB} für P60
 in der Normfarbtafel (x, y)

Name & Spektralbereich


R_m 570_770 Y_m 520_770

G_m 470_570 C_m 380_570

B_m 380_520 M_m 570_470

G_o 520_570 M_o 570_520

Parameter: N



CIE 1931

x

10 Optimalfarben (o), $Y_{W,10}=90$, $Y_{N,10}=3,6$
 8 von maximalem (m) C_{AB} für P55
 in der Normfarbtafel (x, y)

Name & Spektralbereich


R_m 570_770 Y_m 520_770

G_m 470_570 C_m 380_570

B_m 380_520 M_m 570_470

G_o 520_570 M_o 570_520

Parameter: N



CIE 1931

x

10 Optimalfarben (o), $Y_W=90$, $Y_N=3,6$
 8 von maximalem (m) C_{AB} für P50
 in der Normfarbtafel (x, y)

Name & Spektralbereich


R_m 570_770 Y_m 520_770

G_m 470_570 C_m 380_570

B_m 380_520 M_m 570_470

G_o 520_570 M_o 570_520

Parameter: N



CIE 1931

x

min

P50

M_o

M_m

max

Y_m

G_m

G_o

C_m

B_m

10 Optimalfarben (o), $Y_W=90$, $Y_N=3,6$
 8 von maximalem (m) C_{AB} für P40
 in der Normfarbtafel (x, y)

Name & Spektralbereich


R_m 570_770 Y_m 520_770

G_m 470_570 C_m 380_570

B_m 380_520 M_m 570_470

G_o 520_570 M_o 570_520

Parameter: N



CIE 1931

x

10 Optimalfarben (o), $Y_W=90$, $Y_N=3,6$
 8 von maximalem (m) C_{AB} für P35
 in der Normfarbtafel (x, y)

Name & Spektralbereich


R_m 570_770 Y_m 520_770

G_m 470_570 C_m 380_570

B_m 380_520 M_m 570_470

G_o 520_570 M_o 570_520

Parameter: N



CIE 1931

x

**10 Optimalfarben (o), $Y_W=90$, $Y_N=3,6$
8 von maximalem (m) C_{AB} für P30
in der Normfarbtafel (x, y)**

Name & Spektralbereich


R_m 570_770 Y_m 520_770

G_m 470_570 C_m 380_570

B_m 380_520 M_m 570_470

G_o 520_570 M_o 570_520

Parameter: N



**10 Optimalfarben (o), $Y_W=90$, $Y_N=3,6$
8 von maximalem (m) C_{AB} für P25
in der Normfarbtafel (x, y)**


Name & Spektralbereich

R_m 570_770 Y_m 520_770

G_m 470_570 C_m 380_570

B_m 380_520 M_m 570_470

G_o 520_570 M_o 570_520



CIE 1931

x