

Ostwald-Optimalfarben (o), maximales (m) C_{AB} für P60, $Y_N=0$, $Y_W=90$, $Y_m=520_770$

i_1, λ_1	i_2, λ_2	Y	A	B	C_{AB}	a	b	h_{xy}	i_d, λ_d	i_c, λ_c	Code
0 405	32 563	53.56	-50.83	-37.27	63.03	0.5907	-0.6965	216.2	16 483	38 590	Cm
6 435	32 563	54.12	-60.57	-18.04	63.2	0.5227	-0.5515	196.5	17 487	44 621	
10 450	33 565	54.2	-74.1	11.55	74.99	0.4236	-0.3329	171.1	19 497	-1 497c	
11 460	33 566	55.45	-77.42	20.13	79.99	0.4119	-0.2729	165.4	20 502	-1 502c	
13 465	33 568	56.12	-81.71	33.7	88.38	0.388	-0.1779	157.5	22 513	-1 513c	
14 470	34 570	57.09	-83.01	39.7	92.02	0.3888	-0.1399	154.4	24 521	-1 521c	Gm
15 475	34 574	59.7	-83.37	46.41	95.41	0.4118	-0.1072	150.8	25 529	-1 529c	
15 480	36 580	63.87	-82.5	50.76	96.86	0.4537	-0.1002	148.3	27 535	-1 535c	
17 485	39 595	70.8	-72.25	63.39	96.12	0.5622	-0.06	138.7	29 549	-1 549c	
18 490	-1 490c	85.0	-25.38	79.98	83.91	0.8509	-0.0418	107.6	33 566	11 459	max
19 495	-1 495c	83.76	-22.46	80.01	83.11	0.8631	-0.036	105.6	33 567	12 461	
20 500	-1 500c	82.2	-18.71	79.42	81.59	0.8793	-0.0316	103.2	33 568	12 464	
22 510	-1 510c	77.89	-8.53	76.28	76.76	0.9265	-0.0264	96.3	34 570	13 469	
24 520	-1 520c	71.91	4.55	70.72	70.87	0.9957	-0.0247	86.3	34 572	14 473	Ym
25 530	-1 529c	68.43	11.56	67.29	68.27	1.038	-0.0248	80.2	34 574	15 475	
27 540	-1 539c	60.8	25.33	59.57	64.73	1.137	-0.0262	66.9	35 578	15 478	
29 545	-1 545c	52.69	37.52	51.21	63.48	1.2552	-0.0294	53.7	36 582	16 480	
29 550	-1 549c	52.69	37.52	51.21	63.48	1.2552	-0.0294	53.7	36 582	16 480	
30 555	-1 554c	48.59	42.61	46.95	63.4	1.3211	-0.0316	47.7	36 584	16 481	
32 560	-1 560c	40.5	50.12	38.52	63.21	1.4654	-0.0376	37.5	37 589	16 483	
32 563	0 405	46.43	50.84	37.27	63.04	1.4083	-0.097	36.2	38 590	16 483	Rm
32 563	6 435	45.87	60.57	18.04	63.2	1.4985	-0.2608	16.5	44 621	17 487	
33 565	10 450	45.79	74.08	-11.55	74.98	1.6175	-0.519	351.1	-1 497c	19 497	
33 566	11 460	44.54	77.4	-20.13	79.98	1.6655	-0.5989	345.4	-1 502c	20 502	
33 568	13 465	43.87	81.68	-33.69	88.36	1.7151	-0.7253	337.5	-1 513c	22 513	
34 570	14 470	42.9	82.98	-39.69	91.99	1.7441	-0.7882	334.4	-1 521c	24 521	Mm
34 574	15 475	40.29	83.34	-46.39	95.38	1.7977	-0.8786	330.8	-1 529c	25 529	
36 580	15 480	36.12	82.47	-50.74	96.83	1.8835	-0.9799	328.3	-1 535c	27 535	
39 595	17 485	29.19	72.22	-63.36	96.08	1.9601	-1.2864	318.7	-1 549c	29 549	
-1 490c	18 490	14.99	25.36	-79.92	83.85	1.6471	-2.5507	287.6	11 459	33 566	min
-1 495c	19 495	16.23	22.44	-79.96	83.05	1.5234	-2.3881	285.6	12 461	33 567	
-1 500c	20 500	17.79	18.7	-79.37	81.54	1.3907	-2.2019	283.2	12 464	33 568	
-1 510c	22 510	22.1	8.53	-76.24	76.72	1.1247	-1.7979	276.3	13 469	34 570	
-1 520c	24 520	28.08	-4.55	-70.7	70.84	0.9055	-1.4253	266.3	14 473	34 572	Bm
-1 529c	25 530	31.56	-11.56	-67.27	68.25	0.8238	-1.2706	260.2	15 475	34 574	
-1 539c	27 540	39.19	-25.32	-59.55	64.72	0.7119	-1.0259	246.9	15 478	35 578	
-1 545c	29 545	47.3	-37.51	-51.2	63.47	0.6531	-0.8511	233.7	16 480	36 582	
-1 549c	29 550	47.3	-37.51	-51.2	63.47	0.6531	-0.8511	233.7	16 480	36 582	
-1 554c	30 555	51.4	-42.6	-46.94	63.4	0.6388	-0.7834	227.7	16 481	36 584	
-1 560c	32 560	59.49	-50.11	-38.52	63.21	0.6334	-0.6771	217.5	16 483	37 589	
W0 380	770	89.99	0.0	0.0	0.0	0.9704	-0.4181	0.0	$B_c=1,000$		
N0 380	770	3.59	0.0	0.0	0.0	0.9704	-0.4181	0.0	$x_c=0,000$		