





se lignende filer: <http://farbe.li.tu-berlin.de/AN06/AN06HTM>
 teknisk informasjon: <http://farbe.li.tu-berlin.de/AN06/AN06L0NA.PDF>




radielt gitter (Siemens-stjerner) N-W



radielt gitter (Siemens-stjerner) W-N




radielt gitter (Siemens-stjerner) N-Z




radielt gitter (Siemens-stjerner) W-Z


AN060-3, Figur A1Wde: Element A: Radielt gitter N-W, W-N, N-Z og W-Z; PS operator: *rgb/cmy0/w/000n*



AN060-5, Figur A2Wde: Element B: 5 visuelle ekvidistante L^* -gråtrinn + $N_0 + W_I$; PS operator: *rgb/cmy0/w/000n*



AN060-7, Figur A3Wde: Element C: 16 visuelle ekvidistante L^* -gråtrinn; PS operator: *rgb/cmy0/w/000n*



Prøveplansje AN06 infølge ISO 9241-306
 akromatisk prøveplansje N


input: *rgb/cmy0/000n/w set...*
 output: *->rgb_de setrgbcolor*

omfelt-trinn Hex-code	0	○ ○ ○ ○ ○ ○ ○ ○	1 ring-trinn Hex-code	0-1
	7	○ ○ ○ ○ ○ ○ ○ ○	8	7-8
	E	○ ○ ○ ○ ○ ○ ○ ○	F	E-F
	2	○ ○ ○ ○ ○ ○ ○ ○	0	2-0
	8	○ ○ ○ ○ ○ ○ ○ ○	6	8-6
	F	○ ○ ○ ○ ○ ○ ○ ○	D	F-D


Landoltringer W-N

kode: omfelt - ring


AN061-1, Figur A4Wde: Element D: Landoltringer W-N; PS operator: *rgb/cmy0/w/000n*




AN061-3, Figur A5Wde: Element E: Linjeraster med 45° (eller 135°); PS operator: *rgb/cmy0/w/000n*



AN061-5, Figur A6Wde: Element F: Linjeraster med 90° (eller 0°); PS operator: *rgb/cmy0/w/000n*



AN061-7, Figur A7Wde: Element G: 16 visuelle ekvidistante L^* -gråtrinn; PS operator: *rgb/cmy0/w/000n*



TUB Registrering: 20190301-AN06/AN06L0FA.TXT /PS
 anvendelse for måling av display og utskriftsutgang

TUB materiell: code=rha4ta

