




se lignende filer: <http://farbe.li.tu-berlin.de/AN09/AN09F0NX.PDF>
teknisk informasjon: <http://farbe.li.tu-berlin.de/AN09/AN09LF0NX.PDF> eller <http://farbe.li.tu-berlin.de/AE.HTM>




AN090-3, Figur A1Wdd: Element A: Radielt gitter N-W, W-N, N-Z og W-Z; PS operator: *rgb/cmy0/w/000n*




AN090-5, Figur A2Wdd: Element B: 5 visuelle ekvidistante L^* -gråtrinn + N_0 + W_1 ; PS operator: *rgb/cmy0/w/000n*




AN090-7, Figur A3Wdd: Element C: 16 visuelle ekvidistante L^* -gråtrinn; PS operator: *rgb/cmy0/w/000n*



AN091-1, Figur A4Wdd: Element D: Landoltringer W-N; PS operator: *rgb/cmy0/w/000n*



AN091-3, Figur A5Wdd: Element E: Linjeraster med 45° (eller 135°); PS operator: *rgb/cmy0/w/000n*



AN091-5, Figur A6Wdd: Element F: Linjeraster med 90° (eller 0°); PS operator: *rgb/cmy0/w/000n*

input: *rgb/cmy0/000n/w set...*
output: *->rgb_{dd} setrgbcolor*

TUB Registrering: 20190301-AN09/AN09LF0FA.TXT /.PS
anvendelse for måling av display og utskriftsutgang

TUB-materiell: code=rh4ta