




http://farbe.li.tu-berlin.de/AN09/AN09L1NA.TXT /.PS; start output, side 1/3
N: ingen 3D-linearisering (OL) i fil (F) eller PS-startup (S)




radielt gitter (Siemens-stjerner) N-W



radielt gitter (Siemens-stjerner) W-N




radielt gitter (Siemens-stjerner) N-Z




radielt gitter (Siemens-stjerner) W-Z

AN090-3, Figur A1W_{dd}: Element A: Radielt gitter N-W, W-N, N-Z og W-Z; PS operator: *rgb/cmy0/w/000n*



AN090-5, Figur A2W_{dd}: Element B: 5 visuelle ekvidistante L^* -gråtrinn + N_0 + W_1 ; PS operator: *rgb/cmy0/w/000n*




AN090-7, Figur A3W_{dd}: Element C: 16 visuelle ekvidistante L^* -gråtrinn; PS operator: *rgb/cmy0/w/000n*

Prøveplansje AN09 infølge ISO 9241-306
akromatisk prøveplansje N


omfelt-trinn Hex-code	0	1	ring-trinn Hex-code	0-1
7		8		7-8
E		F		E-F
2		0		2-0
8		6		8-6
F		D		F-D

Landoltringer W-N
kode: omfelt - ring

AN091-1, Figur A4W_{dd}: Element D: Landoltringer W-N; PS operator: *rgb/cmy0/w/000n*



AN091-3, Figur A5W_{dd}: Element E: Linjeraster med 45° (eller 135°); PS operator: *rgb/cmy0/w/000n*



AN091-5, Figur A6W_{dd}: Element F: Linjeraster med 90° (eller 0°); PS operator: *rgb/cmy0/w/000n*

input: *rgb/cmy0/000n/w set...*
output: *->rgb_{dd} setrgbcolor*