



BAM registration: 20080201-De10/10L/L10e90NA.PS /TXT

BAM material: code=rha4ta



BAM registration: 20080201-De10/10L/L10e90NA.PS /TXT

BAM material: code=rha4ta



















BAM registration: 20080201-De10/10L/L10e90NA.PS /TXT

BAM material: code=rha4ta



See for similar files: <http://www.ps.bam.de/De10/>; www.ps.bam.de


Technical information: <http://www.ps.bam.de/De10/>; Version 2.1, io=1,1



BAM registration: 20080201-De10/10L/L10e90NA.PS /TXT


BAM material: code=rha4ta

application for evaluation and measurement of printer or monitor systems



BAM registration: 20080201-De10/10L/L10e90NA.PS /TXT

BAM material: code=rha4ta



















BAM registration: 20080201-De10/10L/L10e90NA.PS /TXT

BAM material: code=rha4ta

application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/De10/>; www.ps.bam.de

Technical information: <http://www.ps.bam.de/De10/>; Version 2.1, io=1,1



BAM registration: 20080201-De10/10L/L10e90NA.PS /TXT


















BAM material: code=rha4ta



www.ps.bam.de/De10/10L/L10e90NA.PS /TXT, Page 8/8; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: <http://www.ps.bam.de/De10/>; www.ps.bam.de

Technical information: <http://www.ps.bam.de/De10/>; Version 2.1, io=1,1



BAM-test chart De10; Elementary colour output: TLS70a
9 step colour series; 8 standard device systems, Page 8/8

input: $rgb \rightarrow olv^*$
output: no change compared to input

