


BAM registration: 20080201-De10/10L/L10e90NP.PS /PDF

BAM material: code=rha4ta



















BAM registration: 20080201-De10/10L/L10e90NP.PS /PDF

BAM material: code=rha4ta

application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/De10/>; www.ps.bam.de

Technical information: <http://www.ps.bam.de/De10/>; Version 2.1, io=1,1



BAM registration: 20080201-De10/10L/L10e90NP.PS /PDF

BAM material: code=rha4ta

application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/De10/>; www.ps.bam.de/De10/; Version 2.1, io=1,1

C

M

















Y

O

L

V

www.ps.bam.de/De10/10L/L10e90NP.PS /.PDF, Page 3/8; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM-test chart De10; Elementary colour output: FRS06a
9 step colour series; 8 standard device systems, Page 3/8

input: $rgb \rightarrow olv^*$
output: no change compared to input


















BAM registration: 20080201-De10/10L/L10e90NP.PS /PDF

BAM material: code=rha4ta

application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/De10/>; www.ps.bam.de

Technical information: <http://www.ps.bam.de/De10/>; Version 2.1, io=1,1




BAM-test chart De10; Elementary colour output: TSL18a
9 step colour series; 8 standard device systems, Page 4/8

input: $rgb \rightarrow olv^*$
output: no change compared to input

BAM registration: 20080201-De10/10L/L10e90NP.PS /PDF

BAM material: code=rha4ta


application for evaluation and measurement of printer or monitor systems



BAM registration: 20080201-De10/10L/L10e90NP.PS /PDF

BAM material: code=rha4ta

application for evaluation and measurement of printer or monitor systems




















BAM registration: 20080201-De10/10L/L10e90NP.PS /PDF

BAM material: code=rha4ta

application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/De10/>; www.ps.bam.de

Technical information: <http://www.ps.bam.de/De10/>; Version 2.1, io=1,1



BAM-test chart De10; Elementary colour output: SRS18a
9 step colour series; 8 standard device systems, Page 7/8

input: $rgb \rightarrow olv^*$
output: no change compared to input

BAM registration: 20080201-De10/10L/L10e90NP.PS /PDF

BAM material: code=rha4ta

application for evaluation and measurement of printer or monitor systems

