














BAM registration: 20080601-De29/10L/L29e00NA.PS /TXT

BAM material: code=rha4ta



See for similar files: <http://www.ps.bam.de/De29/>; www.ps.bam.de

Technical information: <http://www.ps.bam.de/De29/>; Version 2.1, io=1,1



BAM-test chart De29; Colour device output, Page 1/8
9 step series; laser printer; 4 separations + 4 linearisations

input: $rgb \rightarrow oly^*$
output: no change compared to input

BAM registration: 20080601-De29/10L/L29e00NA.PS /TXT

BAM material: code=rha4ta

application for evaluation and measurement of printer or monitor systems

-8

6
8
V L O Y M C





-8

6
8
V L O Y M C

-6





8
V L O Y M C

input: $rgb \rightarrow olv^*$
output: no change compared to input




De291-7N, 2: Measurement: LAB_D65_Z46N_R243.DAT, 243 colours, 20080301, Separation cmy0*, adapted

BAM-test chart De29; Colour device output, Page 2/8
9 step series; laser printer; 4 separations + 4 linearisations



De291-7N, 2: Measurement: LAB_D65_Z46N_R243.DAT, 243 colours, 20080301, Separation cmy0*, adapted



www.ps.bam.de/De29/10L/L29e00NA.PS /TXT, Page 2/8; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)


See for similar files: <http://www.ps.bam.de/De29/>; www.ps.bam.de

Technical information: <http://www.ps.bam.de/De29/>; Version 2.1, io=1,1

De291-7N, 2: Measurement: LAB_D65_Z46N_R243.DAT, 243 colours, 20080301, Separation cmy0*, adapted

BAM registration: 20080601-De29/10L/L29e00NA.PS /TXT

BAM material: code=rha4ta





















6

8

www.ps.bam.de/De29/10L/L29e00NA.PS /TXT, Page 3/8; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

See for similar files: <http://www.ps.bam.de/De29/>; www.ps.bam.de
Technical information: <http://www.ps.bam.de/De29/>; Version 2.1, io=1,1



input: $rgb \rightarrow oly^*$
output: no change compared to input

BAM registration: 20080601-De29/10L/L29e00NA.PS /TXT


















BAM material: code=rha4ta

See for similar files: <http://www.ps.bam.de/De29/>; www.ps.bam.de/De.HTM

Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1



www.ps.bam.de/De29/10L/L29e00NA.PS /TXT, Page 4/8; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM-test chart De29; Colour device output, Page 4/8
9 step series; laser printer; 4 separations + 4 linearisations

input: $rgb \rightarrow olv^*$
output: no change compared to input



BAM registration: 20080601-De29/10L/L29e00NA.PS /TXT
















BAM material: code=rha4ta

www.ps.bam.de/De29/10L/L29e00NA.PS /TXT, Page 5/8; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



See for similar files: <http://www.ps.bam.de/De29/>; www.ps.bam.de
Technical information: <http://www.ps.bam.de/De29/>; Version 2.1, io=1,1


V L O Y M C
C M Y O V L
Y O V L C M
M C L V O Y
L V O Y M C
C M Y O V L




BAM-test chart De29; Colour device output, Page 5/8
9 step series; laser printer; 4 separations + 4 linearisations

input: $rgb \rightarrow oly^*$
output: no change compared to input







BAM registration: 20080601-De29/10L/L29e00NA.PS /TXT

BAM material: code=rha4ta

application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/De29/>; www.ps.bam.de/De.HTM

Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1

