











BAM registration: 20080201-De30/10L/L30e00NA.PS /TXT

BAM material: code=rha4ta

application for evaluation and measurement of printer or monitor systems





















See for similar files: <http://www.ps.bam.de/De30/>; www.ps.bam.de/De.HTM

Technical information: <http://www.ps.bam.de>


BAM-test chart De30; Colour device output, Page 1/5
9 step series; ink plotter; 4 separations + cmyn5* linearisation

input: $rgb \rightarrow olv^*$
output: no change compared to input



BAM registration: 20080201-De30/10L/L30e00NA.PS /TXT

BAM material: code=rha4ta



BAM registration: 20080201-De30/10L/L30e00NA.PS /TXT

















BAM material: code=rha4ta

application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/De30/>; www.ps.bam.de/De.HTM


Technical information: <http://www.ps.bam.de>

Version 2.1, io=1,1



BAM-test chart De30; Colour device output, Page 3/5
9 step series; ink plotter; 4 separations + cmyn5* linearisation

input: $rgb \rightarrow olv^*$
output: no change compared to input



BAM registration: 20080201-De30/10L/L30e00NA.PS /TXT

BAM material: code=rha4ta

