
















De350-7N: Measurement: %F_PR509_ZE45N_CM_OF_080529.TXT, 243 colours, adapted

BAM-test chart De35; 9 step colour device output, Page 1/4
Photoprint; colour management On/Off and olv* linearisation

input: $rgb \rightarrow olv^*$
output: no change compared to input



De35-7N: Measurement: %F_PR509_ZE45N_CM_OF_080529.TXT, 243 colours, adapted

BAM-test chart De35; 9 step colour device output, Page 2/4
Photoprint; colour management On/Off and olv^* linearisation

input: $rgb \rightarrow olv^*$
output: no change compared to input

C

M

Y

O

N

V

C
















M

Y

O

N














V



De35-7N: Measurement: %F_PR509_ZE45_CM_ON_080529.TXT, 243 colours, adapted, linearised

BAM-test chart De35; 9 step colour device output, Page 3/4
Photoprint; colour management On/Off and olv* linearisation

input: $rgb \rightarrow olv^*$
output: no change compared to input



De35-7N: Measurement: %F_PR509_ZE45F_CM_OF_080529.TXT, 243 colours, adapted, linearised

BAM-test chart De35; 9 step colour device output, Page 4/4
Photoprint; colour management On/Off and olv^* linearisation

input: $rgb \rightarrow olv^*$
output: no change compared to input