

De380−1A, 1



De380−2A, 1



De381−1A, 1



De381−2A, 1



De380−3A, 1



De380−4A, 1



De381−3A, 1



De381−4A, 1



De380−5A, 1



De380−6A, 1



De381−5A, 1



De381−6A, 1



De381−7A, 1



De381−8A, 1



De381−7A, 1



De381−8A, 1

De380−7N: Measurement: 9 step equidistant colour series, Interpretation: rgb −> rgb*, adapted, ORS18a LUT−data of De000−7 used



De380−1A, 2



De380−2A, 2



De381−1A, 2



De381−2A, 2



De380−3A, 2



De380−4A, 2



De381−3A, 2



De381−4A, 2



De380−5A, 2



De380−6A, 2



De381−5A, 2



De381−6A, 2



De381−7A, 2



De381−8A, 2



De381−7A, 2



De381−8A, 2

De380−7N: Measurement: 9 step equidistant colour series, Interpretation: rgb −> rgb*, adapted, TLS00a LUT−data of De000−7 used



De380−1A, 3



De380−2A, 3



De381−1A, 3



De381−2A, 3



De380−3A, 3



De380−4A, 3



De381−3A, 3



De381−4A, 3



De380−5A, 3



De380−6A, 3



De381−5A, 3



De381−6A, 3



De381−7A, 3



De381−8A, 3



De381−7A, 3



De381−8A, 3

De380−7N: Measurement: 9 step equidistant colour series, Interpretation: rgb −> rgb*, adapted, FRS06a LUT−data of De000−7 used



De380−1A, 4



De380−2A, 4



De380−3A, 4



De380−4A, 4



De380−5A, 4



De380−6A, 4



De381−7A, 4



De381−8A, 4



De381−1A, 4



De381−2A, 4



De381−3A, 4



De381−4A, 4



De381−5A, 4



De381−6A, 4



De381−7A, 4



De381−8A, 4

De380−7N: Measurement: 9 step equidistant colour series, Interpretation: rgb −> rgb*, adapted, TLS18a LUT−data of De000−7 used

BAM-test chart De38; Elementary colour output: TSL18a
9 step colour series; 8 standard device systems, Page 4/8

input: *rgb −> olv**
output: no change compared to input



De380−1A, 5



De380−2A, 5



De381−1A, 5



De381−2A, 5



De380−3A, 5



De380−4A, 5



De381−3A, 5



De381−4A, 5



De380−5A, 5



De380−6A, 5



De381−5A, 5



De381−6A, 5



De381−7A, 5



De381−8A, 5



De381−7A, 5



De381−8A, 5

De380−7N: Measurement: 9 step equidistant colour series, Interpretation: rgb −> rgb*, adapted, NLS00a LUT−data of De000−7 used



De380−1A, 6



De380−2A, 6



De380−3A, 6



De380−4A, 6



De380−5A, 6



De380−6A, 6



De381−7A, 6



De381−8A, 6



De381−1A, 6



De381−2A, 6



De381−3A, 6



De381−4A, 6



De381−5A, 6



De381−6A, 6



De381−7A, 6



De381−8A, 6

De380−7N: Measurement: 9 step equidistant colour series, Interpretation: rgb −> rgb*, adapted, NLS18a LUT−data of De000−7 used




De380−1A, 7




De380−2A, 7




De381−1A, 7




De381−2A, 7




De380−3A, 7




De380−4A, 7




De381−3A, 7




De381−4A, 7




De380−5A, 7




De380−6A, 7




De381−5A, 7




De381−6A, 7




De381−7A, 7




De381−8A, 7




De381−7A, 7




De381−8A, 7

De380−7N: Measurement: 9 step equidistant colour series, Interpretation: rgb −> rgb*, adapted, NRS11a LUT−data of De000−7 used



De380−1A, 8



De380−2A, 8



De380−3A, 8



De380−4A, 8



De380−5A, 8



De380−6A, 8



De381−7A, 8



De381−8A, 8



De381−1A, 8



De381−2A, 8



De381−3A, 8



De381−4A, 8



De381−5A, 8



De381−6A, 8



De381−7A, 8



De381−8A, 8

De380−7N: Measurement: 9 step equidistant colour series, Interpretation: rgb −> rgb*, adapted, TLS70a LUT−data of De000−7 used

BAM-test chart De38; Elementary colour output: TLS70a
9 step colour series; 8 standard device systems, Page 8/8

input: *rgb −> olv**
output: no change compared to input