

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a		
O/R		 <i>rgb</i> * ₃	 <i>LCH</i> * _a	 <i>LAB</i> * _a	 <i>nch</i> * _a	 <i>olv</i> * ₃	 <i>LCH</i> * _a	 <i>LAB</i> * _a			 <i>rgb</i> * ₃	 <i>LCH</i> * _a	 <i>LAB</i> * _a	 <i>nch</i> * _a	 <i>olv</i> * ₃	 <i>LCH</i> * _a	 <i>LAB</i> * _a			 <i>rgb</i> * ₃	 <i>LCH</i> * _a	 <i>LAB</i> * _a	 <i>nch</i> * _a	 <i>olv</i> * ₃	 <i>LCH</i> * _a	 <i>LAB</i> * _a			
01		B01 1.0 0.0 0.0	C01 39.91 65.06 25	D01 39.91 58.74 27.99	E01 0.0 1.0 0.07	F01 1.0 0.0 0.178	G01 35.74 71.22 25	H01 35.74 64.29 30.63			K01 1.0 0.0 0.0	L01 39.91 65.06 25	M01 39.91 58.74 27.99	N01 0.0 1.0 0.07	O01 1.0 0.0 0.178	P01 35.74 71.22 25	Q01 35.74 64.29 30.63			T01 1.0 0.0 0.0	U01 39.91 65.06 25	V01 39.91 58.74 27.99	W01 0.0 1.0 0.07	X01 1.0 0.0 0.178	Y01 35.74 71.22 25	Z01 35.74 64.29 30.63			
02		B02 0.937 0.062 0.062	C02 42.01 56.93 25	D02 42.01 51.39 24.49	E02 0.062 0.875 0.07	F02 0.937 0.062 0.218	G02 37.59 62.32 25	H02 37.59 56.26 26.8			K02 0.882 0.117 0.117	L02 43.85 49.81 25	M02 43.85 44.97 21.42	N02 0.062 0.765 0.07	O02 0.882 0.117 0.253	P02 39.21 54.53 25	Q02 39.21 49.22 23.45			T02 0.967 0.032 0.032	U02 41.0 60.86 25	V02 41.0 54.94 26.18	W02 0.062 0.935 0.07	X02 0.967 0.032 0.198	Y02 36.7 66.62 25	Z02 36.7 60.14 28.66			
03		B03 0.875 0.125 0.125	C03 44.11 48.8 25	D03 44.11 44.05 20.99	E03 0.125 0.75 0.07	F03 0.875 0.125 0.258	G03 39.45 53.41 25	H03 39.45 48.22 22.97			K03 0.781 0.218 0.218	L03 47.26 36.6 25	M03 47.26 33.04 15.74	N03 0.125 0.562 0.07	O03 0.781 0.218 0.318	P03 42.23 40.06 25	Q03 42.23 36.16 17.23			T03 0.933 0.066 0.066	U03 42.16 56.35 25	V03 42.16 50.87 24.24	W03 0.125 0.866 0.07	X03 0.933 0.066 0.221	Y03 37.72 61.68 25	Z03 37.72 55.68 26.53			
04		B04 0.812 0.187 0.187	C04 46.21 40.66 25	D04 46.21 36.71 17.49	E04 0.187 0.625 0.07	F04 0.812 0.187 0.298	G04 41.3 44.51 25	H04 41.3 40.18 19.14			K04 0.695 0.304 0.304	L04 50.15 25.41 25	M04 50.15 22.94 10.93	N04 0.187 0.39 0.07	O04 0.695 0.304 0.374	P04 44.78 27.82 25	Q04 44.78 25.11 11.96			T04 0.895 0.104 0.104	U04 43.43 51.44 25	V04 43.43 46.43 22.12	W04 0.187 0.79 0.07	X04 0.895 0.104 0.245	Y04 38.84 56.3 25	Z04 38.84 50.83 24.22			
05		B05 0.75 0.25 0.25	C05 48.31 32.53 25	D05 48.31 29.37 13.99	E05 0.25 0.5 0.07	F05 0.75 0.25 0.339	G05 43.15 33.61 25	H05 43.15 32.14 15.31			K05 0.625 0.375 0.375	L05 52.51 16.26 25	M05 52.51 14.68 6.99	N05 0.25 0.25 0.07	O05 0.625 0.375 0.419	P05 46.86 17.8 25	Q05 46.86 16.07 7.65			T05 0.853 0.146 0.146	U05 44.83 46.0 25	V05 44.83 41.53 19.79	W05 0.25 0.707 0.07	X05 0.853 0.146 0.272	Y05 40.08 50.36 25	Z05 40.08 45.46 21.66			
06		B06 0.687 0.312 0.312	C06 50.41 24.4 25	D06 50.41 22.02 10.49	E06 0.312 0.375 0.07	F06 0.687 0.312 0.379	G06 45.01 26.7 25	H06 45.01 24.11 11.48			K06 0.57 0.429 0.429	L06 54.34 9.15 25	M06 54.34 8.26 3.93	N06 0.312 0.14 0.07	O06 0.57 0.429 0.454	P06 48.48 10.01 25	Q06 48.48 9.04 4.3			T06 0.806 0.193 0.193	U06 46.42 39.84 25	V06 46.42 35.97 17.14	W06 0.312 0.612 0.07	X06 0.806 0.193 0.302	Y06 41.49 43.61 25	Z06 41.49 39.37 18.76			
07		B07 0.625 0.375 0.375	C07 52.51 16.26 25	D07 52.51 14.68 6.99	E07 0.375 0.25 0.07	F07 0.625 0.375 0.419	G07 46.86 17.8 25	H07 46.86 16.07 7.65			K07 0.531 0.468 0.468	L07 55.66 4.06 25	M07 55.66 3.67 1.74	N07 0.375 0.062 0.07	O07 0.531 0.468 0.479	P07 49.64 4.45 25	Q07 49.64 4.01 1.91			T07 0.75 0.249 0.249	U07 48.31 32.53 25	V07 48.31 29.37 13.99	W07 0.375 0.5 0.07	X07 0.75 0.249 0.339	Y07 43.15 35.61 25	Z07 43.15 32.14 15.31			
08		B08 0.562 0.437 0.437	C08 54.61 8.13 25	D08 54.61 7.34 3.49	E08 0.437 0.125 0.07	F08 0.562 0.437 0.459	G08 48.72 8.9 25	H08 48.72 8.03 3.82			K08 0.507 0.492 0.492	L08 56.44 1.01 25	M08 56.44 0.91 0.43	N08 0.437 0.015 0.07	O08 0.507 0.492 0.494	P08 50.34 1.11 25	Q08 50.34 1.0 0.47			T08 0.676 0.323 0.323	U08 50.77 23.0 25	V08 50.77 20.76 9.89	W08 0.437 0.353 0.07	X08 0.676 0.323 0.386	Y08 45.33 25.18 25	Z08 45.33 22.73 10.83			
09		B09 0.5 0.5 0.5	C09 56.71 0 0	D09 56.71 0 0	E09 0.5 0.0 0.0	F09 0.5 0.5 0.5	G09 50.57 0 0	H09 50.57 0 0			K09 0.5 0.5 0.5	L09 56.71 0 0	M09 56.71 0 0	N09 0.5 0.0 0.0	O09 0.5 0.5 0.5	P09 50.57 0 0	Q09 50.57 0 0			T09 0.5 0.5 0.5	U09 56.71 0 0	V09 56.71 0 0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.5	Y09 50.56 0.07 0	Z09 50.56 0.07 0			
10		B10 0.437 0.562 0.562	C10 54.82 3.28 216	D10 54.82 -2.62 -1.97	E10 0.437 0.125 0.602	F10 0.437 0.562 0.549	G10 50.65 4.96 216	H10 50.65 -3.96 -2.98			K10 0.492 0.507 0.507	L10 56.47 0.41 216	M10 56.47 -0.32 -0.24	N10 0.437 0.015 0.602	O10 0.492 0.507 0.506	P10 50.58 0.62 216	Q10 50.58 -0.49 -0.37			T10 0.323 0.676 0.676	U10 51.37 9.28 216	V10 51.37 -7.41 -5.58	W10 0.437 0.353 0.602	X10 0.323 0.676 0.638	Y10 50.81 14.04 216	Z10 50.81 -11.22 -8.44			
11		B11 0.375 0.625 0.625	C11 52.94 6.56 216	D11 52.94 -5.24 -3.94	E11 0.375 0.25 0.602	F11 0.375 0.625 0.598	G11 50.74 9.93 216	H11 50.74 -7.93 -5.97			K11 0.468 0.531 0.531	L11 55.76 1.64 216	M11 55.76 -1.31 -0.98	N11 0.375 0.062 0.602	O11 0.468 0.531 0.524	P11 50.61 2.48 216	Q11 50.61 -1.98 -1.49			T11 0.249 0.75 0.75	U11 49.16 13.12 216	V11 49.16 -10.48 -7.89	W11 0.375 0.5 0.602	X11 0.249 0.75 0.696	Y11 50.91 19.86 216	Z11 50.91 -15.86 -11.94			
12		B12 0.312 0.687 0.687	C12 51.05 9.84 216	D12 51.05 -7.86 -5.92	E12 0.312 0.375 0.602	F12 0.312 0.687 0.647	G12 50.82 14.89 216	H12 50.82 -11.9 -8.96			K12 0.429 0.57 0.57	L12 54.58 3.69 216	M12 54.58 -2.94 -2.22	N12 0.312 0.14 0.602	O12 0.429 0.57 0.555	P12 50.66 5.58 216	Q12 50.66 -4.46 -3.36			T12 0.193 0.806 0.806	U12 47.47 16.07 216	V12 47.47 -12.84 -9.66	W12 0.312 0.612 0.602	X12 0.193 0.806 0.74	Y12 50.98 24.33 216	Z12 50.98 -19.43 -14.63			
13		B13 0.25 0.75 0.75	C13 49.17 13.12 216	D13 49.17 -10.48 -7.89	E13 0.25 0.5 0.602	F13 0.25 0.75 0.696	G13 50.91 19.86 216	H13 50.91 -15.86 -11.94			K13 0.375 0.625 0.625	L13 52.94 6.56 216	M13 52.94 -5.24 -3.94	N13 0.25 0.25 0.602	O13 0.375 0.625 0.598	P13 50.74 9.93 216	Q13 50.74 -7.93 -5.97			T13 0.146 0.853 0.853	U13 46.04 18.56 216	V13 46.04 -14.82 -11.16	W13 0.25 0.707 0.602	X13 0.146 0.853 0.777	Y13 51.05 28.09 216	Z13 51.05 -22.44 -16.89			
14		B14 0.187 0.812 0.812	C14 47.28 16.4 216	D14 47.28 -13.1 -9.86	E14 0.187 0.625 0.602	F14 0.187 0.812 0.745	G14 50.99 24.83 216	H14 50.99 -19.83 -14.93			K14 0.304 0.695 0.695	L14 50.81 10.25 216	M14 50.81 -8.19 -6.16	N14 0.187 0.39 0.602	O14 0.304 0.695 0.653	P14 50.83 15.52 216	Q14 50.83 -12.39 -9.33			T14 0.104 0.895 0.895	U14 44.78 20.75 216	V14 44.78 -16.57 -12.48	W14 0.187 0.79 0.602	X14 0.104 0.895 0.81	Y14 51.1 31.41 216	Z14 51.1 -25.09 -18.89			
15		B15 0.125 0.875 0.875	C15 45.4 19.68 216	D15 45.4 -15.72 -11.84	E15 0.125 0.75 0.602	F15 0.125 0.875 0.794	G15 51.08 29.79 216	H15 51.08 -23.8 -17.92			K15 0.218 0.781 0.781	L15 48.22 14.76 216	M15 48.22 -11.79 -8.88	N15 0.125 0.562 0.602	O15 0.218 0.781 0.721	P15 50.95 22.34 216	Q15 50.95 -17.85 -13.44			T15 0.066 0.933 0.933	U15 43.65 22.73 216	V15 43.65 -18.16 -13.67	W15 0.125 0.866 0.602	X15 0.066 0.933 0.84	Y15 51.15 34.4 216	Z15 51.15 -27.48 -20			