







See for similar files: <http://www.ps.barn.de/De84/>; www.ps.barn.de/De.HTM
 Technical information: <http://www.ps.barn.de> Version 2.1, io=1,1, ColSpX=6

application for evaluation and measurement of printer or monitor systems




















BAM-test chart De84; Colorimetric systems, Page 2/5
colour scales and 3 separations for 16 hues $r00j$ to $j75$.

```
input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmykcolor
```

See for similar files: <http://www.ps.bam.de/De84>; www.ps.bam.de/De.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0

application for evaluation and measurement of printer or monitor systems

BAW material: code=In4a

















BAM-test chart De84; Colorimetric systems, Page 3/5
colour scales and 3 separations for 16 hues $r00j$ to $j75a$

```
input: 000n / w / nnn0 / www set..  
output: ->cmvn5* setcmvcolor
```

See for similar files: <http://www.ps.bam.de/De84>; www.ps.bam.de/De.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0

BAM registration: 20080701-De84/10L/L84E00NP.PS/.PDF BAM ma
application for evaluation and measurement of printer or monitor systems

RAM material: code=rh4ta /














BAM-test chart De84; Colorimetric systems, Page 4/5
colour scales and 3 separations for 16 hues *r00j* to *i75c*

```
input: 000n / w / nnn0 / www set...
output: ->cmvn5* setcmvcolor
```

See for simulation files: <http://www.ps.bam.de/De84>; www.ps.bam.de/De.H1M
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=6

application for evaluation and measurement of printer or monitor systems



BAM-test chart De84; Colorimetric systems, Page 5/5
colour scales and 3 separations for 16 hues $r00i$ to $i75a$

```
input: 000n / w / nnn0 / www set...
output: ->cmvn5* setcmvcolor
```