


BAM registration: 20080701-De88/10L/L88E00NP.PS/.PDF BAM material: code=rha4ta

application for evaluation and measurement of printer or monitor systems

BAM-test chart De88; Colorimetric systems, Page 2/5
colour scales and 4 separations for 16 hues r00j to j75g

input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmykcolor



See for similar files: <http://www.ps.bam.de/De88/>; www.ps.bam.de/De.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1.1, ColSpx=1

BAM-test chart De88; Colorimetric systems, Page 3/5
colour scales and 4 separations for 16 hues r00j to j75g

input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmykcolor

See for similar files: <http://www.ps.bam.de/De88/>; www.ps.bam.de/De.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1.1, ColSpx=1

BAM-test chart De88; Colorimetric systems, Page 4/5
colour scales and 4 separations for 16 hues r00j to j75g

input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmykcolor

BAM registration: 20080701-De88/10L/L88E00NP.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/De88/>; www.ps.bam.de/De.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1.1, ColSpx=1

BAM-test chart De88; Colorimetric systems, Page 5/5
colour scales and 4 separations for 16 hues r00j to j75g

input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmykcolor

BAM registration: 20080701-De88/10L/L88E00NP.PS/.PDF

BAM material: code=rha4ta



www.ps.bam.de/De88/10L/L88E00NP.PS/.PDF, Page 6/5; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: cmyn

BAM-test chart De88; Colorimetric systems, Page 6/5
colour scales and 4 separations for 16 hues r00j to j75g

input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmykcolor



See for similar files: <http://www.ps.bam.de/De88/>; Version 2.1, io=1.1, ColSpx=1

Technical information: <http://www.ps.bam.de/De88/>

Input and output:
Colorimetric Printer Reflective System ORS19_96a
data for any colour:
 lab^*tch^* and lab^*icu^*
elementary hue text:
 $a^* = 16$ hues $r00j$, ..., $j75g$
contrast reduction factor:
 $c_g = 1.0$

ORS19_96a adapted (a) CIELAB data
Data for maximum colour (Ma):
 lab^*tch^* and lab^*icu^*
elementary hue text:
 $a^* = 16$ hues $r00j$, ..., $j75g$
contrast reduction factor:
 $c_g = 1.0$
triangle lightness i^*
 $\%Gammut$ $u^* = 89$
 $g^*_{CIE1976} = 57$
 $g^*_{Lab} = 57$
 $Rm: 48.75 \dots 65.07$
 $Ym: 90.92 \dots 10.28$
 $Cm: 59.61 \dots 28.97$
 $Mm: 59.61 \dots 28.97$
 $Bm: 59.61 \dots 28.97$
 $Rc: 39.92 \dots 58.74$
 $Yc: 81.26 \dots 2.88$
 $Cc: 52.23 \dots 42.41$
 $Mc: 30.57 \dots 1.41$
 $Bc: 49.48 \dots 72.88$

$h^* = 65.360 / 25.360 = 0.071$

$h^* = 65.360 / 25.360 = 0.071$