


















V L O Y M C

www.ps.bam.de/De89/10L/L89E00NP.PS/.PDF, Page 5/6; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: **cmyn**



See for similar files: <http://www.ps.bam.de/De89/>; www.ps.bam.de/De.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM-test chart De89; Colorimetric systems, Page 5/6
D65: colour scales and 4 separations for 16 hues *r00j* to *b75r*

input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmykcolor

C M Y O L V

See for similar files: <http://www.ps.bam.de/De89/>; www.ps.bam.de/De.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20080701-De89/10L/L89E00NP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems



BAM-test chart De89; Colorimetric systems, Page 6/6
D65: colour scales and 4 separations for 16 hues *r00j* to *b75n*

```
input: 000n / w / nnn0 / www set...
output: ->cmy5* setcmykcolor
```