




Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:
 $lab^{*}tch^{*}$ and $lab^{*}icu^{*}$
elementary hue text:
 $u^{*} = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data					
	$L^{*}=L^{*}_a$	a^{*}_a	b^{*}_a	$C^{*}_{ab,a}$	$h^{*}_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



%Gamut
 $u^{*}_{rel} = 109$
%Regularity
 $g^{*}_{H,rel} = 31$
 $g^{*}_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^{*}=L^{*}_a$	a^{*}_a	b^{*}_a	$C^{*}_{ab,a}$	$h^{*}_{ab,a}$
OMa	35.06	60.0	44.0	74.4	36
YMa	83.77	-5.16	109.32	109.44	93
LMa	44.13	-62.66	48.24	79.09	142
CMa	52.66	-29.13	-31.98	43.27	228
VMa	14.15	50.3	-59.03	77.57	310
MMa	37.37	78.64	-33.49	85.48	337
NMa	8.58	0.0	0.0	0.0	0
WMa	92.02	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r50j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r75j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83

$LAB^*LCH^*_{Ma}$: 67 88 110

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -47 63

$LAB^*LCH^*_{Ma}$: 54 80 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j75g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -59 43

$LAB^*LCH^*_{Ma}$: 45 74 145

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g00b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g25b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6

$LAB^*LCH^*_{Ma}$: 50 40 190

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.69

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g50b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -31 -23

$LAB^*LCH^*_{Ma}$: 52 40 217

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.9

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g75b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -16 -35

$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.85 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41

$LAB^*LCH^*_{Ma}$: 38 42 272

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -51

$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.25 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b50r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -41

$LAB^*LCH^*_{Ma}$: 30 81 329

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.66 0.0 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b75r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.62

triangle lightness t^*

%Gamut



$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357






See for similar files: <http://www.ps.bam.de/De92/>; www.ps.bam.de/De92/De92.L92E00NP.PS/.PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=0

Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:
*lab*tch** and *lab*icu**
elementary hue text:
*u** = 16 hues *r00j*, *r25j*, ..., *b75r*
contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	35.06	60.0	44.0	74.4	36
YMa	83.77	-5.16	109.32	109.44	93
LMa	44.13	-62.66	48.24	79.09	142
CMa	52.66	-29.13	-31.98	43.27	228
VMa	14.15	50.3	-59.03	77.57	310
MMa	37.37	78.64	-33.49	85.48	337
NMa	8.58	0.0	0.0	0.0	0
WMa	92.02	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r50j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r75j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83

$LAB^*LCH^*_{Ma}$: 67 88 110

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -47 63

$LAB^*LCH^*_{Ma}$: 54 80 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j75g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -59 43

$LAB^*LCH^*_{Ma}$: 45 74 145

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g00b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g25b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6

$LAB^*LCH^*_{Ma}$: 50 40 190

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.69

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g50b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -31 -23

$LAB^*LCH^*_{Ma}$: 52 40 217

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.9

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g75b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -16 -35

$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.85 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41

$LAB^*LCH^*_{Ma}$: 38 42 272

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -51

$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.25 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$ data for any colour:

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = b50r$
 contrast reduction factor:
 $c_R = 1.0$
 triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	L^*_a	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.16	109.32	109.44	93	
L _{Ma}	44.13	-62.66	48.24	79.09	142	
C _{Ma}	52.66	-29.13	-31.98	43.27	228	
V _{Ma}	14.15	50.3	-59.03	77.57	310	
M _{Ma}	37.37	78.64	-33.49	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{CIE}	39.92	58.74	27.99	65.07	25	
J _{CIE}	81.26	-2.88	71.56	71.62	92	
G _{CIE}	52.23	-42.41	13.6	44.55	162	
B _{CIE}	30.57	1.41	-46.46	46.49	272	

Data for maximum colour (Ma):

LAB*LAB*Ma: 30 69 -41

LAB*LCH*Ma: 30 81 329

*lab*rag**Ma: 1.0 0.0 1.0

lab*olv*_Ma: 0.66 0.0 1.0

triangle lightness t^*

A



%Gamut

$$\mathbf{u}_{\text{rel}}^* = 109$$

%Regularity

$$g_{H,rel}^* = 31$$

FRS09_92aM; adapted (a) CIELAB data						
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	35.47	63.32	30.17	70.15	25	
r25j	39.12	54.56	49.45	73.64	42	
r50j	50.64	39.15	64.89	75.79	59	
r75j	64.01	21.26	82.83	85.52	76	
j00g	83.18	-4.37	108.53	108.62	92	
j25g	66.73	-29.88	83.06	88.28	110	
j50g	54.03	-48.3	63.49	79.78	127	
j75g	44.73	-60.32	42.64	73.88	145	
g00b	47.59	-49.07	15.74	51.54	162	
g25b	49.97	-39.69	-6.71	40.27	190	
g50b	51.85	-32.32	-24.34	40.48	217	
g75b	46.92	-17.28	-36.01	39.96	244	
b00r	37.91	1.28	-42.34	42.37	272	
b25r	23.81	30.38	-52.25	60.45	300	
b50r	29.52	69.06	-42.13	80.9	329	
b75r	36.48	71.47	-3.68	71.57	357	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b75r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.62

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



BAM registration: 20080701-De92.10L/L92E00NP.PS/.PDF BAM material: code=rh4ta
+ application for evaluation and measurement of printer or monitor systems

BAM-test chart De92; Colorimetric systems, Page 36/180
colour scales and 8 data tables for 16 hues $r00j$ to $b75r$


```
input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmykcolor
```



See for similar files: <http://www.ps.bam.de/De92/>; www.ps.bam.de/De.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0



Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:
 $lab^*_{tch^*}$ and $lab^*_{icu^*}$
elementary hue text:
 $u^* = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	35.06	60.0	44.0	74.4	36
YMa	83.77	-5.16	109.32	109.44	93
LMa	44.13	-62.66	48.24	79.09	142
CMa	52.66	-29.13	-31.98	43.27	228
VMa	14.15	50.3	-59.03	77.57	310
MMa	37.37	78.64	-33.49	85.48	337
NMa	8.58	0.0	0.0	0.0	0
WMa	92.02	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42


$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r50j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r75j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83

$LAB^*LCH^*_{Ma}$: 67 88 110


$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 127/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 54 -47 63

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 54 80 127

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.25 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{\text{rel}} = 109$

%Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j75g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -59 43

$LAB^*LCH^*_{Ma}$: 45 74 145

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g00b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g25b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6

$LAB^*LCH^*_{Ma}$: 50 40 190

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.69

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g50b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -31 -23

$LAB^*LCH^*_{Ma}$: 52 40 217

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.9

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*


$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g75b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -16 -35

$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.85 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41

$LAB^*LCH^*_{Ma}$: 38 42 272

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -51

$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.25 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b50r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -41

$LAB^*LCH^*_{Ma}$: 30 81 329


$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.66 0.0 1.0

triangle lightness t^*

%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b75r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.62

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357




See for similar files: <http://www.ps.bam.de/De92/>; www.ps.bam.de/De92/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=0

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*rgb*								
01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0			
	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.0	0.0	0.0	0.0	0.0	0.0			
	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.13	0.13	0.13	0.13	0.13	0.13	0.13
	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	
	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.25	0.25	0.25	0.25	0.25	0.25	0.25
03	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.25	0.25	0.25	0.25	0.25	0.25	0.25		
	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.38	0.38	0.38	0.38	0.38	0.38	0.38
04	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	
	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.38	0.38	0.38	0.38	0.38	0.38	0.38
	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
05	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.5	0.5	0.5	0.5	0.5	0.5	0.5
	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.63	0.63	0.63	0.63	0.63	0.63	0.63
06	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	
	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	
	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
07	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	
	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.75	0.75	0.75	0.75	0.75	0.75	0.75
	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.88	0.88	0.88	0.88	0.88	0.88	0.88
08	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	
	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.88	0.88	0.88	0.88	0.88	0.88	0.88	
	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
09	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
10	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0																																					



Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:
*lab**rch** and lab**icu***
elementary hue text:
*u** = 16 hues *r00j*, *r25j*, ..., *b75r*
contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 35 63 30

$LAB^*LCH^*_Ma$: 35 70 25

$lab^*rgb^*_Ma$: 1.0 0.0 0.0

$lab^*olv^*_Ma$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 39 55 49

$LAB^*LCH^*_Ma$: 39 74 42

$lab^*rgb^*_Ma$: 1.0 0.25 0.0

$lab^*olv^*_Ma$: 1.0 0.08 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r50j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r75j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83

$LAB^*LCH^*_{Ma}$: 67 88 110

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -47 63

$LAB^*LCH^*_{Ma}$: 54 80 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.83	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j75g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 45 -59 43

$LAB^*LCH^*_Ma$: 45 74 145

$lab^*rgb^*_Ma$: 0.25 1.0 0.0

$lab^*olv^*_Ma$: 0.0 1.0 0.07

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g00b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g25b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6

$LAB^*LCH^*_{Ma}$: 50 40 190

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.69

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g50b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -31 -23

$LAB^*LCH^*_{Ma}$: 52 40 217

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.9

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g75b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -16 -35

$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.85 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41

$LAB^*LCH^*_{Ma}$: 38 42 272

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$LAB^*LAB^*_{a}$

$i^* = 1.00$



$i^* = 0.80$

brilliantness i^*

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -51

$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.25 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b50r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -41

$LAB^*LCH^*_{Ma}$: 30 81 329

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.66 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b75r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.62

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$u^* = b75r$
 $LAB^*LAB^*_a$




See for similar files: <http://www.ps.bam.de/De92/>; www.ps.bam.de/De92/10L/L92E00NP.PS/.PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1, ColSpx=0

BAM registration: 20080701-De92/10L/L92E00NP.PS/.PDF BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*a																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
01	8.6	13.0	17.5	21.9	26.4	30.8	35.2	39.7	44.1	48.5	52.9	57.3	61.7	66.1	70.5	74.9	79.3	83.7	88.1	92.5	96.9	101.3	105.7	110.1	114.5	118.9	123.3	127.7	132.1	136.5	140.9	145.3	149.7	154.1	158.5	162.9	167.3	171.7	176.1	180.5	184.9	189.3	193.7	198.1	202.5	206.9	211.3	215.7	220.1	224.5	228.9	233.3	237.7	242.1	246.5	250.9	255.3	259.7	264.1	268.5	272.9	277.3	281.7	286.1	290.5	294.9	299.3	303.7	308.1	312.5	316.9	321.3	325.7	330.1	334.5	338.9	343.3	347.7	352.1	356.5	360.9	365.3	369.7	374.1	378.5	382.9	387.3	391.7	396.1	400.5	404.9	409.3	413.7	418.1	422.5	426.9	431.3	435.7	440.1	444.5	448.9	453.3	457.7	462.1	466.5	470.9	475.3	479.7	484.1	488.5	492.9	497.3	501.7	506.1	510.5	514.9	519.3	523.7	528.1	532.5	536.9	541.3	545.7	550.1	554.5	558.9	563.3	567.7	572.1	576.5	580.9	585.3	589.7	594.1	598.5	602.9	607.3	611.7	616.1	620.5	624.9	629.3	633.7	638.1	642.5	646.9	651.3	655.7	660.1	664.5	668.9	673.3	677.7	682.1	686.5	690.9	695.3	699.7	704.1	708.5	712.9	717.3	721.7	726.1	730.5	734.9	739.3	743.7	748.1	752.5	756.9	761.3	765.7	770.1	774.5	778.9	783.3	787.7	792.1	796.5	800.9	805.3	809.7	814.1	818.5	822.9	827.3	831.7	836.1	840.5	844.9	849.3	853.7	858.1	862.5	866.9	871.3	875.7	880.1	884.5	888.9	893.3	897.7	902.1	906.5	910.9	915.3	919.7	924.1	928.5	932.9	937.3	941.7	946.1	950.5	954.9	959.3	963.7	968.1	972.5	976.9	981.3	985.7	990.1	994.5	998.9	1003.3	1007.7	1012.1	1016.5	1020.9	1025.3	1029.7	1034.1	1038.5	1042.9	1047.3	1051.7	1056.1	1060.5	1064.9	1069.3	1073.7	1078.1	1082.5	1086.9	1091.3	1095.7	1099.7	1104.1	1108.5	1112.9	1117.3	1121.7	1126.1	1130.5	1134.9	1139.3	1143.7	1148.1	1152.5	1156.9	1161.3	1165.7	1170.1	1174.5	1178.9	1183.3	1187.7	1192.1	1196.5	1200.9	1205.3	1209.7	1214.1	1218.5	1222.9	1227.3	1231.7	1236.1	1240.5	1244.9	1249.3	1253.7	1258.1	1262.5	1266.9	1271.3	1275.7	1280.1	1284.5	1288.9	1293.3	1297.7	1302.1	1306.5	1310.9	1315.3	1319.7	1324.1	1328.5	1332.9	1337.3	1341.7	1346.1	1350.5	1354.9	1359.3	1363.7	1368.1	1372.5	1376.9	1381.3	1385.7	1390.1	1394.5	1398.9	1403.3	1407.7	1412.1	1416.5	1420.9	1425.3	1429.7	1434.1	1438.5	1442.9	1447.3	1451.7	1456.1	1460.5	1464.9	1469.3	1473.7	1478.1	1482.5	1486.9	1491.3	1495.7	1500.1	1504.5	1508.9	1513.3	1517.7	1522.1	1526.5	1530.9	1535.3	1539.7	1544.1	1548.5	1552.9	1557.3	1561.7	1566.1	1570.5	1574.9	1579.3	1583.7	1588.1	1592.5	1596.9	1601.3	1605.7	1610.1	1614.5	1618.9	1623.3	1627.7	1632.1	1636.5	1640.9	1645.3	1649.7	1654.1	1658.5	1662.9	1667.3	1671.7	1676.1	1680.5	1684.9	1689.3	1693.7	1698.1	1702.5	1706.9	1711.3	1715.7	1720.1	1724.5	1728.9	1733.3	1737.7	1742.1	1746.5	1750.9	1755.3	1759.7	1764.1	1768.5	1772.9	1777.3	1781.7	1786.1	1790.5	1794.9	1799.3	1803.7	1808.1	1812.5	1816.9	1821.3	1825.7	1830.1	1834.5	1838.9	1843.3	1847.7	1852.1	1856.5	1860.9	1865.3	1869.7	1874.1	1878.5	1882.9	1887.3	1891.7	1896.1	1900.5	1904.9	1909.3	1913.7	1918.1	1922.5	1926.9	1931.3	1935.7	1940.1	1944.5	1948.9	1953.3	1957.7	1962.1	1966.5	1970.9	1975.3	1979.7	1984.1	1988.5	1992.9	1997.3	2001.7	2006.1	2010.5	2014.9	2019.3	2023.7	2028.1	2032.5	2036.9	2041.3	2045.7	2050.1	2054.5	2058.9	2063.3	2067.7	2072.1	2076.5	2080.9	2085.3	2089.7	2094.1	2098.5	2102.9	2107.3	2111.7	2116.1	2120.5	2124.9	2129.3	2133.7	2138.1	2142.5	2146.9	2151.3	2155.7	2160.1	2164.5	2168.9	2173.3	2177.7	2182.1	2186.5	2190.9	2195.3	2199.7	2204.1	2208.5	2212.9	2217.3	2221.7	2226.1	2230.5	2234.9	2239.3	2243.7	2248.1	2252.5	2256.9	2261.3	2265.7	2270.1	2274.5	2278.9	2283.3	2287.7	2292.1	2296.5	2300.9	2305.3	2309.7	2314.1	2318.5	2322.9	2327.3	2331.7	2336.1	2340.5	2344.9	2349.3	2353.7	2358.1	2362.5	2366.9	2371.3	2375.7	2380.1	2384.5	2388.9	2393.3	2397.7	2402.1	2406.5	2410.9	2415.3	2419.7	2424.1	2428.5	2432.9	2437.3	2441.7	2446.1	2450.5	2454.9	2459.3	2463.7	2468.1	2472.5	2476.9	2481.3	2485.7	2490.1	2494.5	2498.9	2503.3	2507.7	2512.1	2516.5	2520.9	2525.3	2529.7	2534.1	2538.5	2542.9	2547.3	2551.7	2556.1	2560.5	2564.9	2569.3	2573.7	2578.1	2582.5	2586.9	2591.3	2595.7	2600.1	2604.5	2608.9	2613.3	2617.7	2622.1	2626.5	2630.9	2635.3	2639.7	2644.1	2648.5	2652.9	2657.3	2661.7	2666.1	2670.5	2674.9	2679.3	2683.7	2688.1	2692.5	2696.9	2701.3	2705.7	2710.1	2714.5	2718.9	2723.3	2727.7	2732.1	2736.5	2740.9	2745.3	2749.7	2754.1	2758.5	2762.9	2767.3	2771.7	2776.1	2780.5	2784.9	2789.3	2793.7	2798.1	2802.5	2806.9	2811.3	2815.7	2820.1	2824.5	2828.9	2833.3	2837.7	2842.1	2846.5	2850.9	2855.3	2859.7	2864.1	2868.5	2872.9	2877.3	2881.7	2886.1	2890.5	2894.9	2899.3	2903.7	2908.1	2912.5	2916.9	2921.3	2925.7	2930.1	2934.5	2938.9	2943.3	2947.7	2952.1	2956.5	2960.9	2965.3	2969.7	2974.1	2978.5	2982.9	2987.3	2991.7	2996.1	3000.5	3004.9	3009.3	3013.7	3018.1	3022.5	3026.9	3031.3	3035.7	3040.1	3044.5	3048.9	3053.3	3057.7	3062.1	3066.5	3070.9	3075.3	3079.7	3084.1	3088.5	3092.9	3097.3	3101.7	3106.1	3110.5	3114.9	3119.3	3123.7	3128.1	3132.5	3136.9	3141.3	3145.7	3150.1	3154.5	3158.9	3163.3	3167.7	3172.1	3176.5	3180.9	3185.3	3189.7	3194.1	3198.5	3202.9	3207.3	3211.7	3216.1	3220.5	3224.9	3229.3	3233.7	3238.1	3242.5	3246.9	3251.3	3255.7	3260.1	3264.5	3268.9	3273.3	3277.7	3282.1	3286.5	3290.9	3295.3	3299.7	3304.1	3308.5	3312.9	3317.3	3321.7	3326.1	3330.5	3334.9	3339.3	3343.7	3348.1	3352.5	3356.9	3361.3	3365.7	3370.1	3374.5	3378.9	3383.3	3387.7	3392.1	3396.5	3400.9	3405.3	3409.7	3414.1	3418.5	3422.9	3427.3	3431.7	3436.1	3440.5	3444.9	3449.3	3453.7	3458.1	3462.5	3466.9	3471.3	3475.7	3480.1	3484.5	3488.9	3493.3	3497.7	3502.1	3506.5	3510.9	3515.3	3519.7	3524.1	3528.5	3532.9	3537.3	3541.7	3546.1	3550.5	3554.9	3559.3	3563.7	3568.1	3572.5	3576.9	3581.3	3585.7	3590.1	3594.5	3598.9	3603.3	3607.7	3612.1	3616.5	3620.9	3625.3	3629.7	3634.1	3638.5	3642.9	3647.3	3651.7	3656.1	3660.5	3664.9	3669.3	3673.7	3678.1	3682.5	3686.9	3691.3	3695.7	3700.1	3704.5	3708.9	3713.3	3717.7	3722.1	3726.5	3730.9	3735.3	3739.7	3744.1	3748.5	3752.9	3757.3	3761.7	3766.1	3770.5	3774.9	3779.3	3783.7	3788.1	3792.5	3796.9	3801.3	3805.7	3810.1	3814.5	3818.9	3823.3	3827.7	3832.1	3836.5	3840.9	3845.3	3849.7	3854.1	3858.5	3862.9	3867.3	3871.7	3876.1	3880.5	3884.9	3889.3	3893.7	3898.1	3902.5	3906.9	3911.3	3915.7	3920.1	3924.5	3928.9	3933.3	3937.7	3942.1	3946.5	3950.9	3955.3	3959.7	3964.1	3968.5	3972.9	3977.3	3981.7	3986.1	3990.5	3994.9	3999.3	4003.7	4008.1	4012.5	4016.9	4021.3	4025.7	4030.1	4034.5	4038.9	4043.3	4047.7	4052.1	4056.5	4060.9	4065.3	4069.7	4074.1	4078.5	4082.9	4087.3	4091.7	4096.1	41



Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:
*lab**tc** and lab**icu***
elementary hue text:
*u** = 16 hues *r00j*, *r25j*, ..., *b75r*
contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
OMa	35.06	60.0	44.0	74.4	36
YMa	83.77	-5.16	109.32	109.44	93
LMa	44.13	-62.66	48.24	79.09	142
CMa	52.66	-29.13	-31.98	43.27	228
VMa	14.15	50.3	-59.03	77.57	310
MMa	37.37	78.64	-33.49	85.48	337
NMa	8.58	0.0	0.0	0.0	0
WMa	92.02	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272



triangle lightness t^*


$$g^*_{C,rel} = 40$$

FRS09_92aM; adapted (a) CIELAB data						
	L^*_a	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	35.47	63.32	30.17	70.15	25	
r25j	39.12	54.56	49.45	73.64	42	
r50j	50.64	39.15	64.89	75.79	59	
r75j	64.01	21.26	82.83	85.52	76	
j00g	83.18	-4.37	108.53	108.62	92	
j25g	66.73	-29.88	83.06	88.28	110	
j50g	54.03	-48.3	63.49	79.78	127	
j75g	44.73	-60.32	42.64	73.88	145	
g00b	47.59	-49.07	15.74	51.54	162	
g25b	49.97	-39.69	-6.71	40.27	190	
g50b	51.85	-32.32	-24.34	40.48	217	
g75b	46.92	-17.28	-36.01	39.96	244	
b00r	37.91	1.28	-42.34	42.37	272	
b25r	23.81	30.38	-52.25	60.45	300	
b50r	29.52	69.06	-42.13	80.9	329	
b75r	36.48	71.47	-3.68	71.57	357	



```
input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmykcolor
```

BAM registration: 20080701-De92.10L/L92E00NP.PS/.PDF BAM material: code=rha4ta
 application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/De92/>; www.ps.bam.de/De.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0

BAM material: code=rha4ta

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*



$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r50j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r75j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$u^* = r75j$
 $LAB^*LCH^*_{Ma}$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83

$LAB^*LCH^*_{Ma}$: 67 88 110

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -47 63

$LAB^*LCH^*_{Ma}$: 54 80 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$



brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = \text{lab} \cdot h^* = h_{ab}/360 = 145/360 = 0.402$ data for any colour: Data for maximum colour (Ma):

*lab*tch** and *lab*icu**


elementary hue text:

$$u^* = j75g$$

contrast reduction factor:

$$c_R = 1.0$$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	L^*_a	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.16	109.32	109.44	93	
L _{Ma}	44.13	-62.66	48.24	79.09	142	
C _{Ma}	52.66	-29.13	-31.98	43.27	228	
V _{Ma}	14.15	50.3	-59.03	77.57	310	
M _{Ma}	37.37	78.64	-33.49	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{CIE}	39.92	58.74	27.99	65.07	25	
J _{CIE}	81.26	-2.88	71.56	71.62	92	
G _{CIE}	52.23	-42.41	13.6	44.55	162	
B _{CIE}	30.57	1.41	-46.46	46.49	272	

Data for maximum colour (Ma):

LAB*LAB*_{Ma}: 45 -59 43

LAB*ICH*MS: 45 74 145

$$L_1 L_2^* - L_2 L_1^* = 0.25 - 1.0 = -0.75$$

*lab*rgb*_Ma: 0.25 1.0 0.0*

lab*olv*_Ma: 0.0 1.0 0.07

triangle lightness t^*

100


% Gamut

$$\mathbf{u}_{\text{rel}}^* = 109$$

%Regula

$$g_{H,rel}^* = 31$$
$$g^*_{C,rel} = 40$$

FRS09_92aM; adapted (a) CIELAB data					
	L^*_a	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



BAM-test chart De92; Colorimetric systems, Page 81/180
colour scales and 8 data tables for 16 hues $r00j$ to $b75r$

```
input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmykcolor
```

BAM registration: 20080701-De92/10L/L92E00NP.PS/ .PDF BAM material: code=rh4ta4
application for evaluation and measurement of printer or monitor systems

BAM material: code=rh4ta

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g00b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.83	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$LAB^*LCH^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g25b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6

$LAB^*LCH^*_{Ma}$: 50 40 190

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.69

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*



$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g50b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -31 -23

$LAB^*LCH^*_{Ma}$: 52 40 217

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.9

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g75b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -16 -35

$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.85 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41

$LAB^*LCH^*_{Ma}$: 38 42 272

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -51

$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.25 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b50r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -41

$LAB^*LCH^*_{Ma}$: 30 81 329

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.66 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b75r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.62

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
r50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357




See for similar files: <http://www.ps.bam.de/De92/>; www.ps.bam.de/De92/10L/L92E00NP.PS/.PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1, ColSpX=0

BAM registration: 20080701-De92/10L/L92E00NP.PS/.PDF BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LCH*	a																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
01	8.6	13.6	17.5	21.9	26.4	30.8	35.2	39.7	44.1	48.5	52.9	57.3	61.7	66.1	70.5	74.9	79.3	83.7	88.1	92.5	96.9	101.3	105.7	110.1	114.5	118.9	123.3	127.7	132.1	136.5	140.9	145.3	149.7	154.1	158.5	162.9	167.3	171.7	176.1	180.5	184.9	189.3	193.7	198.1	202.5	206.9	211.3	215.7	220.1	224.5	228.9	233.3	237.7	242.1	246.5	250.9	255.3	259.7	264.1	268.5	272.9	277.3	281.7	286.1	290.5	294.9	299.3	303.7	308.1	312.5	316.9	321.3	325.7	330.1	334.5	338.9	343.3	347.7	352.1	356.5	360.9	365.3	369.7	374.1	378.5	382.9	387.3	391.7	396.1	400.5	404.9	409.3	413.7	418.1	422.5	426.9	431.3	435.7	440.1	444.5	448.9	453.3	457.7	462.1	466.5	470.9	475.3	479.7	484.1	488.5	492.9	497.3	501.7	506.1	510.5	514.9	519.3	523.7	528.1	532.5	536.9	541.3	545.7	550.1	554.5	558.9	563.3	567.7	572.1	576.5	580.9	585.3	589.7	594.1	598.5	602.9	607.3	611.7	616.1	620.5	624.9	629.3	633.7	638.1	642.5	646.9	651.3	655.7	660.1	664.5	668.9	673.3	677.7	682.1	686.5	690.9	695.3	699.7	704.1	708.5	712.9	717.3	721.7	726.1	730.5	734.9	739.3	743.7	748.1	752.5	756.9	761.3	765.7	770.1	774.5	778.9	783.3	787.7	792.1	796.5	800.9	805.3	809.7	814.1	818.5	822.9	827.3	831.7	836.1	840.5	844.9	849.3	853.7	858.1	862.5	866.9	871.3	875.7	880.1	884.5	888.9	893.3	897.7	902.1	906.5	910.9	915.3	919.7	924.1	928.5	932.9	937.3	941.7	946.1	950.5	954.9	959.3	963.7	968.1	972.5	976.9	981.3	985.7	990.1	994.5	998.9	1003.3	1007.7	1012.1	1016.5	1020.9	1025.3	1029.7	1034.1	1038.5	1042.9	1047.3	1051.7	1056.1	1060.5	1064.9	1069.3	1073.7	1078.1	1082.5	1086.9	1091.3	1095.7	1100.1	1104.5	1108.9	1113.3	1117.7	1122.1	1126.5	1130.9	1135.3	1139.7	1144.1	1148.5	1152.9	1157.3	1161.7	1166.1	1170.5	1174.9	1179.3	1183.7	1188.1	1192.5	1196.9	1201.3	1205.7	1210.1	1214.5	1218.9	1223.3	1227.7	1232.1	1236.5	1240.9	1245.3	1249.7	1254.1	1258.5	1262.9	1267.3	1271.7	1276.1	1280.5	1284.9	1289.3	1293.7	1298.1	1302.5	1306.9	1311.3	1315.7	1320.1	1324.5	1328.9	1333.3	1337.7	1342.1	1346.5	1350.9	1355.3	1359.7	1364.1	1368.5	1372.9	1377.3	1381.7	1386.1	1390.5	1394.9	1399.3	1403.7	1408.1	1412.5	1416.9	1421.3	1425.7	1430.1	1434.5	1438.9	1443.3	1447.7	1452.1	1456.5	1460.9	1465.3	1469.7	1474.1	1478.5	1482.9	1487.3	1491.7	1496.1	1500.5	1504.9	1509.3	1513.7	1518.1	1522.5	1526.9	1531.3	1535.7	1540.1	1544.5	1548.9	1553.3	1557.7	1562.1	1566.5	1570.9	1575.3	1579.7	1584.1	1588.5	1592.9	1597.3	1601.7	1606.1	1610.5	1614.9	1619.3	1623.7	1628.1	1632.5	1636.9	1641.3	1645.7	1650.1	1654.5	1658.9	1663.3	1667.7	1672.1	1676.5	1680.9	1685.3	1689.7	1694.1	1698.5	1702.9	1707.3	1711.7	1716.1	1720.5	1724.9	1729.3	1733.7	1738.1	1742.5	1746.9	1751.3	1755.7	1760.1	1764.5	1768.9	1773.3	1777.7	1782.1	1786.5	1790.9	1795.3	1799.7	1804.1	1808.5	1812.9	1817.3	1821.7	1826.1	1830.5	1834.9	1839.3	1843.7	1848.1	1852.5	1856.9	1861.3	1865.7	1870.1	1874.5	1878.9	1883.3	1887.7	1892.1	1896.5	1900.9	1905.3	1909.7	1914.1	1918.5	1922.9	1927.3	1931.7	1936.1	1940.5	1944.9	1949.3	1953.7	1958.1	1962.5	1966.9	1971.3	1975.7	1980.1	1984.5	1988.9	1993.3	1997.7	2002.1	2006.5	2010.9	2015.3	2019.7	2024.1	2028.5	2032.9	2037.3	2041.7	2046.1	2050.5	2054.9	2059.3	2063.7	2068.1	2072.5	2076.9	2081.3	2085.7	2090.1	2094.5	2098.9	2103.3	2107.7	2112.1	2116.5	2120.9	2125.3	2129.7	2134.1	2138.5	2142.9	2147.3	2151.7	2156.1	2160.5	2164.9	2169.3	2173.7	2178.1	2182.5	2186.9	2191.3	2195.7	2200.1	2204.5	2208.9	2213.3	2217.7	2222.1	2226.5	2230.9	2235.3	2239.7	2244.1	2248.5	2252.9	2257.3	2261.7	2266.1	2270.5	2274.9	2279.3	2283.7	2288.1	2292.5	2296.9	2301.3	2305.7	2310.1	2314.5	2318.9	2323.3	2327.7	2332.1	2336.5	2340.9	2345.3	2349.7	2354.1	2358.5	2362.9	2367.3	2371.7	2376.1	2380.5	2384.9	2389.3	2393.7	2398.1	2402.5	2406.9	2411.3	2415.7	2420.1	2424.5	2428.9	2433.3	2437.7	2442.1	2446.5	2450.9	2455.3	2459.7	2464.1	2468.5	2472.9	2477.3	2481.7	2486.1	2490.5	2494.9	2499.3	2503.7	2508.1	2512.5	2516.9	2521.3	2525.7	2530.1	2534.5	2538.9	2543.3	2547.7	2552.1	2556.5	2560.9	2565.3	2569.7	2574.1	2578.5	2582.9	2587.3	2591.7	2596.1	2600.5	2604.9	2609.3	2613.7	2618.1	2622.5	2626.9	2631.3	2635.7	2640.1	2644.5	2648.9	2653.3	2657.7	2662.1	2666.5	2670.9	2675.3	2679.7	2684.1	2688.5	2692.9	2697.3	2701.7	2706.1	2710.5	2714.9	2719.3	2723.7	2728.1	2732.5	2736.9	2741.3	2745.7	2750.1	2754.5	2758.9	2763.3	2767.7	2772.1	2776.5	2780.9	2785.3	2789.7	2794.1	2798.5	2802.9	2807.3	2811.7	2816.1	2820.5	2824.9	2829.3	2833.7	2838.1	2842.5	2846.9	2851.3	2855.7	2860.1	2864.5	2868.9	2873.3	2877.7	2882.1	2886.5	2890.9	2895.3	2899.7	2904.1	2908.5	2912.9	2917.3	2921.7	2926.1	2930.5	2934.9	2939.3	2943.7	2948.1	2952.5	2956.9	2961.3	2965.7	2970.1	2974.5	2978.9	2983.3	2987.7	2992.1	2996.5	3000.9	3005.3	3009.7	3014.1	3018.5	3022.9	3027.3	3031.7	3036.1	3040.5	3044.9	3049.3	3053.7	3058.1	3062.5	3066.9	3071.3	3075.7	3080.1	3084.5	3088.9	3093.3	3097.7	3102.1	3106.5	3110.9	3115.3	3119.7	3124.1	3128.5	3132.9	3137.3	3141.7	3146.1	3150.5	3154.9	3159.3	3163.7	3168.1	3172.5	3176.9	3181.3	3185.7	3190.1	3194.5	3198.9	3203.3	3207.7	3212.1	3216.5	3220.9	3225.3	3229.7	3234.1	3238.5	3242.9	3247.3	3251.7	3256.1	3260.5	3264.9	3269.3	3273.7	3278.1	3282.5	3286.9	3291.3	3295.7	3300.1	3304.5	3308.9	3313.3	3317.7	3322.1	3326.5	3330.9	3335.3	3339.7	3344.1	3348.5	3352.9	3357.3	3361.7	3366.1	3370.5	3374.9	3379.3	3383.7	3388.1	3392.5	3396.9	3401.3	3405.7	3410.1	3414.5	3418.9	3423.3	3427.7	3432.1	3436.5	3440.9	3445.3	3449.7	3454.1	3458.5	3462.9	3467.3	3471.7	3476.1	3480.5	3484.9	3489.3	3493.7	3498.1	3502.5	3506.9	3511.3	3515.7	3520.1	3524.5	3528.9	3533.3	3537.7	3542.1	3546.5	3550.9	3555.3	3559.7	3564.1	3568.5	3572.9	3577.3	3581.7	3586.1	3590.5	3594.9	3599.3	3603.7	3608.1	3612.5	3616.9	3621.3	3625.7	3630.1	3634.5	3638.9	3643.3	3647.7	3652.1	3656.5	3660.9	3665.3	3669.7	3674.1	3678.5	3682.9	3687.3	3691.7	3696.1	3700.5	3704.9	3709.3	3713.7	3718.1	3722.5	3726.9	3731.3	3735.7	3740.1	3744.5	3748.9	3753.3	3757.7	3762.1	3766.5	3770.9	3775.3	3779.7	3784.1	3788.5	3792.9	3797.3	3801.7	3806.1	3810.5	3814.9	3819.3	3823.7	3828.1	3832.5	3836.9	3841.3	3845.7	3850.1	3854.5	3858.9	3863.3	3867.7	3872.1	3876.5	3880.9	3885.3	3889.7	3894.1	3898.5	3902.9	3907.3	3911.7	3916.1	3920.5	3924.9	3929.3	3933.7	3938.1	3942.5	3946.9	3951.3	3955.7	3960.1	3964.5	3968.9	3973.3	3977.7	3982.1	3986.5	3990.9	3995.3	3999.7	4004.1	4008.5	4012.9	4017.3	4021.7	4026.1	4030.5	4034.9	4039.3	4043.7	4048.1	4052.5	4056.9	



Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:
*lab*tch** and *lab*icu**
elementary hue text:
*u** = 16 hues *r00j*, *r25j*, ..., *b75r*
contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357




See for similar files: <http://www.ps.bam.de/De92/>; www.ps.bam.de/De.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0

BAM registration: 20080701-De9210I/L92E00NP.PS/.PDF BAM material: code=rha4ta
7 application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 42/360 = 0.117$ data for any colour: Data for maximum colour (Ma):

lab^*tch^* and lab^*icu^*
 elementary hue text:
 $u^* = r25j$
 contrast reduction factor
 $c_R = 1.0$
 triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	L^*_a	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.16	109.32	109.44	93	
L _{Ma}	44.13	-62.66	48.24	79.09	142	
C _{Ma}	52.66	-29.13	-31.98	43.27	228	
V _{Ma}	14.15	50.3	-59.03	77.57	310	
M _{Ma}	37.37	78.64	-33.49	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{CIE}	39.92	58.74	27.99	65.07	25	
J _{CIE}	81.26	-2.88	71.56	71.62	92	
G _{CIE}	52.23	-42.41	13.6	44.55	162	
B _{CIE}	30.57	1.41	-46.46	46.49	272	

Data for maximum colour (Ma):

*LAB*LAB**_{Ma}: 39 55 49

LAB*LCH*M₂: 39 74 42

*lab*rag**_{M3}: 1.0 0.25 0.0

*lab*olv*_M3: 1.0 0.08 0.0*

triangle lightness t^*

33


%Gamut

$$\mathbf{u}_{\text{rel}}^* = 109$$

%Regular

$$g^*_{H,rel} = 31$$
 $g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	L^*_a	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	35.47	63.32	30.17	70.15	25	
r25j	39.12	54.56	49.45	73.64	42	
r50j	50.64	39.15	64.89	75.79	59	
r75j	64.01	21.26	82.83	85.52	76	
j00g	83.18	-4.37	108.53	108.62	92	
j25g	66.73	-29.88	83.06	88.28	110	
j50g	54.03	-48.3	63.49	79.78	127	
j75g	44.73	-60.32	42.64	73.88	145	
g00b	47.59	-49.07	15.74	51.54	162	
g25b	49.97	-39.69	-6.71	40.27	190	
g50b	51.85	-32.32	-24.34	40.48	217	
g75b	46.92	-17.28	-36.01	39.96	244	
b00r	37.91	1.28	-42.34	42.37	272	
b25r	23.81	30.38	-52.25	60.45	300	
b50r	29.52	69.06	-42.13	80.9	329	
b75r	36.48	71.47	-3.68	71.57	357	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r50j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r75j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83

$LAB^*LCH^*_{Ma}$: 67 88 110

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*tch^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 127/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 54 -47 63

$\text{LAB}^*\text{LCH}^*_{Ma}$: 54 80 127

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.25 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j75g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -59 43

$LAB^*LCH^*_{Ma}$: 45 74 145

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g00b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g25b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6

$LAB^*LCH^*_{Ma}$: 50 40 190

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.69

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g50b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -31 -23

$LAB^*LCH^*_{Ma}$: 52 40 217

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.9

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g75b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -16 -35

$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.85 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41

$LAB^*LCH^*_{Ma}$: 38 42 272

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -51

$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.25 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*tch^*

$i^* = 1.00$

brilliantness i^*



$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b50r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -41

$LAB^*LCH^*_{Ma}$: 30 81 329

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.66 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b75r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.62

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



See for similar files: <http://www.ps.bam.de/De92/>; www.ps.bam.de/De.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1.1, ColSpx=0

BAM registration: 20080701-De92/10L/L92E00NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab* <i>tch*</i>		
01	0.0	0.06	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.06	0.06	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.13	0.13	0.13	0.19	0.25	0.31	0.38	0.44	0.5	1.0	0.94	0.87	0.81	0.75	0.69	0.62	0.56	0.5	0.0	0.0	0.0	
	0.0	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.12	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.25	0.25	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.0	0.0	0.0		
	0.79	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.4	0.1	0.26	0.31	0.34	0.35	0.36	0.37	0.37	1.0	0.25	0.2	0.26	0.29	0.31	0.34	0.35	0.36	0.37	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0		
02	0.06	0.06	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.06	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.56	0.13	0.19	0.19	0.25	0.31	0.38	0.44	0.5	0.56	0.94	0.88	0.81	0.75	0.69	0.63	0.56	0.5	0.44	0.13	0.13	0.13	
	0.12	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.12	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.87	0.25	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.87	0.12	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.87	0.0	0.0	0.0	
	0.86	0.63	0.47	0.44	0.42	0.42	0.41	0.41	0.41	0.94	0.79	0.4	0.4	0.4	0.4	0.4	0.4	0.01	0.1	0.26	0.31	0.34	0.35	0.36	0.37	0.37	0.63	0.79	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
03	0.13	0.13	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.13	0.19	0.19	0.25	0.31	0.38	0.44	0.5	0.56	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.56	0.62	0.87	0.81	0.75	0.69	0.63	0.56	0.5	0.44	0.38	0.25	0.25	0.25	
	0.25	0.25	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.25	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.87	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.0	0.0	0.0	
	0.94	0.79	0.47	0.44	0.42	0.42	0.41	0.41	0.41	0.94	0.79	0.4	0.4	0.4	0.4	0.4	0.4	0.01	0.1	0.26	0.31	0.34	0.35	0.36	0.37	0.37	0.63	0.79	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
04	0.19	0.19	0.19	0.25	0.31	0.38	0.44	0.5	0.19	0.25	0.25	0.25	0.31	0.38	0.44	0.5	0.56	0.19	0.25	0.31	0.38	0.44	0.5	0.56	0.62	0.81	0.75	0.69	0.63	0.56	0.5	0.44	0.38	0.31	0.25	0.25	0.25	0.25		
	0.37	0.37	0.37	0.5	0.62	0.75	0.87	1.0	0.37	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.87	0.37	0.25	0.13	0.25	0.38	0.5	0.63	0.75	0.87	0.37	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.0	0.0	0.0	
	0.86	0.82	0.74	0.63	0.55	0.5	0.47	0.46	0.44	0.89	0.86	0.79	0.63	0.52	0.47	0.45	0.44	0.42	0.41	0.39	0.86	0.63	0.47	0.44	0.42	0.42	0.41	0.63	0.63	0.63	0.79	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
05	0.25	0.25	0.25	0.25	0.25	0.31	0.38	0.44	0.5	0.25	0.31	0.31	0.31	0.31	0.38	0.44	0.5	0.56	0.25	0.31	0.38	0.38	0.38	0.44	0.5	0.56	0.62	0.75	0.69	0.63	0.56	0.5	0.44	0.38	0.31	0.25	0.5	0.5	0.5	
	0.5	0.5	0.5	0.5	0.5	0.62	0.75	0.87	1.0	0.5	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.87	0.5	0.38	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.5	0.38	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.0	0.0		
	0.86	0.83	0.79	0.71	0.63	0.57	0.52	0.49	0.47	0.88	0.86	0.82	0.74	0.63	0.55	0.5	0.47	0.46	0.9	0.89	0.86	0.79	0.63	0.52	0.47	0.45	0.44	0.63	0.63	0.63	0.63	0.63	0.79	0.1	0.1	0.1	0.1	0.1	0.1	
06	0.31	0.31	0.31	0.31	0.31	0.31	0.38	0.44	0.5	0.31	0.38	0.38	0.38	0.38	0.38	0.44	0.5	0.56	0.31	0.38	0.44	0.44	0.44	0.44	0.5	0.56	0.62	0.69	0.63	0.56	0.5	0.44	0.38	0.31	0.25	0.19	0.63	0.63	0.63	
	0.62	0.62	0.62	0.62	0.62	0.62	0.75	0.87	1.0	0.62	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.87	0.62	0.5	0.38	0.38	0.38	0.5	0.63	0.75	0.62	0.5	0.38	0.25	0.13	0.0	0.13	0.25	0.37	0.0	0.0	
	0.86	0.84	0.81	0.76	0.7	0.63	0.58	0.54	0.51	0.88	0.86	0.83	0.79	0.71	0.63	0.57	0.52	0.49	0.89	0.88	0.86	0.82	0.74	0.63	0.55	0.5	0.47	0.63	0.63	0.63	0.63	0.63	0.79	0.1	0.1	0.1	0.1	0.1	0.1	
07	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.44	0.5	0.38	0.44	0.44	0.44	0.44	0.44	0.44	0.5	0.56	0.38	0.44	0.44	0.44	0.44	0.5	0.5	0.5	0.5	0.56	0.62	0.62	0.56	0.5	0.44	0.38	0.31	0.25	0.19	0.13	0.75	0.75
	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.87	1.0	0.75	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.87	0.75	0.63	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.13	0.25	0.0	
	0.86	0.85	0.82	0.79	0.74	0.68	0.63	0.59	0.55	0.88	0.86	0.84	0.81	0.76	0.7	0.63	0.58	0.54	0.89	0.88	0.86	0.83	0.79	0.71	0.63	0.57	0.52	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.79	0.1	0.1	0.1	0.1	0.1
08	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.5	0.44	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.56	0.44	0.5	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.5	0.44	0.38	0.31	0.25	0.19	0.13	0.66	
	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	1.0	0.87	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.87	0.87	0.75	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
	0.86	0.85	0.83	0.8	0.77	0.72	0.68	0.63	0.59	0.87	0.86	0.85	0.82	0.79	0.74	0.68	0.63	0.59	0.87	0.88	0.88	0.86	0.84	0.81	0.76	0.7	0.63	0.58	0.54	0.89	0.88	0.86	0.83	0.79	0.71	0.63	0.57	0.52	0.49	0.89
09	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.56	0.5	0.44	0.38	0.31	0.25	0.19	0.13	0.66		
	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
	0.86	0.85	0.83	0.81	0.79	0.75	0.71	0.67	0.63	0.87	0.86	0.85	0.83	0.8	0.77	0.72	0.68	0.63	0.88	0.87	0.86	0.85	0.85	0.85	0.82	0.79	0.74	0.68	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
10	0.19	0.19	0.19	0.19	0.25	0.31	0.38	0.44	0.5	0.19	0.25	0.25	0.25	0.25	0.31	0.38	0.44	0.5	0.19	0.25	0.31	0.38	0.44	0.5	0.19	0.25	0.31	0.38	0.44	0.5	1.0	0.94	0.87	0.81	0.75	0.69	0.62	0.56	0.5	
	0.37	0.37	0.37	0.37	0.5	0.62	0.75	0.87	1.0	0.37	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.56	0.37	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	0.44	
	0.94	0.79	0.47	0.44	0.42	0.42	0.41	0.41	0.41	0.94	0.79	0.4	0.4	0.4	0.4	0.4	0.4	0.01	0.1	0.26	0.31	0.34	0.35	0.36	0.37	0.37	0.63	0.79	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	
11	0.19	0.25	0.25	0.25	0.31	0.38	0.44	0.5	0.19	0.25	0.31	0.31	0.31	0.31	0.38	0.44	0.5	0.56	0.19	0.25	0.31	0.38	0.38	0.38	0.44	0.5	0.56	0.94	0.88	0.81	0.75	0.69	0.63	0.56	0.5	0.44	0.07	0.07		
	0.37	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.87	0.37	0.5	0.38	0.38	0.38	0.5	0.63	0.75	0.87	0.62	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.87	0.12	0.0	0.13	0.25	0.38	0.5	0.63	0.75		
	0.04	0.1	0.2	0.26	0.29	0.31	0.33	0.34	0.35	0.06	0.1	0.17	0.22	0.26	0.28	0.3	0.31	0.33	0.07	0.1	0.15	0.2	0.23	0.26	0.28	0.29	0.3	0.86	0.79	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	0.26	
12	0.19	0.25	0.31	0.31	0.38	0.44	0.5	0.56	0.62	0.25	0.31	0.38	0.38	0.38	0.44	0.5	0.56	0.62	0.31	0.38	0.44	0.44	0.44	0.44	0.44	0.5	0.56	0.62	0.87	0.81	0.75	0.69	0.63	0.56	0.5	0.44	0.38	0.13		
	0.37	0.25	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.5	0.38	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.62	0.5	0.38	0.38	0.38	0.38	0.44	0.5	0.63	0.75	0.25	0.13	0.0	0.13								

BAM-test chart De92; Colorimetric systems, Page 108/180
colour scales and 8 data tables for 16 hues $r00j$ to $b75r$

```
input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmykcolor
```



Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:
 $lab^{*}ch^{*}$ and $lab^{*}icu^{*}$
elementary hue text:
 $u^{*} = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data					
	$L^{*}=L^{*}_a$	a^{*}_a	b^{*}_a	$C^{*}_{ab,a}$	$h^{*}_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



%Gamut
 $u^{*}_{rel} = 109$
%Regularity
 $g^{*}_{H,rel} = 31$
 $g^{*}_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^{*}=L^{*}_a$	a^{*}_a	b^{*}_a	$C^{*}_{ab,a}$	$h^{*}_{ab,a}$
OMa	35.06	60.0	44.0	74.4	36
YMa	83.77	-5.16	109.32	109.44	93
LMa	44.13	-62.66	48.24	79.09	142
CMa	52.66	-29.13	-31.98	43.27	228
VMa	14.15	50.3	-59.03	77.57	310
MMa	37.37	78.64	-33.49	85.48	337
NMa	8.58	0.0	0.0	0.0	0
WMa	92.02	0.0	0.0	0.0	0
RCIE	39.92	58.74	27.99	65.07	25
JCIE	81.26	-2.88	71.56	71.62	92
GCIE	52.23	-42.41	13.6	44.55	162
BCIE	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r50j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r75j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83

$LAB^*LCH^*_{Ma}$: 67 88 110

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -47 63

$LAB^*LCH^*_{Ma}$: 54 80 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j75g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -59 43

$LAB^*LCH^*_{Ma}$: 45 74 145

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g00b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*icu^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g25b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6

$LAB^*LCH^*_{Ma}$: 50 40 190

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.69

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g50b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -31 -23

$LAB^*LCH^*_{Ma}$: 52 40 217

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.9

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*icu^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g75b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -16 -35

$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.85 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*icu^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41

$LAB^*LCH^*_{Ma}$: 38 42 272

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*icu^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -51

$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.25 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*icu^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b50r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -41

$LAB^*LCH^*_{Ma}$: 30 81 329

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.66 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*icu^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b75r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.16	109.32	109.44	93
L _{Ma}	44.13	-62.66	48.24	79.09	142
C _{Ma}	52.66	-29.13	-31.98	43.27	228
V _{Ma}	14.15	50.3	-59.03	77.57	310
M _{Ma}	37.37	78.64	-33.49	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.62

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*icu^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*


relative chroma c^*

See for similar files: <http://www.ps.bam.de/De92/>; www.ps.bam.de/De92/De92.L92E00NP.PS/.PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=0

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*icu*					
01	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0			
02	0.0	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.12	0.12	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.25	0.25	0.25	0.38	0.5	0.62	0.75	0.87	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0			
03	b10r	j70g	j70g	j70g	j70g	j70g	j70g	j70g	j70g	r15j	j00g	j29g	j42g	j49g	j53g	j56g	j58g	j60g	r15j	r66j	j00g	j18g	j29g	j37g	j42g	j46g	j49g	b10r	r15j	r15j	r15j	r15j	r15j	r15j	r15j	r15j	r15j	b10r	0.0	0.0	0.0	0.0	
04	0.12	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.13	0.13	0.13	0.13			
05	b33r	g59b	g60b	j92g	j85g	j81g	j79g	j78g	j77g	b56r	b10r	j70g	j70g	j70g	j70g	j70g	j70g	j70g	b80r	r15j	j00g	j29g	j42g	j49g	j53g	j56g	j58g	g59b	b10r	r15j	r15j	r15j	r15j	r15j	r15j	r15j	r15j	b10r	0.0	0.0	0.0	0.0	
06	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	0.88	0.75	0.75	0.75	0.75	0.75	0.75	0.25	0.25	0.25	0.25			
07	0.25	0.25	0.25	0.37	0.5	0.62	0.75	0.87	1.0	0.25	0.13	0.25	0.38	0.5	0.63	0.75	0.87	0.87	0.25	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	0.88	0.75	0.75	0.75	0.75	0.75	0.75	0.25	0.25	0.25	0.25			
08	b33r	b09r	g59b	g22b	j60b	j98g	j92g	j88g	j85g	b45r	b33r	g59b	g60b	j92g	j85g	j81g	j79g	j78g	b56r	b56r	b10r	j70g	j70g	j70g	j70g	j70g	j70g	j70g	g59b	g59b	b10r	r15j	r15j	r15j	r15j	r15j	r15j	b10r	0.0	0.0	0.0	0.0	
09	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	0.88	0.75	0.63	0.63	0.63	0.63	0.63	0.38	0.38	0.38	0.38			
10	b33r	b20r	g94b	g59b	g32b	j15b	g60b	g01b	j95g	b41r	b33r	b09r	g59b	g22b	g60b	j98g	j92g	j88g	b49r	b45r	b33r	g59b	g60b	j92g	j85g	j81g	j79g	g59b	g59b	g59b	b10r	r15j	r15j	r15j	r15j	r15j	r15j	b10r	0.0	0.0	0.0	0.0	
11	0.5	0.5	0.5	0.5	0.5	0.62	0.75	0.87	1.0	0.5	0.5	0.38	0.38	0.5	0.63	0.75	0.87	0.87	0.5	0.38	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	0.88	0.75	0.63	0.63	0.63	0.63	0.63	0.5	0.0	0.0	0.0				
12	b33r	b24r	b09r	g85b	g59b	g37b	j22b	j13b	g60b	b39r	b33r	b20r	g94b	g59b	g32b	j15b	g60b	g01b	b45r	b41r	b33r	b09r	g59b	g22b	g60b	j98g	j92g	g59b	g59b	g59b	b10r	r15j	r15j	r15j	r15j	r15j	r15j	b10r	0.0	0.0	0.0	0.0	
13	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63			
14	0.62	0.62	0.62	0.62	0.62	0.62	0.75	0.87	1.0	0.62	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.87	0.87	0.62	0.5	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38			
15	b33r	b26r	b16r	b01r	j79b	g59b	g41b	j27b	j18b	b38r	b33r	b24r	b09r	g85b	g59b	g37b	j22b	j13b	b43r	b39r	b33r	b20r	g94b	g59b	g32b	j15b	g60b	g59b	g59b	g59b	g59b	g59b	b10r	r15j	r15j	r15j	r15j	b10r	0.0	0.0	0.0	0.0	
16	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.88	1.0	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.88	1.0	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75			
17	b33r	b28r	b20r	b09r	g94b	j76b	g59b	g44b	g32b	b37r	b33r	b26r	b16r	b01r	j79b	g59b	g41b	j27b	b41r	b38r	b33r	b24r	b09r	g85b	g59b	g37b	g22b	g59b	g59b	g59b	g59b	g59b	b10r	r15j	r15j	r15j	r15j	b10r	0.0	0.0	0.0	0.0	
18	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	1.0	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	1.0	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88			
19	0.87	0.87	0.87	0.87	0.87	0.87	0.87	0.87	1.0	0.87	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.87	0.87	0.75	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63			
20	b33r	b29r	b23r	b14r	b04r	g89b	g73b	g59b	g46b	b37r	b33r	b28r	b20r	b09r	g94b	j76b	g59b	g44b	b40r	b47r	b37r	b33r	b26r	b16r	b01r	j79b	g59b	g41b	g59b	g59b	g59b	g59b	g59b	g59b	g59b	b10r	r15j	b10r	0.0	0.0	0.0	0.0	
21	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0			
22	b33r	b29r	b24r	b18r	b09r	g98b	g85b	j71b	g59b	b36r	b33r	b29r	b23r	b14r	b04r	g89b	j73b	g59b	b39r	b37r	b33r	b28r	b20r	b09r	g94b	j76b	g59b	g59b	g59b	g59b	g59b	g59b	g59b	g59b	g59b	b10r	r15j	b10r	0.0	0.0	0.0	0.0	
23	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
24	0.37	0.37	0.37	0.37	0.5	0.62	0.75	0.87	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.62	0.75	0.87	1.0	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62	0.62			
25	b51r	r50j	r79j	j00g	j13g	j22g	j29g	j35g	j39g	r15j	r42j	r66j	r85j	j00g	j10g	j18g	j24g	j29g	r15j	r37j	r57j	r74j	r81g	j00g	j08g	j15g	j21g	b10r	j00g	j00g	j00g	j00g	j00g	j00g	j00g	j00g	j00g	b10r	0.0	0.0	0.0	0.0	
26	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
27	0.37	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
28	b90r	r15j	r66j	j00g	j18g	j29g	j37g	j42g	j46g	b94r	r15j	r50j	r79j	j00g	j13g	j22g	j29g	j35g	b97r	r15j	r42j	r66j	r85j	j00g	j10g	j18g	j24g	j33r	b10r	j00g	j00g	j00g	j00g	j00g	j00g	j00g	j00g	j00g	b10r	0.0	0.0	0.0	0.0
29	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
30	b71r	b80r	r15j	j00g	j29g	j42g	j49g	j53g	j56g	b80r	b90r	r15j	r66j	j00g	j18g	j29g	j37g	j42g	b86r	b94r	r15j	r50j	r79j	j00g	j13g	j22g	j29g	j33r	b33r	b10r	j00g	j00g	j00g	j00g	j00g	j00g	j00g	j00g	b10r	0.0	0.0	0.0	0.0
31	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
32	0.37	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.62	0.5	0.38	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.62	0.5	0.38	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.62	0.37	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.62	0.5	0.62			
33	b51r	b49r	b45r	b33r	g59b	g60b	j92g	j85g	j81g	b56r	b56r	b56r	b56r	b10r	j70g	j70g	j70g	j70g	b65r	b67r</																							



Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:
*lab**rch** and lab**icu***
elementary hue text:
*u** = 16 hues *r00j*, *r25j*, ..., *b75r*
contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92M; CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

LAB^*LAB^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r50j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r75j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

LAB^*LAB^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83

$LAB^*LCH^*_{Ma}$: 67 88 110

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -47 63

$LAB^*LCH^*_{Ma}$: 54 80 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j75g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -59 43

$LAB^*LCH^*_{Ma}$: 45 74 145

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



triangle lightness t^* 
$$g^*_{C,rel} = 40$$

FRS09_92aM; adapted (a) CIELAB data						
	L^*_a	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	35.47	63.32	30.17	70.15	25	
r25j	39.12	54.56	49.45	73.64	42	
r50j	50.64	39.15	64.89	75.79	59	
r75j	64.01	21.26	82.83	85.52	76	
j00g	83.18	-4.37	108.53	108.62	92	
j25g	66.73	-29.88	83.06	88.28	110	
j50g	54.03	-48.3	63.49	79.78	127	
j75g	44.73	-60.32	42.64	73.88	145	
g00b	47.59	-49.07	15.74	51.54	162	
g25b	49.97	-39.69	-6.71	40.27	190	
g50b	51.85	-32.32	-24.34	40.48	217	
g75b	46.92	-17.28	-36.01	39.96	244	
b00r	37.91	1.28	-42.34	42.37	272	
b25r	23.81	30.38	-52.25	60.45	300	
b50r	29.52	69.06	-42.13	80.9	329	
b75r	36.48	71.47	-3.68	71.57	357	



```
output: ->cmyn5* setcmykcolor
```

BAM registration: 20080701-De92/10L/L92E00NP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/De92/>; www.ps.bam.de/De.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0

BAM material: code=rha4ta

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g25b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6

$LAB^*LCH^*_{Ma}$: 50 40 190

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.69

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g50b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -31 -23

$LAB^*LCH^*_{Ma}$: 52 40 217

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.9

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

LAB^*LAB^*

$i^* = 1.00$


$i^* = 0.80$

brilliantness i^*

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

triangle lightness t^* 

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41

$LAB^*LCH^*_{Ma}$: 38 42 272

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b50r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -41

$LAB^*LCH^*_{Ma}$: 30 81 329

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.66 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

LAB^*LAB^*

$i^* = 1.00$

$i^* = 0.80$

brilliantness i^*

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b75r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.62

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



See for similar files: <http://www.ps.bam.de/De92/>; www.ps.bam.de/De92/10L/L92E00NP.PS/.PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1, ColSpX=0


BAM registration: 20080701-De92/10L/L92E00NP.PS/.PDF BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								
01	8.6	13.0	17.5	21.9	26.4	30.8	35.2	39.7	44.1	48.5	52.9	57.3	61.7	66.1	70.5	74.9	79.3	83.7	88.1	92.5	96.9	101.3	105.7	110.1	114.5	118.9	123.3	127.7	132.1	136.5	140.9	145.3	149.7	154.1	158.5	162.9	167.3	171.7	176.1	180.5	184.9	189.3	193.7	198.1	202.5	206.9	211.3	215.7	220.1	224.5	228.9	233.3	237.7	242.1	246.5	250.9	255.3	259.7	264.1	268.5	272.9	277.3	281.7	286.1	290.5	294.9	299.3	303.7	308.1	312.5	316.9	321.3	325.7	330.1	334.5	338.9	343.3	347.7	352.1	356.5	360.9	365.3	369.7	374.1	378.5	382.9	387.3	391.7	396.1	400.5	404.9	409.3	413.7	418.1	422.5	426.9	431.3	435.7	440.1	444.5	448.9	453.3	457.7	462.1	466.5	470.9	475.3	479.7	484.1	488.5	492.9	497.3	501.7	506.1	510.5	514.9	519.3	523.7	528.1	532.5	536.9	541.3	545.7	550.1	554.5	558.9	563.3	567.7	572.1	576.5	580.9	585.3	589.7	594.1	598.5	602.9	607.3	611.7	616.1	620.5	624.9	629.3	633.7	638.1	642.5	646.9	651.3	655.7	660.1	664.5	668.9	673.3	677.7	682.1	686.5	690.9	695.3	699.7	704.1	708.5	712.9	717.3	721.7	726.1	730.5	734.9	739.3	743.7	748.1	752.5	756.9	761.3	765.7	770.1	774.5	778.9	783.3	787.7	792.1	796.5	800.9	805.3	809.7	814.1	818.5	822.9	827.3	831.7	836.1	840.5	844.9	849.3	853.7	858.1	862.5	866.9	871.3	875.7	880.1	884.5	888.9	893.3	897.7	902.1	906.5	910.9	915.3	919.7	924.1	928.5	932.9	937.3	941.7	946.1	950.5	954.9	959.3	963.7	968.1	972.5	976.9	981.3	985.7	990.1	994.5	998.9	1003.3	1007.7	1012.1	1016.5	1020.9	1025.3	1029.7	1034.1	1038.5	1042.9	1047.3	1051.7	1056.1	1060.5	1064.9	1069.3	1073.7	1078.1	1082.5	1086.9	1091.3	1095.7	1100.1	1104.5	1108.9	1113.3	1117.7	1122.1	1126.5	1130.9	1135.3	1139.7	1144.1	1148.5	1152.9	1157.3	1161.7	1166.1	1170.5	1174.9	1179.3	1183.7	1188.1	1192.5	1196.9	1201.3	1205.7	1210.1	1214.5	1218.9	1223.3	1227.7	1232.1	1236.5	1240.9	1245.3	1249.7	1254.1	1258.5	1262.9	1267.3	1271.7	1276.1	1280.5	1284.9	1289.3	1293.7	1298.1	1302.5	1306.9	1311.3	1315.7	1320.1	1324.5	1328.9	1333.3	1337.7	1342.1	1346.5	1350.9	1355.3	1359.7	1364.1	1368.5	1372.9	1377.3	1381.7	1386.1	1390.5	1394.9	1399.3	1403.7	1408.1	1412.5	1416.9	1421.3	1425.7	1430.1	1434.5	1438.9	1443.3	1447.7	1452.1	1456.5	1460.9	1465.3	1469.7	1474.1	1478.5	1482.9	1487.3	1491.7	1496.1	1500.5	1504.9	1509.3	1513.7	1518.1	1522.5	1526.9	1531.3	1535.7	1540.1	1544.5	1548.9	1553.3	1557.7	1562.1	1566.5	1570.9	1575.3	1579.7	1584.1	1588.5	1592.9	1597.3	1601.7	1606.1	1610.5	1614.9	1619.3	1623.7	1628.1	1632.5	1636.9	1641.3	1645.7	1650.1	1654.5	1658.9	1663.3	1667.7	1672.1	1676.5	1680.9	1685.3	1689.7	1694.1	1698.5	1702.9	1707.3	1711.7	1716.1	1720.5	1724.9	1729.3	1733.7	1738.1	1742.5	1746.9	1751.3	1755.7	1760.1	1764.5	1768.9	1773.3	1777.7	1782.1	1786.5	1790.9	1795.3	1799.7	1804.1	1808.5	1812.9	1817.3	1821.7	1826.1	1830.5	1834.9	1839.3	1843.7	1848.1	1852.5	1856.9	1861.3	1865.7	1870.1	1874.5	1878.9	1883.3	1887.7	1892.1	1896.5	1900.9	1905.3	1909.7	1914.1	1918.5	1922.9	1927.3	1931.7	1936.1	1940.5	1944.9	1949.3	1953.7	1958.1	1962.5	1966.9	1971.3	1975.7	1980.1	1984.5	1988.9	1993.3	1997.7	2002.1	2006.5	2010.9	2015.3	2019.7	2024.1	2028.5	2032.9	2037.3	2041.7	2046.1	2050.5	2054.9	2059.3	2063.7	2068.1	2072.5	2076.9	2081.3	2085.7	2090.1	2094.5	2098.9	2103.3	2107.7	2112.1	2116.5	2120.9	2125.3	2129.7	2134.1	2138.5	2142.9	2147.3	2151.7	2156.1	2160.5	2164.9	2169.3	2173.7	2178.1	2182.5	2186.9	2191.3	2195.7	2200.1	2204.5	2208.9	2213.3	2217.7	2222.1	2226.5	2230.9	2235.3	2239.7	2244.1	2248.5	2252.9	2257.3	2261.7	2266.1	2270.5	2274.9	2279.3	2283.7	2288.1	2292.5	2296.9	2301.3	2305.7	2310.1	2314.5	2318.9	2323.3	2327.7	2332.1	2336.5	2340.9	2345.3	2349.7	2354.1	2358.5	2362.9	2367.3	2371.7	2376.1	2380.5	2384.9	2389.3	2393.7	2398.1	2402.5	2406.9	2411.3	2415.7	2420.1	2424.5	2428.9	2433.3	2437.7	2442.1	2446.5	2450.9	2455.3	2459.7	2464.1	2468.5	2472.9	2477.3	2481.7	2486.1	2490.5	2494.9	2499.3	2503.7	2508.1	2512.5	2516.9	2521.3	2525.7	2530.1	2534.5	2538.9	2543.3	2547.7	2552.1	2556.5	2560.9	2565.3	2569.7	2574.1	2578.5	2582.9	2587.3	2591.7	2596.1	2600.5	2604.9	2609.3	2613.7	2618.1	2622.5	2626.9	2631.3	2635.7	2640.1	2644.5	2648.9	2653.3	2657.7	2662.1	2666.5	2670.9	2675.3	2679.7	2684.1	2688.5	2692.9	2697.3	2701.7	2706.1	2710.5	2714.9	2719.3	2723.7	2728.1	2732.5	2736.9	2741.3	2745.7	2750.1	2754.5	2758.9	2763.3	2767.7	2772.1	2776.5	2780.9	2785.3	2789.7	2794.1	2798.5	2802.9	2807.3	2811.7	2816.1	2820.5	2824.9	2829.3	2833.7	2838.1	2842.5	2846.9	2851.3	2855.7	2860.1	2864.5	2868.9	2873.3	2877.7	2882.1	2886.5	2890.9	2895.3	2899.7	2904.1	2908.5	2912.9	2917.3	2921.7	2926.1	2930.5	2934.9	2939.3	2943.7	2948.1	2952.5	2956.9	2961.3	2965.7	2970.1	2974.5	2978.9	2983.3	2987.7	2992.1	2996.5	3000.9	3005.3	3009.7	3014.1	3018.5	3022.9	3027.3	3031.7	3036.1	3040.5	3044.9	3049.3	3053.7	3058.1	3062.5	3066.9	3071.3	3075.7	3080.1	3084.5	3088.9	3093.3	3097.7	3102.1	3106.5	3110.9	3115.3	3119.7	3124.1	3128.5	3132.9	3137.3	3141.7	3146.1	3150.5	3154.9	3159.3	3163.7	3168.1	3172.5	3176.9	3181.3	3185.7	3190.1	3194.5	3198.9	3203.3	3207.7	3212.1	3216.5	3220.9	3225.3	3229.7	3234.1	3238.5	3242.9	3247.3	3251.7	3256.1	3260.5	3264.9	3269.3	3273.7	3278.1	3282.5	3286.9	3291.3	3295.7	3300.1	3304.5	3308.9	3313.3	3317.7	3322.1	3326.5	3330.9	3335.3	3339.7	3344.1	3348.5	3352.9	3357.3	3361.7	3366.1	3370.5	3374.9	3379.3	3383.7	3388.1	3392.5	3396.9	3401.3	3405.7	3410.1	3414.5	3418.9	3423.3	3427.7	3432.1	3436.5	3440.9	3445.3	3449.7	3454.1	3458.5	3462.9	3467.3	3471.7	3476.1	3480.5	3484.9	3489.3	3493.7	3498.1	3502.5	3506.9	3511.3	3515.7	3520.1	3524.5	3528.9	3533.3	3537.7	3542.1	3546.5	3550.9	3555.3	3559.7	3564.1	3568.5	3572.9	3577.3	3581.7	3586.1	3590.5	3594.9	3599.3	3603.7	3608.1	3612.5	3616.9	3621.3	3625.7	3630.1	3634.5	3638.9	3643.3	3647.7	3652.1	3656.5	3660.9	3665.3	3669.7	3674.1	3678.5	3682.9	3687.3	3691.7	3696.1	3700.5	3704.9	3709.3	3713.7	3718.1	3722.5	3726.9	3731.3	3735.7	3740.1	3744.5	3748.9	3753.3	3757.7	3762.1	3766.5	3770.9	3775.3	3779.7	3784.1	3788.5	3792.9	3797.3	3801.7	3806.1	3810.5	3814.9	3819.3	3823.7	3828.1	3832.5	3836.9	3841.3	3845.7	3850.1	3854.5	3858.9	3863.3	3867.7	3872.1	3876.5	3880.9	3885.3	3889.7	3894.1	3898.5	3902.9	3907.3	3911.7	3916.1	3920.5	3924.9	3929.3	3933.7	3938.1	3942.5	3946.9	3951.3	3955.7	3960.1	3964.5	3968.9	3973.3	3977.7	3982.1	3986.5	3990.9	3995.3	3999.7	4004.1	4008.5	4012.9	4017.3	4021.7	4026.1	4030.5	4034.9	4039.3	4043.7	4048.1	4052.5	4056.9	4061.3	4065.7	4070.1	4074.5	4

Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:



$lab^{*}tch^{*}$ and $lab^{*}icu^{*}$
elementary hue text:
 $u^{*} = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data					
	$L^{*}=L^{*}_a$	a^{*}_a	b^{*}_a	$C^{*}_{ab,a}$	$h^{*}_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



%Gamut
 $u^{*}_{rel} = 109$
%Regularity
 $g^{*}_{H,rel} = 31$
 $g^{*}_{C,rel} = 40$

FRS09_92aM; CIELAB data					
	$L^{*}=L^{*}$	a^{*}	b^{*}	C^{*}_{ab}	h^{*}_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r50j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r75j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83

$LAB^*LCH^*_{Ma}$: 67 88 110

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -47 63

$LAB^*LCH^*_{Ma}$: 54 80 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j75g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -59 43

$LAB^*LCH^*_{Ma}$: 45 74 145

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g00b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g25b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6

$LAB^*LCH^*_{Ma}$: 50 40 190

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.69

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g50b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -31 -23

$LAB^*LCH^*_{Ma}$: 52 40 217

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.9

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*


$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41

$LAB^*LCH^*_{Ma}$: 38 42 272

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -51

$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.25 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b50r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -41

$LAB^*LCH^*_{Ma}$: 30 81 329

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.66 0.0 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b75r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.62

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357




See for similar files: <http://www.ps.bam.de/De92/>; www.ps.bam.de/De92/10L/L92E00NP.PS/.PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*rgb**							
01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					
02	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0
03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
04	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0
05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
06	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0
07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
08	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0
09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
10	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
11	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0
12	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
13	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0
14	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
15	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0
16	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
17	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0
18	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
19	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0
20	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
21	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0
22	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
23	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0
24	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
25	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0
26	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
27	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0

BAM registration: 20080701-De92/10L/L92E00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rh4ta


Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:
*lab*_{rch}** and *lab*_{icu}**
elementary hue text:
*u** = 16 hues *r00j*, *r25j*, ..., *b75r*
contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



%Gamut
 $u^*_{rel} = 109$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92aM; CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



See for similar files: <http://www.ps.bam.de/De92/>; www.ps.bam.de/De.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0

BAM registration: 20080701-De9210L/L92E00NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 25/360 = 0.071$ data for any colour: Data for maximum colour (Ma):

*lab*tch** and *lab*icu**


elementary hue text:

$$u^* = r00j$$

contrast reduction factor:

$$c_p = 1.0$$
triangle lightness t^*

↑



FRS09_92aM; CIELAB data						
	L^*	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	35.06	60.53	39.66	72.37	33	12
Y _M	83.77	-4.49	103.15	103.25	92	14
L _M	44.13	-62.1	43.56	75.86	141	92
C _M	52.66	-28.55	-36.98	46.73	233	92
V _M	14.15	50.78	-62.59	80.61	309	92
M _M	37.37	79.18	-37.92	87.8	334	92
N _M	8.58	0.46	-3.34	3.38	278	92
W _M	92.02	0.69	-6.47	6.52	278	92
R _{CIE}	39.92	58.74	27.99	65.07	25	167
J _{CIE}	81.26	-2.88	71.56	71.62	92	167
G _{CIE}	52.23	-42.41	13.6	44.55	167	167
B _{CIE}	30.57	1.41	-46.46	46.49	273	167

Data for maximum colour (Ma):

LAB*LAB* M_c : 35 63 30

LAB LAB Ma. 35 05 30
LAB*LCII* 35 50 35

LAB*LCH*Ma: 35 70 2

***lab*rgb*_{Ma}: 1.0 0.0 0.0**

*lab*olv**_{Ma}: 1.0 0.0 0.18

triangle lightness t^*

triangle rightness:

%Gamut


$$\mathbf{u}_{\text{rel}}^* = 109$$

%Regula

$$g_{\text{H,rel}}^* = 3$$
$$g^*_{C,rel} = 40$$
$$u^* = r00j$$

*LAB*cmyn'**

FRS09_92aM; adapted (a) CIELAB data						
	L^*_a	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	35.47	63.32	30.17	70.15	25	
r25j	39.12	54.56	49.45	73.64	42	
r50j	50.64	39.15	64.89	75.79	59	
r75j	64.01	21.26	82.83	85.52	76	
j00g	83.18	-4.37	108.53	108.62	92	
j25g	66.73	-29.88	83.06	88.28	110	
j50g	54.03	-48.3	63.49	79.78	127	
j75g	44.73	-60.32	42.64	73.88	145	
g00b	47.59	-49.07	15.74	51.54	162	
g25b	49.97	-39.69	-6.71	40.27	190	
g50b	51.85	-32.32	-24.34	40.48	217	
g75b	46.92	-17.28	-36.01	39.96	244	
b00r	37.91	1.28	-42.34	42.37	272	
b25r	23.81	30.38	-52.25	60.45	300	
b50r	29.52	69.06	-42.13	80.9	329	
b75r	36.48	71.47	-3.68	71.57	357	



BAM-test chart De92; Colorimetric systems, Page 164/180
colour scales and 8 data tables for 16 hues *r00j* to *b75r*

```
input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmykcolor
```

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
W _M	8.58	0.46	-3.34	3.38	278
N _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r50j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = r75j$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -3 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -29 83

$LAB^*LCH^*_{Ma}$: 67 88 110

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
W _M	8.58	0.46	-3.34	3.38	278
N _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -47 63

$LAB^*LCH^*_{Ma}$: 54 80 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = j75g$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -59 43

$LAB^*LCH^*_{Ma}$: 45 74 145

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g00b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -48 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*



$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g25b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -39 -6

$LAB^*LCH^*_{Ma}$: 50 40 190

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.69

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g50b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -31 -23

$LAB^*LCH^*_{Ma}$: 52 40 217

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.9

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = g75b$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -16 -35

$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.85 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b00r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -41

$LAB^*LCH^*_{Ma}$: 38 42 272

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.62 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b25r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -51

$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.25 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b50r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -41

$LAB^*LCH^*_{Ma}$: 30 81 329

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.66 0.0 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


elementary hue text:

$u^* = b75r$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.49	103.15	103.25	92
L _M	44.13	-62.1	43.56	75.86	145
C _M	52.66	-28.55	-36.98	46.73	232
V _M	14.15	50.78	-62.59	80.61	309
M _M	37.37	79.18	-37.92	87.8	334
N _M	8.58	0.46	-3.34	3.38	278
W _M	92.02	0.69	-6.47	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -3

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.62

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	63.32	30.17	70.15	25
r25j	39.12	54.56	49.45	73.64	42
r50j	50.64	39.15	64.89	75.79	59
r75j	64.01	21.26	82.83	85.52	76
j00g	83.18	-4.37	108.53	108.62	92
j25g	66.73	-29.88	83.06	88.28	110
j50g	54.03	-48.3	63.49	79.78	127
j75g	44.73	-60.32	42.64	73.88	145
g00b	47.59	-49.07	15.74	51.54	162
g25b	49.97	-39.69	-6.71	40.27	190
g50b	51.85	-32.32	-24.34	40.48	217
g75b	46.92	-17.28	-36.01	39.96	244
b00r	37.91	1.28	-42.34	42.37	272
b25r	23.81	30.38	-52.25	60.45	300
b50r	29.52	69.06	-42.13	80.9	329
b75r	36.48	71.47	-3.68	71.57	357



BAM material: code=rha4ta

[illegible]

BAM-test chart De92; Colorimetric systems, Page 180/180
colour scales and 8 data tables for 16 hues $r00j$ to $b75r$

```
input: 000n / w / nnn0 / www set...
output: ->cmyn5* setcmykcolor
```