



Input and output:
Colorimetric Printer Reflective System ORS20_95aM
data for any colour:
 $lab^{*}tch^{*}$ and $lab^{*}icu^{*}$
elementary hue text:
 $u^{*} = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 0.97$

	ORS20_95aM; adapted (a) CIELAB data				
	$L^{*}=L^{*}_{a}$	a^{*}_{a}	b^{*}_{a}	$C^{*}_{ab,a}$	$h^{*}_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357




% Gamut
 $u^{*}_{rel} = 87$
% Regularity
 $g^{*}_{H,rel} = 57$
 $g^{*}_{C,rel} = 59$

	ORS20_95aM; adapted (a) CIELAB data				
	$L^{*}=L^{*}_{a}$	a^{*}_{a}	b^{*}_{a}	$C^{*}_{ab,a}$	$h^{*}_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.34	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$
data for any colour:
 lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r00j$
contrast reduction factor:
 $c_R = 0.97$
triangle lightness t^*



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{,ab,a}$	$h^*_{,ab,a}$
O_{Ma}	47.94	63.36	48.95	80.07	38
Y_{Ma}	90.37	-9.94	88.91	89.46	96
L_{Ma}	50.9	-60.88	33.87	69.68	151
C_{Ma}	58.62	-29.4	-43.62	52.61	236
V_{Ma}	25.72	30.13	-43.02	52.54	305
M_{Ma}	48.13	72.95	-8.1	73.39	354
N_{Ma}	20.0	0.0	0.0	0.0	0
W_{Ma}	95.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 48 66 32

LAB^*LCH^*Ma : 48 73 25

lab^*rgb^*Ma : 1.0 0.0 0.0

lab^*olv^*Ma : 1.0 0.0 0.3

triangle lightness t^*

% Gamut



$u^*_{rel} = 87$

% Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{,ab,a}$	$h^*_{,ab,a}$
$r00j$	48.0	66.28	31.58	73.42	25
$r25j$	51.32	57.52	52.13	77.63	42
$r50j$	62.67	37.9	62.82	73.37	59
$r75j$	73.73	18.8	73.24	75.61	76
$j00g$	86.61	-3.44	85.36	85.43	92
$j25g$	78.07	-25.81	71.76	76.26	110
$j50g$	65.83	-41.61	54.69	68.73	127
$j75g$	54.87	-55.75	39.41	68.28	145
$g00b$	52.54	-54.18	17.37	56.9	162
$g25b$	55.02	-44.09	-7.45	44.73	190
$g50b$	56.98	-36.08	-27.17	45.18	217
$g75b$	53.92	-20.89	-43.53	48.3	244
$b00r$	41.64	1.31	-43.31	43.34	272
$b25r$	28.53	25.05	-43.07	49.84	300
$b50r$	34.77	47.42	-28.92	55.55	329
$b75r$	48.12	72.21	-3.72	72.31	357



Input and output: Colorimetric Printer Reflective System ORS20_95aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$
data for any colour:
 lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r25j$
contrast reduction factor:
 $c_R = 0.97$
triangle lightness t^*



ORS20_95aM; adapted (a) CIELAB data					
$L^*=L^*_a$	a^*_a	b^*_a	C^*_{aba}	h^*_{aba}	
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
W _{Ma}	20.0	0.0	0.0	0.0	0
N _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 51 58 52

LAB^*LCH^*Ma : 51 78 42

lab^*rgb^*Ma : 1.0 0.25 0.0

lab^*olv^*Ma : 1.0 0.08 0.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 87$

% Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adapted (a) CIELAB data					
$L^*=L^*_a$	a^*_a	b^*_a	C^*_{aba}	h^*_{aba}	
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Input and output: Colorimetric Printer Reflective System ORS20_95aM for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 59/360 = 0.164$
data for any colour:
 lab^*ch^* and lab^*icu^*
elementary hue text:
 $u^* = r50j$
contrast reduction factor:
 $c_R = 0.97$
triangle lightness t^*



ORS20_95aM; adapted (a) CIELAB data					
$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
W _{Ma}	20.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*\text{Ma}$: 63 38 63

$\text{LAB}^*\text{LCH}^*\text{Ma}$: 63 73 59

$\text{lab}^*\text{rgb}^*\text{Ma}$: 1.0 0.5 0.0

$\text{lab}^*\text{olv}^*\text{Ma}$: 1.0 0.35 0.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity


$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$

ORS20_95aM; adapted (a) CIELAB data					
$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Input and output: Colorimetric Printer Reflective System ORS20_95aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$
data for any colour:
 lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = r75j$
contrast reduction factor:
 $c_R = 0.97$
triangle lightness t^*



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
W _{Ma}	20.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 74 19 73

LAB^*LCH^*Ma : 74 76 76

lab^*rgb^*Ma : 1.0 0.75 0.0

lab^*olv^*Ma : 1.0 0.61 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 87$

% Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Input and output: Colorimetric Printer Reflective System ORS20_95aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$
data for any colour:
 lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j00g$
contrast reduction factor:
 $c_R = 0.97$
triangle lightness t^*



	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
W _{Ma}	20.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 87 -2 85

LAB^*LCH^*Ma : 87 85 92

lab^*rgb^*Ma : 1.0 1.0 0.0

lab^*olv^*Ma : 1.0 0.91 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 87$

% Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Input and output: Colorimetric Printer Reflective System ORS20_95aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$
data for any colour:
 lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = j25g$
contrast reduction factor:
 $c_R = 0.97$
triangle lightness t^*



ORS20_95aM; adapted (a) CIELAB data					
$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
W _{Ma}	20.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 78 -25 72

LAB^*LCH^*Ma : 78 76 110

lab^*rgb^*Ma : 0.75 1.0 0.0

lab^*olv^*Ma : 0.69 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adapted (a) CIELAB data					
$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Input and output: Colorimetric Printer Reflective System ORS20_95aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$
data for any colour:


lab^*ich^* and lab^*icu^*
elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 0.97$

triangle lightness t^*



ORS20_95aM; adapted (a) CIELAB data					
$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
W _{Ma}	20.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 66 -41 55

LAB^*LCH^*Ma : 66 69 127

lab^*rgb^*Ma : 0.5 1.0 0.0

lab^*olv^*Ma : 0.38 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adapted (a) CIELAB data					
$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Input and output: Colorimetric Printer Reflective System ORS20_95aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$ $u^* = j75g$

data for any colour:

lab^*ich^* and lab^*icu^*


elementary hue text:

$u^* = j75g$

contrast reduction factor:

$c_R = 0.97$

triangle lightness t^*



ORS20_95aM; adapted (a) CIELAB data					
$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	47.94	63.36	48.95	80.07	38
Y_{Ma}	90.37	-9.94	88.91	89.46	96
L_{Ma}	50.9	-60.88	33.87	69.68	151
C_{Ma}	58.62	-29.4	-43.62	52.61	236
V_{Ma}	25.72	30.13	-43.02	52.54	305
M_{Ma}	48.13	72.95	-8.1	73.39	354
N_{Ma}	20.0	0.0	0.0	0.0	0
W_{Ma}	95.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 55 -55 39

LAB^*LCH^*Ma : 55 68 145

lab^*rgb^*Ma : 0.25 1.0 0.0

lab^*olv^*Ma : 0.1 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 87$

% Regularity


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adapted (a) CIELAB data					
$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Input and output: Colorimetric Printer Reflective System ORS20_95aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$
data for any colour:
 lab^*ich^* and lab^*icu^*
elementary hue text:
 $u^* = g00b$
contrast reduction factor:
 $c_R = 0.97$
triangle lightness t^*



ORS20_95aM; adapted (a) CIELAB data					
$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
W _{Ma}	20.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 53 -53 17

LAB^*LCH^*Ma : 53 57 162

lab^*rgb^*Ma : 0.0 1.0 0.0

lab^*olv^*Ma : 0.0 1.0 0.21

triangle lightness t^*

% Gamut

$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adapted (a) CIELAB data					
$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357

