

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g00NP.PS /.PDF
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

O/R	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a
	rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a		
01	B01	C01	D01	E01	F01	G01	H01			K01	L01	M01	N01	O01	P01	Q01			T01	U01	V01	W01	X01	Y01	Z01		
	1.0	39.91	39.91	0.0	1.0	47.99	47.99			1.0	39.91	39.91	0.0	1.0	47.99	47.99			1.0	39.91	39.91	0.0	1.0	47.99	47.99		
	0.0	65.06	58.74	0.0	0.0	58.74	68.39			0.0	65.06	58.74	0.0	0.0	75.76	68.39			0.0	65.06	58.74	0.0	0.0	75.76	68.39		
	0.0	25	27.99	0.07	0.304	25	32.59			0.0	25	27.99	0.07	0.304	25	32.59			0.0	25	27.99	0.07	0.304	25	32.59		
02	B02	C02	D02	E02	F02	G02	H02			K02	L02	M02	N02	O02	P02	Q02			T02	U02	V02	W02	X02	Y02	Z02		
	0.937	42.01	42.01	0.062	0.937	49.08	49.08			0.882	43.85	43.85	0.062	0.882	50.03	50.03			0.937	41.0	41.0	0.062	0.967	48.56	48.56		
	0.062	56.93	51.39	0.875	0.062	66.29	59.84			0.117	49.81	44.97	0.765	0.117	58.0	52.36			0.062	60.86	54.94	0.935	0.032	70.87	63.98		
	0.062	25	24.49	0.07	0.328	25	28.51			0.117	25	21.42	0.07	0.35	25	24.95			0.032	25	26.18	0.07	0.317	25	30.48		
03	B03	C03	D03	E03	F03	G03	H03			K03	L03	M03	N03	O03	P03	Q03			T03	U03	V03	W03	X03	Y03	Z03		
	0.875	44.11	44.11	0.125	0.875	50.17	50.17			0.781	47.26	47.26	0.125	0.781	51.8	51.8			0.933	42.16	42.16	0.125	0.933	49.16	49.16		
	0.125	48.8	44.05	0.75	0.125	56.82	51.29			0.218	36.6	33.04	0.562	0.218	42.61	38.47			0.066	56.35	50.87	0.866	0.066	65.61	59.23		
	0.125	25	20.99	0.07	0.353	25	24.44			0.218	25	15.74	0.07	0.389	25	18.33			0.066	25	24.24	0.07	0.33	25	28.22		
04	B04	C04	D04	E04	F04	G04	H04			K04	L04	M04	N04	O04	P04	Q04			T04	U04	V04	W04	X04	Y04	Z04		
	0.812	46.21	46.21	0.187	0.812	51.26	51.26			0.695	50.15	50.15	0.187	0.695	53.3	53.3			0.895	43.43	43.43	0.187	0.895	49.82	49.82		
	0.187	40.66	36.71	0.625	0.187	47.35	42.74			0.304	25.41	22.94	0.39	0.304	29.59	26.71			0.104	51.44	46.43	0.79	0.104	59.89	54.07		
	0.187	25	17.49	0.07	0.377	25	20.37			0.304	25	10.93	0.07	0.423	25	12.73			0.104	25	22.12	0.07	0.345	25	25.76		
05	B05	C05	D05	E05	F05	G05	H05			K05	L05	M05	N05	O05	P05	Q05			T05	U05	V05	W05	X05	Y05	Z05		
	0.75	48.31	48.31	0.25	0.75	52.35	52.35			0.625	52.51	52.51	0.25	0.625	54.53	54.53			0.853	44.83	44.83	0.25	0.853	50.54	50.54		
	0.25	32.53	29.37	0.5	0.25	37.88	34.19			0.375	16.26	14.68	0.25	0.375	18.94	17.09			0.146	46.0	41.53	0.707	0.146	53.57	48.36		
	0.25	25	13.99	0.07	0.402	25	16.29			0.375	25	6.99	0.07	0.451	25	8.14			0.146	25	19.79	0.07	0.361	25	23.04		
06	B06	C06	D06	E06	F06	G06	H06			K06	L06	M06	N06	O06	P06	Q06			T06	U06	V06	W06	X06	Y06	Z06		
	0.687	50.41	50.41	0.312	0.687	53.44	53.44			0.57	54.34	54.34	0.312	0.57	55.48	55.48			0.806	46.42	46.42	0.312	0.806	51.37	51.37		
	0.312	24.4	22.02	0.375	0.312	28.41	25.64			0.429	9.15	8.26	0.14	0.429	10.65	9.61			0.193	39.84	35.97	0.612	0.193	46.39	41.88		
	0.312	25	10.49	0.07	0.426	25	12.22			0.429	25	3.93	0.07	0.472	25	4.58			0.193	25	17.14	0.07	0.38	25	19.95		
07	B07	C07	D07	E07	F07	G07	H07			K07	L07	M07	N07	O07	P07	Q07			T07	U07	V07	W07	X07	Y07	Z07		
	0.625	52.51	52.51	0.375	0.625	54.53	54.53			0.531	55.66	55.66	0.375	0.531	56.16	56.16			0.75	48.31	48.31	0.375	0.75	52.35	52.35		
	0.375	16.26	14.68	0.25	0.375	18.94	17.09			0.468	4.06	3.67	0.062	0.468	4.73	4.27			0.249	32.53	29.37	0.5	0.249	37.88	34.19		
	0.375	25	6.99	0.07	0.451	25	8.14			0.468	25	1.74	0.07	0.487	25	2.03			0.249	25	13.99	0.07	0.402	25	16.29		
08	B08	C08	D08	E08	F08	G08	H08			K08	L08	M08	N08	O08	P08	Q08			T08	U08	V08	W08	X08	Y08	Z08		
	0.562	54.61	54.61	0.437	0.562	55.62	55.62			0.507	56.44	56.44	0.437	0.507	56.57	56.57			0.676	50.77	50.77	0.437	0.676	53.62	53.62		
	0.437	8.13	7.34	0.125	0.437	9.47	8.54			0.492	1.01	0.91	0.015	0.492	1.18	1.06			0.323	20.77	20.76	0.353	0.323	24.18	24.18		
	0.437	25	3.49	0.07	0.475	25	4.07			0.492	25	0.43	0.07	0.496	25	0.5			0.323	25	9.89	0.07	0.43	25	11.52		
09	B09	C09	D09	E09	F09	G09	H09			K09	L09	M09	N09	O09	P09	Q09			T09	U09	V09	W09	X09	Y09	Z09		
	0.5	56.71	56.71	0.5	0.5	56.71	56.71			0.5	56.71	56.71	0.5	0.5	56.71	56.71			0.5	56.71	56.71	0.5	0.5	56.7	56.7		
	0.5	0.0	0.0	0.0	0.5	0.0	0.0			0.5	0.0	0.0	0.0	0.5	0.0	0.0			0.5	0.0	0.0	0.001	0.5	0.07	0.0		
	0.5	0	0.0	0.0	0.5	0	0.0			0.5	0	0.0	0.0	0.5	0	0.0			0.5	0	0.0	0.0	0.5	0	0.0		
10	B10	C10	D10	E10	F10	G10	H10			K10	L10	M10	N10	O10	P10	Q10			T10	U10	V10	W10	X10	Y10	Z10		
	0.437	54.82	54.82	0.437	0.437	56.74	56.74			0.492	56.47	56.47	0.437	0.492	56.71	56.71			0.323	51.37	51.37	0.437	0.323	56.8	56.8		
	0.562	3.28	-2.62	0.125	0.562	5.82	-4.65			0.507	0.41	-0.32	0.015	0.507	0.72	-0.58			0.676	9.28	-7.41	0.353	0.676	16.48	-13.16		
	0.562	216	-1.97	0.602	0.535	216	-3.5			0.507	216	-0.24	0.602	0.504	216	-0.43			0.676	216	-5.58	0.602	0.601	216	-9.91		
11	B11	C11	D11	E11	F11	G11	H11			K11	L11	M11	N11	O11	P11	Q11			T11	U11	V11	W11	X11	Y11	Z11		
	0.375	52.94	52.94	0.375	0.375	56.77	56.77			0.468	55.76	55.76	0.375	0.468	56.72	56.72			0.249	49.16	49.16	0.375	0.249	56.84	56.84		
	0.625	6.56	-5.24	0.25	0.625	11.65	-9.31			0.531	1.64	-1.31	0.062	0.531	2.91	-2.32			0.75	13.12	-10.48	0.5	0.75	23.31	-18.62		
	0.625	216	-3.94	0.602	0.571	216	-7.01			0.531	216	-0.98	0.602	0.517	216	-1.75			0.75	216	-7.89	0.602	0.643	216	-14.02		
12	B12	C12	D12	E12	F12	G12	H12			K12	L12	M12	N12	O12	P12	Q12			T12	U12	V12	W12	X12	Y12	Z12		
	0.312	51.05	51.05	0.312	0.312	56.81	56.81			0.429	54.58	54.58	0.312	0.429	56.74	56.74			0.193	47.47	47.47	0.312	0.193	56.87	56.87		
	0.687	9.84	-7.86	0.375	0.687	17.48	-13.96			0.57	3.69	-2.94	0.14	0.57	6.55	-5.23			0.806	16.07	-12.84	0.612	0.806	28.55	-22.8		
	0.687	216	-5.92	0.602	0.607	216	-10.51			0.57	216	-2.22	0.602	0.54	216	-3.94			0.806	216	-9.66	0.602	0.676	216	-17.17		
13	B13	C13	D13	E13	F13	G13	H13			K13	L13	M13	N13	O13	P13	Q13			T13	U13	V13	W13	X13	Y13	Z13		
	0.25	49.17	49.17	0.25	0.25	56.84	56.84			0.375	52.94	52.94	0.25	0.375	56.77	56.77			0.146	46.04	46.04	0.25	0.146	56.9	56.9		
	0.75	13.12	-10.48	0.5	0.75	23.31	-18.62			0.625	6.56	-5.24	0.25	0.625	11.65	-9.31			0.853	18.56	-14.82	0.707	0.853	32.96	-26.33		
	0.75	216	-7.89	0.602	0.643	216	-14.02			0.625	216	-3.94	0.602	0.571	216	-7.01			0.853	216	-11.16	0.602	0.703	216	-19.83		
14	B14	C14	D14	E14	F14	G14	H14			K14	L14	M14	N14	O14	P14	Q14			T14	U14	V14	W14	X14	Y14	Z14		
	0.187	47.28	47.28	0.187	0.187	56.87	56.87			0.304	50.81	50.81	0.187	0.304	56.81	56.81			0.104	44.78	44.78	0.187	0.104	56.92	56.92		
	0.812	16.4	-13.1	0.625	0.812	29.13	-23.27			0.695	10.25																

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g01NP.PS /.PDF
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a			
Y/J	rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a				rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a				
01		B01 1.0 1.0 0.0	C01 81.26 71.61 92	D01 81.26 -2.89 71.56	E01 0.0 1.0 0.256	F01 1.0 0.911 0.0	G01 86.6 88.16 92	H01 86.6 -3.55 88.09				K01 1.0 81.26 92	L01 81.26 -2.89 71.56	M01 81.26 -2.89 71.56	N01 0.0 1.0 0.256	O01 1.0 0.911 0.0	P01 86.6 88.16 92	Q01 86.6 -3.55 88.09				T01 1.0 81.26 92	U01 81.26 71.61 92	V01 81.26 -2.89 71.56	W01 0.0 1.0 0.256	X01 1.0 0.911 0.0	Y01 86.6 88.16 92	Z01 86.6 -3.55 88.09		
02		B02 0.937 0.937 0.062	C02 78.19 62.66 92	D02 78.19 -2.52 62.61	E02 0.062 0.875 0.256	F02 0.937 0.859 0.062	G02 82.86 77.14 92	H02 82.86 -3.11 77.08				K02 0.882 75.5 92	L02 75.5 -2.21 54.83	M02 0.062 0.765 0.256	N02 0.882 0.814 0.117	O02 0.937 0.967 0.032	P02 79.59 -2.72 67.44	Q02 79.59 -2.72 67.44				T02 0.967 66.99 92	U02 79.67 66.99 92	V02 79.67 -2.7 66.93	W02 0.062 0.935 0.256	X02 0.967 0.884 0.032	Y02 84.67 82.47 92	Z02 84.67 -3.32 82.4		
03		B03 0.875 0.875 0.125	C03 75.12 53.71 92	D03 75.12 -2.16 53.67	E03 0.125 0.75 0.256	F03 0.875 0.808 0.125	G03 79.13 66.12 92	H03 79.13 -2.66 66.07				K03 0.781 70.51 92	L03 70.51 -1.62 40.28	M03 0.125 0.562 0.256	N03 0.781 0.731 0.218	O03 73.52 49.59 92	P03 73.52 -2.0 49.55	Q03 73.52 -2.0 49.55				T03 0.933 62.02 92	U03 77.97 62.02 92	V03 77.97 -2.5 61.97	W03 0.125 0.866 0.256	X03 0.933 0.856 0.066	Y03 82.6 76.35 92	Z03 82.6 -3.08 76.29		
04		B04 0.812 0.812 0.187	C04 72.05 44.76 92	D04 72.05 -1.8 44.72	E04 0.187 0.625 0.256	F04 0.812 0.757 0.187	G04 75.39 55.1 92	H04 75.39 -2.22 55.05				K04 0.695 66.29 92	L04 66.29 -1.12 27.97	M04 0.187 0.39 0.256	N04 0.695 0.66 0.304	O04 68.38 34.43 92	P04 68.38 -1.38 34.41	Q04 68.38 -1.38 34.41				T04 0.895 56.61 92	U04 76.11 56.61 92	V04 76.11 -2.28 56.57	W04 0.187 0.79 0.256	X04 0.895 0.825 0.104	Y04 80.34 69.7 92	Z04 80.34 -2.81 69.64		
05		B05 0.75 0.75 0.25	C05 68.98 35.8 92	D05 68.98 -1.44 35.78	E05 0.25 0.5 0.256	F05 0.75 0.705 0.25	G05 71.65 44.08 92	H05 71.65 -1.77 44.04				K05 0.625 62.84 92	L05 62.84 -0.72 17.9	M05 0.25 0.25 0.256	N05 0.625 0.602 0.375	O05 64.18 22.04 92	P05 64.18 -0.88 22.02	Q05 64.18 -0.88 22.02				T05 0.853 50.64 92	U05 74.06 50.64 92	V05 74.06 -2.04 50.6	W05 0.25 0.707 0.256	X05 0.853 0.79 0.146	Y05 77.85 62.34 92	Z05 77.85 -2.51 62.29		
06		B06 0.687 0.687 0.312	C06 65.91 26.85 92	D06 65.91 -1.08 26.83	E06 0.312 0.375 0.256	F06 0.687 0.654 0.312	G06 67.92 33.06 92	H06 67.92 -1.33 33.03				K06 0.57 60.16 92	L06 60.16 -0.4 10.07	M06 0.312 0.14 0.256	N06 0.57 0.557 0.429	O06 60.91 12.39 92	P06 60.91 -0.5 12.38	Q06 60.91 -0.5 12.38				T06 0.806 43.85 92	U06 71.74 43.85 92	V06 71.74 -1.76 43.82	W06 0.312 0.612 0.256	X06 0.806 0.751 0.193	Y06 75.01 53.99 92	Z06 75.01 -2.17 53.94		
07		B07 0.625 0.625 0.375	C07 62.84 17.9 92	D07 62.84 -0.72 17.89	E07 0.375 0.25 0.256	F07 0.625 0.602 0.375	G07 64.18 22.04 92	H07 64.18 -0.88 22.02				K07 0.531 58.24 92	L07 58.24 -0.18 4.47	M07 0.375 0.062 0.256	N07 0.531 0.525 0.468	O07 58.57 5.51 92	P07 58.57 -0.22 5.5	Q07 58.57 -0.22 5.5				T07 0.75 35.8 92	U07 68.98 35.8 92	V07 68.98 -1.44 35.78	W07 0.375 0.5 0.256	X07 0.75 0.705 0.249	Y07 71.65 44.08 92	Z07 71.65 -1.77 44.04		
08		B08 0.562 0.562 0.437	C08 59.77 8.95 92	D08 59.77 -0.36 8.94	E08 0.437 0.125 0.256	F08 0.562 0.551 0.437	G08 60.44 11.02 92	H08 60.44 -0.44 11.01				K08 0.507 57.09 92	L08 57.09 -0.04 1.11	M08 0.437 0.015 0.256	N08 0.507 0.506 0.492	O08 57.17 1.37 92	P08 57.17 -0.05 1.37	Q08 57.17 -0.05 1.37				T08 0.676 65.38 92	U08 65.38 25.32 92	V08 65.38 -1.02 25.3	W08 0.437 0.353 0.256	X08 0.676 0.645 0.323	Y08 67.28 31.17 92	Z08 67.28 -1.25 31.14		
09		B09 0.5 0.5 0.5	C09 56.71 0.0 0	D09 56.71 0.0 0	E09 0.5 0.0 0	F09 0.5 0.0 0	G09 56.71 0.0 0	H09 56.71 0.0 0				K09 0.5 56.71 0	L09 56.71 0.0 0	M09 0.5 0.0 0	N09 0.5 0.0 0	O09 56.71 0.0 0	P09 56.71 0.0 0	Q09 56.71 0.0 0				T09 0.5 56.71 0	U09 56.71 0.0 0	V09 56.71 0.0 0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.5	Y09 56.7 0.07 0	Z09 56.7 0.07 0		
10		B10 0.437 0.437 0.562	C10 53.44 5.81 271	D10 53.44 0.17 -5.8	E10 0.437 0.125 0.754	F10 0.437 0.498 0.562	G10 54.82 5.59 271	H10 54.82 0.16 -5.58				K10 0.492 56.3 271	L10 56.3 0.02 -0.72	M10 0.437 0.015 0.754	N10 0.492 0.499 0.507	O10 56.47 0.69 271	P10 56.47 0.02 -0.69	Q10 56.47 0.02 -0.69				T10 0.323 47.46 271	U10 47.46 16.43 271	V10 47.46 0.49 -16.42	W10 0.437 0.353 0.754	X10 0.323 0.494 0.676	Y10 51.38 15.81 271	Z10 51.38 0.47 -15.8		
11		B11 0.375 0.375 0.625	C11 50.17 11.62 271	D11 50.17 0.35 -11.61	E11 0.375 0.25 0.754	F11 0.375 0.496 0.625	G11 52.94 11.18 271	H11 52.94 0.33 -11.17				K11 0.468 55.07 271	L11 55.07 0.08 -2.9	M11 0.375 0.062 0.754	N11 0.468 0.499 0.531	O11 55.76 2.79 271	P11 55.76 0.08 -2.79	Q11 55.76 0.08 -2.79				T11 0.249 43.63 271	U11 43.63 23.24 271	V11 43.63 0.7 -23.23	W11 0.375 0.5 0.754	X11 0.249 0.492 0.75	Y11 49.17 22.36 271	Z11 49.17 0.67 -22.35		
12		B12 0.312 0.312 0.687	C12 46.9 17.43 271	D12 46.9 0.52 -17.42	E12 0.312 0.375 0.754	F12 0.312 0.494 0.687	G12 51.06 16.77 271	H12 51.06 0.5 -16.76				K12 0.429 53.03 271	L12 53.03 0.19 -6.53	M12 0.312 0.14 0.754	N12 0.429 0.497 0.57	O12 54.59 6.28 271	P12 54.59 0.19 -6.28	Q12 54.59 0.19 -6.28				T12 0.193 40.7 271	U12 40.7 28.47 271	V12 40.7 0.86 -28.45	W12 0.312 0.49 0.754	X12 0.193 0.49 0.806	Y12 47.48 27.39 271	Z12 47.48 0.83 -27.37		
13		B13 0.25 0.25 0.75	C13 43.64 23.24 271	D13 43.64 0.7 -23.23	E13 0.25 0.5 0.754	F13 0.25 0.492 0.75	G13 49.17 22.36 271	H13 49.17 0.67 -22.35				K13 0.375 50.17 271	L13 50.17 0.35 -11.61	M13 0.25 0.25 0.754	N13 0.375 0.496 0.625	O13 52.94 11.18 271	P13 52.94 0.33 -11.17	Q13 52.94 0.33 -11.17				T13 0.146 38.22 271	U13 38.22 32.87 271	V13 38.22 0.99 -32.85	W13 0.25 0.707 0.754	X13 0.146 0.488 0.853	Y13 46.05 31.62 271	Z13 46.05 0.95 -31.61		
14		B14 0.187 0.187 0.812	C14 40.37 29.05 271	D14 40.37 0.88 -29.04	E14 0.187 0.625 0.754	F14 0.187 0.49 0.812	G14 47.29 27.95 271	H14 47.29 0.84 -27.94				K14 0.304 46.49 271	L14 46.49 0.55 -18.15	M14 0.187 0.39 0.754	N14 0.304 0.493 0.695	O14 50.82 17.47 271	P14 50.82 0.52 -17.46	Q14 50.82 0.52 -17.46				T14 0.104 36.04 271	U14 36.04 36.75 271	V14 36.04 1.11 -36.73	W14 0.187 0.79 0.754	X14 0.104 0.487 0.895	Y14 44.79 35.36 271	Z14 44.79 1.07 -35.34		
15		B15 0.125 0.125 0.875	C15 37.1 34.86 271	D15 37.1 1.05 -34.85	E15 0.125 0.75 0.754	F15 0.125 0.488 0.875	G15 45.41 33.54 271	H15 45.41 1.01 -33.53				K15 0.218 42.0 271	L15 42.0 26.15 271	M15 0.125 0.79 -26.13	N15 0.218 0.491 0.781	O15 48.23 25.15 271	P15 48.23 0.76 -25.14	Q15 48.23 0.76 -25.14				T15 0.066 34.07 271	U15 34.07 40.26 271	V15 34.07 1.22 -40.24	W15 0.125 0.866 0.754	X15 0.066 0.486 0.933	Y15 43.66 38.73 271	Z15 43.66 1.17 -38.71		
16		B16 0.062 0.062 0.937	C16 33.83 40.67 271	D16 33.83 1.23 -40.66	E16 0.062 0.875 0.754	F16 0.062 0.486 0.937	G16 43.52 39.13 271	H16 43.52 1.18 -39.11				K16 0.117 36.69 271	L16 36.69 35.59 271	M16 0.062 1.07 -35.57	N16 0.117 0.487 0.882	O16 45.17 34.24 271	P16 45.17 1.03 -34.22	Q16 45.17 1.03 -34.22				T16 0.032 32.25 271	U16 32.25 43.48 271	V16 32.25 1.31 -43.46	W16 0.062 0.935 0.754	X16 0.032 0.485 0.967	Y16 42.61 41.83 271	Z16 42.61 1.26 -41.82		
17		B17 0.0 0.0 1.0	C17 30.57 46.49 271	D17 30.57 0.0 -46.47	E17 0.0 1.0 0.754	F17 0.0 0.484 1.0	G17 41.64 44.72 271	H17 41.64 1.35 -44.7				K17 0.0 30.57 271	L17 30.57 1.41 -46.47	M17 0.0 1.0 0.754	N17 0.0 0.484 1.0	O17 41.64 44.72 271	P17 41.64 1.35 -44.7	Q17 41.64 1.35 -44.7				T17 0.0 30.56 271	U17 30.56 46.49 271	V17 30.56 0.0 -46.47	W17 0.0 1.0 0.754	X17 0.0 0.484 1.0	Y17 41.64 44.72 271	Z17 41.64 1.35 -44.7		
V/B		CIE18a $c^*_t = c^*$				ORS18a						CIE18a $c^*_t = c^*^{0.5}$				ORS18a						CIE18a $c^*_t = c^*^2$				ORS18a				

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g02NP.PS /.PDF
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a								
L/G		rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a									
01		B01 0.0 1.0 0.0	C01 52.23 44.54 162	D01 52.23 -42.42 13.6	E01 0.0 0.0 0.45	F01 0.0 1.0 0.212	G01 52.54 58.72 162	H01 52.54 -55.91 17.92			K01 0.0 0.0 0.0	L01 52.23 44.54 162	M01 52.23 -42.42 13.6	N01 0.0 1.0 0.45	O01 0.0 1.0 0.212	P01 52.54 58.72 162	Q01 52.54 -55.91 17.92			T01 0.0 1.0 0.0	U01 52.22 44.54 162	V01 52.22 -42.42 13.6	W01 0.0 1.0 0.45	X01 0.0 1.0 0.212	Y01 52.54 58.72 162	Z01 52.54 -55.91 17.92									
02		B02 0.062 0.937 0.062	C02 52.79 38.97 162	D02 52.79 -37.11 11.9	E02 0.062 0.875 0.45	F02 0.062 0.937 0.248	G02 53.06 51.38 162	H02 53.06 -48.92 15.68			K02 0.117 0.882 0.117	L02 53.28 34.1 162	M02 53.28 -32.47 10.41	N02 0.062 0.765 0.45	O02 0.117 0.882 0.28	P02 53.52 44.95 162	Q02 53.52 -42.81 13.72			T02 0.032 0.967 0.032	U02 52.51 41.66 162	V02 52.51 -39.68 12.72	W02 0.062 0.935 0.45	X02 0.032 0.967 0.231	Y02 52.81 54.93 162	Z02 52.81 -52.3 16.77									
03		B03 0.125 0.875 0.125	C03 53.35 33.41 162	D03 53.35 -31.81 10.2	E03 0.125 0.75 0.45	F03 0.125 0.875 0.284	G03 53.58 44.04 162	H03 53.58 -41.93 13.44			K03 0.218 0.781 0.218	L03 54.19 25.05 162	M03 54.19 -23.86 7.65	N03 0.125 0.562 0.45	O03 0.218 0.781 0.338	P03 54.36 33.03 162	Q03 54.36 -31.45 10.48			T03 0.066 0.933 0.066	U03 52.83 38.57 162	V03 52.83 -36.73 11.77	W03 0.125 0.866 0.45	X03 0.066 0.933 0.251	Y03 53.1 50.85 162	Z03 53.1 -48.42 15.52									
04		B04 0.187 0.812 0.187	C04 53.91 27.84 162	D04 53.91 -26.51 8.5	E04 0.187 0.625 0.45	F04 0.187 0.812 0.32	G04 54.1 36.7 162	H04 54.1 -34.94 11.2			K04 0.304 0.695 0.304	L04 54.96 17.4 162	M04 54.96 -16.57 5.31	N04 0.187 0.39 0.45	O04 0.304 0.695 0.387	P04 55.08 22.93 162	Q04 55.08 -21.84 7.0			T04 0.104 0.895 0.104	U04 53.16 35.21 162	V04 53.16 -33.53 10.75	W04 0.187 0.79 0.45	X04 0.104 0.895 0.273	Y04 53.41 46.42 162	Z04 53.41 -44.2 14.17									
05		B05 0.25 0.75 0.25	C05 54.47 22.27 162	D05 54.47 -21.21 6.8	E05 0.25 0.5 0.45	F05 0.25 0.75 0.356	G05 54.62 29.36 162	H05 54.62 -27.95 8.96			K05 0.375 0.625 0.375	L05 55.59 11.13 162	M05 55.59 -10.6 3.4	N05 0.25 0.25 0.45	O05 0.375 0.625 0.428	P05 55.66 14.68 162	Q05 55.66 -13.97 4.48			T05 0.146 0.853 0.146	U05 53.54 31.49 162	V05 53.54 -29.99 9.61	W05 0.25 0.707 0.45	X05 0.146 0.853 0.297	Y05 53.76 41.52 162	Z05 53.76 -39.54 12.67									
06		B06 0.312 0.687 0.312	C06 55.03 16.7 162	D06 55.03 -15.9 5.1	E06 0.312 0.375 0.45	F06 0.312 0.687 0.392	G06 55.14 22.02 162	H06 55.14 -20.96 6.72			K06 0.429 0.57 0.429	L06 56.08 6.26 162	M06 56.08 -5.96 1.91	N06 0.312 0.14 0.45	O06 0.429 0.57 0.459	P06 56.12 8.25 162	Q06 56.12 -7.86 2.52			T06 0.193 0.806 0.193	U06 53.96 27.27 162	V06 53.96 -25.97 8.32	W06 0.312 0.612 0.45	X06 0.193 0.806 0.324	Y06 54.15 35.96 162	Z06 54.15 -34.24 10.97									
07		B07 0.375 0.625 0.375	C07 55.59 11.13 162	D07 55.59 -10.6 3.4	E07 0.375 0.25 0.45	F07 0.375 0.625 0.428	G07 55.66 14.68 162	H07 55.66 -13.97 4.48			K07 0.468 0.531 0.468	L07 56.43 2.78 162	M07 56.43 -2.65 0.85	N07 0.375 0.062 0.45	O07 0.468 0.531 0.482	P07 56.44 3.67 162	Q07 56.44 -3.49 1.12			T07 0.249 0.75 0.249	U07 54.46 22.27 162	V07 54.46 -21.21 6.8	W07 0.375 0.5 0.45	X07 0.249 0.75 0.356	Y07 54.62 29.36 162	Z07 54.62 -27.95 8.96									
08		B08 0.437 0.562 0.437	C08 56.15 5.56 162	D08 56.15 -5.3 1.7	E08 0.437 0.125 0.45	F08 0.437 0.562 0.464	G08 56.18 7.34 162	H08 56.18 -6.98 2.24			K08 0.492 0.507 0.492	L08 56.64 0.69 162	M08 56.64 -0.66 0.21	N08 0.437 0.015 0.45	O08 0.492 0.507 0.495	P08 56.64 0.91 162	Q08 56.64 -0.87 0.28			T08 0.323 0.676 0.323	U08 55.12 15.74 162	V08 55.12 -14.99 4.8	W08 0.437 0.353 0.45	X08 0.323 0.676 0.398	Y08 55.23 20.76 162	Z08 55.23 -19.77 6.33									
09		B09 0.5 0.5 0.5	C09 56.71 0.0 0.0	D09 56.71 0.0 0.0	E09 0.5 0.5 0.0	F09 0.5 0.5 0.5	G09 56.71 0.0 0.0	H09 56.71 0.0 0.0			K09 0.5 0.5 0.5	L09 56.71 0.0 0.0	M09 56.71 0.0 0.0	N09 0.5 0.5 0.0	O09 0.5 0.5 0.5	P09 56.71 0.0 0.0	Q09 56.71 0.0 0.0			T09 0.5 0.5 0.5	U09 56.71 0.0 0.0	V09 56.71 0.0 0.0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.5	Y09 56.7 0.07 0.0	Z09 56.7 0.07 0.0									
10		B10 0.562 0.437 0.562	C10 53.92 3.7 328	D10 53.92 3.16 -1.92	E10 0.437 0.125 0.912	F10 0.487 0.437 0.562	G10 53.96 7.16 328	H10 53.96 6.11 -3.73			K10 0.507 0.492 0.507	L10 56.36 0.46 328	M10 56.36 0.39 -0.24	N10 0.437 0.015 0.912	O10 0.498 0.492 0.507	P10 56.36 0.89 328	Q10 56.36 0.76 -0.46			T10 0.676 0.323 0.676	U10 48.84 10.47 328	V10 48.84 8.94 -5.45	W10 0.437 0.353 0.912	X10 0.466 0.323 0.676	Y10 48.95 20.26 328	Z10 48.95 17.3 -10.55									
11		B11 0.625 0.375 0.625	C11 51.14 7.4 328	D11 51.14 6.32 -3.85	E11 0.375 0.25 0.912	F11 0.475 0.375 0.625	G11 51.22 14.33 328	H11 51.22 12.23 -7.46			K11 0.531 0.468 0.531	L11 55.31 1.85 328	M11 55.31 1.58 -0.96	N11 0.375 0.062 0.912	O11 0.493 0.468 0.531	P11 55.33 3.58 328	Q11 55.33 3.05 -1.86			T11 0.75 0.249 0.75	U11 45.58 14.81 328	V11 45.58 12.65 -7.71	W11 0.375 0.5 0.912	X11 0.451 0.249 0.75	Y11 45.74 28.66 328	Z11 45.74 24.47 -14.92									
12		B12 0.687 0.312 0.687	C12 48.36 11.11 328	D12 48.36 9.48 -5.78	E12 0.312 0.375 0.912	F12 0.463 0.312 0.687	G12 48.48 21.49 328	H12 48.48 18.35 -11.19			K12 0.57 0.429 0.57	L12 53.58 4.16 328	M12 53.58 3.55 -2.16	N12 0.312 0.14 0.912	O12 0.486 0.429 0.57	P12 53.62 8.06 328	Q12 53.62 6.88 -4.19			T12 0.806 0.193 0.806	U12 43.08 18.14 328	V12 43.08 15.49 -9.44	W12 0.312 0.612 0.912	X12 0.441 0.193 0.806	Y12 43.27 35.1 328	Z12 43.27 29.97 -18.27									
13		B13 0.75 0.25 0.75	C13 45.58 14.81 328	D13 45.58 12.65 -7.71	E13 0.25 0.5 0.912	F13 0.451 0.25 0.75	G13 45.74 28.66 328	H13 45.74 24.47 -14.92			K13 0.625 0.375 0.625	L13 51.14 7.4 328	M13 51.14 6.32 -3.85	N13 0.25 0.25 0.912	O13 0.475 0.375 0.625	P13 51.22 14.33 328	Q13 51.22 12.23 -7.46			T13 0.853 0.146 0.853	U13 40.97 20.95 328	V13 40.97 17.88 -10.91	W13 0.25 0.707 0.912	X13 0.432 0.146 0.853	Y13 41.19 40.53 328	Z13 41.19 34.6 -21.1									
14		B14 0.812 0.187 0.812	C14 42.8 18.52 328	D14 42.8 15.81 -9.64	E14 0.187 0.625 0.912	F14 0.439 0.187 0.812	G14 42.99 35.83 328	H14 42.99 30.59 -18.65			K14 0.695 0.304 0.695	L14 48.01 11.57 328	M14 48.01 9.88 -6.02	N14 0.187 0.39 0.912	O14 0.462 0.304 0.695	P14 48.14 22.39 328	Q14 48.14 19.11 -11.66			T14 0.895 0.104 0.895	U14 39.11 23.42 328	V14 39.11 20.0 -12.19	W14 0.187 0.79 0.912	X14 0.424 0.104 0.895	Y14 39.36 45.32 328	Z14 39.36 38.69 -23.59									
15		B15 0.875 0.125 0.875	C15 40.02 22.22 328	D15 40.02 18.97 -11.57	E15 0.125 0.75 0.912	F15 0.427 0.125 0.875	G15 40.25 36.7 328	H15 40.25 32.28 -22.38			K15 0.781 0.218 0.781	L15 44.19 16.66 328	M15 44.19 14.23 -8.67	N15 0.125 0.562 0.912	O15 0.445 0.218 0.781	P15 44.37 32.24 328	Q15 44.37 27.53 -16.79			T15 0.933 0.066 0.933	U15 37.44 25.66 328	V15 37.44 21.91 -13.36	W15 0.125 0.866 0.912	X15 0.416 0.066 0.933	Y15 37.71 49.64 328	Z15 37.71 42.38 -25.85									
16		B16 0.937 0.062 0.937	C16 37.24 25.92 328	D16 37.24 22.13 -13.5	E16 0.062 0.875 0.912	F16 0.415 0.062 0.937	G16 37.51 50.16 328	H16 37.51 42.82 -26.11			K16 0.882 0.117 0.882	L16 39.67 22.68 328	M16 39.67 19.37 -11.81	N16 0.062 0.765 0.912	O16 0.426 0.117 0.882	P16 39.91 43.89 328	Q16 39.91 37.47 -22.85			T16 0.967 0.032 0.967	U16 35.89 27.72 328	V16 35.89 23.66 -14.43	W16 0.062 0.935 0.912	X16 0.41 0.032 0.967	Y16 36.18 53.62 328	Z16 36.18 45.78 -27.92									
17		B17 1.0 0.0 1.0	C17 34.46 29.63 328	D17 34.46 25.3 -15.43	E17 0.0 1.0 0.912	F17 0.403 0.0 1.0	G17 34.77 57.32 328	H17 34.77 48.94 -29.85			K17 1.0 0.0 1.0	L17 34.46 29.63 328	M17 34.46 25.3 -15.43	N17 0.0 1.0 0.912	O17 0.403 0.0 1.0	P17 34.77 57.32 328	Q17 34.77 48.94 -29.85			T17 1.0 0.0 1.0	U17 34.45 29.63 328	V17 34.45 25.3 -15.43	W17 0.0 1.0 0.912	X17 0.403 0.0 1.0	Y17 34.77 57.32 328	Z17 34.77 48.94 -29.85									
M/M		CIE18a				$c^*_t = c^*$						CIE18a				$c^*_t = c^{*0.5}$						CIE18a				$c^*_t = c^{*2}$						ORS18a			

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g03NP.PS /.PDF
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a									
O/R	rgb* ₃	LCH* _a	LAB* _a	nch* ₃	olv* ₃	LCH* _a	LAB* _a				rgb* ₃	LCH* _a	LAB* _a	nch* ₃	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* ₃	olv* ₃	LCH* _a	LAB* _a										
01	1.0 0.0 0.0	B01 C01 D01	39.91 58.74 25	39.91 58.74 27.99	0.0 1.0 0.07	F01 E01 D01	51.94 89.3 25	51.94 80.62 38.41			1.0 0.0 0.0	K01 L01 M01	39.91 58.74 27.99	39.91 58.74 27.99	0.0 1.0 0.07	N01 O01 P01	51.94 89.3 25	51.94 80.62 38.41			1.0 0.0 0.0	T01 U01 V01	39.91 58.74 27.99	39.91 58.74 27.99	0.0 1.0 0.07	W01 X01 Y01	51.94 89.3 25	51.94 80.62 38.41								
02		B02 C02 D02	0.937 0.062 0.062	42.01 56.93 25	42.01 51.39 24.49	0.062 0.875 0.07	F02 E02 D02	51.41 78.14 33.61			0.882 0.117 0.117	K02 L02 M02	43.85 49.81 25	43.85 44.97 21.42	0.062 0.765 0.07	N02 O02 P02	50.95 68.37 25	50.95 61.72 29.41			0.967 0.032 0.032	T02 U02 V02	41.0 60.86 25	41.0 54.94 26.18	0.062 0.935 0.07	W02 X02 Y02	51.67 83.54 25	51.67 75.41 35.93								
03		B03 C03 D03	0.875 0.125 0.125	44.11 48.8 25	44.11 44.05 20.99	0.125 0.75 0.07	F03 E03 D03	50.88 66.98 25			0.781 0.218 0.218	K03 L03 M03	47.26 36.6 25	47.26 33.04 15.74	0.125 0.562 0.07	N03 O03 P03	50.09 50.23 25	50.09 45.35 21.61			0.933 0.066 0.066	T03 U03 V03	42.16 56.35 25	42.16 50.87 24.24	0.125 0.866 0.07	W03 X03 Y03	51.37 77.34 25	51.37 69.82 33.27								
04		B04 C04 D04	0.812 0.187 0.187	46.21 40.66 25	46.21 36.71 17.49	0.187 0.625 0.07	F04 E04 D04	50.35 55.81 24.01			0.695 0.304 0.304	K04 L04 M04	50.15 25.41 25	50.15 22.94 10.93	0.187 0.39 0.07	N04 O04 P04	49.36 34.88 25	49.36 31.49 15.0			0.895 0.104 0.104	T04 U04 V04	43.43 51.44 25	43.43 46.43 22.12	0.187 0.79 0.07	W04 X04 Y04	51.05 70.6 25	51.05 63.73 30.37								
05		B05 C05 D05	0.75 0.25 0.25	48.31 32.53 25	48.31 29.37 13.99	0.25 0.5 0.07	F05 E05 D05	49.82 44.65 19.2			0.625 0.375 0.375	K05 L05 M05	52.51 16.26 25	52.51 14.68 6.99	0.25 0.25 0.07	N05 O05 P05	48.76 22.32 25	48.76 20.15 9.6			0.853 0.146 0.146	T05 U05 V05	44.83 46.0 25	44.83 41.53 19.79	0.25 0.707 0.07	W05 X05 Y05	50.7 63.15 25	50.7 57.0 27.16								
06		B06 C06 D06	0.687 0.312 0.312	50.41 24.4 25	50.41 22.02 10.49	0.312 0.375 0.07	F06 E06 D06	49.29 33.49 14.4			0.57 0.429 0.429	K06 L06 M06	54.34 9.15 25	54.34 8.26 3.93	0.312 0.14 0.07	N06 O06 P06	48.3 12.55 25	48.3 11.33 5.4			0.806 0.193 0.193	T06 U06 V06	46.42 39.84 25	46.42 35.97 17.14	0.312 0.612 0.07	W06 X06 Y06	50.3 54.69 25	50.3 49.37 23.52								
07		B07 C07 D07	0.625 0.375 0.375	52.51 16.26 25	52.51 14.68 6.99	0.375 0.25 0.07	F07 E07 D07	48.76 22.32 9.6			0.531 0.468 0.468	K07 L07 M07	55.66 4.06 25	55.66 3.67 1.74	0.375 0.062 0.07	N07 O07 P07	47.97 5.03 25	47.97 5.03 2.4			0.75 0.249 0.249	T07 U07 V07	48.31 32.53 25	48.31 29.37 13.99	0.375 0.5 0.07	W07 X07 Y07	49.82 44.65 25	49.82 40.81 19.2								
08		B08 C08 D08	0.562 0.437 0.437	54.61 8.13 25	54.61 7.34 3.49	0.437 0.125 0.07	F08 E08 D08	48.23 11.16 4.8			0.507 0.492 0.492	K08 L08 M08	56.44 1.01 25	56.44 0.91 0.43	0.437 0.015 0.07	N08 O08 P08	47.77 1.39 25	47.77 1.25 0.6			0.676 0.323 0.323	T08 U08 V08	50.77 23.0 25	50.77 20.76 9.89	0.437 0.353 0.07	W08 X08 Y08	49.2 31.57 25	49.2 28.5 13.58								
09		B09 C09 D09	0.5 0.5 0.5	56.71 0.0 0.0	56.71 0.0 0.0	0.5 0.5 0.5	F09 E09 D09	47.71 0.0 360			0.5 0.5 0.5	K09 L09 M09	56.71 0.0 0.0	56.71 0.0 0.0	0.5 0.5 0.5	N09 O09 P09	47.71 0.0 360	47.71 0.0 0.0			0.5 0.5 0.5	T09 U09 V09	56.71 0.0 0.0	56.71 0.0 0.0	0.5 0.001 0.0	W09 X09 Y09	47.71 0.08 360	47.71 0.0 0.0								
10		B10 C10 D10	0.437 0.562 0.562	54.82 3.28 216	54.82 -2.62 -1.97	0.437 0.125 0.602	F10 E10 D10	51.78 4.99 216			0.492 0.507 0.507	K10 L10 M10	56.47 0.41 216	56.47 -0.32 -0.24	0.437 0.015 0.602	N10 O10 P10	48.21 0.62 216	48.21 -0.49 -0.37			0.323 0.676 0.676	T10 U10 V10	51.37 9.28 216	51.37 -7.41 -5.58	0.437 0.353 0.602	W10 X10 Y10	59.23 14.13 216	59.23 -11.29 -8.5								
11		B11 C11 D11	0.375 0.625 0.625	52.94 6.56 216	52.94 -5.24 -3.94	0.375 0.25 0.602	F11 E11 D11	55.85 9.99 216			0.468 0.531 0.531	K11 L11 M11	55.76 1.64 216	55.76 -1.31 -0.98	0.375 0.062 0.602	N11 O11 P11	49.74 2.49 216	49.74 -1.99 -1.5			0.249 0.75 0.75	T11 U11 V11	49.16 13.12 216	49.16 -10.48 -7.89	0.375 0.5 0.602	W11 X11 Y11	64.0 19.98 216	64.0 -15.96 -12.02								
12		B12 C12 D12	0.312 0.687 0.687	51.05 9.84 216	51.05 -7.86 -5.92	0.312 0.375 0.602	F12 E12 D12	59.93 14.99 216			0.429 0.57 0.57	K12 L12 M12	54.58 3.69 216	54.58 -2.94 -2.22	0.312 0.14 0.602	N12 O12 P12	52.29 5.62 216	52.29 -4.49 -3.38			0.193 0.806 0.806	T12 U12 V12	47.47 16.07 216	47.47 -12.84 -9.66	0.312 0.612 0.602	W12 X12 Y12	67.66 24.48 216	67.66 -19.55 -14.72								
13		B13 C13 D13	0.25 0.75 0.75	49.17 13.12 216	49.17 -10.48 -7.89	0.25 0.5 0.602	F13 E13 D13	64.0 19.98 216			0.375 0.625 0.625	K13 L13 M13	52.94 6.56 216	52.94 -5.24 -3.94	0.25 0.25 0.602	N13 O13 P13	55.85 9.99 216	55.85 -7.98 -6.01			0.146 0.853 0.853	T13 U13 V13	46.04 18.56 216	46.04 -14.82 -11.16	0.25 0.707 0.602	W13 X13 Y13	70.75 28.26 216	70.75 -22.58 -17.0								
14		B14 C14 D14	0.187 0.812 0.812	47.28 16.4 216	47.28 -13.1 -9.86	0.187 0.625 0.602	F14 E14 D14	68.07 24.98 216			0.304 0.695 0.695	K14 L14 M14	50.81 10.25 216	50.81 -8.19 -6.16	0.187 0.39 0.602	N14 O14 P14	60.44 15.61 216	60.44 -12.47 -9.39			0.104 0.895 0.895	T14 U14 V14	44.78 20.75 216	44.78 -16.57 -12.48	0.187 0.79 0.602	W14 X14 Y14	73.47 31.6 216	73.47 -25.24 -19.01								
15		B15 C15 D15	0.125 0.875 0.875	45.4 19.68 216	45.4 -15.72 -11.84	0.125 0.75 0.602	F15 E15 D15	72.15 29.98 216			0.218 0.781 0.781	K15 L15 M15	48.22 14.76 216	48.22 -11.79 -8.88	0.125 0.562 0.602	N15 O15 P15	66.04 22.48 216	66.04 -17.96 -13.52			0.066 0.933 0.933	T15 U15 V15	43.65 22.73 216	43.65 -18.16 -13.67	0.125 0.866 0.602	W15 X15 Y15	75.93 34.61 216	75.93 -27.65 -20.82								
16		B16 C16 D16	0.062 0.937 0.937	43.51 22.96 216	43.51 -18.34 -13.81	0.062 0.875 0.602	F16 E16 D16	76.22 34.97 216			0.117 0.882 0.882	K16 L16 M16	45.16 20.09 216	45.16 -16.05 -12.08	0.062 0.765 0.602	N16 O16 P16	72.66 30.6 216	72.66 -24.45 -18.41			0.032 0.967 0.967	T16 U16 V16	42.6 24.55 216	42.6 -19.61 -14.77	0.062 0.935 0.602	W16 X16 Y16	78.19 37.39 216	78.19 -29.87 -22.49								
17		B17 C17 D17	0.0 1.0 1.0	41.63 26.25 216	41.63 -20.97 -15.79	0.0 1.0 0.602	F17 E17 D17	80.3 39.97 216			0.0 1.0 1.0	K17 L17 M17	41.63 26.25 216	41.63 -20.97 -15.79	0.0 1.0 0.602	N17 O17 P17	80.3 39.97 216	80.3 -31.93 -24.04			0.0 1.0 1.0	T17 U17 V17	41.62 26.25 216	41.62 -20.97 -15.79	0.0 1.0 0.602	W17 X17 Y17	80.3 39.97 216	80.3 -31.93 -24.04								
C/C'	CIE18a				c* _t = c*				TLS00a				CIE18a				c* _t = c* ^{0.5}				TLS00a				CIE18a				c* _t = c* ²				TLS00a			

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g04NP.PS /.PDF
Technische Information: [http://www.ps.bam.de/Version 2.1, io=1,1](http://www.ps.bam.de/Version%202.1,io=1,1)

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a					
Y/J	rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a				rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a						
01		B01 1.0 1.0 0.0	C01 81.26 71.61 92	D01 81.26 -2.89 71.56	E01 0.0 1.0 0.256	F01 1.0 0.823 0.0	G01 85.22 86.19 92	H01 85.22 -3.47 86.12				K01 1.0 1.0 0.0	L01 81.26 71.61 92	M01 81.26 -2.89 71.56	N01 0.0 1.0 0.256	O01 1.0 0.823 0.0	P01 85.22 86.19 92	Q01 85.22 -3.47 86.12			T01 1.0 1.0 0.0	U01 81.26 71.61 92	V01 81.26 -2.89 71.56	W01 0.0 1.0 0.256	X01 1.0 0.823 0.0	Y01 85.22 86.19 92	Z01 85.22 -3.47 86.12					
02		B02 0.937 0.937 0.062	C02 78.19 62.66 92	D02 78.19 -2.52 62.61	E02 0.062 0.875 0.256	F02 0.937 0.783 0.062	G02 80.53 75.42 92	H02 80.53 -3.04 75.36				K02 0.882 54.83 0.117	L02 75.5 -2.21 54.78	M02 75.5 -2.21 54.78	N02 0.062 0.765 0.256	O02 0.882 0.747 0.117	P02 76.43 65.99 92	Q02 76.43 -2.66 65.94			T02 0.967 0.967 0.032	U02 79.67 66.99 92	V02 79.67 -2.7 66.93	W02 0.062 0.935 0.256	X02 0.967 0.802 0.032	Y02 82.79 80.63 92	Z02 82.79 -3.25 80.56					
03		B03 0.875 0.875 0.125	C03 75.12 53.71 92	D03 75.12 -2.16 53.67	E03 0.125 0.75 0.256	F03 0.875 0.742 0.125	G03 75.84 64.64 92	H03 75.84 -2.6 64.59				K03 0.781 40.28 0.218	L03 70.51 -1.62 40.25	M03 70.51 -1.62 40.25	N03 0.125 0.562 0.256	O03 0.781 0.682 0.218	P03 68.81 48.48 92	Q03 68.81 -1.95 48.44			T03 0.933 0.933 0.066	U03 77.97 62.02 92	V03 77.97 -2.5 61.97	W03 0.125 0.866 0.256	X03 0.933 0.78 0.066	Y03 80.19 74.64 92	Z03 80.19 -3.01 74.58					
04		B04 0.812 0.812 0.187	C04 72.05 44.76 92	D04 72.05 -1.8 44.72	E04 0.187 0.625 0.256	F04 0.812 0.702 0.187	G04 71.15 53.87 92	H04 71.15 -2.17 53.82				K04 0.695 66.29 0.304	L04 66.29 -1.12 27.97	M04 66.29 -1.12 27.95	N04 0.187 0.39 0.256	O04 0.695 0.626 0.304	P04 62.36 33.67 92	Q04 62.36 -1.35 33.64			T04 0.895 56.61 0.104	U04 76.11 56.61 92	V04 76.11 -2.28 56.57	W04 0.187 0.79 0.256	X04 0.895 0.755 0.104	Y04 77.36 68.14 92	Z04 77.36 -2.74 68.09					
05		B05 0.75 0.75 0.25	C05 68.98 35.8 92	D05 68.98 -1.44 35.78	E05 0.25 0.5 0.256	F05 0.75 0.661 0.25	G05 66.46 43.09 92	H05 66.46 -1.73 43.06				K05 0.625 62.84 0.375	L05 62.84 -0.72 17.9	M05 62.84 -0.72 17.89	N05 0.25 0.25 0.256	O05 0.625 0.58 0.375	P05 57.08 21.54 92	Q05 57.08 -0.86 21.53			T05 0.853 50.64 0.146	U05 74.06 50.64 92	V05 74.06 -2.04 50.6	W05 0.25 0.707 0.256	X05 0.853 0.728 0.146	Y05 74.23 60.95 92	Z05 74.23 -2.45 60.9					
06		B06 0.687 0.687 0.312	C06 65.91 26.85 92	D06 65.91 -1.08 26.83	E06 0.312 0.375 0.256	F06 0.687 0.621 0.312	G06 61.77 32.32 92	H06 61.77 -1.3 32.29				K06 0.57 60.16 0.429	L06 60.16 -0.4 10.07	M06 60.16 -0.4 10.06	N06 0.312 0.14 0.256	O06 0.57 0.545 0.429	P06 52.98 12.12 92	Q06 52.98 -0.48 12.11			T06 0.806 43.85 0.193	U06 71.74 43.85 92	V06 71.74 -1.76 43.82	W06 0.312 0.612 0.256	X06 0.806 0.698 0.193	Y06 70.68 52.78 92	Z06 70.68 -2.13 52.74					
07		B07 0.625 0.625 0.375	C07 62.84 17.9 92	D07 62.84 -0.72 17.89	E07 0.375 0.25 0.256	F07 0.625 0.58 0.375	G07 57.08 21.54 92	H07 57.08 -0.86 21.53				K07 0.531 58.24 0.468	L07 58.24 -0.18 4.47	M07 58.24 -0.18 4.47	N07 0.375 0.062 0.256	O07 0.531 0.52 0.468	P07 50.05 5.38 92	Q07 50.05 -0.21 5.38			T07 0.75 35.8 0.249	U07 68.98 35.8 92	V07 68.98 -1.44 35.78	W07 0.375 0.5 0.256	X07 0.75 0.661 0.249	Y07 66.46 43.09 92	Z07 66.46 -1.73 43.06					
08		B08 0.562 0.562 0.437	C08 59.77 8.95 92	D08 59.77 -0.36 8.94	E08 0.437 0.125 0.256	F08 0.562 0.54 0.437	G08 52.39 10.77 92	H08 52.39 -0.43 10.76				K08 0.507 57.09 0.492	L08 57.09 -1.11 1.11	M08 57.09 -1.11 1.11	N08 0.437 0.015 0.256	O08 0.507 0.505 0.492	P08 48.29 1.34 92	Q08 48.29 -0.05 1.34			T08 0.676 65.38 0.323	U08 65.38 25.32 92	V08 65.38 -1.02 25.3	W08 0.437 0.353 0.256	X08 0.676 0.614 0.323	Y08 60.97 30.47 92	Z08 60.97 -1.22 30.45					
09		B09 0.5 0.5 0.5	C09 56.71 0.0 0	D09 56.71 0.0 0	E09 0.5 0.5 0.5	F09 0.5 0.5 0.5	G09 47.71 0.0 360	H09 47.71 0.0 0				K09 0.5 56.71 0.0	L09 56.71 0.0 0	M09 56.71 0.0 0	N09 0.5 0.0 0	O09 0.5 0.5 0.5	P09 47.71 0.0 360	Q09 47.71 0.0 0			T09 0.5 56.71 0	U09 56.71 0.0 0	V09 56.71 0.0 0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.5	Y09 47.71 0.08 360	Z09 47.71 0.08 0					
10		B10 0.437 0.437 0.562	C10 53.44 5.81 271	D10 53.44 0.17 -5.8	E10 0.437 0.125 0.754	F10 0.437 0.513 0.562	G10 49.85 6.08 271	H10 49.85 0.18 -6.08				K10 0.492 56.3 0.507	L10 56.3 0.02 0.72	M10 56.3 0.02 -0.72	N10 0.437 0.015 0.754	O10 0.492 0.501 0.507	P10 47.97 0.76 271	Q10 47.97 0.02 -0.76			T10 0.323 47.46 0.676	U10 47.46 16.43 271	V10 47.46 0.49 -16.42	W10 0.437 0.353 0.754	X10 0.323 0.538 0.676	Y10 53.77 17.21 271	Z10 53.77 0.52 -17.2					
11		B11 0.375 0.375 0.625	C11 50.17 11.62 271	D11 50.17 0.35 -11.61	E11 0.375 0.25 0.754	F11 0.375 0.527 0.625	G11 51.99 12.17 271	H11 51.99 0.36 -12.16				K11 0.468 55.07 0.468	L11 55.07 0.08 2.9	M11 55.07 0.08 -2.9	N11 0.375 0.062 0.754	O11 0.468 0.506 0.531	P11 48.78 3.04 271	Q11 48.78 0.09 -3.04			T11 0.249 43.63 0.249	U11 43.63 23.24 271	V11 43.63 0.7 -23.23	W11 0.375 0.5 0.754	X11 0.249 0.555 0.75	Y11 56.28 24.34 271	Z11 56.28 0.73 -24.32					
12		B12 0.312 0.312 0.687	C12 46.9 17.43 271	D12 46.9 0.52 -17.42	E12 0.312 0.375 0.754	F12 0.312 0.541 0.687	G12 54.14 18.25 271	H12 54.14 0.55 -18.24				K12 0.429 53.03 0.429	L12 53.03 0.19 6.53	M12 53.03 0.19 -6.53	N12 0.312 0.14 0.754	O12 0.429 0.515 0.57	P12 50.12 6.84 271	Q12 50.12 0.2 -6.84			T12 0.193 40.7 0.806	U12 40.7 28.47 271	V12 40.7 0.86 -28.45	W12 0.312 0.612 0.754	X12 0.193 0.567 0.806	Y12 58.21 29.81 271	Z12 58.21 0.9 -29.79					
13		B13 0.25 0.25 0.75	C13 43.64 23.24 271	D13 43.64 0.7 -23.23	E13 0.25 0.5 0.754	F13 0.25 0.555 0.75	G13 56.28 24.34 271	H13 56.28 0.73 -24.32				K13 0.375 50.17 0.625	L13 50.17 0.35 11.62	M13 50.17 0.35 -11.61	N13 0.25 0.25 0.754	O13 0.375 0.527 0.625	P13 51.99 12.17 271	Q13 51.99 0.36 -12.16			T13 0.146 38.22 0.853	U13 38.22 32.87 271	V13 38.22 0.99 -32.85	W13 0.25 0.707 0.754	X13 0.146 0.577 0.853	Y13 59.83 34.42 271	Z13 59.83 1.04 -34.4					
14		B14 0.187 0.187 0.812	C14 40.37 29.05 271	D14 40.37 0.88 -29.04	E14 0.187 0.625 0.754	F14 0.187 0.568 0.812	G14 58.42 30.42 271	H14 58.42 0.92 -30.41				K14 0.304 46.49 0.695	L14 46.49 0.55 18.16	M14 46.49 0.55 -18.15	N14 0.187 0.39 0.754	O14 0.304 0.543 0.695	P14 54.4 19.01 271	Q14 54.4 0.57 -19.0			T14 0.104 36.04 0.895	U14 36.04 1.11 -36.73	V14 36.04 -36.73 0.895	W14 0.187 0.79 0.754	X14 0.104 0.587 0.895	Y14 61.26 38.48 271	Z14 61.26 1.16 -38.46					
15		B15 0.125 0.125 0.875	C15 37.1 34.86 271	D15 37.1 1.05 -34.85	E15 0.125 0.75 0.754	F15 0.125 0.582 0.875	G15 60.57 36.51 271	H15 60.57 1.1 -36.49				K15 0.218 42.0 271	L15 42.0 26.15 271	M15 42.0 0.79 -26.13	N15 0.125 0.562 0.754	O15 0.218 0.561 0.781	P15 57.35 27.38 271	Q15 57.35 0.83 -27.37			T15 0.066 34.07 0.933	U15 34.07 40.26 271	V15 34.07 1.22 -40.24	W15 0.125 0.866 0.754	X15 0.066 0.595 0.933	Y15 62.56 42.15 271	Z15 62.56 1.27 -42.13					
16		B16 0.062 0.062 0.937	C16 33.83 40.67 271	D16 33.83 1.23 -40.66	E16 0.062 0.875 0.754	F16 0.062 0.596 0.937	G16 62.71 42.59 271	H16 62.71 1.29 -42.57				K16 0.117 36.69 0.882	L16 36.69 35.59 271	M16 36.69 1.07 -35.57	N16 0.062 0.765 0.754	O16 0.117 0.584 0.882	P16 60.84 37.27 271	Q16 60.84 1.13 -37.25			T16 0.032 32.25 0.967	U16 32.25 43.48 271	V16 32.25 -43.46 0.967	W16 0.062 0.935 0.754	X16 0.032 0.603 0.967	Y16 63.75 45.53 271	Z16 63.75 1.38 -45.51					
17		B17 0.0 0.0 1.0	C17 30.57 46.49 271	D17 30.57 1.41 -46.47	E17 0.0 1.0 0.754	F17 0.0 0.61 1.0	G17 64.85 48.68 271	H17 64.85 1.47 -48.65				K17 0.0 30.57 271	L17 30.57 1.41 -46.47	M17 30.57 1.41 -46.47	N17 0.0 1.0 0.754	O17 0.0 0.61 1.0	P17 64.85 48.68 271	Q17 64.85 1.47 -48.65			T17 0.0 30.56 271	U17 30.56 46.49 271	V17 30.56 -46.47 1.0	W17 0.0 1.0 0.754	X17 0.0 0.61 1.0	Y17 64.85 48.68 271	Z17 64.85 1.47 -48.65					
V/B	CIE18a				$c^*_t = c^*$				TLS00a				CIE18a				$c^*_t = c^{*0.5}$				CIE18a				$c^*_t = c^{*2}$				TLS00a			

Dg490-7N

BAM-Registrierung: 20080101-Dg49/10L/L49g04NP.PS /.PDF BAM-Material: Code=rhatha
Anwendung für Beurteilung und Messung von Drucker- oder Monitorsystemen

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g05NP.PS /.PDF
Technische Information: [http://www.ps.bam.de/Version 2.1, io=1,1](http://www.ps.bam.de/Version%202.1,%20io=1,1)

L/G	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a
01	rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a				rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a	
	B01	C01	D01	E01	F01	G01	H01				K01	L01	M01	N01	O01	P01	Q01			T01	U01	V01	W01	X01	Y01	Z01	
	0.0	52.23	52.23	0.0	0.0	85.75	85.75				0.0	52.23	52.23	0.0	0.0	85.75	85.75			0.0	52.22	52.22	0.0	0.0	85.75	85.75	
	1.0	44.54	-42.42	1.0	1.0	61.81	-58.86				1.0	44.54	-42.42	1.0	1.0	61.81	-58.86			1.0	44.54	-42.42	1.0	1.0	61.81	-58.86	
	0.0	162	13.6	0.45	0.652	162	18.87				0.0	162	13.6	0.45	0.652	162	18.87			0.0	162	13.6	0.45	0.652	162	18.87	
02		B02	C02	D02	E02	F02	G02	H02			K02	L02	M02	N02	O02	P02	Q02			T02	U02	V02	W02	X02	Y02	Z02	
		0.062	52.79	52.79	0.062	0.062	80.99	80.99			0.117	53.28	53.28	0.062	0.117	76.83	76.83			0.032	52.51	52.51	0.062	0.032	83.29	83.29	
		0.937	38.97	-37.11	0.875	0.937	54.09	-51.5			0.882	34.1	-32.47	0.765	0.882	47.33	-45.07			0.967	41.66	-39.68	0.935	0.967	57.82	-55.06	
		0.062	162	11.9	0.45	0.633	162	16.51			0.117	162	10.41	0.45	0.617	162	14.44			0.032	162	12.72	0.45	0.643	162	17.65	
03		B03	C03	D03	E03	F03	G03	H03			K03	L03	M03	N03	O03	P03	Q03			T03	U03	V03	W03	X03	Y03	Z03	
		0.125	53.35	53.35	0.125	0.125	76.24	76.24			0.218	54.19	54.19	0.125	0.218	69.1	69.1			0.066	52.83	52.83	0.125	0.066	80.65	80.65	
		0.875	33.41	-31.81	0.75	0.875	46.36	-44.15			0.781	25.05	-23.86	0.562	0.781	34.77	-33.11			0.933	38.57	-36.73	0.866	0.933	53.53	-50.98	
		0.125	162	10.2	0.45	0.614	162	14.15			0.218	162	7.65	0.45	0.586	162	10.61			0.066	162	11.77	0.45	0.632	162	16.34	
04		B04	C04	D04	E04	F04	G04	H04			K04	L04	M04	N04	O04	P04	Q04			T04	U04	V04	W04	X04	Y04	Z04	
		0.187	53.91	53.91	0.187	0.187	71.48	71.48			0.304	54.96	54.96	0.187	0.304	62.57	62.57			0.104	53.16	53.16	0.187	0.104	77.78	77.78	
		0.812	27.84	-26.51	0.625	0.812	38.63	-36.79			0.695	17.4	-16.57	0.39	0.695	24.14	-22.99			0.895	35.21	-33.53	0.79	0.895	48.87	-46.53	
		0.187	162	8.5	0.45	0.595	162	11.79			0.304	162	5.31	0.45	0.559	162	7.37			0.104	162	10.75	0.45	0.62	162	14.92	
05		B05	C05	D05	E05	F05	G05	H05			K05	L05	M05	N05	O05	P05	Q05			T05	U05	V05	W05	X05	Y05	Z05	
		0.25	54.47	54.47	0.25	0.25	66.73	66.73			0.375	55.59	55.59	0.25	0.375	57.22	57.22			0.146	53.54	53.54	0.25	0.146	74.6	74.6	
		0.75	22.27	-21.21	0.5	0.75	30.9	-29.43			0.625	11.13	-10.6	0.25	0.625	15.45	-14.71			0.853	31.49	-29.99	0.707	0.853	43.71	-41.62	
		0.25	162	6.8	0.45	0.576	162	9.43			0.375	162	3.4	0.45	0.538	162	4.71			0.146	162	9.61	0.45	0.608	162	13.34	
06		B06	C06	D06	E06	F06	G06	H06			K06	L06	M06	N06	O06	P06	Q06			T06	U06	V06	W06	X06	Y06	Z06	
		0.312	55.03	55.03	0.312	0.312	61.97	61.97			0.429	56.08	56.08	0.312	0.429	53.05	53.05			0.193	53.96	53.96	0.312	0.193	71.0	71.0	
		0.687	16.7	-15.9	0.375	0.687	23.18	-22.07			0.57	6.26	-5.96	0.14	0.57	8.69	-8.27			0.806	27.27	-25.97	0.612	0.806	37.85	-36.04	
		0.312	162	5.1	0.45	0.557	162	7.07			0.429	162	1.91	0.45	0.521	162	2.65			0.193	162	8.32	0.45	0.593	162	11.55	
07		B07	C07	D07	E07	F07	G07	H07			K07	L07	M07	N07	O07	P07	Q07			T07	U07	V07	W07	X07	Y07	Z07	
		0.375	55.59	55.59	0.375	0.375	57.22	57.22			0.468	56.43	56.43	0.375	0.468	50.08	50.08			0.249	54.46	54.46	0.375	0.249	66.73	66.73	
		0.625	11.13	-10.6	0.25	0.625	15.45	-14.71			0.531	2.78	-2.65	0.062	0.531	3.86	-3.67			0.75	22.27	-21.21	0.5	0.75	30.9	-29.43	
		0.375	162	3.4	0.45	0.538	162	4.71			0.468	162	0.85	0.45	0.509	162	1.17			0.249	162	6.8	0.45	0.576	162	9.43	
08		B08	C08	D08	E08	F08	G08	H08			K08	L08	M08	N08	O08	P08	Q08			T08	U08	V08	W08	X08	Y08	Z08	
		0.437	56.15	56.15	0.437	0.437	52.46	52.46			0.492	56.64	56.64	0.437	0.492	48.3	48.3			0.323	55.12	55.12	0.437	0.323	61.15	61.15	
		0.562	5.56	-5.3	0.125	0.562	7.72	-7.35			0.507	0.69	-0.66	0.015	0.507	0.96	-0.91			0.676	15.74	-14.99	0.353	0.676	21.85	-20.81	
		0.437	162	1.7	0.45	0.519	162	2.35			0.492	162	0.21	0.45	0.502	162	0.29			0.323	162	4.8	0.45	0.554	162	6.67	
09		B09	C09	D09	E09	F09	G09	H09			K09	L09	M09	N09	O09	P09	Q09			T09	U09	V09	W09	X09	Y09	Z09	
		0.5	56.71	56.71	0.5	0.5	47.71	47.71			0.5	56.71	56.71	0.5	0.5	47.71	47.71			0.5	56.71	56.71	0.5	0.5	47.71	47.71	
		0.0	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		0.5	0.0	0.0	0.0	0.5	360	0.0			0.5	0.0	0.0	0.0	0.5	360	0.0			0.5	0.0	0.0	0.0	0.5	360	0.0	
10		B10	C10	D10	E10	F10	G10	H10			K10	L10	M10	N10	O10	P10	Q10			T10	U10	V10	W10	X10	Y10	Z10	
		0.562	53.92	53.92	0.437	0.562	48.9	48.9			0.507	56.36	56.36	0.437	0.507	47.85	47.85			0.676	48.84	48.84	0.437	0.676	51.08	51.08	
		0.437	3.7	3.16	0.125	0.437	13.79	11.77			0.492	0.46	0.39	0.015	0.492	1.72	1.47			0.323	10.47	8.94	0.353	0.323	39.01	33.3	
		0.562	328	-1.92	0.912	0.561	328	-7.18			0.507	328	-0.24	0.912	0.507	328	-0.89			0.676	328	-5.45	0.912	0.674	328	-20.31	
11		B11	C11	D11	E11	F11	G11	H11			K11	L11	M11	N11	O11	P11	Q11			T11	U11	V11	W11	X11	Y11	Z11	
		0.625	51.14	51.14	0.375	0.625	50.09	50.09			0.531	55.31	55.31	0.375	0.531	48.3	48.3			0.75	45.58	45.58	0.375	0.75	52.47	52.47	
		0.375	7.4	6.32	0.25	0.375	27.58	23.55			0.468	1.85	1.58	0.062	0.468	6.89	5.88			0.249	14.81	12.65	0.5	0.249	55.17	47.1	
		0.625	328	-3.85	0.912	0.623	328	-14.36			0.531	328	-0.96	0.912	0.53	328	-3.59			0.75	328	-7.71	0.912	0.746	328	-28.72	
12		B12	C12	D12	E12	F12	G12	H12			K12	L12	M12	N12	O12	P12	Q12			T12	U12	V12	W12	X12	Y12	Z12	
		0.687	48.36	48.36	0.312	0.687	51.28	51.28			0.57	53.58	53.58	0.312	0.57	49.05	49.05			0.806	43.08	43.08	0.312	0.806	53.55	53.55	
		0.312	11.11	9.48	0.375	0.312	41.38	35.33			0.429	4.16	3.55	0.14	0.429	15.51	13.24			0.193	18.14	15.49	0.612	0.193	67.57	57.69	
		0.687	328	-5.78	0.912	0.684	328	-21.54			0.57	328	-2.16	0.912	0.569	328	-8.08			0.806	328	-9.44	0.912	0.801	328	-35.18	
13		B13	C13	D13	E13	F13	G13	H13			K13	L13	M13	N13	O13	P13	Q13			T13	U13	V13	W13	X13	Y13	Z13	
		0.75	45.58	45.58	0.25	0.75	52.47	52.47			0.625	51.14	51.14	0.25	0.625	50.09	50.09			0.853	40.97	40.97	0.25	0.853	54.45	54.45	
		0.25	14.81	12.65	0.5	0.25	55.17	47.1			0.375	7.4	6.32	0.25	0.375	27.58	23.55			0.146	20.95	17.88	0.707	0.146	78.03	66.61	
		0.75	328	-7.71	0.912	0.746	328	-28.72			0.625	328	-3.85	0.912	0.623	328	-14.36			0.853	328	-10.91	0.912	0.848	328	-40.62	
14		B14	C14	D14	E14	F14	G14	H14			K14	L14	M14	N14	O14	P14	Q14			T14	U14	V14	W14	X14	Y14	Z14	
		0.812	42.8	42.8	0.187	0.812	53.67	53.67		</																	

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g06NP.PS /.PDF
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a		
O/R	rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃
01	1.0 0.0 0.0	B01 39.91 65.06 25	C01 39.91 65.06 25	D01 39.91 65.06 25	E01 1.0 0.0 0.0	F01 1.0 0.0 0.0	G01 53.62 82.05 25	H01 53.62 82.05 25	I01 53.62 82.05 25	J01 53.62 82.05 25	K01 1.0 0.0 0.0	L01 39.91 65.06 25	M01 39.91 65.06 25	N01 0.0 1.0 0.0	O01 1.0 0.0 0.0	P01 53.62 82.05 25	Q01 53.62 82.05 25	R01 53.62 82.05 25	S01 53.62 82.05 25	T01 1.0 0.0 0.0	U01 39.91 65.06 25	V01 39.91 65.06 25	W01 0.0 1.0 0.0	X01 1.0 0.0 0.0	Y01 53.62 82.05 25	Z01 53.62 82.05 25	a01 53.62 82.05 25		
02	0.937 0.062 0.062	B02 42.01 56.93 25	C02 42.01 56.93 25	D02 42.01 56.93 25	E02 0.062 0.875 0.07	F02 0.937 0.062 0.183	G02 54.0 71.79 25	H02 54.0 71.79 25	I02 54.0 71.79 25	J02 54.0 71.79 25	K02 0.882 44.85 0.117	L02 43.85 49.81 25	M02 44.85 49.81 25	N02 0.062 0.765 0.07	O02 0.882 0.117 0.222	P02 54.34 62.82 25	Q02 54.34 62.82 25	R02 54.34 62.82 25	S02 54.34 62.82 25	T02 0.937 0.062 0.032	U02 41.0 60.86 25	V02 41.0 54.94 25	W02 0.062 0.935 0.07	X02 0.967 0.032 0.161	Y02 53.82 76.75 25	Z02 53.82 76.75 25	a02 53.82 76.75 25		
03	0.875 0.125 0.125	B03 44.11 48.8 25	C03 44.11 48.8 25	D03 44.11 48.8 25	E03 0.125 0.75 0.07	F03 0.875 0.125 0.228	G03 54.39 61.54 25	H03 54.39 61.54 25	I03 54.39 61.54 25	J03 54.39 61.54 25	K03 0.781 47.26 0.218	L03 47.26 36.6 25	M03 47.26 33.04 15.74	N03 0.125 0.562 0.07	O03 0.781 0.218 0.296	P03 54.97 46.15 25	Q03 54.97 46.15 25	R03 54.97 46.15 25	S03 54.97 46.15 25	T03 0.933 0.066 0.066	U03 42.16 56.35 25	V03 42.16 50.87 25	W03 0.125 0.866 0.07	X03 0.933 0.066 0.186	Y03 54.03 71.06 25	Z03 54.03 71.06 25	a03 54.03 71.06 25		
04	0.812 0.187 0.187	B04 46.21 40.66 25	C04 46.21 40.66 25	D04 46.21 40.66 25	E04 0.187 0.625 0.07	F04 0.812 0.187 0.273	G04 54.78 51.28 25	H04 54.78 51.28 25	I04 54.78 51.28 25	J04 54.78 51.28 25	K04 0.695 50.15 0.304	L04 50.15 25.41 30.4	M04 50.15 22.94 10.93	N04 0.187 0.39 0.07	O04 0.695 0.304 0.358	P04 55.5 32.05 13.78	Q04 55.5 32.05 13.78	R04 55.5 32.05 13.78	S04 55.5 32.05 13.78	T04 0.895 0.104 0.104	U04 43.43 51.44 25	V04 43.43 46.43 22.12	W04 0.187 0.79 0.07	X04 0.895 0.104 0.213	Y04 54.26 64.87 25	Z04 54.26 64.87 25	a04 54.26 64.87 25		
05	0.75 0.25 0.25	B05 48.31 32.53 25	C05 48.31 32.53 25	D05 48.31 32.53 25	E05 0.25 0.5 0.07	F05 0.75 0.25 0.319	G05 55.16 41.02 25	H05 55.16 41.02 25	I05 55.16 41.02 25	J05 55.16 41.02 25	K05 0.625 52.51 0.375	L05 52.51 16.26 0.375	M05 52.51 14.68 6.99	N05 0.25 0.25 0.07	O05 0.625 0.375 0.409	P05 55.93 20.51 18.51	Q05 55.93 20.51 18.51	R05 55.93 20.51 18.51	S05 55.93 20.51 18.51	T05 0.853 0.146 0.146	U05 44.83 46.0 25	V05 44.83 41.53 19.79	W05 0.25 0.707 0.07	X05 0.853 0.146 0.244	Y05 54.52 58.02 25	Z05 54.52 58.02 25	a05 54.52 58.02 25		
06	0.687 0.312 0.312	B06 50.41 24.4 25	C06 50.41 24.4 25	D06 50.41 24.4 25	E06 0.312 0.375 0.07	F06 0.687 0.312 0.364	G06 55.55 30.77 25	H06 55.55 30.77 25	I06 55.55 30.77 25	J06 55.55 30.77 25	K06 0.57 54.34 0.429	L06 54.34 8.26 9.15	M06 54.34 8.26 3.93	N06 0.312 0.14 0.07	O06 0.57 0.429 0.449	P06 56.27 11.53 25	Q06 56.27 11.53 25	R06 56.27 11.53 25	S06 56.27 11.53 25	T06 0.806 0.193 0.193	U06 46.42 39.84 25	V06 46.42 35.97 17.14	W06 0.312 0.612 0.07	X06 0.806 0.193 0.278	Y06 54.81 50.24 25	Z06 54.81 50.24 25	a06 54.81 50.24 25		
07	0.625 0.375 0.375	B07 52.51 16.26 25	C07 52.51 16.26 25	D07 52.51 16.26 25	E07 0.375 0.25 0.07	F07 0.625 0.375 0.409	G07 55.93 20.51 25	H07 55.93 20.51 25	I07 55.93 20.51 25	J07 55.93 20.51 25	K07 0.531 55.66 0.468	L07 55.66 4.06 25	M07 55.66 3.67 1.74	N07 0.375 0.062 0.07	O07 0.531 0.468 0.477	P07 56.51 5.12 25	Q07 56.51 5.12 25	R07 56.51 5.12 25	S07 56.51 5.12 25	T07 0.75 0.249 0.249	U07 48.31 32.53 25	V07 48.31 29.37 13.99	W07 0.375 0.5 0.07	X07 0.75 0.249 0.319	Y07 55.16 41.02 25	Z07 55.16 41.02 25	a07 55.16 41.02 25		
08	0.562 0.437 0.437	B08 54.61 8.13 25	C08 54.61 8.13 25	D08 54.61 8.13 25	E08 0.437 0.125 0.07	F08 0.562 0.437 0.454	G08 56.32 10.25 25	H08 56.32 10.25 25	I08 56.32 10.25 25	J08 56.32 10.25 25	K08 0.507 56.44 0.492	L08 56.44 1.01 25	M08 56.44 0.91 0.43	N08 0.437 0.015 0.07	O08 0.507 0.492 0.494	P08 56.66 1.28 25	Q08 56.66 1.28 25	R08 56.66 1.28 25	S08 56.66 1.28 25	T08 0.676 0.323 0.323	U08 50.77 20.77 25	V08 50.77 20.77 9.89	W08 0.437 0.353 0.07	X08 0.676 0.323 0.372	Y08 55.61 29.01 25	Z08 55.61 29.01 25	a08 55.61 29.01 25		
09	0.5 0.5 0.5	B09 56.71 0.0 0.0	C09 56.71 0.0 0.0	D09 56.71 0.0 0.0	E09 0.5 0.5 0.0	F09 0.5 0.5 0.5	G09 56.71 0.0 360	H09 56.71 0.0 0.0	I09 56.71 0.0 0.0	J09 56.71 0.0 0.0	K09 0.5 56.71 0.5	L09 56.71 0.0 0.0	M09 56.71 0.0 0.0	N09 0.5 0.0 0.0	O09 0.5 0.5 0.5	P09 56.71 0.0 360	Q09 56.71 0.0 0.0	R09 56.71 0.0 0.0	S09 56.71 0.0 0.0	T09 0.5 56.71 0.5	U09 56.71 0.0 0.0	V09 56.71 0.0 0.0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.499	Y09 56.7 0.07 360	Z09 56.7 0.07 0.0	a09 56.7 0.07 0.0		
10	0.437 0.562 0.562	B10 54.82 3.28 216	C10 54.82 -2.62 -1.97	D10 54.82 -2.62 -1.97	E10 0.437 0.125 0.602	F10 0.437 0.547 0.562	G10 59.71 4.83 216	H10 59.71 -3.86 -2.9	I10 59.71 -3.86 -2.9	J10 59.71 -3.86 -2.9	K10 0.492 56.47 0.507	L10 56.47 0.41 216	M10 56.47 -0.32 -0.24	N10 0.437 0.015 0.602	O10 0.492 0.505 0.507	P10 57.08 -4.08 -0.36	Q10 57.08 -4.08 -0.36	R10 57.08 -4.08 -0.36	S10 57.08 -4.08 -0.36	T10 0.323 51.37 0.676	U10 51.37 9.28 216	V10 51.37 -7.41 -5.58	W10 0.437 0.353 0.602	X10 0.323 0.633 0.676	Y10 65.2 13.67 216	Z10 65.2 -10.92 -8.22	a10 65.2 -10.92 -8.22		
11	0.375 0.625 0.625	B11 52.94 6.56 216	C11 52.94 -5.24 -3.94	D11 52.94 -5.24 -3.94	E11 0.375 0.25 0.602	F11 0.375 0.594 0.625	G11 62.71 9.66 216	H11 62.71 -7.72 -5.81	I11 62.71 -7.72 -5.81	J11 62.71 -7.72 -5.81	K11 0.468 55.76 0.531	L11 55.76 1.64 216	M11 55.76 -1.31 -0.98	N11 0.375 0.523 0.602	O11 0.468 0.523 0.531	P11 58.21 2.41 216	Q11 58.21 -1.93 -1.45	R11 58.21 -1.93 -1.45	S11 58.21 -1.93 -1.45	T11 0.249 49.16 0.75	U11 49.16 13.12 216	V11 49.16 -10.48 -7.89	W11 0.375 0.5 0.602	X11 0.249 0.688 0.75	Y11 68.72 19.33 216	Z11 68.72 -15.44 -11.63	a11 68.72 -15.44 -11.63		
12	0.312 0.687 0.687	B12 51.05 9.84 216	C12 51.05 -7.86 -5.92	D12 51.05 -7.86 -5.92	E12 0.312 0.375 0.602	F12 0.312 0.641 0.687	G12 65.72 14.5 216	H12 65.72 -11.58 -8.72	I12 65.72 -11.58 -8.72	J12 65.72 -11.58 -8.72	K12 0.429 54.58 0.57	L12 54.58 3.69 216	M12 54.58 -2.94 -2.22	N12 0.312 0.14 0.602	O12 0.429 0.552 0.57	P12 60.09 5.43 216	Q12 60.09 5.43 216	R12 60.09 5.43 216	S12 60.09 5.43 216	T12 0.193 47.47 0.806	U12 47.47 16.07 216	V12 47.47 -12.84 -9.66	W12 0.312 0.73 0.602	X12 0.193 0.73 0.806	Y12 71.42 23.67 216	Z12 71.42 -18.91 -14.24	a12 71.42 -18.91 -14.24		
13	0.25 0.75 0.75	B13 49.17 13.12 216	C13 49.17 -10.48 -7.89	D13 49.17 -10.48 -7.89	E13 0.25 0.5 0.602	F13 0.25 0.688 0.75	G13 68.72 19.33 216	H13 68.72 -15.44 -11.63	I13 68.72 -15.44 -11.63	J13 68.72 -15.44 -11.63	K13 0.375 52.94 0.625	L13 52.94 6.56 216	M13 52.94 -5.24 -3.94	N13 0.25 0.25 0.602	O13 0.375 0.594 0.625	P13 62.71 9.66 216	Q13 62.71 -7.72 -5.81	R13 62.71 -7.72 -5.81	S13 62.71 -7.72 -5.81	T13 0.146 46.04 0.853	U13 46.04 18.56 216	V13 46.04 -14.82 -11.16	W13 0.25 0.707 0.602	X13 0.146 0.766 0.853	Y13 73.7 27.34 216	Z13 73.7 -21.84 -16.44	a13 73.7 -21.84 -16.44		
14	0.187 0.812 0.812	B14 47.28 16.4 216	C14 47.28 -13.1 -9.86	D14 47.28 -13.1 -9.86	E14 0.187 0.625 0.602	F14 0.187 0.735 0.812	G14 71.73 24.16 216	H14 71.73 -19.3 -14.53	I14 71.73 -19.3 -14.53	J14 71.73 -19.3 -14.53	K14 0.304 50.81 0.695	L14 50.81 10.25 216	M14 50.81 -8.19 -6.16	N14 0.187 0.39 0.602	O14 0.304 0.646 0.695	P14 66.09 15.1 216	Q14 66.09 15.1 216	R14 66.09 15.1 216	S14 66.09 15.1 216	T14 0.104 44.78 0.895	U14 44.78 20.75 216	V14 44.78 -16.57 -12.48	W14 0.187 0.79 0.602	X14 0.104 0.797 0.895	Y14 75.71 30.57 216	Z14 75.71 -24.42 -18.38	a14 75.71 -24.42 -18.38		
15	0.125 0.875 0.875	B15 45.4 19.68 216	C15 45.4 -15.72 -11.84	D15 45.4 -15.72 -11.84	E15 0.125 0.75 0.602	F15 0.125 0.782 0.875	G15 74.73 29.0 216	H15 74.73 -23.16 -17.44	I15 74.73 -23.16 -17.44	J15 74.73 -23.16 -17.44	K15 0.218 48.22 0.781	L15 48.22 14.76 216	M15 48.22 -11.79 -8.88	N15 0.125 0.562 0.602	O15 0.218 0.711 0.781	P15 70.23 21.75 216	Q15 70.23 21.75 216	R15 70.23 21.75 216	S15 70.23 21.75 216	T15 0.066 43.65 0.933	U15 43.65 22.73 216	V15 43.65 -18.16 -13.67	W15 0.125 0.866 0.602	X15 0.066 0.825 0.933	Y15 77.52 33.48 216	Z15 77.52 -26.75 -20.14	a15 77.52 -26.75 -20.14		
16	0.062 0.937 0.937	B16 43.51 22.96 216	C16 43.51 -18.34 -13.81	D16 43.51 -18.34 -13.81	E16 0.062 0.875 0.602	F16 0.062 0.829 0.937	G16 77.74 33.83 216	H16 77.74 -27.02 -20.35	I16 77.74 -27.02 -20.35	J16 77.74 -27.02 -20.35	K16 0.117 45.16 0.882	L16 45.16 20.09 216	M16 45.16 -16.05 -12.08	N16 0.062 0.765 0.602	O16 0.117 0.788 0.882	P16 75.11 29.6 216	Q16 75.11 29.6 216	R16 75.11 29.6 216	S16 75.11 29.6 216	T16 0.032 42.6 0.967	U16 42.6 24.55 216	V16 42.6 -19.61 -14.77	W16 0.062 0.935 0.602	X16 0.032 0.851 0.967	Y16 79.19 36.17 216	Z16 79.19 -28.89 -21.75	a16 79.19 -28.89 -21.75		
17	0.0 1.0 1.0	B17																											

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g07NP.PS /.PDF
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a			
Y/J		rgb* ₃	LCH* _a	LAB* _a	nch* ₃	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* ₃	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* ₃	olv* ₃	LCH* _a	LAB* _a				
01		B01 1.0 1.0 0.0	C01 81.26 71.61 92	D01 81.26 -2.89 71.56	E01 0.0 1.0 0.256	F01 1.0 0.816 0.0	G01 85.38 78.57 92	H01 85.38 -3.17 78.51			K01 1.0 81.26 71.61 92	L01 81.26 -2.89 71.56	M01 0.0 0.816 0.256	N01 1.0 0.816 0.256	O01 1.0 0.816 0.0	P01 85.38 78.57 92	Q01 85.38 -3.17 78.51			T01 1.0 81.26 71.61 92	U01 81.26 -2.89 71.56	V01 81.26 -2.89 71.56	W01 0.0 1.0 0.256	X01 1.0 0.816 0.0	Y01 85.38 78.57 92	Z01 85.38 -3.17 78.51				
02		B02 0.937 0.937 0.062	C02 78.19 62.66 92	D02 78.19 -2.52 62.61	E02 0.062 0.875 0.256	F02 0.937 0.776 0.062	G02 81.8 68.75 92	H02 81.8 -2.77 68.7			K02 0.882 75.5 92	L02 75.5 -2.21 54.83 92	M02 0.062 0.765 0.256	N02 0.882 0.741 0.117	O02 0.882 0.741 0.117	P02 78.66 60.16 92	Q02 78.66 -2.42 60.11			T02 0.967 66.99 92	U02 79.67 66.99 92	V02 79.67 -2.7 66.93	W02 0.062 0.935 0.256	X02 0.967 0.795 0.032	Y02 83.53 73.5 92	Z02 83.53 -2.96 73.44				
03		B03 0.875 0.875 0.125	C03 75.12 53.71 92	D03 75.12 -2.16 53.67	E03 0.125 0.75 0.256	F03 0.875 0.737 0.125	G03 78.21 58.93 92	H03 78.21 -2.37 58.88			K03 0.781 70.51 92	L03 70.51 -1.62 40.28 92	M03 0.125 0.562 0.256	N03 0.781 0.677 0.218	O03 0.781 0.677 0.218	P03 72.84 44.2 92	Q03 72.84 -1.78 44.16			T03 0.933 62.02 92	U03 77.97 62.02 92	V03 77.97 -2.5 61.97	W03 0.125 0.866 0.256	X03 0.933 0.773 0.066	Y03 81.54 68.05 92	Z03 81.54 -2.74 67.99				
04		B04 0.812 0.812 0.187	C04 72.05 44.76 92	D04 72.05 -1.8 44.72	E04 0.187 0.625 0.256	F04 0.812 0.697 0.187	G04 74.63 49.11 92	H04 74.63 -1.98 49.07			K04 0.695 66.29 92	L04 66.29 -1.12 27.97 92	M04 0.187 0.39 0.256	N04 0.695 0.623 0.304	O04 0.695 0.623 0.304	P04 67.91 30.69 92	Q04 67.91 -1.23 30.67			T04 0.895 56.61 92	U04 76.11 56.61 92	V04 76.11 -2.28 56.57	W04 0.187 0.79 0.256	X04 0.895 0.749 0.104	Y04 79.38 62.12 92	Z04 79.38 -2.5 62.07				
05		B05 0.75 0.75 0.25	C05 68.98 35.8 92	D05 68.98 -1.44 35.78	E05 0.25 0.5 0.256	F05 0.75 0.658 0.25	G05 71.04 39.28 92	H05 71.04 -1.58 39.25			K05 0.625 62.84 92	L05 62.84 -0.72 17.9 92	M05 0.25 0.25 0.256	N05 0.625 0.579 0.375	O05 0.625 0.579 0.375	P05 63.87 19.64 92	Q05 63.87 -0.79 19.62			T05 0.853 50.64 92	U05 74.06 50.64 92	V05 74.06 -2.04 50.6	W05 0.25 0.707 0.256	X05 0.853 0.723 0.146	Y05 76.98 55.56 92	Z05 76.98 -2.24 55.51				
06		B06 0.687 0.687 0.312	C06 65.91 26.85 92	D06 65.91 -1.08 26.83	E06 0.312 0.375 0.256	F06 0.687 0.618 0.312	G06 67.46 29.46 92	H06 67.46 -1.18 29.44			K06 0.57 60.16 92	L06 60.16 -0.4 10.07 92	M06 0.312 0.14 0.256	N06 0.57 0.544 0.429	O06 0.57 0.544 0.429	P06 60.74 11.05 92	Q06 60.74 -0.44 11.04			T06 0.806 43.85 92	U06 71.74 43.85 92	V06 71.74 -1.76 43.82	W06 0.312 0.612 0.256	X06 0.806 0.693 0.193	Y06 74.27 48.12 92	Z06 74.27 -1.94 48.08				
07		B07 0.625 0.625 0.375	C07 62.84 17.9 92	D07 62.84 -0.72 17.89	E07 0.375 0.25 0.256	F07 0.625 0.579 0.375	G07 63.87 19.64 92	H07 63.87 -0.79 19.62			K07 0.531 58.24 92	L07 58.24 -0.18 4.47 92	M07 0.375 0.062 0.256	N07 0.531 0.519 0.468	O07 0.531 0.519 0.468	P07 58.5 4.91 92	Q07 58.5 -0.19 4.9			T07 0.75 35.8 92	U07 68.98 35.8 92	V07 68.98 -1.44 35.78	W07 0.375 0.5 0.256	X07 0.75 0.658 0.249	Y07 71.04 39.29 92	Z07 71.04 -1.58 39.25				
08		B08 0.562 0.562 0.437	C08 59.77 8.95 92	D08 59.77 -0.36 8.94	E08 0.437 0.125 0.256	F08 0.562 0.539 0.437	G08 60.29 9.82 92	H08 60.29 -0.39 9.81			K08 0.507 57.09 92	L08 57.09 -0.04 1.11 92	M08 0.437 0.015 0.256	N08 0.507 0.504 0.492	O08 0.507 0.504 0.492	P08 57.15 1.22 92	Q08 57.15 -0.04 1.22			T08 0.676 65.38 92	U08 65.38 -1.02 25.32	V08 65.38 -1.02 25.3	W08 0.437 0.353 0.256	X08 0.676 0.611 0.323	Y08 66.84 27.78 92	Z08 66.84 -1.12 27.75				
09		B09 0.5 0.5 0.5	C09 56.71 0.0 0	D09 56.71 0.0 0	E09 0.5 0.5 0.0	F09 0.5 0.5 0.5	G09 56.71 0.0 360	H09 56.71 0.0 0			K09 0.5 56.71 0.5	L09 56.71 0.0 0	M09 0.5 0.0 0.0	N09 0.5 0.0 0.0	O09 0.5 0.0 0.5	P09 56.71 0.0 360	Q09 56.71 0.0 0			T09 0.5 56.71 0.5	U09 56.71 0.0 0	V09 56.71 0.0 0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.499	Y09 56.7 0.07 360	Z09 56.7 0.07 0				
10		B10 0.437 0.437 0.562	C10 53.44 5.81 271	D10 53.44 0.17 -5.8	E10 0.437 0.125 0.754	F10 0.437 0.51 0.562	G10 57.8 5.93 271	H10 57.8 0.18 -5.93			K10 0.492 56.3 271	L10 56.3 0.02 -0.72	M10 0.437 0.015 0.754	N10 0.492 0.501 0.507	O10 0.492 0.501 0.507	P10 56.84 0.74 271	Q10 56.84 -0.74 271			T10 0.323 47.46 271	U10 47.46 16.43 271	V10 47.46 0.49 -16.42	W10 0.437 0.353 0.754	X10 0.323 0.528 0.676	Y10 59.8 16.79 271	Z10 59.8 0.5 -16.79				
11		B11 0.375 0.375 0.625	C11 50.17 11.62 271	D11 50.17 0.35 -11.61	E11 0.375 0.25 0.754	F11 0.375 0.52 0.625	G11 58.89 11.87 271	H11 58.89 0.36 -11.87			K11 0.468 55.07 271	L11 55.07 0.08 -2.9	M11 0.375 0.062 0.754	N11 0.468 0.505 0.531	O11 0.468 0.505 0.531	P11 57.25 2.96 271	Q11 57.25 0.09 -2.96			T11 0.249 43.63 271	U11 43.63 23.24 271	V11 43.63 0.7 -23.23	W11 0.375 0.5 0.754	X11 0.249 0.54 0.75	Y11 61.08 23.75 271	Z11 61.08 0.72 -23.74				
12		B12 0.312 0.312 0.687	C12 46.9 17.43 271	D12 46.9 0.52 -17.42	E12 0.312 0.375 0.754	F12 0.312 0.53 0.687	G12 59.99 17.81 271	H12 59.99 0.54 -17.8			K12 0.429 53.03 271	L12 53.03 6.53 -6.53	M12 0.312 0.14 0.754	N12 0.429 0.511 0.57	O12 0.429 0.511 0.57	P12 57.94 6.68 271	Q12 57.94 0.2 -6.67			T12 0.193 40.7 271	U12 40.7 28.47 271	V12 40.7 0.86 -28.45	W12 0.312 0.612 0.754	X12 0.193 0.549 0.806	Y12 62.07 29.09 271	Z12 62.07 0.88 -29.08				
13		B13 0.25 0.25 0.75	C13 43.64 23.24 271	D13 43.64 0.7 -23.23	E13 0.25 0.5 0.754	F13 0.25 0.54 0.75	G13 61.08 23.75 271	H13 61.08 0.72 -23.74			K13 0.375 50.17 271	L13 50.17 0.35 -11.61	M13 0.25 0.25 0.754	N13 0.375 0.52 0.625	O13 0.375 0.52 0.625	P13 58.89 11.87 271	Q13 58.89 0.36 -11.87			T13 0.146 38.22 271	U13 38.22 32.87 271	V13 38.22 0.99 -32.85	W13 0.25 0.707 0.754	X13 0.146 0.556 0.853	Y13 62.9 33.59 271	Z13 62.9 1.01 -33.58				
14		B14 0.187 0.187 0.812	C14 40.37 29.05 271	D14 40.37 0.88 -29.04	E14 0.187 0.625 0.754	F14 0.187 0.55 0.812	G14 62.18 29.69 271	H14 62.18 0.9 -29.68			K14 0.304 46.49 271	L14 46.49 0.55 -18.15	M14 0.187 0.39 0.754	N14 0.304 0.531 0.695	O14 0.304 0.531 0.695	P14 60.13 18.56 271	Q14 60.13 0.56 -18.55			T14 0.104 36.04 271	U14 36.04 36.75 271	V14 36.04 1.11 -36.73	W14 0.187 0.79 0.754	X14 0.104 0.563 0.895	Y14 63.63 37.56 271	Z14 63.63 1.13 -37.54				
15		B15 0.125 0.125 0.875	C15 37.1 34.86 271	D15 37.1 1.05 -34.85	E15 0.125 0.75 0.754	F15 0.125 0.56 0.875	G15 63.27 35.63 271	H15 63.27 1.08 -35.61			K15 0.218 42.0 271	L15 42.0 26.15 271	M15 0.125 0.562 0.754	N15 0.218 0.545 0.781	O15 0.218 0.545 0.781	P15 61.63 26.72 271	Q15 61.63 0.81 -26.71			T15 0.066 34.07 271	U15 34.07 40.26 271	V15 34.07 1.22 -40.24	W15 0.125 0.866 0.754	X15 0.066 0.569 0.933	Y15 64.29 41.14 271	Z15 64.29 1.24 -41.12				
16		B16 0.062 0.062 0.937	C16 33.83 40.67 271	D16 33.83 1.23 -40.66	E16 0.062 0.875 0.754	F16 0.062 0.57 0.937	G16 64.37 41.57 271	H16 64.37 1.26 -41.55			K16 0.117 36.69 271	L16 36.69 35.59 271	M16 0.062 0.765 0.754	N16 0.117 0.561 0.882	O16 0.117 0.561 0.882	P16 63.41 36.37 271	Q16 63.41 1.1 -36.36			T16 0.032 32.25 271	U16 32.25 43.48 271	V16 32.25 -43.46 271	W16 0.062 0.935 0.754	X16 0.032 0.575 0.967	Y16 64.9 44.44 271	Z16 64.9 1.34 -44.42				
17		B17 0.0 0.0 1.0	C17 30.57 46.49 271	D17 30.57 1.41 -46.47	E17 0.0 1.0 0.754	F17 0.0 0.58 1.0	G17 65.46 47.51 271	H17 65.46 1.44 -47.49			K17 0.0 30.57 271	L17 30.57 1.41 -46.47	M17 0.0 0.0 0.754	N17 0.0 0.58 1.0	O17 0.0 0.58 1.0	P17 65.46 47.51 271	Q17 65.46 1.44 -47.49			T17 0.0 30.56 271	U17 30.56 46.49 271	V17 30.56 -46.47 271	W17 0.0 1.0 0.754	X17 0.0 0.58 1.0	Y17 65.46 47.51 271	Z17 65.46 1.44 -47.49				
V/B		CIE18a $c^*_t = c^*$				TLS18a						CIE18a $c^*_t = c^{*0.5}$				TLS18a						CIE18a $c^*_t = c^{*2}$				TLS18a				

Dg490-7N

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g08NP.PS /.PDF
Technische Information: [http://www.ps.bam.de/Version 2.1, io=1,1](http://www.ps.bam.de/Version%202.1,io=1,1)

L/G	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a
01	rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a				rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a	
	B01	C01	D01	E01	F01	G01	H01				K01	L01	M01	N01	O01	P01	Q01			T01	U01	V01	W01	X01	Y01	Z01	
	1.0	52.23	52.23	0.0	0.0	86.0	86.0				0.0	52.23	52.23	0.0	0.0	86.0	86.0			0.0	52.22	52.22	0.0	0.0	86.0	86.0	
	0.0	44.54	-42.42	1.0	1.0	59.72	-56.86				0.0	44.54	-42.42	1.0	1.0	59.72	-56.86			0.0	44.54	-42.42	1.0	1.0	59.72	-56.86	
	0.0	162	13.6	0.45	0.639	162	18.23				0.0	162	13.6	0.45	0.639	162	18.23			0.0	162	13.6	0.45	0.639	162	18.23	
02		B02	C02	D02	E02	F02	G02	H02			K02	L02	M02	N02	O02	P02	Q02			T02	U02	V02	W02	X02	Y02	Z02	
		0.062	52.79	52.79	0.062	0.062	82.34	82.34			0.117	53.28	53.28	0.062	0.117	79.14	79.14			0.032	52.51	52.51	0.062	0.032	84.11	84.11	
		0.937	38.97	-37.11	0.937	0.937	52.25	-49.76			0.882	34.1	-32.47	0.765	0.882	45.72	-43.54			0.937	41.66	-39.68	0.935	0.967	55.86	-53.19	
		0.062	162	11.9	0.45	0.622	162	15.95			0.117	162	10.41	0.45	0.607	162	13.95			0.032	162	12.72	0.45	0.63	162	17.05	
03		B03	C03	D03	E03	F03	G03	H03			K03	L03	M03	N03	O03	P03	Q03			T03	U03	V03	W03	X03	Y03	Z03	
		0.125	53.35	53.35	0.125	0.125	78.68	78.68			0.218	54.19	54.19	0.125	0.218	73.19	73.19			0.066	52.83	52.83	0.125	0.066	82.08	82.08	
		0.875	33.41	-31.81	0.75	0.875	44.79	-42.65			0.781	25.05	-23.86	0.562	0.781	33.59	-31.98			0.933	38.57	-36.73	0.866	0.933	51.71	-49.25	
		0.125	162	10.2	0.45	0.604	162	13.67			0.218	162	7.65	0.45	0.578	162	10.25			0.066	162	11.77	0.45	0.621	162	15.78	
04		B04	C04	D04	E04	F04	G04	H04			K04	L04	M04	N04	O04	P04	Q04			T04	U04	V04	W04	X04	Y04	Z04	
		0.187	53.91	53.91	0.187	0.187	75.02	75.02			0.304	54.96	54.96	0.187	0.304	68.15	68.15			0.104	53.16	53.16	0.187	0.104	79.87	79.87	
		0.812	27.84	-26.51	0.625	0.812	37.32	-35.54			0.695	17.4	-16.57	0.39	0.695	23.32	-22.21			0.894	35.21	-33.53	0.79	0.895	47.21	-44.95	
		0.187	162	8.5	0.45	0.587	162	11.39			0.304	162	5.31	0.45	0.554	162	7.12			0.104	162	10.75	0.45	0.61	162	14.41	
05		B05	C05	D05	E05	F05	G05	H05			K05	L05	M05	N05	O05	P05	Q05			T05	U05	V05	W05	X05	Y05	Z05	
		0.25	54.47	54.47	0.25	0.25	71.35	71.35			0.375	55.59	55.59	0.25	0.375	64.03	64.03			0.146	53.54	53.54	0.25	0.146	77.42	77.42	
		0.75	22.27	-21.21	0.5	0.75	29.86	-28.43			0.625	11.13	-10.6	0.25	0.625	14.93	-14.21			0.853	31.49	-29.99	0.707	0.853	42.22	-40.21	
		0.25	162	6.8	0.45	0.569	162	9.11			0.375	162	3.4	0.45	0.534	162	4.55			0.146	162	9.61	0.45	0.598	162	12.89	
06		B06	C06	D06	E06	F06	G06	H06			K06	L06	M06	N06	O06	P06	Q06			T06	U06	V06	W06	X06	Y06	Z06	
		0.312	55.03	55.03	0.312	0.312	67.69	67.69			0.429	56.08	56.08	0.312	0.429	60.83	60.83			0.193	53.96	53.96	0.312	0.193	74.65	74.65	
		0.687	16.7	-15.9	0.375	0.687	22.39	-21.32			0.57	6.26	-5.96	0.14	0.57	8.39	-7.99			0.806	27.27	-25.97	0.612	0.806	36.57	-34.82	
		0.312	162	5.1	0.45	0.552	162	6.83			0.429	162	1.91	0.45	0.519	162	2.56			0.193	162	8.32	0.45	0.585	162	11.16	
07		B07	C07	D07	E07	F07	G07	H07			K07	L07	M07	N07	O07	P07	Q07			T07	U07	V07	W07	X07	Y07	Z07	
		0.375	55.59	55.59	0.375	0.375	64.03	64.03			0.468	56.43	56.43	0.375	0.468	58.54	58.54			0.249	54.46	54.46	0.375	0.249	71.35	71.35	
		0.625	11.13	-10.6	0.25	0.625	14.93	-14.21			0.531	2.78	-2.65	0.062	0.531	3.73	-3.55			0.75	22.27	-21.21	0.5	0.75	29.86	-28.43	
		0.375	162	3.4	0.45	0.534	162	4.55			0.468	162	0.85	0.45	0.508	162	1.13			0.249	162	6.8	0.45	0.569	162	9.11	
08		B08	C08	D08	E08	F08	G08	H08			K08	L08	M08	N08	O08	P08	Q08			T08	U08	V08	W08	X08	Y08	Z08	
		0.437	56.15	56.15	0.437	0.437	60.37	60.37			0.492	56.64	56.64	0.437	0.492	57.16	57.16			0.323	55.12	55.12	0.437	0.323	67.06	67.06	
		0.562	5.56	-5.3	0.125	0.562	7.46	-7.37			0.507	0.69	-0.66	0.015	0.507	0.93	-0.88			0.676	15.74	-14.99	0.353	0.676	21.11	-20.1	
		0.437	162	1.7	0.45	0.517	162	2.27			0.492	162	0.21	0.45	0.502	162	0.28			0.323	162	4.8	0.45	0.549	162	6.44	
09		B09	C09	D09	E09	F09	G09	H09			K09	L09	M09	N09	O09	P09	Q09			T09	U09	V09	W09	X09	Y09	Z09	
		0.5	56.71	56.71	0.5	0.5	56.71	56.71			0.5	56.71	56.71	0.5	0.5	56.71	56.71			0.5	56.71	56.71	0.5	0.5	56.7	56.7	
		0.0	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0	0.0	0.0	
		0.0	0.0	0.0	0.0	0.0	360	0.0			0.5	0.0	0.0	0.0	0.5	360	0.0			0.5	0.0	0.0	0.0	0.499	360	0.0	
10		B10	C10	D10	E10	F10	G10	H10			K10	L10	M10	N10	O10	P10	Q10			T10	U10	V10	W10	X10	Y10	Z10	
		0.562	53.92	53.92	0.437	0.562	56.98	56.98			0.507	56.36	56.36	0.437	0.507	56.74	56.74			0.676	48.84	48.84	0.437	0.676	57.49	57.49	
		0.437	3.7	3.16	0.125	0.437	13.04	11.13			0.492	0.46	0.39	0.015	0.492	1.63	1.39			0.323	10.47	8.94	0.353	0.323	36.9	31.5	
		0.562	328	-1.92	0.912	0.56	328	-6.79			0.507	328	-0.24	0.912	0.507	328	-0.84			0.676	328	-5.45	0.912	0.672	328	-19.21	
11		B11	C11	D11	E11	F11	G11	H11			K11	L11	M11	N11	O11	P11	Q11			T11	U11	V11	W11	X11	Y11	Z11	
		0.625	51.14	51.14	0.375	0.625	57.26	57.26			0.531	55.31	55.31	0.375	0.531	56.84	56.84			0.75	45.58	45.58	0.375	0.75	57.82	57.82	
		0.375	7.4	6.32	0.25	0.375	26.09	22.27			0.468	1.85	1.58	0.062	0.468	6.52	5.56			0.249	14.81	12.65	0.5	0.249	52.18	44.55	
		0.625	328	-3.85	0.912	0.621	328	-13.58			0.531	328	-0.96	0.912	0.53	328	-3.39			0.75	328	-7.71	0.912	0.743	328	-27.17	
12		B12	C12	D12	E12	F12	G12	H12			K12	L12	M12	N12	O12	P12	Q12			T12	U12	V12	W12	X12	Y12	Z12	
		0.687	48.36	48.36	0.312	0.687	57.54	57.54			0.57	53.58	53.58	0.312	0.57	57.02	57.02			0.806	43.08	43.08	0.312	0.806	58.07	58.07	
		0.312	11.11	9.48	0.375	0.312	39.13	33.41			0.429	4.16	3.55	0.14	0.429	14.67	12.53			0.193	18.14	15.49	0.612	0.193	63.91	54.56	
		0.687	328	-5.78	0.912	0.682	328	-20.37			0.57	328	-2.16	0.912	0.568	328	-7.64			0.806	328	-9.44	0.912	0.798	328	-33.27	
13		B13	C13	D13	E13	F13	G13	H13			K13	L13	M13	N13	O13	P13	Q13			T13	U13	V13	W13	X13	Y13	Z13	
		0.75	45.58	45.58	0.25	0.75	57.82	57.82			0.625	51.14	51.14	0.25	0.625	57.26	57.26			0.853	40.97	40.97	0.25	0.853	58.28	58.28	
		0.25	14.81	12.65	0.5	0.25	52.18	44.55			0.375	7.4	6.32	0.25	0.375	26.09	22.27			0.146	20.95	17.88	0.707	0.146	73.8	63.0	
		0.75	328	-7.71	0.912	0.743	328	-27.17			0.625	328	-3.85	0.912	0.621	328	-13.58			0.853	328	-10.91	0.912	0.844	328	-38.42	
14		B14	C14	D14	E14	F14	G14	H14			K14	L14	M14	N14	O14	P14	Q14			T14	U14	V14	W14	X14	Y14	Z14	
		0.812	42.8	42.8	0.187	0.812	58.09	58.09																			

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g09NP.PS /.PDF
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	
O/R	rgb* ₃	LCH* _a	LAB* _a	nch* ₃	olv* ₃	LCH* _a	LAB* _a				rgb* ₃	LCH* _a	LAB* _a	nch* ₃	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* ₃	olv* ₃	LCH* _a	LAB* _a		
01		B01 1.0 0.0	C01 39.91 65.06 25	D01 39.91 58.74 27.99	E01 0.0 1.0 0.07	F01 1.0 0.0 0.087	G01 34.58 91.52 25	H01 34.58 82.62 39.36				K01 1.0 0.0 0.0	L01 39.91 65.06 25	M01 39.91 58.74 27.99	N01 0.0 1.0 0.07	O01 1.0 0.0 0.087	P01 34.58 91.52 25	Q01 34.58 82.62 39.36			T01 1.0 0.0 0.0	U01 39.91 65.06 25	V01 39.91 58.74 27.99	W01 0.0 1.0 0.07	X01 1.0 0.0 0.087	Y01 34.58 91.52 25	Z01 34.58 82.62 39.36	
02		B02 0.937 0.062 0.062	C02 42.01 56.93 25	D02 42.01 51.39 24.49	E02 0.062 0.875 0.07	F02 0.937 0.062 0.138	G02 36.22 80.08 25	H02 36.22 72.29 34.44				K02 0.882 0.117 0.117	L02 43.85 49.81 25	M02 43.85 44.97 21.42	N02 0.062 0.765 0.07	O02 0.882 0.117 0.184	P02 37.66 70.07 25	Q02 37.66 63.25 30.14			T02 0.967 0.032 0.032	U02 41.0 60.86 25	V02 41.0 54.94 26.18	W02 0.062 0.935 0.07	X02 0.967 0.032 0.113	Y02 35.43 85.6 25	Z02 35.43 77.28 36.82	
03		B03 0.875 0.125 0.125	C03 44.11 48.8 25	D03 44.11 44.05 20.99	E03 0.125 0.75 0.07	F03 0.875 0.125 0.19	G03 37.86 68.64 25	H03 37.86 61.96 29.52				K03 0.781 0.218 0.218	L03 47.26 36.6 25	M03 47.26 33.04 15.74	N03 0.125 0.562 0.07	O03 0.781 0.218 0.267	P03 40.32 51.48 25	Q03 40.32 46.47 22.14			T03 0.933 0.066 0.066	U03 42.16 56.35 25	V03 42.16 50.87 24.24	W03 0.125 0.866 0.07	X03 0.933 0.066 0.142	Y03 36.34 79.25 25	Z03 36.34 71.55 34.09	
04		B04 0.812 0.187 0.187	C04 46.21 40.66 25	D04 46.21 36.71 17.49	E04 0.187 0.625 0.07	F04 0.812 0.187 0.242	G04 39.5 57.2 25	H04 39.5 51.63 24.6				K04 0.695 0.304 0.304	L04 50.15 25.41 25	M04 50.15 22.94 10.93	N04 0.187 0.39 0.07	O04 0.695 0.304 0.338	P04 42.58 35.75 25	Q04 42.58 32.27 15.37			T04 0.895 0.104 0.104	U04 43.43 51.44 25	V04 43.43 46.43 22.12	W04 0.187 0.79 0.07	X04 0.895 0.104 0.173	Y04 37.33 72.35 25	Z04 37.33 65.31 31.12	
05		B05 0.75 0.25 0.25	C05 48.31 32.53 25	D05 48.31 29.37 13.99	E05 0.25 0.5 0.07	F05 0.75 0.25 0.293	G05 41.14 45.76 25	H05 41.14 41.31 19.68				K05 0.625 0.375 0.375	L05 52.51 16.26 25	M05 52.51 14.68 6.99	N05 0.25 0.25 0.07	O05 0.625 0.375 0.396	P05 44.42 22.88 25	Q05 44.42 20.65 9.84			T05 0.853 0.146 0.146	U05 44.83 46.0 25	V05 44.83 41.53 19.79	W05 0.25 0.707 0.07	X05 0.853 0.146 0.208	Y05 38.43 64.71 25	Z05 38.43 58.42 27.83	
06		B06 0.687 0.312 0.312	C06 50.41 24.4 25	D06 50.41 22.02 10.49	E06 0.312 0.375 0.07	F06 0.687 0.312 0.345	G06 42.78 34.32 25	H06 42.78 30.98 14.76				K06 0.57 0.429 0.429	L06 54.34 9.15 25	M06 54.34 8.26 3.93	N06 0.312 0.14 0.07	O06 0.57 0.429 0.441	P06 45.86 12.87 25	Q06 45.86 11.61 5.53			T06 0.806 0.193 0.193	U06 46.42 39.84 25	V06 46.42 35.97 17.14	W06 0.312 0.612 0.07	X06 0.806 0.193 0.247	Y06 39.67 56.04 25	Z06 39.67 50.59 24.1	
07		B07 0.625 0.375 0.375	C07 52.51 16.26 25	D07 52.51 14.68 6.99	E07 0.375 0.25 0.07	F07 0.625 0.375 0.396	G07 44.42 22.88 25	H07 44.42 20.65 9.84				K07 0.531 0.468 0.468	L07 55.66 4.06 25	M07 55.66 3.67 1.74	N07 0.375 0.062 0.07	O07 0.531 0.468 0.474	P07 46.88 5.72 25	Q07 46.88 5.16 2.46			T07 0.75 0.249 0.249	U07 48.31 32.53 25	V07 48.31 29.37 13.99	W07 0.375 0.5 0.07	X07 0.75 0.249 0.293	Y07 41.14 45.76 25	Z07 41.14 41.31 19.68	
08		B08 0.562 0.437 0.437	C08 54.61 8.13 25	D08 54.61 7.34 3.49	E08 0.437 0.125 0.07	F08 0.562 0.437 0.448	G08 46.06 11.44 25	H08 46.06 10.32 4.92				K08 0.507 0.492 0.492	L08 56.44 1.01 25	M08 56.44 0.91 0.43	N08 0.437 0.015 0.07	O08 0.507 0.492 0.493	P08 47.5 1.43 25	Q08 47.5 1.29 0.61			T08 0.676 0.323 0.323	U08 50.77 23.0 25	V08 50.77 20.76 9.89	W08 0.437 0.353 0.07	X08 0.676 0.323 0.354	Y08 43.07 32.35 25	Z08 43.07 29.21 13.91	
09		B09 0.5 0.5 0.5	C09 56.71 0.0 0.0	D09 56.71 0.0 0.0	E09 0.5 0.5 0.0	F09 0.5 0.5 0.5	G09 47.71 0.0 0.0	H09 47.71 0.0 0.0				K09 0.5 0.5 0.5	L09 56.71 0.0 0.0	M09 56.71 0.0 0.0	N09 0.5 0.5 0.0	O09 0.5 0.5 0.5	P09 47.71 0.0 0.0	Q09 47.71 0.0 0.0			T09 0.5 0.5 0.5	U09 56.71 0.0 0.0	V09 56.71 0.0 0.0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.5	Y09 47.71 0.08 0.0	Z09 47.71 0.08 0.0	
10		B10 0.437 0.562 0.562	C10 54.82 3.28 216	D10 54.82 -2.62 -1.97	E10 0.437 0.125 0.602	F10 0.437 0.545 0.562	G10 49.17 11.22 216	H10 49.17 -8.96 -6.74				K10 0.492 0.507 0.507	L10 56.47 0.41 216	M10 56.47 -0.32 -0.24	N10 0.437 0.015 0.602	O10 0.492 0.505 0.507	P10 47.89 1.4 216	Q10 47.89 -1.12 -0.84			T10 0.323 0.676 0.676	U10 51.37 9.28 216	V10 51.37 -7.41 -5.58	W10 0.437 0.353 0.602	X10 0.323 0.63 0.676	Y10 51.84 31.73 216	Z10 51.84 -25.35 -19.09	
11		B11 0.375 0.625 0.625	C11 52.94 6.56 216	D11 52.94 -5.24 -3.94	E11 0.375 0.25 0.602	F11 0.375 0.591 0.625	G11 50.63 22.44 216	H11 50.63 -17.92 -13.49				K11 0.468 0.531 0.531	L11 55.76 1.64 216	M11 55.76 -1.31 -0.98	N11 0.375 0.062 0.602	O11 0.468 0.522 0.531	P11 48.44 5.61 216	Q11 48.44 -4.48 -3.37			T11 0.249 0.75 0.75	U11 49.16 13.12 216	V11 49.16 -10.48 -7.89	W11 0.375 0.5 0.602	X11 0.249 0.683 0.75	Y11 53.56 44.88 216	Z11 53.56 -35.85 -26.99	
12		B12 0.312 0.687 0.687	C12 51.05 9.84 216	D12 51.05 -7.86 -5.92	E12 0.312 0.375 0.602	F12 0.312 0.637 0.687	G12 52.09 33.66 216	H12 52.09 -26.89 -20.24				K12 0.429 0.57 0.57	L12 54.58 3.69 216	M12 54.58 -2.94 -2.22	N12 0.312 0.14 0.602	O12 0.429 0.551 0.57	P12 49.35 12.62 216	Q12 49.35 -10.08 -7.59			T12 0.193 0.806 0.806	U12 47.47 16.07 216	V12 47.47 -12.84 -9.66	W12 0.312 0.612 0.602	X12 0.193 0.725 0.806	Y12 54.87 54.97 216	Z12 54.87 -43.91 -33.06	
13		B13 0.25 0.75 0.75	C13 49.17 13.12 216	D13 49.17 -10.48 -7.89	E13 0.25 0.5 0.602	F13 0.25 0.683 0.75	G13 53.56 44.88 216	H13 53.56 -35.85 -26.99				K13 0.375 0.625 0.625	L13 52.94 6.56 216	M13 52.94 -5.24 -3.94	N13 0.25 0.25 0.602	O13 0.375 0.591 0.625	P13 50.63 22.44 216	Q13 50.63 -17.92 -13.49			T13 0.146 0.853 0.853	U13 46.04 18.56 216	V13 46.04 -14.82 -11.16	W13 0.25 0.707 0.602	X13 0.146 0.76 0.853	Y13 55.98 63.47 216	Z13 55.98 -50.7 -38.18	
14		B14 0.187 0.812 0.812	C14 47.28 16.4 216	D14 47.28 -13.1 -9.86	E14 0.187 0.625 0.602	F14 0.187 0.729 0.812	G14 55.02 56.1 216	H14 55.02 -44.81 -33.74				K14 0.304 0.695 0.695	L14 50.81 10.25 216	M14 50.81 -8.19 -6.16	N14 0.187 0.39 0.602	O14 0.304 0.643 0.695	P14 52.28 35.06 216	Q14 52.28 -28.01 -21.09			T14 0.104 0.895 0.895	U14 44.78 20.75 216	V14 44.78 -16.57 -12.48	W14 0.187 0.79 0.602	X14 0.104 0.79 0.895	Y14 56.96 70.96 216	Z14 56.96 -56.69 -42.68	
15		B15 0.125 0.875 0.875	C15 45.4 19.68 216	D15 45.4 -15.72 -11.84	E15 0.125 0.75 0.602	F15 0.125 0.775 0.875	G15 56.48 67.32 216	H15 56.48 -53.78 -40.49				K15 0.218 0.781 0.781	L15 48.22 14.76 216	M15 48.22 -11.79 -8.88	N15 0.125 0.562 0.602	O15 0.218 0.706 0.781	P15 54.29 50.49 216	Q15 54.29 -40.33 -30.37			T15 0.066 0.933 0.933	U15 43.65 22.73 216	V15 43.65 -18.16 -13.67	W15 0.125 0.866 0.602	X15 0.066 0.818 0.933	Y15 57.84 77.74 216	Z15 57.84 -62.1 -46.76	
16		B16 0.062 0.937 0.937	C16 43.51 22.96 216	D16 43.51 -18.34 -13.81	E16 0.062 0.875 0.602	F16 0.062 0.821 0.937	G16 57.94 78.54 216	H16 57.94 -62.74 -47.24				K16 0.117 0.882 0.882	L16 45.16 20.09 216	M16 45.16 -16.05 -12.08	N16 0.062 0.765 0.602	O16 0.117 0.781 0.882	P16 56.66 68.72 216	Q16 56.66 -54.9 -41.34			T16 0.032 0.967 0.967	U16 42.6 24.55 216	V16 42.6 -19.61 -14.77	W16 0.062 0.935 0.602	X16 0.032 0.844 0.967	Y16 58.65 83.97 216	Z16 58.65 -67.08 -50.51	
17		B17 0.0 1.0 1.0	C17 41.63 26.25 216	D17 41.63 -20.																								

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g0ANP.PS /.PDF BAM-Material: Code=rhatha
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a
Y/J		rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a	
01		B01 1.0 1.0 0.0	C01 81.26 71.61 92	D01 81.26 -2.89 71.56	E01 0.0 1.0 0.256	F01 0.954 0.0 0.0	G01 62.16 93.3 92	H01 62.16 -3.76 93.22			K01 1.0 1.0 0.0	L01 81.26 71.61 92	M01 81.26 -2.89 71.56	N01 0.0 1.0 0.256	O01 0.954 0.0 0.0	P01 62.16 93.3 92	Q01 62.16 -3.76 93.22			T01 1.0 1.0 0.0	U01 81.26 71.61 92	V01 81.26 -2.89 71.56	W01 0.0 1.0 0.256	X01 0.954 0.0 0.0	Y01 62.16 93.3 92	Z01 62.16 -3.76 93.22	
02		B02 0.937 0.937 0.062	C02 78.19 62.66 92	D02 78.19 -2.52 62.61	E02 0.062 0.875 0.256	F02 0.897 0.937 0.062	G02 60.35 81.63 92	H02 60.35 -3.29 81.57			K02 0.882 0.882 0.117	L02 75.5 54.83 92	M02 75.5 -2.21 54.78	N02 0.062 0.765 0.256	O02 0.847 0.882 0.117	P02 58.77 71.43 92	Q02 58.77 -2.88 71.37			T02 0.967 0.967 0.032	U02 79.67 66.99 92	V02 79.67 -2.7 66.93	W02 0.062 0.935 0.256	X02 0.925 0.967 0.032	Y02 61.22 87.27 92	Z02 61.22 -3.52 87.2	
03		B03 0.875 0.875 0.125	C03 75.12 53.71 92	D03 75.12 -2.16 53.67	E03 0.125 0.75 0.256	F03 0.84 0.875 0.125	G03 58.54 69.97 92	H03 58.54 -2.82 69.91			K03 0.781 0.781 0.218	L03 70.51 40.28 92	M03 70.51 -1.62 40.25	N03 0.125 0.562 0.256	O03 0.755 0.781 0.218	P03 55.83 52.48 92	Q03 55.83 -2.11 52.43			T03 0.933 0.933 0.066	U03 77.97 62.02 92	V03 77.97 -2.5 61.97	W03 0.125 0.866 0.256	X03 0.893 0.933 0.066	Y03 60.22 80.8 92	Z03 60.22 -3.26 80.73	
04		B04 0.812 0.812 0.187	C04 72.05 44.76 92	D04 72.05 -1.8 44.72	E04 0.187 0.625 0.256	F04 0.784 0.812 0.187	G04 56.74 58.31 92	H04 56.74 -2.35 58.26			K04 0.695 0.695 0.304	L04 66.29 27.97 92	M04 66.29 -1.12 27.95	N04 0.187 0.39 0.256	O04 0.677 0.695 0.304	P04 53.35 36.44 92	Q04 53.35 -1.47 36.41			T04 0.895 0.895 0.104	U04 76.11 56.61 92	V04 76.11 -2.28 56.57	W04 0.187 0.79 0.256	X04 0.859 0.895 0.104	Y04 59.13 73.76 92	Z04 59.13 -2.97 73.7	
05		B05 0.75 0.75 0.25	C05 68.98 35.8 92	D05 68.98 -1.44 35.78	E05 0.25 0.5 0.256	F05 0.727 0.75 0.25	G05 54.93 46.65 92	H05 54.93 -1.88 46.61			K05 0.625 0.625 0.375	L05 62.84 17.9 92	M05 62.84 -0.72 17.89	N05 0.25 0.25 0.256	O05 0.613 0.625 0.375	P05 51.32 23.32 92	Q05 51.32 -0.94 23.3			T05 0.853 0.853 0.146	U05 74.06 50.64 92	V05 74.06 -2.04 50.6	W05 0.25 0.707 0.256	X05 0.821 0.853 0.146	Y05 57.92 65.97 92	Z05 57.92 -2.66 65.92	
06		B06 0.687 0.687 0.312	C06 65.91 26.85 92	D06 65.91 -1.08 26.83	E06 0.312 0.375 0.256	F06 0.67 0.687 0.312	G06 53.12 34.98 92	H06 53.12 -1.41 34.95			K06 0.57 0.57 0.429	L06 60.16 10.07 92	M06 60.16 -0.4 10.06	N06 0.312 0.14 0.256	O06 0.563 0.57 0.429	P06 49.74 13.12 92	Q06 49.74 -0.52 13.1			T06 0.806 0.806 0.193	U06 71.74 43.85 92	V06 71.74 -1.76 43.82	W06 0.312 0.612 0.256	X06 0.778 0.806 0.193	Y06 56.55 57.13 92	Z06 56.55 -2.3 57.08	
07		B07 0.625 0.625 0.375	C07 62.84 17.9 92	D07 62.84 -0.72 17.89	E07 0.375 0.25 0.256	F07 0.613 0.625 0.375	G07 51.32 23.32 92	H07 51.32 -0.94 23.3			K07 0.531 0.531 0.468	L07 58.24 4.47 92	M07 58.24 -0.18 4.47	N07 0.375 0.062 0.256	O07 0.528 0.531 0.468	P07 48.61 5.83 92	Q07 48.61 -0.23 5.82			T07 0.75 0.75 0.249	U07 68.98 35.8 92	V07 68.98 -1.44 35.78	W07 0.375 0.5 0.256	X07 0.727 0.75 0.249	Y07 54.93 46.65 92	Z07 54.93 -1.88 46.61	
08		B08 0.562 0.562 0.437	C08 59.77 8.95 92	D08 59.77 -0.36 8.94	E08 0.437 0.125 0.256	F08 0.556 0.562 0.437	G08 49.51 11.66 92	H08 49.51 -0.47 11.65			K08 0.507 0.507 0.492	L08 57.09 1.11 92	M08 57.09 -0.04 1.11	N08 0.437 0.015 0.256	O08 0.507 0.507 0.492	P08 47.93 1.45 92	Q08 47.93 -0.05 1.45			T08 0.676 0.676 0.323	U08 65.38 25.32 92	V08 65.38 -1.02 25.3	W08 0.437 0.353 0.256	X08 0.66 0.676 0.323	Y08 52.81 32.98 92	Z08 52.81 -1.33 32.96	
09		B09 0.5 0.5 0.5	C09 56.71 0.0 0	D09 56.71 0.0 0	E09 0.5 0.0 0	F09 0.5 0.5 0.5	G09 47.71 0.0 0	H09 47.71 0.0 0			K09 0.5 0.5 0.5	L09 56.71 0.0 0	M09 56.71 0.0 0	N09 0.5 0.0 0	O09 0.5 0.5 0.5	P09 47.71 0.0 0	Q09 47.71 0.0 0			T09 0.5 0.5 0.5	U09 56.71 0.0 0	V09 56.71 0.0 0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.5	Y09 47.71 0.08 0	Z09 47.71 0.08 0	
10		B10 0.437 0.437 0.562	C10 53.44 5.81 271	D10 53.44 0.17 -5.8	E10 0.437 0.125 0.754	F10 0.441 0.437 0.562	G10 45.85 11.72 271	H10 45.85 0.35 -11.71			K10 0.492 0.492 0.507	L10 56.3 0.72 271	M10 56.3 0.02 -0.72	N10 0.437 0.015 0.754	O10 0.492 0.492 0.507	P10 47.47 1.46 271	Q10 47.47 0.04 -1.46			T10 0.323 0.323 0.676	U10 47.46 16.43 271	V10 47.46 0.49 -16.42	W10 0.437 0.353 0.754	X10 0.335 0.323 0.676	Y10 42.47 33.16 271	Z10 42.47 1.0 -33.14	
11		B11 0.375 0.375 0.625	C11 50.17 11.62 271	D11 50.17 0.35 -11.61	E11 0.375 0.25 0.754	F11 0.383 0.375 0.625	G11 44.0 23.45 271	H11 44.0 0.71 -23.43			K11 0.468 0.468 0.531	L11 55.07 2.9 271	M11 55.07 0.08 -2.9	N11 0.375 0.062 0.754	O11 0.47 0.468 0.531	P11 46.78 5.86 271	Q11 46.78 0.17 -5.85			T11 0.249 0.249 0.75	U11 43.63 23.24 271	V11 43.63 0.7 -23.23	W11 0.375 0.5 0.754	X11 0.267 0.249 0.75	Y11 40.3 46.9 271	Z11 40.3 1.42 -46.87	
12		B12 0.312 0.312 0.687	C12 46.9 17.43 271	D12 46.9 0.52 -17.42	E12 0.312 0.375 0.754	F12 0.325 0.312 0.687	G12 42.15 35.17 271	H12 42.15 1.06 -35.15			K12 0.429 0.429 0.57	L12 53.03 6.53 271	M12 53.03 0.19 -6.53	N12 0.312 0.14 0.754	O12 0.434 0.429 0.57	P12 45.62 13.19 271	Q12 45.62 0.4 -13.18			T12 0.193 0.193 0.806	U12 40.7 28.47 271	V12 40.7 0.86 -28.45	W12 0.312 0.612 0.754	X12 0.214 0.193 0.806	Y12 38.64 57.44 271	Z12 38.64 1.74 -57.41	
13		B13 0.25 0.25 0.75	C13 43.64 23.24 271	D13 43.64 0.7 -23.23	E13 0.25 0.5 0.754	F13 0.267 0.25 0.75	G13 40.3 46.9 271	H13 40.3 1.42 -46.87			K13 0.375 0.375 0.625	L13 50.17 11.62 271	M13 50.17 0.35 -11.61	N13 0.25 0.25 0.754	O13 0.383 0.375 0.625	P13 44.0 23.45 271	Q13 44.0 0.71 -23.43			T13 0.146 0.146 0.853	U13 38.22 32.87 271	V13 38.22 0.99 -32.85	W13 0.25 0.707 0.754	X13 0.17 0.146 0.853	Y13 37.24 66.32 271	Z13 37.24 2.01 -66.29	
14		B14 0.187 0.187 0.812	C14 40.37 29.05 271	D14 40.37 0.88 -29.04	E14 0.187 0.625 0.754	F14 0.209 0.187 0.812	G14 38.45 58.62 271	H14 38.45 1.77 -58.59			K14 0.304 0.304 0.695	L14 46.49 18.16 271	M14 46.49 0.55 -18.15	N14 0.187 0.39 0.754	O14 0.318 0.304 0.695	P14 41.92 36.64 271	Q14 41.92 1.11 -36.62			T14 0.104 0.104 0.895	U14 36.04 36.75 271	V14 36.04 1.11 -36.73	W14 0.187 0.79 0.754	X14 0.131 0.104 0.895	Y14 36.0 74.15 271	Z14 36.0 2.24 -74.12	
15		B15 0.125 0.125 0.875	C15 37.1 34.86 271	D15 37.1 1.05 -34.85	E15 0.125 0.75 0.754	F15 0.15 0.125 0.875	G15 36.6 70.35 271	H15 36.6 2.13 -70.31			K15 0.218 0.218 0.781	L15 42.0 26.15 271	M15 42.0 0.79 -26.13	N15 0.125 0.562 0.754	O15 0.238 0.218 0.781	P15 39.38 52.76 271	Q15 39.38 1.6 -52.73			T15 0.066 0.066 0.933	U15 34.07 40.26 271	V15 34.07 1.22 -40.24	W15 0.125 0.866 0.754	X15 0.096 0.066 0.933	Y15 34.88 81.23 271	Z15 34.88 2.46 -81.19	
16		B16 0.062 0.062 0.937	C16 33.83 40.67 271	D16 33.83 1.23 -40.66	E16 0.062 0.875 0.754	F16 0.092 0.062 0.937	G16 34.75 82.07 271	H16 34.75 2.48 -82.03			K16 0.117 0.117 0.882	L16 36.69 35.59 271	M16 36.69 1.07 -35.57	N16 0.062 0.765 0.754	O16 0.143 0.117 0.882	P16 36.37 71.81 271	Q16 36.37 2.17 -71.78			T16 0.032 0.032 0.967	U16 32.25 43.48 271	V16 32.25 -43.46 0.967	W16 0.062 0.935 0.754	X16 0.064 0.032 0.967	Y16 33.86 87.74 271	Z16 33.86 2.66 -87.7	
17		B17 0.0 0.0 1.0	C17 30.57 46.49 271	D17 30.57 0.0 -46.47	E17 0.0 1.0 0.754	F17 0.034 0.0 1.0	G17 32.9 93.8 271	H17 32.9 2.84 -93.75			K17 0.0 0.0 1.0	L17 30.57 1.41 271	M17 30.57 1.41 -46.47	N17 0.0 1.0 0.754	O17 0.034 0.0 1.0	P17 32.9 93.8 271	Q17 32.9 2.84 -93.75			T17 0.0 0.0 1.0	U17 30.56 46.49 271	V17 30.56 0.0 -46.47	W17 0.0 1.0 0.754	X17 0.034 0.0 1.0	Y17 32.9 93.8 271	Z17 32.9 2.84 -93.75	
V/B		CIE18a		$c^*_t = c^*$		NLS00a					CIE18a		$c^*_t = c^{*0.5}$		NLS00a					CIE18a		$c^*_t = c^{*2}$		NLS00a			

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g0BNP.PS /.PDF BAM-Material: Code=rha4ta
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a		
L/G		rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			
01		B01 0.0 1.0 0.0	C01 52.23 44.54 162	D01 52.23 -42.42 13.6	E01 0.0 1.0 0.45	F01 0.0 1.0 0.222	G01 38.88 86.76 162	H01 38.88 -82.62 26.48				K01 0.0 52.23 162	L01 52.23 44.54 162	M01 52.23 -42.42 13.6	N01 0.0 1.0 0.45	O01 0.0 1.0 0.222	P01 38.88 86.76 162	Q01 38.88 -82.62 26.48			rgb* ₃ 0.0 1.0 0.0	T01 52.22 44.54 162	U01 52.22 44.54 162	V01 52.22 -42.42 13.6	W01 0.0 1.0 0.45	X01 0.0 1.0 0.222	Y01 38.88 86.76 162	Z01 38.88 -82.62 26.48	
02		B02 0.062 0.937 0.062	C02 52.79 38.97 162	D02 52.79 -37.11 11.9	E02 0.062 0.875 0.45	F02 0.062 0.937 0.257	G02 39.98 75.91 162	H02 39.98 -72.29 23.17				K02 0.117 0.882 0.117	L02 53.28 34.1 162	M02 53.28 -32.47 10.41	N02 0.062 0.765 0.45	O02 0.117 0.882 0.287	P02 40.94 66.42 162	Q02 40.94 -63.25 20.28			rgb* ₃ 0.032 0.967 0.032	T02 52.51 41.66 162	U02 52.51 -39.68 162	V02 52.51 12.72 162	W02 0.062 0.935 0.45	X02 0.032 0.967 0.24	Y02 39.45 81.15 162	Z02 39.45 -77.28 24.77	
03		B03 0.125 0.875 0.125	C03 53.35 33.41 162	D03 53.35 -31.81 10.2	E03 0.125 0.75 0.45	F03 0.125 0.875 0.291	G03 41.08 65.07 162	H03 41.08 -61.96 19.86				K03 0.218 0.781 0.218	L03 54.19 25.05 162	M03 54.19 -23.86 7.65	N03 0.125 0.562 0.45	O03 0.218 0.781 0.343	P03 42.74 48.8 162	Q03 42.74 -46.47 14.89			rgb* ₃ 0.066 0.933 0.066	T03 52.83 38.57 162	U03 52.83 -36.73 162	V03 52.83 -36.73 162	W03 0.125 0.866 0.45	X03 0.066 0.933 0.259	Y03 40.06 75.13 162	Z03 40.06 -71.55 22.93	
04		B04 0.187 0.812 0.187	C04 53.91 27.84 162	D04 53.91 -26.51 8.5	E04 0.187 0.625 0.45	F04 0.187 0.812 0.326	G04 42.19 54.22 162	H04 42.19 -51.63 16.55				K04 0.304 0.695 0.304	L04 54.96 17.4 162	M04 54.96 -16.57 5.31	N04 0.187 0.39 0.45	O04 0.304 0.695 0.391	P04 44.26 33.89 162	Q04 44.26 -32.27 10.34			rgb* ₃ 0.104 0.895 0.104	T04 53.16 35.21 162	U04 53.16 -33.53 162	V04 53.16 10.75 162	W04 0.187 0.79 0.45	X04 0.104 0.895 0.28	Y04 40.72 68.59 162	Z04 40.72 -65.31 20.94	
05		B05 0.25 0.75 0.25	C05 54.47 22.27 162	D05 54.47 -21.21 6.8	E05 0.25 0.5 0.45	F05 0.25 0.75 0.361	G05 43.29 43.38 162	H05 43.29 -41.31 13.24				K05 0.375 0.625 0.375	L05 55.59 11.13 162	M05 55.59 -10.6 3.4	N05 0.25 0.25 0.45	O05 0.375 0.625 0.43	P05 45.5 21.69 162	Q05 45.5 -20.65 6.62			rgb* ₃ 0.146 0.853 0.146	T05 53.54 31.49 162	U05 53.54 -29.99 9.61	V05 53.54 -29.99 9.61	W05 0.25 0.707 0.45	X05 0.146 0.853 0.303	Y05 41.46 61.35 162	Z05 41.46 -58.42 18.73	
06		B06 0.312 0.687 0.312	C06 55.03 16.7 162	D06 55.03 -15.9 5.1	E06 0.312 0.375 0.45	F06 0.312 0.687 0.395	G06 44.39 32.53 162	H06 44.39 -30.98 9.93				K06 0.429 0.57 0.429	L06 56.08 6.26 162	M06 56.08 -5.96 1.91	N06 0.312 0.14 0.45	O06 0.429 0.57 0.46	P06 46.46 12.2 162	Q06 46.46 -11.61 3.72			rgb* ₃ 0.193 0.806 0.193	T06 53.96 27.27 162	U06 53.96 -25.97 8.32	V06 53.96 -25.97 8.32	W06 0.312 0.612 0.45	X06 0.193 0.806 0.329	Y06 42.3 53.13 162	Z06 42.3 -50.59 16.22	
07		B07 0.375 0.625 0.375	C07 55.59 11.13 162	D07 55.59 -10.6 3.4	E07 0.375 0.25 0.45	F07 0.375 0.625 0.43	G07 45.5 21.69 162	H07 45.5 -20.65 6.62				K07 0.468 0.531 0.468	L07 56.43 2.78 162	M07 56.43 -2.65 0.85	N07 0.375 0.062 0.45	O07 0.468 0.531 0.482	P07 47.15 5.42 162	Q07 47.15 -5.16 1.65			rgb* ₃ 0.249 0.75 0.249	T07 54.46 22.27 162	U07 54.46 -21.21 6.8	V07 54.46 -21.21 6.8	W07 0.375 0.5 0.45	X07 0.249 0.75 0.361	Y07 43.29 43.38 162	Z07 43.29 -41.31 13.24	
08		B08 0.437 0.562 0.437	C08 56.15 5.56 162	D08 56.15 -5.3 1.7	E08 0.437 0.125 0.45	F08 0.437 0.562 0.465	G08 46.6 10.84 162	H08 46.6 -10.32 3.31				K08 0.492 0.507 0.492	L08 56.64 0.69 162	M08 56.64 -0.66 0.21	N08 0.437 0.015 0.45	O08 0.492 0.507 0.495	P08 47.57 1.35 162	Q08 47.57 -1.29 0.41			rgb* ₃ 0.323 0.676 0.323	T08 55.12 15.74 162	U08 55.12 -14.99 4.8	V08 55.12 -14.99 4.8	W08 0.437 0.353 0.45	X08 0.323 0.676 0.401	Y08 44.58 30.67 162	Z08 44.58 -29.21 9.36	
09		B09 0.5 0.5 0.5	C09 56.71 0.0 0.0	D09 56.71 0.0 0.0	E09 0.5 0.5 0.0	F09 0.5 0.5 0.5	G09 47.71 0.0 0.0	H09 47.71 0.0 0.0				K09 0.5 0.5 0.5	L09 56.71 0.0 0.0	M09 56.71 0.0 0.0	N09 0.5 0.5 0.0	O09 0.5 0.5 0.5	P09 47.71 0.0 0.0	Q09 47.71 0.0 0.0			rgb* ₃ 0.5 0.5 0.5	T09 56.71 0.0 0.0	U09 56.71 0.0 0.0	V09 56.71 0.0 0.0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.5	Y09 47.71 0.08 0.0	Z09 47.71 0.08 0.0	
10		B10 0.562 0.437 0.562	C10 53.92 3.7 328	D10 53.92 3.16 -1.92	E10 0.437 0.125 0.912	F10 0.559 0.437 0.562	G10 49.58 11.76 328	H10 49.58 10.4 -6.12				K10 0.507 0.492 0.507	L10 56.36 0.46 328	M10 56.36 0.39 -0.24	N10 0.437 0.015 0.912	O10 0.507 0.492 0.507	P10 47.94 1.47 328	Q10 47.94 1.25 -0.76			rgb* ₃ 0.676 0.323 0.676	T10 48.84 10.47 328	U10 48.84 8.94 328	V10 48.84 8.94 -5.45	W10 0.437 0.353 0.912	X10 0.667 0.323 0.676	Y10 53.02 33.27 328	Z10 53.02 28.41 -17.32	
11		B11 0.625 0.375 0.625	C11 51.14 7.4 328	D11 51.14 6.32 -3.85	E11 0.375 0.25 0.912	F11 0.618 0.375 0.625	G11 51.46 23.53 328	H11 51.46 20.08 -12.25				K11 0.531 0.468 0.531	L11 55.31 1.85 328	M11 55.31 1.58 -0.96	N11 0.375 0.062 0.912	O11 0.529 0.468 0.531	P11 48.64 5.88 328	Q11 48.64 5.02 -3.06			rgb* ₃ 0.75 0.249 0.75	T11 45.58 14.81 328	U11 45.58 12.65 328	V11 45.58 12.65 -7.71	W11 0.375 0.5 0.912	X11 0.736 0.249 0.75	Y11 55.22 47.06 328	Z11 55.22 40.17 -24.5	
12		B12 0.687 0.312 0.687	C12 48.36 11.11 328	D12 48.36 9.48 -5.78	E12 0.312 0.375 0.912	F12 0.677 0.312 0.687	G12 53.34 35.29 328	H12 53.34 30.13 -18.37				K12 0.57 0.429 0.57	L12 53.58 4.16 328	M12 53.58 3.55 -2.16	N12 0.312 0.14 0.912	O12 0.566 0.429 0.57	P12 49.82 13.23 328	Q12 49.82 11.3 -6.89			rgb* ₃ 0.806 0.193 0.806	T12 43.08 18.14 328	U12 43.08 15.49 328	V12 43.08 15.49 -9.44	W12 0.312 0.612 0.912	X12 0.789 0.193 0.806	Y12 56.91 57.63 328	Z12 56.91 49.2 -30.01	
13		B13 0.75 0.25 0.75	C13 45.58 14.81 328	D13 45.58 12.65 -7.71	E13 0.25 0.5 0.912	F13 0.736 0.25 0.75	G13 55.22 47.06 328	H13 55.22 40.17 -24.5				K13 0.625 0.375 0.625	L13 51.14 7.4 328	M13 51.14 6.32 -3.85	N13 0.25 0.25 0.912	O13 0.618 0.375 0.625	P13 51.46 23.53 328	Q13 51.46 20.08 -12.25			rgb* ₃ 0.853 0.146 0.853	T13 40.97 20.95 328	U13 40.97 17.88 328	V13 40.97 17.88 -10.91	W13 0.25 0.707 0.912	X13 0.834 0.146 0.853	Y13 58.33 66.55 328	Z13 58.33 56.82 -34.65	
14		B14 0.812 0.187 0.812	C14 42.8 18.52 328	D14 42.8 15.81 -9.64	E14 0.187 0.625 0.912	F14 0.795 0.187 0.812	G14 57.1 58.82 328	H14 57.1 50.22 -30.62				K14 0.695 0.304 0.695	L14 48.01 11.57 328	M14 48.01 9.88 -6.02	N14 0.187 0.39 0.912	O14 0.684 0.304 0.695	P14 53.58 36.76 328	Q14 53.58 31.38 -19.14			rgb* ₃ 0.895 0.104 0.895	T14 39.11 23.42 328	U14 39.11 20.0 -12.19	V14 39.11 20.0 -12.19	W14 0.187 0.79 0.912	X14 0.873 0.104 0.895	Y14 59.59 74.4 328	Z14 59.59 63.52 -38.74	
15		B15 0.875 0.125 0.875	C15 40.02 22.22 328	D15 40.02 18.97 -11.57	E15 0.125 0.75 0.912	F15 0.854 0.125 0.875	G15 58.98 70.59 328	H15 58.98 60.26 -36.75				K15 0.781 0.218 0.781	L15 44.19 16.66 328	M15 44.19 14.23 -8.67	N15 0.125 0.562 0.912	O15 0.765 0.218 0.781	P15 56.16 52.94 328	Q15 56.16 45.2 -27.56			rgb* ₃ 0.933 0.066 0.933	T15 37.44 25.66 328	U15 37.44 21.91 -13.36	V15 37.44 21.91 -13.36	W15 0.125 0.866 0.912	X15 0.909 0.066 0.933	Y15 60.72 81.51 328	Z15 60.72 69.58 -42.44	</

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g0CNP.PS /.PDF BAM-Material: Code=rhatha
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	
R/R	rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a				rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃
01		B01	C01	D01	E01	F01	G01	H01				K01	L01	M01	N01	O01	P01	Q01			T01	U01	V01	W01	X01	Y01	Z01	
	1.0 0.0 0.0	39.91 65.06 25	39.91 58.74 27.99	0.0 1.0 0.07	1.0 0.0 0.0	39.92 65.06 25	39.92 58.73 27.99				1.0 0.0 0.0	39.91 65.06 25	39.91 58.74 27.99	0.0 1.0 0.07	1.0 0.0 0.0	39.92 65.06 25	39.92 58.73 27.99			1.0 0.0 0.0	39.91 65.06 25	39.91 58.74 27.99	0.0 1.0 0.07	1.0 0.0 0.0	39.91 65.06 25	39.91 58.74 27.99		
02		B02	C02	D02	E02	F02	G02	H02				K02	L02	M02	N02	O02	P02	Q02			T02	U02	V02	W02	X02	Y02	Z02	
	0.937 0.062 0.062	42.01 56.93 25	42.01 51.39 24.49	0.062 0.875 0.07	0.937 0.062 0.062	42.01 56.93 25	42.01 51.39 24.49				0.882 0.117 0.117	43.85 49.81 25	43.85 44.97 21.42	0.062 0.765 0.07	0.882 0.117 0.117	43.85 49.81 25	43.85 44.97 21.42			0.967 0.032 0.032	41.0 60.86 25	41.0 54.94 26.18	0.062 0.935 0.07	0.967 0.032 0.032	41.0 60.86 25	41.0 54.94 26.18		
03		B03	C03	D03	E03	F03	G03	H03				K03	L03	M03	N03	O03	P03	Q03			T03	U03	V03	W03	X03	Y03	Z03	
	0.875 0.125 0.125	44.11 48.8 25	44.11 44.05 20.99	0.125 0.75 0.07	0.875 0.124 0.125	44.11 48.8 25	44.11 44.05 20.99				0.781 0.218 0.218	47.26 36.6 25	47.26 33.04 15.74	0.125 0.562 0.07	0.781 0.218 0.218	47.26 36.6 25	47.26 33.04 15.74			0.933 0.066 0.066	42.16 56.35 25	42.16 50.87 24.24	0.125 0.866 0.07	0.933 0.066 0.066	42.16 56.35 25	42.16 50.87 24.24		
04		B04	C04	D04	E04	F04	G04	H04				K04	L04	M04	N04	O04	P04	Q04			T04	U04	V04	W04	X04	Y04	Z04	
	0.812 0.187 0.187	46.21 40.66 25	46.21 36.71 17.49	0.187 0.625 0.07	0.812 0.187 0.187	46.21 40.66 25	46.21 36.71 17.49				0.695 0.304 0.304	50.15 25.41 25	50.15 22.94 10.93	0.187 0.39 0.07	0.695 0.304 0.304	50.15 25.41 25	50.15 22.94 10.93			0.895 0.104 0.104	43.43 51.44 25	43.43 46.43 22.12	0.187 0.79 0.07	0.895 0.104 0.104	43.43 51.44 25	43.43 46.43 22.12		
05		B05	C05	D05	E05	F05	G05	H05				K05	L05	M05	N05	O05	P05	Q05			T05	U05	V05	W05	X05	Y05	Z05	
	0.75 0.25 0.25	48.31 32.53 25	48.31 29.37 13.99	0.25 0.5 0.07	0.75 0.25 0.25	48.31 32.53 25	48.31 29.36 13.99				0.625 0.375 0.375	52.51 16.26 25	52.51 14.68 6.99	0.25 0.25 0.07	0.625 0.375 0.375	52.51 16.26 25	52.51 14.68 6.99			0.853 0.146 0.146	44.83 46.0 25	44.83 41.53 19.79	0.25 0.707 0.07	0.853 0.146 0.146	44.83 46.0 25	44.83 41.53 19.79		
06		B06	C06	D06	E06	F06	G06	H06				K06	L06	M06	N06	O06	P06	Q06			T06	U06	V06	W06	X06	Y06	Z06	
	0.687 0.312 0.312	50.41 24.4 25	50.41 22.02 10.49	0.312 0.375 0.07	0.687 0.312 0.312	50.41 24.4 25	50.41 22.02 10.49				0.57 0.429 0.429	54.34 9.15 25	54.34 8.26 3.93	0.312 0.14 0.07	0.57 0.429 0.429	54.34 9.15 25	54.34 8.26 3.93			0.806 0.193 0.193	46.42 39.84 25	46.42 35.97 17.14	0.312 0.612 0.07	0.806 0.193 0.193	46.42 39.84 25	46.42 35.97 17.14		
07		B07	C07	D07	E07	F07	G07	H07				K07	L07	M07	N07	O07	P07	Q07			T07	U07	V07	W07	X07	Y07	Z07	
	0.625 0.375 0.375	52.51 16.26 25	52.51 14.68 6.99	0.375 0.25 0.07	0.625 0.375 0.375	52.51 16.26 25	52.51 14.68 6.99				0.531 0.468 0.468	55.66 4.06 25	55.66 3.67 1.74	0.375 0.062 0.07	0.531 0.468 0.468	55.66 4.06 25	55.66 3.67 1.74			0.75 0.249 0.249	48.31 32.53 25	48.31 29.37 13.99	0.375 0.5 0.07	0.75 0.249 0.249	48.31 32.53 25	48.31 29.37 13.99		
08		B08	C08	D08	E08	F08	G08	H08				K08	L08	M08	N08	O08	P08	Q08			T08	U08	V08	W08	X08	Y08	Z08	
	0.562 0.437 0.437	54.61 8.13 25	54.61 7.34 3.49	0.437 0.125 0.07	0.562 0.437 0.437	54.61 8.13 25	54.61 7.34 3.49				0.507 0.492 0.492	56.44 1.01 25	56.44 0.91 0.43	0.437 0.015 0.07	0.507 0.492 0.492	56.44 1.01 25	56.44 0.91 0.43			0.676 0.323 0.323	50.77 23.0 25	50.77 20.76 9.89	0.437 0.353 0.07	0.676 0.323 0.323	50.77 23.0 25	50.77 20.76 9.89		
09		B09	C09	D09	E09	F09	G09	H09				K09	L09	M09	N09	O09	P09	Q09			T09	U09	V09	W09	X09	Y09	Z09	
	0.5 0.5 0.5	56.71 0.0 0	56.71 0.0 0	0.5 0.0 0	0.5 0.5 0.5	56.71 0.0 360	56.71 0.0 0				0.5 0.5 0.5	56.71 0.0 0	56.71 0.0 0	0.5 0.0 0	0.5 0.5 0.5	56.71 0.0 360	56.71 0.0 0			0.5 0.5 0.5	56.71 0.0 0	56.71 0.0 0	0.5 0.001 0.0	0.5 0.499 0.5	56.68 0.03 360	56.68 0.03 0		
10		B10	C10	D10	E10	F10	G10	H10				K10	L10	M10	N10	O10	P10	Q10			T10	U10	V10	W10	X10	Y10	Z10	
	0.437 0.562 0.562	54.82 3.28 216	54.82 -2.62 -1.97	0.437 0.125 0.602	0.437 0.562 0.562	54.82 3.28 216	54.82 -2.62 -1.97				0.492 0.507 0.507	56.47 0.41 216	56.47 -0.32 -0.24	0.437 0.015 0.602	0.492 0.507 0.507	56.47 0.41 216	56.47 -0.32 -0.24			0.323 0.676 0.676	51.37 9.28 216	51.37 -7.41 -5.58	0.437 0.353 0.602	0.323 0.676 0.676	51.37 9.28 216	51.37 -7.41 -5.58		
11		B11	C11	D11	E11	F11	G11	H11				K11	L11	M11	N11	O11	P11	Q11			T11	U11	V11	W11	X11	Y11	Z11	
	0.375 0.625 0.625	52.94 6.56 216	52.94 -5.24 -3.94	0.375 0.25 0.602	0.375 0.625 0.625	52.94 6.56 216	52.94 -5.24 -3.94				0.468 0.531 0.531	55.76 1.64 216	55.76 -1.31 -0.98	0.375 0.062 0.602	0.468 0.531 0.531	55.76 1.64 216	55.76 -1.31 -0.98			0.249 0.75 0.75	49.16 13.12 216	49.16 -10.48 -7.89	0.375 0.5 0.602	0.249 0.75 0.75	49.16 13.12 216	49.16 -10.48 -7.89		
12		B12	C12	D12	E12	F12	G12	H12				K12	L12	M12	N12	O12	P12	Q12			T12	U12	V12	W12	X12	Y12	Z12	
	0.312 0.687 0.687	51.05 9.84 216	51.05 -7.86 -5.92	0.312 0.375 0.602	0.312 0.687 0.687	51.05 9.84 216	51.05 -7.86 -5.92				0.429 0.57 0.57	54.58 3.69 216	54.58 -2.94 -2.22	0.312 0.14 0.602	0.429 0.57 0.57	54.58 3.69 216	54.58 -2.94 -2.22			0.193 0.806 0.806	47.47 16.07 216	47.47 -12.84 -9.66	0.312 0.612 0.602	0.193 0.806 0.806	47.47 16.07 216	47.47 -12.84 -9.66		
13		B13	C13	D13	E13	F13	G13	H13				K13	L13	M13	N13	O13	P13	Q13			T13	U13	V13	W13	X13	Y13	Z13	
	0.25 0.75 0.75	49.17 13.12 216	49.17 -10.48 -7.89	0.25 0.5 0.602	0.25 0.75 0.75	49.17 13.12 216	49.17 -10.48 -7.89				0.375 0.625 0.625	52.94 6.56 216	52.94 -5.24 -3.94	0.25 0.25 0.602	0.375 0.625 0.625	52.94 6.56 216	52.94 -5.24 -3.94			0.146 0.853 0.853	46.04 18.56 216	46.04 -14.82 -11.16	0.25 0.707 0.602	0.146 0.853 0.853	46.04 18.56 216	46.04 -14.82 -11.16		
14		B14	C14	D14	E14	F14	G14	H14				K14	L14	M14	N14	O14	P14	Q14			T14	U14	V14	W14	X14	Y14	Z14	
	0.187 0.812 0.812	47.28 16.4 216	47.28 -13.1 -9.86	0.187 0.625 0.602	0.187 0.812 0.812	47.28 16.4 216	47.28 -13.1 -9.86				0.304 0.695 0.695	50.81 10.25 216	50.81 -8.19 -6.16	0.187 0.39 0.602	0.304 0.695 0.695	50.81 10.25 216	50.81 -8.19 -6.16			0.104 0.895 0.895	44							

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g0DNP.PS /.PDF BAM-Material: Code=rhatha
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a
J/J		rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a	
01		B01 1.0 1.0 0.0	C01 81.26 71.61 92	D01 81.26 -2.89 71.56	E01 0.0 1.0 0.256	F01 1.0 1.0 0.0	G01 81.26 71.61 92	H01 81.26 -2.89 71.56			K01 1.0 1.0 0.0	L01 81.26 71.61 92	M01 81.26 -2.89 71.56	N01 0.0 1.0 0.256	O01 1.0 1.0 0.0	P01 81.26 71.61 92	Q01 81.26 -2.89 71.56			T01 1.0 1.0 0.0	U01 81.26 71.61 92	V01 81.26 -2.89 71.56	W01 0.0 1.0 0.256	X01 1.0 1.0 0.0	Y01 81.26 71.61 92	Z01 81.26 -2.89 71.56	
02		B02 0.937 0.937 0.062	C02 78.19 62.66 92	D02 78.19 -2.52 62.61	E02 0.062 0.875 0.256	F02 0.937 0.937 0.062	G02 78.19 62.66 92	H02 78.19 -2.52 62.61			K02 0.882 0.882 0.117	L02 75.5 54.83 92	M02 75.5 -2.21 54.78	N02 0.062 0.765 0.256	O02 0.882 0.882 0.117	P02 75.5 54.83 92	Q02 75.5 -2.21 54.78			T02 0.967 0.967 0.032	U02 79.67 66.99 92	V02 79.67 -2.7 66.93	W02 0.062 0.935 0.256	X02 0.967 0.967 0.032	Y02 79.67 66.99 92	Z02 79.67 -2.7 66.93	
03		B03 0.875 0.875 0.125	C03 75.12 53.71 92	D03 75.12 -2.16 53.67	E03 0.125 0.75 0.256	F03 0.875 0.875 0.125	G03 75.12 53.71 92	H03 75.12 -2.16 53.67			K03 0.781 0.781 0.218	L03 70.51 40.28 92	M03 70.51 -1.62 40.25	N03 0.125 0.562 0.256	O03 0.781 0.781 0.218	P03 70.51 40.28 92	Q03 70.51 -1.62 40.25			T03 0.933 0.933 0.066	U03 77.97 62.02 92	V03 77.97 -2.5 61.97	W03 0.125 0.866 0.256	X03 0.933 0.933 0.066	Y03 77.97 62.02 92	Z03 77.97 -2.5 61.97	
04		B04 0.812 0.812 0.187	C04 72.05 44.76 92	D04 72.05 -1.8 44.72	E04 0.187 0.625 0.256	F04 0.812 0.812 0.187	G04 72.05 44.76 92	H04 72.05 -1.8 44.72			K04 0.695 0.695 0.304	L04 66.29 27.97 92	M04 66.29 -1.12 27.95	N04 0.187 0.39 0.256	O04 0.695 0.695 0.304	P04 66.29 27.97 92	Q04 66.29 -1.12 27.95			T04 0.895 0.895 0.104	U04 76.11 56.61 92	V04 76.11 -2.28 56.57	W04 0.187 0.79 0.256	X04 0.895 0.895 0.104	Y04 76.11 56.61 92	Z04 76.11 -2.28 56.57	
05		B05 0.75 0.75 0.25	C05 68.98 35.8 92	D05 68.98 -1.44 35.78	E05 0.25 0.5 0.256	F05 0.75 0.75 0.25	G05 68.98 35.8 92	H05 68.98 -1.44 35.78			K05 0.625 0.625 0.375	L05 62.84 17.9 92	M05 62.84 -0.72 17.89	N05 0.25 0.25 0.256	O05 0.625 0.625 0.375	P05 62.84 17.9 92	Q05 62.84 -0.72 17.89			T05 0.853 0.853 0.146	U05 74.06 50.64 92	V05 74.06 -2.04 50.6	W05 0.25 0.707 0.256	X05 0.853 0.853 0.146	Y05 74.06 50.64 92	Z05 74.06 -2.04 50.6	
06		B06 0.687 0.687 0.312	C06 65.91 26.85 92	D06 65.91 -1.08 26.83	E06 0.312 0.375 0.256	F06 0.687 0.687 0.312	G06 65.91 26.85 92	H06 65.91 -1.08 26.83			K06 0.57 0.57 0.429	L06 60.16 10.07 92	M06 60.16 -0.4 10.06	N06 0.312 0.14 0.256	O06 0.57 0.57 0.429	P06 60.16 10.07 92	Q06 60.16 -0.4 10.06			T06 0.806 0.806 0.193	U06 71.74 43.85 92	V06 71.74 -1.76 43.82	W06 0.312 0.612 0.256	X06 0.806 0.806 0.193	Y06 71.74 43.85 92	Z06 71.74 -1.76 43.82	
07		B07 0.625 0.625 0.375	C07 62.84 17.9 92	D07 62.84 -0.72 17.89	E07 0.375 0.25 0.256	F07 0.625 0.625 0.375	G07 62.84 17.9 92	H07 62.84 -0.72 17.89			K07 0.531 0.531 0.468	L07 58.24 4.47 92	M07 58.24 -0.18 4.47	N07 0.375 0.062 0.256	O07 0.531 0.531 0.468	P07 58.24 4.47 92	Q07 58.24 -0.18 4.47			T07 0.75 0.75 0.249	U07 68.98 35.8 92	V07 68.98 -1.44 35.78	W07 0.375 0.5 0.256	X07 0.75 0.75 0.249	Y07 68.98 35.8 92	Z07 68.98 -1.44 35.78	
08		B08 0.562 0.562 0.437	C08 59.77 8.95 92	D08 59.77 -0.36 8.94	E08 0.437 0.125 0.256	F08 0.562 0.562 0.437	G08 59.77 8.95 92	H08 59.77 -0.36 8.94			K08 0.507 0.507 0.492	L08 57.09 1.11 92	M08 57.09 -0.04 1.11	N08 0.437 0.015 0.256	O08 0.507 0.507 0.492	P08 57.09 1.11 92	Q08 57.09 -0.04 1.11			T08 0.676 0.676 0.323	U08 65.38 25.32 92	V08 65.38 -1.02 25.3	W08 0.437 0.353 0.256	X08 0.676 0.676 0.323	Y08 65.38 25.32 92	Z08 65.38 -1.02 25.3	
09		B09 0.5 0.5 0.5	C09 56.71 0.0 0	D09 56.71 0.0 0	E09 0.5 0.0 0.0	F09 0.5 0.5 0.5	G09 56.71 0.0 360	H09 56.71 0.0 0			K09 0.5 0.5 0.5	L09 56.71 0.0 0	M09 56.71 0.0 0	N09 0.5 0.0 0.0	O09 0.5 0.5 0.5	P09 56.71 0.0 360	Q09 56.71 0.0 0			T09 0.5 0.5 0.5	U09 56.71 0.0 0	V09 56.71 0.0 0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.5	Y09 56.68 0.03 360	Z09 56.68 0.03 0	
10		B10 0.437 0.437 0.562	C10 53.44 5.81 271	D10 53.44 0.17 -5.8	E10 0.437 0.125 0.754	F10 0.437 0.437 0.562	G10 53.44 5.81 271	H10 53.44 0.17 -5.8			K10 0.492 0.492 0.507	L10 56.3 0.72 271	M10 56.3 0.02 -0.72	N10 0.437 0.015 0.754	O10 0.492 0.492 0.507	P10 56.3 0.72 271	Q10 56.3 0.02 -0.72			T10 0.323 0.323 0.676	U10 47.46 16.43 271	V10 47.46 0.49 -16.42	W10 0.437 0.353 0.754	X10 0.323 0.323 0.676	Y10 47.46 16.43 271	Z10 47.46 0.49 -16.42	
11		B11 0.375 0.375 0.625	C11 50.17 11.62 271	D11 50.17 0.35 -11.61	E11 0.375 0.25 0.754	F11 0.375 0.375 0.625	G11 50.17 11.62 271	H11 50.17 0.35 -11.61			K11 0.468 0.468 0.531	L11 55.07 2.9 271	M11 55.07 0.08 -2.9	N11 0.375 0.062 0.754	O11 0.468 0.468 0.531	P11 55.07 2.9 271	Q11 55.07 0.08 -2.9			T11 0.249 0.249 0.75	U11 43.63 23.24 271	V11 43.63 0.7 -23.23	W11 0.375 0.5 0.754	X11 0.249 0.249 0.75	Y11 43.63 23.24 271	Z11 43.63 0.7 -23.23	
12		B12 0.312 0.312 0.687	C12 46.9 17.43 271	D12 46.9 0.52 -17.42	E12 0.312 0.375 0.754	F12 0.312 0.312 0.687	G12 46.9 17.43 271	H12 46.9 0.52 -17.42			K12 0.429 0.429 0.57	L12 53.03 6.53 271	M12 53.03 0.19 -6.53	N12 0.312 0.14 0.754	O12 0.429 0.429 0.57	P12 53.03 6.53 271	Q12 53.03 0.19 -6.53			T12 0.193 0.193 0.806	U12 40.7 28.47 271	V12 40.7 0.86 -28.45	W12 0.312 0.193 0.754	X12 0.193 0.193 0.806	Y12 40.7 28.47 271	Z12 40.7 0.86 -28.45	
13		B13 0.25 0.25 0.75	C13 43.64 23.24 271	D13 43.64 0.7 -23.23	E13 0.25 0.5 0.754	F13 0.25 0.25 0.75	G13 43.64 23.24 271	H13 43.64 0.7 -23.23			K13 0.375 0.375 0.625	L13 50.17 11.62 271	M13 50.17 0.35 -11.61	N13 0.25 0.25 0.754	O13 0.375 0.375 0.625	P13 50.17 11.62 271	Q13 50.17 0.35 -11.61			T13 0.146 0.146 0.853	U13 38.22 32.87 271	V13 38.22 0.99 -32.85	W13 0.25 0.707 0.754	X13 0.146 0.146 0.853	Y13 38.22 32.87 271	Z13 38.22 0.99 -32.85	
14		B14 0.187 0.187 0.812	C14 40.37 29.05 271	D14 40.37 0.88 -29.04	E14 0.187 0.625 0.754	F14 0.187 0.187 0.812	G14 40.37 29.05 271	H14 40.37 0.88 -29.04			K14 0.304 0.304 0.695	L14 46.49 18.16 271	M14 46.49 0.55 -18.15	N14 0.187 0.39 0.754	O14 0.304 0.304 0.695	P14 46.49 18.16 271	Q14 46.49 0.55 -18.15			T14 0.104 0.104 0.895	U14 36.04 36.75 271	V14 36.04 1.11 -36.73	W14 0.187 0.79 0.754	X14 0.104 0.104 0.895	Y14 36.04 36.75 271	Z14 36.04 1.11 -36.73	
15		B15 0.125 0.125 0.875	C15 37.1 34.86 271	D15 37.1 1.05 -34.85	E15 0.125 0.75 0.754	F15 0.125 0.125 0.875	G15 37.1 34.86 271	H15 37.1 1.05 -34.85			K15 0.218 0.218 0.781	L15 42.0 26.15 271	M15 42.0 0.79 -26.13	N15 0.125 0.562 0.754	O15 0.218 0.218 0.781	P15 42.0 26.15 271	Q15 42.0 0.79 -26.13			T15 0.066 0.066 0.933	U15 34.07 40.26 271	V15 34.07 1.22 -40.24	W15 0.125 0.866 0.754	X15 0.066 0.066 0.933	Y15 34.07 40.26 271	Z15 34.07 1.22 -40.24	
16		B16 0.062 0.062 0.937	C16 33.83 40.67 271	D16 33.83 1.23 -40.66	E16 0.062 0.875 0.754	F16 0.062 0.062 0.937	G16 33.83 40.67 271	H16 33.83 1.23 -40.66			K16 0.117 0.117 0.882	L16 36.69 35.59 271	M16 36.69 1.07 -35.57	N16 0.062 0.765 0.754	O16 0.117 0.117 0.882	P16 36.69 35.59 271	Q16 36.69 1.07 -35.57			T16 0.032 0.032 0.967	U16 32.25 43.48 271	V16 32.25 1.31 -43.46	W16 0.062 0.935 0.754	X16 0.032 0.032 0.967	Y16 32.25 43.48 271	Z16 32.25 1.31 -43.46	
17		B17 0.0 0.0 1.0	C17 30.57 46.49 271	D17 30.57 0.0 -46.47	E17 0.0 1.0 0.754	F17 0.0 0.0 1.0	G17 30.57 46.49 271	H17 30.57 0.0 -46.47			K17 0.0 0.0 1.0	L17 30.57 1.41 271	M17 30.57 1.41 -46.47	N17 0.0 1.0 0.754	O17 0.0 0.0 1.0	P17 30.57 1.41 271	Q17 30.57 1.41 -46.47			T17 0.0 0.0 1.0	U17 30.56 46.49 271	V17 30.56 0.0 -46.47	W17 0.0 1.0 0.754	X17 0.0 0.0 1.0	Y17 30.56 46.49 271	Z17 30.56 1.41 -46.47	
B/B		CIE18a c* _t = c*				CIE18a				CIE18a c* _t = c* ^{0.5}				CIE18a				CIE18a c* _t = c* ²				CIE18a					

Dg490-7N

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; [http://www.ps.bam.de/Dg49/Version 2.1, io=1.1](http://www.ps.bam.de/Dg49/Version%202.1,%20io=1.1)
Technische Information: [http://www.ps.bam.de/Version 2.1, io=1.1](http://www.ps.bam.de/Version%202.1,%20io=1.1)

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a
G/G	rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a				rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a	
01	B01 0.0 1.0 0.0	C01 52.23 44.54 162	D01 52.23 -42.42 13.6	E01 0.0 1.0 0.45	F01 0.0 1.0 0.0	G01 52.23 44.54 162	H01 52.23 -42.42 13.6				K01 0.0 1.0 0.0	L01 52.23 44.54 162	M01 52.23 -42.42 13.6	N01 0.0 1.0 0.45	O01 0.0 1.0 0.0	P01 52.23 44.54 162	Q01 52.23 -42.42 13.6			T01 0.0 1.0 0.0	U01 52.22 44.54 162	V01 52.22 -42.42 13.6	W01 0.0 1.0 0.45	X01 0.0 1.0 0.0	Y01 52.22 44.54 162	Z01 52.22 -42.42 13.6	
02	B02 0.062 0.937 0.062	C02 52.79 38.97 162	D02 52.79 -37.11 11.9	E02 0.062 0.937 0.45	F02 0.062 0.937 0.062	G02 52.79 38.97 162	H02 52.79 -37.11 11.9				K02 0.117 0.882 0.117	L02 53.28 34.1 162	M02 53.28 -32.47 10.41	N02 0.062 0.765 0.45	O02 0.117 0.882 0.117	P02 53.28 34.1 162	Q02 53.28 -32.47 10.41			T02 0.032 0.937 0.032	U02 52.51 41.66 162	V02 52.51 -39.68 12.72	W02 0.062 0.935 0.45	X02 0.032 0.967 0.032	Y02 52.51 41.66 162	Z02 52.51 -39.68 12.72	
03	B03 0.125 0.875 0.125	C03 53.35 33.41 162	D03 53.35 -31.81 10.2	E03 0.125 0.875 0.45	F03 0.125 0.875 0.125	G03 53.35 33.41 162	H03 53.35 -31.81 10.2				K03 0.218 0.781 0.218	L03 54.19 25.05 162	M03 54.19 -23.86 7.65	N03 0.125 0.562 0.45	O03 0.218 0.781 0.218	P03 54.19 25.05 162	Q03 54.19 -23.86 7.65			T03 0.066 0.933 0.066	U03 52.83 38.57 162	V03 52.83 -36.73 11.77	W03 0.125 0.866 0.45	X03 0.066 0.933 0.066	Y03 52.83 38.57 162	Z03 52.83 -36.73 11.77	
04	B04 0.187 0.812 0.187	C04 53.91 27.84 162	D04 53.91 -26.51 8.5	E04 0.187 0.812 0.45	F04 0.187 0.812 0.187	G04 53.91 27.84 162	H04 53.91 -26.51 8.5				K04 0.304 0.695 0.304	L04 54.96 17.4 162	M04 54.96 -16.57 5.31	N04 0.187 0.39 0.45	O04 0.304 0.695 0.304	P04 54.96 17.4 162	Q04 54.96 -16.57 5.31			T04 0.104 0.895 0.104	U04 53.16 35.21 162	V04 53.16 -33.53 10.75	W04 0.187 0.79 0.45	X04 0.104 0.895 0.104	Y04 53.16 35.21 162	Z04 53.16 -33.53 10.75	
05	B05 0.25 0.75 0.25	C05 54.47 22.27 162	D05 54.47 -21.21 6.8	E05 0.25 0.75 0.45	F05 0.25 0.75 0.25	G05 54.47 22.27 162	H05 54.47 -21.21 6.8				K05 0.375 0.625 0.375	L05 55.59 11.13 162	M05 55.59 -10.6 3.4	N05 0.25 0.25 0.45	O05 0.375 0.625 0.375	P05 55.59 11.13 162	Q05 55.59 -10.6 3.4			T05 0.146 0.853 0.146	U05 53.54 31.49 162	V05 53.54 -29.99 9.61	W05 0.25 0.707 0.45	X05 0.146 0.853 0.146	Y05 53.54 31.49 162	Z05 53.54 -29.99 9.61	
06	B06 0.312 0.687 0.312	C06 55.03 16.7 162	D06 55.03 -15.9 5.1	E06 0.312 0.375 0.45	F06 0.312 0.687 0.312	G06 55.03 16.7 162	H06 55.03 -15.9 5.1				K06 0.429 0.57 0.429	L06 56.08 6.26 162	M06 56.08 -5.96 1.91	N06 0.312 0.14 0.45	O06 0.429 0.57 0.429	P06 56.08 6.26 162	Q06 56.08 -5.96 1.91			T06 0.193 0.806 0.193	U06 53.96 27.27 162	V06 53.96 -25.97 8.32	W06 0.312 0.612 0.45	X06 0.193 0.806 0.193	Y06 53.96 27.27 162	Z06 53.96 -25.97 8.32	
07	B07 0.375 0.625 0.375	C07 55.59 11.13 162	D07 55.59 -10.6 3.4	E07 0.375 0.25 0.45	F07 0.375 0.625 0.375	G07 55.59 11.13 162	H07 55.59 -10.6 3.4				K07 0.468 0.531 0.468	L07 56.43 2.78 162	M07 56.43 -2.65 0.85	N07 0.375 0.062 0.45	O07 0.468 0.531 0.468	P07 56.43 2.78 162	Q07 56.43 -2.65 0.85			T07 0.249 0.75 0.249	U07 54.46 22.27 162	V07 54.46 -21.21 6.8	W07 0.375 0.5 0.45	X07 0.249 0.75 0.249	Y07 54.46 22.27 162	Z07 54.46 -21.21 6.8	
08	B08 0.437 0.562 0.437	C08 56.15 5.56 162	D08 56.15 -5.3 1.7	E08 0.437 0.125 0.45	F08 0.437 0.562 0.437	G08 56.15 5.56 162	H08 56.15 -5.3 1.7				K08 0.492 0.507 0.492	L08 56.64 0.69 162	M08 56.64 -0.66 0.21	N08 0.437 0.015 0.45	O08 0.492 0.507 0.492	P08 56.64 0.69 162	Q08 56.64 -0.66 0.21			T08 0.323 0.676 0.323	U08 55.12 15.74 162	V08 55.12 -14.99 4.8	W08 0.437 0.353 0.45	X08 0.323 0.676 0.323	Y08 55.12 15.74 162	Z08 55.12 -14.99 4.8	
09	B09 0.5 0.5 0.5	C09 56.71 0.0 0.0	D09 56.71 0.0 0.0	E09 0.5 0.0 0.0	F09 0.5 0.0 0.5	G09 56.71 0.0 360	H09 56.71 0.0 0.0				K09 0.5 0.5 0.5	L09 56.71 0.0 0.0	M09 56.71 0.0 0.0	N09 0.5 0.0 0.0	O09 0.5 0.5 0.5	P09 56.71 0.0 360	Q09 56.71 0.0 0.0			T09 0.5 0.5 0.5	U09 56.71 0.0 0.0	V09 56.71 0.0 0.0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.5	Y09 56.68 0.03 360	Z09 56.68 0.03 0.0	
10	B10 0.562 0.437 0.562	C10 53.92 3.7 328	D10 53.92 3.16 -1.92	E10 0.437 0.125 0.912	F10 0.562 0.437 0.562	G10 53.92 3.7 328	H10 53.92 3.16 -1.92				K10 0.507 0.492 0.507	L10 56.36 0.46 328	M10 56.36 0.39 -0.24	N10 0.437 0.015 0.912	O10 0.507 0.492 0.507	P10 56.36 0.46 328	Q10 56.36 0.39 -0.24			T10 0.676 0.323 0.676	U10 48.84 10.47 328	V10 48.84 8.94 -5.45	W10 0.437 0.353 0.912	X10 0.676 0.323 0.676	Y10 48.84 10.47 328	Z10 48.84 8.94 -5.45	
11	B11 0.625 0.375 0.625	C11 51.14 7.4 328	D11 51.14 6.32 -3.85	E11 0.375 0.25 0.912	F11 0.625 0.375 0.625	G11 51.14 7.4 328	H11 51.14 6.32 -3.85				K11 0.531 0.468 0.531	L11 55.31 1.85 328	M11 55.31 1.58 -0.96	N11 0.375 0.062 0.912	O11 0.531 0.468 0.531	P11 55.31 1.85 328	Q11 55.31 1.58 -0.96			T11 0.75 0.249 0.75	U11 45.58 14.81 328	V11 45.58 12.65 -7.71	W11 0.375 0.5 0.912	X11 0.75 0.249 0.75	Y11 45.58 14.81 328	Z11 45.58 12.65 -7.71	
12	B12 0.687 0.312 0.687	C12 48.36 11.11 328	D12 48.36 9.48 -5.78	E12 0.312 0.375 0.912	F12 0.687 0.312 0.687	G12 48.36 11.11 328	H12 48.36 9.48 -5.78				K12 0.57 0.429 0.57	L12 53.58 4.16 328	M12 53.58 3.55 -2.16	N12 0.312 0.14 0.912	O12 0.57 0.429 0.57	P12 53.58 4.16 328	Q12 53.58 3.55 -2.16			T12 0.806 0.193 0.806	U12 43.08 18.14 328	V12 43.08 15.49 -9.44	W12 0.312 0.193 0.912	X12 0.806 0.193 0.806	Y12 43.08 18.14 328	Z12 43.08 15.49 -9.44	
13	B13 0.75 0.25 0.75	C13 45.58 14.81 328	D13 45.58 12.65 -7.71	E13 0.25 0.5 0.912	F13 0.75 0.25 0.75	G13 45.58 14.81 328	H13 45.58 12.65 -7.71				K13 0.625 0.375 0.625	L13 51.14 7.4 328	M13 51.14 6.32 -3.85	N13 0.25 0.25 0.912	O13 0.625 0.375 0.625	P13 51.14 7.4 328	Q13 51.14 6.32 -3.85			T13 0.853 0.146 0.853	U13 40.97 20.95 328	V13 40.97 17.88 -10.91	W13 0.25 0.707 0.912	X13 0.853 0.146 0.853	Y13 40.97 20.95 328	Z13 40.97 17.88 -10.91	
14	B14 0.812 0.187 0.812	C14 42.8 18.52 328	D14 42.8 15.81 -9.64	E14 0.187 0.625 0.912	F14 0.812 0.187 0.812	G14 42.8 18.52 328	H14 42.8 15.81 -9.64				K14 0.695 0.304 0.695	L14 48.01 11.57 328	M14 48.01 9.88 -6.02	N14 0.187 0.39 0.912	O14 0.695 0.304 0.695	P14 48.01 11.57 328	Q14 48.01 9.88 -6.02			T14 0.895 0.104 0.895	U14 39.11 23.42 328	V14 39.11 20.0 -12.19	W14 0.187 0.79 0.912	X14 0.895 0.104 0.895	Y14 39.11 23.42 328	Z14 39.11 20.0 -12.19	
15	B15 0.875 0.125 0.875	C15 40.02 22.22 328	D15 40.02 18.97 -11.57	E15 0.125 0.75 0.912	F15 0.875 0.125 0.875	G15 40.02 22.22 328	H15 40.02 18.97 -11.57				K15 0.781 0.218 0.781	L15 44.19 16.66 328	M15 44.19 14.23 -8.67	N15 0.125 0.562 0.912	O15 0.781 0.218 0.781	P15 44.19 16.66 328	Q15 44.19 14.23 -8.67			T15 0.933 0.066 0.933	U15 37.44 25.66 328	V15 37.44 21.91 -13.36	W15 0.125 0.866 0.912	X15 0.933 0.066 0.933	Y15 37.44 25.66 328	Z15 37.44 21.91 -13.36	
16	B16 0.937 0.062 0.937	C16 37.24 25.92 328	D16 37.24 22.13 -13.5	E16 0.062 0.875 0.912	F16 0.937 0.062 0.937	G16 37.24 25.92 328	H16 37.24 22.13 -13.5				K16 0.882 0.117 0.882	L16 39.67 22.68 328	M16 39.67 19.37 -11.81	N16 0.062 0.765 0.912	O16 0.882 0.117 0.882	P16 39.67 22.68 328	Q16 39.67 19.37 -11.81			T16 0.967 0.032 0.967	U16 35.89 27.72 328	V16 35.89 23.66 -14.43	W16 0.062 0.935 0.912	X16 0.967 0.032 0.967	Y16 35.89 27.72 328	Z16 35.89 23.66 -14.43	
17	B17 1.0 0.0 1.0	C17 34.46 29.63 328	D17 34.46 25.3 -15.43	E17 0.0 1.0 0.912	F17 1.0 0.0 1.0	G17 34.46 29.63 328	H17 34.46 25.3 -15.43				K17 1.0 0.0 1.0	L17 34.46 25.3 328	M17 34.46 25.3 -15.43	N17 0.0 1.0 0.912	O17 1.0 0.0 1.0	P17 34.46 25.3 328	Q17 34.46 25.3 -15.43			T17 1.0 0.0 1.0	U17 34.45 29.63 328	V17 34.45 25.3 -15.43	W17 0.0 1.0 0.912	X17 1.0 0.0 1.0	Y17 34.45 29.63 328	Z17 34.45 25.3 -15.43	

CIE18a $c^*_t = c^*$ CIE18a CIE18a $c^*_t = c^*^{0.5}$ CIE18a CIE18a $c^*_t = c^*^2$ CIE18a

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g0FNP.PS /.PDF
Technische Information: [http://www.ps.bam.de/Version 2.1, io=1,1](http://www.ps.bam.de/Version%202.1,io=1,1)

O/R	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a
	rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a				rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a	
01	B01	C01	D01	E01	F01	G01	H01				K01	L01	M01	N01	O01	P01	Q01			T01	U01	V01	W01	X01	Y01	Z01	
	1.0	39.91	39.91	1.0	1.0	56.71	56.71				1.0	39.91	39.91	0.0	1.0	56.71	56.71			1.0	39.91	39.91	0.0	1.0	56.71	56.71	
	0.0	65.06	58.74	0.0	0.0	58.74	67.03				0.0	65.06	58.74	1.0	0.0	67.03	67.03			0.0	65.06	58.74	1.0	0.0	67.03	67.03	
	0.0	25	27.99	0.07	0.087	25	31.94				0.0	25	27.99	0.07	0.087	25	31.94			0.0	25	27.99	0.07	0.087	25	31.94	
02	B02	C02	D02	E02	F02	G02	H02				K02	L02	M02	N02	O02	P02	Q02			T02	U02	V02	W02	X02	Y02	Z02	
	0.937	42.01	42.01	0.062	0.937	56.71	56.71				0.882	43.85	44.85	0.062	0.882	56.71	56.71			0.967	41.0	41.0	0.062	0.967	56.71	56.71	
	0.062	56.93	51.39	0.875	0.062	64.96	58.65				0.117	49.81	44.97	0.765	0.117	56.84	51.31			0.032	60.86	54.94	0.935	0.032	69.45	62.7	
	0.062	25	24.49	0.07	0.138	25	27.94				0.117	25	21.42	0.07	0.184	25	24.45			0.032	25	26.18	0.07	0.113	25	29.87	
03	B03	C03	D03	E03	F03	G03	H03				K03	L03	M03	N03	O03	P03	Q03			T03	U03	V03	W03	X03	Y03	Z03	
	0.875	44.11	44.11	0.125	0.875	56.71	56.71				0.781	47.26	47.26	0.125	0.781	56.71	56.71			0.933	42.16	42.16	0.125	0.933	56.71	56.71	
	0.125	48.8	44.05	0.75	0.125	55.68	50.27				0.218	36.6	33.04	0.562	0.218	41.76	37.7			0.066	56.35	50.87	0.866	0.066	64.3	58.04	
	0.125	25	20.99	0.07	0.19	25	23.95				0.218	25	15.74	0.07	0.267	25	17.96			0.066	25	24.24	0.07	0.142	25	27.66	
04	B04	C04	D04	E04	F04	G04	H04				K04	L04	M04	N04	O04	P04	Q04			T04	U04	V04	W04	X04	Y04	Z04	
	0.812	46.21	46.21	0.187	0.812	56.71	56.71				0.695	50.15	50.15	0.187	0.695	56.71	56.71			0.895	43.43	43.43	0.187	0.895	56.71	56.71	
	0.187	40.66	36.71	0.625	0.187	46.4	41.89				0.304	25.41	22.94	0.39	0.304	29.0	26.18			0.104	51.44	46.43	0.79	0.104	58.7	52.99	
	0.187	25	17.49	0.07	0.242	25	19.96				0.304	25	10.93	0.07	0.338	25	12.47			0.104	25	22.12	0.07	0.173	25	25.25	
05	B05	C05	D05	E05	F05	G05	H05				K05	L05	M05	N05	O05	P05	Q05			T05	U05	V05	W05	X05	Y05	Z05	
	0.75	48.31	48.31	0.25	0.75	56.71	56.71				0.625	52.51	52.51	0.25	0.625	56.71	56.71			0.853	44.83	44.83	0.25	0.853	56.71	56.71	
	0.25	32.53	29.37	0.5	0.25	37.12	33.51				0.375	16.26	14.68	0.25	0.375	18.56	16.75			0.146	46.0	41.53	0.707	0.146	52.5	47.39	
	0.25	25	13.99	0.07	0.293	25	15.97				0.375	25	6.99	0.07	0.396	25	7.98			0.146	25	19.79	0.07	0.208	25	22.58	
06	B06	C06	D06	E06	F06	G06	H06				K06	L06	M06	N06	O06	P06	Q06			T06	U06	V06	W06	X06	Y06	Z06	
	0.687	50.41	50.41	0.312	0.687	56.71	56.71				0.57	54.34	54.34	0.312	0.57	56.71	56.71			0.806	46.42	46.42	0.312	0.806	56.71	56.71	
	0.312	24.4	22.02	0.375	0.312	27.84	25.13				0.429	9.15	8.26	0.14	0.429	10.44	9.42			0.193	39.84	35.97	0.612	0.193	45.46	41.04	
	0.312	25	10.49	0.07	0.345	25	11.97				0.429	25	3.93	0.07	0.441	25	4.49			0.193	25	17.14	0.07	0.247	25	19.55	
07	B07	C07	D07	E07	F07	G07	H07				K07	L07	M07	N07	O07	P07	Q07			T07	U07	V07	W07	X07	Y07	Z07	
	0.625	52.51	52.51	0.375	0.625	56.71	56.71				0.531	55.66	55.66	0.375	0.531	56.71	56.71			0.75	48.31	48.31	0.375	0.75	56.71	56.71	
	0.375	16.26	14.68	0.25	0.375	18.56	16.75				0.468	4.06	3.67	0.062	0.468	4.64	4.18			0.249	32.53	29.37	0.5	0.249	37.12	33.51	
	0.375	25	6.99	0.07	0.396	25	7.98				0.468	25	1.74	0.07	0.474	25	1.99			0.249	25	13.99	0.07	0.293	25	15.97	
08	B08	C08	D08	E08	F08	G08	H08				K08	L08	M08	N08	O08	P08	Q08			T08	U08	V08	W08	X08	Y08	Z08	
	0.562	54.61	54.61	0.437	0.562	56.71	56.71				0.507	56.44	56.44	0.437	0.507	56.71	56.71			0.676	50.77	50.77	0.437	0.676	56.71	56.71	
	0.437	8.13	7.34	0.125	0.437	9.28	8.37				0.492	1.01	0.91	0.015	0.492	1.16	1.04			0.323	20.77	20.76	0.353	0.323	26.25	23.69	
	0.437	25	3.49	0.07	0.448	25	3.99				0.492	25	0.43	0.07	0.493	25	0.49			0.323	25	9.89	0.07	0.354	25	11.29	
09	B09	C09	D09	E09	F09	G09	H09				K09	L09	M09	N09	O09	P09	Q09			T09	U09	V09	W09	X09	Y09	Z09	
	0.5	56.71	56.71	0.5	0.5	56.71	56.71				0.5	56.71	56.71	0.5	0.5	56.71	56.71			0.5	56.71	56.71	0.5	0.5	56.71	56.71	
	0.5	0.0	0.0	0.0	0.5	0.0	0.0				0.5	0.0	0.0	0.0	0.5	0.0	0.0			0.5	0.0	0.0	0.001	0.5	0.06	0.06	
	0.5	0	0	0.0	0.5	0	0				0.5	0	0	0.0	0.5	0	0			0.5	0	0	0.0	0.5	0	0	
10	B10	C10	D10	E10	F10	G10	H10				K10	L10	M10	N10	O10	P10	Q10			T10	U10	V10	W10	X10	Y10	Z10	
	0.437	54.82	54.82	0.437	0.437	56.71	56.71				0.492	56.47	56.47	0.437	0.492	56.71	56.71			0.323	51.37	51.37	0.437	0.323	56.71	56.71	
	0.562	3.28	-2.62	0.125	0.562	9.1	-7.27				0.507	0.41	-0.32	0.015	0.505	1.13	-0.9			0.676	9.28	-7.41	0.353	0.63	25.74	-20.57	
	0.562	216	-1.97	0.602	0.562	216	-5.47				0.507	216	-0.24	0.602	0.507	216	-0.68			0.676	216	-5.58	0.602	0.676	216	-15.48	
11	B11	C11	D11	E11	F11	G11	H11				K11	L11	M11	N11	O11	P11	Q11			T11	U11	V11	W11	X11	Y11	Z11	
	0.375	52.94	52.94	0.375	0.375	56.71	56.71				0.468	55.76	55.76	0.375	0.468	56.71	56.71			0.249	49.16	49.16	0.375	0.249	56.71	56.71	
	0.625	6.56	-5.24	0.25	0.625	18.2	-14.54				0.531	1.64	-1.31	0.062	0.522	-3.63	-2.73			0.75	13.12	-10.48	0.5	0.683	36.41	-29.09	
	0.625	216	-3.94	0.602	0.625	216	-10.95				0.531	216	-0.98	0.602	0.531	216	-2.73			0.75	216	-7.89	0.602	0.75	216	-21.9	
12	B12	C12	D12	E12	F12	G12	H12				K12	L12	M12	N12	O12	P12	Q12			T12	U12	V12	W12	X12	Y12	Z12	
	0.312	51.05	51.05	0.312	0.312	56.71	56.71				0.429	54.58	54.58	0.312	0.429	56.71	56.71			0.193	47.47	47.47	0.312	0.193	56.71	56.71	
	0.687	9.84	-7.86	0.375	0.687	27.31	-21.81				0.57	3.69	-2.94	0.14	0.551	10.24	-8.18			0.806	16.07	-12.84	0.612	0.806	44.59	-35.62	
	0.687	216	-5.92	0.602	0.687	216	-16.42				0.57	216	-2.22	0.602	0.57	216	-6.16			0.806	216	-9.66	0.602	0.806	216	-26.82	
13	B13	C13	D13	E13	F13	G13	H13				K13	L13	M13	N13	O13	P13	Q13			T13	U13	V13	W13	X13	Y13	Z13	
	0.25	49.17	49.17	0.25	0.25	56.71	56.71				0.375	52.94	52.94	0.25	0.375	56.71	56.71			0.146	46.04	46.04	0.25	0.146	56.71	56.71	
	0.75	13.12	-10.48	0.5	0.683	36.41	-29.09				0.625	6.56	-5.24	0.25	0.591	18.2	-14.54			0.853	18.56	-14.82	0.707	0.76	51.49	-41.14	
	0.75	216	-7.89	0.602	0.75	216	-21.9				0.625	216	-3.94	0.602	0.625	216	-10.95			0.853	216	-11.16	0.602	0.853	216	-30.97	
14	B14	C14	D14	E14	F14	G14	H14				K14	L14	M14	N14	O14	P14	Q14			T14	U14	V14	W14	X14	Y14	Z14	
	0.187	47.28	47.28	0.187	0.187	56.71	56.71				0.304	50.81	50.81	0.18													

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g0GNP.PS /.PDF BAM-Material: Code=rhatha
Technische Information: [http://www.ps.bam.de/Version 2.1, io=1,1](http://www.ps.bam.de/Version%202.1,io=1,1)

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a							
Y/J	rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a				rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a								
01		B01 1.0 1.0 0.0	C01 81.26 71.61 92	D01 81.26 -2.89 71.56	E01 0.0 1.0 0.256	F01 0.954 1.0 0.0	G01 56.71 75.69 92	H01 56.71 -3.05 75.63				K01 1.0 1.0 0.0	L01 81.26 71.61 92	M01 81.26 -2.89 71.56	N01 0.0 1.0 0.256	O01 0.954 1.0 0.0	P01 56.71 75.69 92	Q01 56.71 -3.05 75.63				T01 1.0 1.0 0.0	U01 81.26 71.61 92	V01 81.26 -2.89 71.56	W01 0.0 1.0 0.256	X01 0.954 1.0 0.0	Y01 56.71 75.69 92	Z01 56.71 -3.05 75.63						
02		B02 0.937 0.937 0.062	C02 78.19 62.66 92	D02 78.19 -2.52 62.61	E02 0.062 0.875 0.256	F02 0.897 0.937 0.062	G02 56.71 66.23 92	H02 56.71 -2.67 66.18				K02 0.882 0.882 0.117	L02 75.5 54.83 92	M02 75.5 -2.21 54.78	N02 0.062 0.765 0.256	O02 0.847 0.882 0.117	P02 56.71 57.95 92	Q02 56.71 -2.33 57.9				T02 0.967 0.967 0.032	U02 79.67 66.99 92	V02 79.67 -2.7 66.93	W02 0.062 0.935 0.256	X02 0.925 0.967 0.032	Y02 56.71 70.8 92	Z02 56.71 -2.85 70.75						
03		B03 0.875 0.875 0.125	C03 75.12 53.71 92	D03 75.12 -2.16 53.67	E03 0.125 0.75 0.256	F03 0.84 0.875 0.125	G03 56.71 56.77 92	H03 56.71 -2.29 56.72				K03 0.781 0.781 0.218	L03 70.51 40.28 92	M03 70.51 -1.62 40.25	N03 0.125 0.562 0.256	O03 0.755 0.781 0.218	P03 56.71 42.58 92	Q03 56.71 -1.71 42.54				T03 0.933 0.933 0.066	U03 77.97 62.02 92	V03 77.97 -2.5 61.97	W03 0.125 0.866 0.256	X03 0.893 0.933 0.066	Y03 56.71 65.55 92	Z03 56.71 -2.64 65.5						
04		B04 0.812 0.812 0.187	C04 72.05 44.76 92	D04 72.05 -1.8 44.72	E04 0.187 0.625 0.256	F04 0.784 0.812 0.187	G04 56.71 47.31 92	H04 56.71 -1.9 47.27				K04 0.695 0.695 0.304	L04 66.29 27.97 92	M04 66.29 -1.12 27.95	N04 0.187 0.39 0.256	O04 0.677 0.695 0.304	P04 56.71 29.56 92	Q04 56.71 -1.19 29.54				T04 0.895 0.895 0.104	U04 76.11 56.61 92	V04 76.11 -2.28 56.57	W04 0.187 0.79 0.256	X04 0.859 0.895 0.104	Y04 56.71 59.84 92	Z04 56.71 -2.41 59.79						
05		B05 0.75 0.75 0.25	C05 68.98 35.8 92	D05 68.98 -1.44 35.78	E05 0.25 0.5 0.256	F05 0.727 0.75 0.25	G05 56.71 37.84 92	H05 56.71 -1.52 37.81				K05 0.625 0.625 0.375	L05 62.84 17.9 92	M05 62.84 -0.72 17.89	N05 0.25 0.25 0.256	O05 0.613 0.625 0.375	P05 56.71 18.92 92	Q05 56.71 -0.76 18.9				T05 0.853 0.853 0.146	U05 74.06 50.64 92	V05 74.06 -2.04 50.6	W05 0.25 0.707 0.256	X05 0.821 0.853 0.146	Y05 56.71 53.52 92	Z05 56.71 -2.15 53.48						
06		B06 0.687 0.687 0.312	C06 65.91 26.85 92	D06 65.91 -1.08 26.83	E06 0.312 0.375 0.256	F06 0.67 0.687 0.312	G06 56.71 28.38 92	H06 56.71 -1.14 28.36				K06 0.57 0.57 0.429	L06 60.16 10.07 92	M06 60.16 -0.4 10.06	N06 0.312 0.14 0.256	O06 0.563 0.57 0.429	P06 56.71 10.64 92	Q06 56.71 -0.42 10.63				T06 0.806 0.806 0.193	U06 71.74 43.85 92	V06 71.74 -1.76 43.82	W06 0.312 0.612 0.256	X06 0.778 0.806 0.193	Y06 56.71 46.35 92	Z06 56.71 -1.87 46.31						
07		B07 0.625 0.625 0.375	C07 62.84 17.9 92	D07 62.84 -0.72 17.89	E07 0.375 0.25 0.256	F07 0.613 0.625 0.375	G07 56.71 18.92 92	H07 56.71 -0.76 18.9				K07 0.531 0.531 0.468	L07 58.24 4.47 92	M07 58.24 -0.18 4.47	N07 0.375 0.062 0.256	O07 0.528 0.531 0.468	P07 56.71 4.73 92	Q07 56.71 -0.19 4.72				T07 0.75 0.75 0.249	U07 68.98 35.8 92	V07 68.98 -1.44 35.78	W07 0.375 0.5 0.256	X07 0.727 0.75 0.249	Y07 56.71 37.84 92	Z07 56.71 -1.52 37.81						
08		B08 0.562 0.562 0.437	C08 59.77 8.95 92	D08 59.77 -0.36 8.94	E08 0.437 0.125 0.256	F08 0.556 0.562 0.437	G08 56.71 9.46 92	H08 56.71 -0.38 9.45				K08 0.507 0.507 0.492	L08 57.09 1.11 92	M08 57.09 -0.04 1.11	N08 0.437 0.015 0.256	O08 0.507 0.507 0.492	P08 56.71 1.18 92	Q08 56.71 -0.04 1.18				T08 0.676 0.676 0.323	U08 65.38 25.32 92	V08 65.38 -1.02 25.3	W08 0.437 0.353 0.256	X08 0.66 0.676 0.323	Y08 56.71 26.76 92	Z08 56.71 -1.07 26.74						
09		B09 0.5 0.5 0.5	C09 56.71 0.0 0	D09 56.71 0.0 0	E09 0.5 0.5 0.0	F09 0.5 0.5 0.5	G09 56.71 0.0 0	H09 56.71 0.0 0				K09 0.5 0.5 0.5	L09 56.71 0.0 0	M09 56.71 0.0 0	N09 0.5 0.0 0.0	O09 0.5 0.5 0.5	P09 56.71 0.0 0	Q09 56.71 0.0 0				T09 0.5 0.5 0.5	U09 56.71 0.0 0	V09 56.71 0.0 0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.5	Y09 56.71 0.06 0	Z09 56.71 0.06 0						
10		B10 0.437 0.437 0.562	C10 53.44 5.81 271	D10 53.44 0.17 -5.8	E10 0.437 0.125 0.754	F10 0.441 0.437 0.562	G10 56.71 9.51 271	H10 56.71 0.28 -9.5				K10 0.492 0.492 0.507	L10 56.3 0.72 271	M10 56.3 0.02 -0.72	N10 0.437 0.015 0.754	O10 0.492 0.492 0.507	P10 56.71 1.18 271	Q10 56.71 0.03 -1.18				T10 0.323 0.323 0.676	U10 47.46 16.43 271	V10 47.46 0.49 -16.42	W10 0.437 0.353 0.754	X10 0.335 0.323 0.676	Y10 56.71 26.9 271	Z10 56.71 0.81 -26.89						
11		B11 0.375 0.375 0.625	C11 50.17 11.62 271	D11 50.17 0.35 -11.61	E11 0.375 0.25 0.754	F11 0.383 0.375 0.625	G11 56.71 19.02 271	H11 56.71 0.57 -19.01				K11 0.468 0.468 0.531	L11 55.07 2.9 271	M11 55.07 0.08 -2.9	N11 0.375 0.062 0.754	O11 0.47 0.468 0.531	P11 56.71 4.75 271	Q11 56.71 0.14 -4.75				T11 0.249 0.249 0.75	U11 43.63 23.24 271	V11 43.63 0.7 -23.23	W11 0.375 0.5 0.754	X11 0.267 0.249 0.75	Y11 56.71 38.05 271	Z11 56.71 1.15 -38.03						
12		B12 0.312 0.312 0.687	C12 46.9 17.43 271	D12 46.9 0.52 -17.42	E12 0.312 0.375 0.754	F12 0.325 0.312 0.687	G12 56.71 28.53 271	H12 56.71 0.86 -28.52				K12 0.429 0.429 0.57	L12 53.03 6.53 271	M12 53.03 0.19 -6.53	N12 0.312 0.14 0.754	O12 0.434 0.429 0.57	P12 56.71 10.7 271	Q12 56.71 0.32 -10.69				T12 0.193 0.193 0.806	U12 40.7 28.47 271	V12 40.7 0.86 -28.45	W12 0.312 0.612 0.754	X12 0.214 0.193 0.806	Y12 56.71 46.6 271	Z12 56.71 1.41 -46.58						
13		B13 0.25 0.25 0.75	C13 43.64 23.24 271	D13 43.64 0.7 -23.23	E13 0.25 0.5 0.754	F13 0.267 0.25 0.75	G13 56.71 38.05 271	H13 56.71 1.15 -38.03				K13 0.375 0.375 0.625	L13 50.17 11.62 271	M13 50.17 0.35 -11.61	N13 0.25 0.25 0.754	O13 0.383 0.375 0.625	P13 56.71 19.02 271	Q13 56.71 0.57 -19.01				T13 0.146 0.146 0.853	U13 38.22 32.87 271	V13 38.22 0.99 -32.85	W13 0.25 0.707 0.754	X13 0.17 0.146 0.853	Y13 56.71 53.81 271	Z13 56.71 1.63 -53.78						
14		B14 0.187 0.187 0.812	C14 40.37 29.05 271	D14 40.37 0.88 -29.04	E14 0.187 0.625 0.754	F14 0.209 0.187 0.812	G14 56.71 47.56 271	H14 56.71 1.44 -47.54				K14 0.304 0.304 0.695	L14 46.49 18.16 271	M14 46.49 0.55 -18.15	N14 0.187 0.39 0.754	O14 0.318 0.304 0.695	P14 56.71 29.72 271	Q14 56.71 0.9 -29.71				T14 0.104 0.104 0.895	U14 36.04 36.75 271	V14 36.04 1.11 -36.73	W14 0.187 0.79 0.754	X14 0.131 0.104 0.895	Y14 56.71 60.16 271	Z14 56.71 1.82 -60.13						
15		B15 0.125 0.125 0.875	C15 37.1 34.86 271	D15 37.1 1.05 -34.85	E15 0.125 0.75 0.754	F15 0.15 0.125 0.875	G15 56.71 57.07 271	H15 56.71 1.73 -57.05				K15 0.218 0.218 0.781	L15 42.0 26.15 271	M15 42.0 0.79 -26.13	N15 0.125 0.562 0.754	O15 0.238 0.218 0.781	P15 56.71 42.8 271	Q15 56.71 1.29 -42.78				T15 0.066 0.066 0.933	U15 34.07 40.26 271	V15 34.07 1.22 -40.24	W15 0.125 0.866 0.754	X15 0.096 0.066 0.933	Y15 56.71 65.9 271	Z15 56.71 1.99 -65.87						
16		B16 0.062 0.062 0.937	C16 33.83 40.67 271	D16 33.83 1.23 -40.66	E16 0.062 0.875 0.754	F16 0.092 0.092 0.937	G16 56.71 66.58 271	H16 56.71 2.01 -66.55				K16 0.117 0.117 0.882	L16 36.69 35.59 271	M16 36.69 1.07 -35.57	N16 0.062 0.765 0.754	O16 0.143 0.117 0.882	P16 56.71 58.26 271	Q16 56.71 1.76 -58.23				T16 0.032 0.032 0.967	U16 32.25 43.48 271	V16 32.25 -43.46 271	W16 0.062 0.935 0.754	X16 0.064 0.032 0.967	Y16 56.71 71.18 271	Z16 56.71 2.15 -71.15						
17		B17 0.0 0.0 1.0	C17 30.57 46.49 271	D17 30.57 1.0 -46.47	E17 0.0 1.0 0.754	F17 0.034 0.0 1.0	G17 56.71 76.1 271	H17 56.71 2.3 -76.06				K17 0.0 0.0 1.0	L17 30.57 1.41 271	M17 30.57 1.41 -46.47	N17 0.0 1.0 0.754	O17 0.034 0.0 1.0	P17 56.71 76.1 271	Q17 56.71 2.3 -76.06				T17 0.0 0.0 1.0	U17 30.56 46.49 271	V17 30.56 1.41 -46.47	W17 0.0 1.0 0.754	X17 0.034 0.0 1.0	Y17 56.71 76.1 271	Z17 56.71 2.3 -76.06						
V/B		CIE18a c* _t = c*					SRS18a						CIE18a c* _t = c* ^{0.5}					SRS18a						CIE18a c* _t = c* ²					SRS18a					

BAM-Registrierung: 20080101-Dg49/10L/L49g0GNP.PS /.PDF BAM-Material: Code=rhatha
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g0HNP.PS /.PDF BAM-Material: Code=rhatha
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a							
L/G		rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a								
01		0.0 1.0 0.0	B01 C01 D01	52.23 44.54 162	52.23 -42.42 13.6	E01 1.0 0.45	0.0 1.0 0.222	F01 G01 H01	56.71 70.39 162	56.71 -67.03 21.49				0.0 1.0 0.0	K01 L01 M01	52.23 44.54 162	52.23 -42.42 13.6	N01 1.0 0.45	0.0 1.0 0.222	O01 P01 Q01	56.71 70.39 162	56.71 -67.03 21.49			0.0 1.0 0.0	T01 U01 V01	52.22 44.54 162	52.22 -42.42 13.6	W01 1.0 0.45	0.0 1.0 0.222	X01 Y01 Z01	56.71 70.39 162	56.71 -67.03 21.49	
02		0.062 0.937 0.062	B02 C02 D02	52.79 38.97 162	52.79 -37.11 11.9	E02 0.062 0.875 0.45	0.062 0.937 0.257	F02 G02 H02	56.71 61.59 162	56.71 -58.65 18.8				0.117 0.882 0.117	K02 L02 M02	53.28 34.1 162	53.28 -32.47 10.41	N02 0.062 0.765 0.45	0.117 0.882 0.287	O02 P02 Q02	56.71 53.89 162	56.71 -51.31 16.45			0.032 0.967 0.032	T02 U02 V02	52.51 41.66 162	52.51 -39.68 12.72	W02 0.062 0.935 0.45	0.032 0.967 0.24	X02 Y02 Z02	56.71 65.84 162	56.71 -62.7 20.1	
03		0.125 0.875 0.125	B03 C03 D03	53.35 33.41 162	53.35 -31.81 10.2	E03 0.125 0.75 0.45	0.125 0.875 0.291	F03 G03 H03	56.71 52.79 162	56.71 -50.27 16.11				0.218 0.781 0.218	K03 L03 M03	54.19 25.05 162	54.19 -23.86 7.65	N03 0.125 0.562 0.45	0.218 0.781 0.343	O03 P03 Q03	56.71 39.59 162	56.71 -37.7 12.08			0.066 0.933 0.066	T03 U03 V03	52.83 38.57 162	52.83 -36.73 10.75	W03 0.125 0.866 0.45	0.066 0.933 0.259	X03 Y03 Z03	56.71 60.96 162	56.71 -58.04 18.61	
04		0.187 0.812 0.187	B04 C04 D04	53.91 27.84 162	53.91 -26.51 8.5	E04 0.187 0.625 0.45	0.187 0.812 0.326	F04 G04 H04	56.71 43.99 162	56.71 -41.89 13.43				0.304 0.695 0.304	K04 L04 M04	54.96 17.4 162	54.96 -16.57 5.31	N04 0.187 0.39 0.45	0.304 0.695 0.391	O04 P04 Q04	56.71 27.49 162	56.71 -26.18 8.39			0.104 0.895 0.104	T04 U04 V04	53.16 35.21 162	53.16 -33.53 10.75	W04 0.187 0.79 0.45	0.104 0.895 0.28	X04 Y04 Z04	56.71 55.64 162	56.71 -52.99 16.98	
05		0.25 0.75 0.25	B05 C05 D05	54.47 22.27 162	54.47 -21.21 6.8	E05 0.25 0.5 0.45	0.25 0.75 0.361	F05 G05 H05	56.71 35.19 162	56.71 -33.51 10.74				0.375 0.625 0.375	K05 L05 M05	55.59 11.13 162	55.59 -10.6 3.4	N05 0.25 0.25 0.45	0.375 0.625 0.43	O05 P05 Q05	56.71 17.59 162	56.71 -16.75 5.37			0.146 0.853 0.146	T05 U05 V05	53.54 31.49 162	53.54 -29.99 9.61	W05 0.25 0.707 0.45	0.146 0.853 0.303	X05 Y05 Z05	56.71 49.77 162	56.71 -47.39 15.19	
06		0.312 0.687 0.312	B06 C06 D06	55.03 16.7 162	55.03 -15.9 5.1	E06 0.312 0.375 0.45	0.312 0.687 0.395	F06 G06 H06	56.71 26.39 162	56.71 -25.13 8.05				0.429 0.57 0.429	K06 L06 M06	56.08 6.26 162	56.08 -5.96 1.91	N06 0.312 0.14 0.45	0.429 0.57 0.46	O06 P06 Q06	56.71 9.89 162	56.71 -9.42 3.02			0.193 0.806 0.193	T06 U06 V06	53.96 27.27 162	53.96 -25.97 8.32	W06 0.312 0.612 0.45	0.193 0.806 0.329	X06 Y06 Z06	56.71 43.1 162	56.71 -41.04 13.15	
07		0.375 0.625 0.375	B07 C07 D07	55.59 11.13 162	55.59 -10.6 3.4	E07 0.375 0.25 0.45	0.375 0.625 0.43	F07 G07 H07	56.71 17.59 162	56.71 -16.75 5.37				0.468 0.531 0.468	K07 L07 M07	56.43 2.78 162	56.43 -2.65 0.85	N07 0.375 0.062 0.45	0.468 0.531 0.482	O07 P07 Q07	56.71 4.39 162	56.71 -4.18 1.34			0.249 0.75 0.249	T07 U07 V07	54.46 22.27 162	54.46 -21.21 6.8	W07 0.375 0.5 0.45	0.249 0.75 0.361	X07 Y07 Z07	56.71 35.19 162	56.71 -33.51 10.74	
08		0.437 0.562 0.437	B08 C08 D08	56.15 5.56 162	56.15 -5.3 1.7	E08 0.437 0.125 0.45	0.437 0.562 0.465	F08 G08 H08	56.71 8.79 162	56.71 -8.37 2.68				0.492 0.507 0.492	K08 L08 M08	56.64 0.69 162	56.64 -0.66 0.21	N08 0.437 0.015 0.45	0.492 0.507 0.495	O08 P08 Q08	56.71 1.09 162	56.71 -1.04 0.33			0.323 0.676 0.323	T08 U08 V08	55.12 15.74 162	55.12 -14.99 4.8	W08 0.437 0.353 0.45	0.323 0.676 0.401	X08 Y08 Z08	56.71 24.88 162	56.71 -23.69 7.59	
09		0.5 0.5 0.5	B09 C09 D09	56.71 0.0 0.0	56.71 0.0 0.0	E09 0.5 0.0 0.5	0.5 0.5 0.0	F09 G09 H09	56.71 0.0 0.0	56.71 0.0 0.0				0.5 0.5 0.5	K09 L09 M09	56.71 0.0 0.0	56.71 0.0 0.0	N09 0.5 0.0 0.5	0.5 0.5 0.0	O09 P09 Q09	56.71 0.0 0.0	56.71 0.0 0.0			0.5 0.5 0.5	T09 U09 V09	56.71 0.0 0.0	56.71 0.0 0.0	W09 0.5 0.001 0.5	0.5 0.499 0.5	X09 Y09 Z09	56.71 0.06 0.0	56.71 0.06 0.0	
10		0.562 0.437 0.562	B10 C10 D10	53.92 3.7 328	53.92 3.16 -1.92	E10 0.437 0.125 0.912	0.559 0.437 0.562	F10 G10 H10	56.71 9.54 328	56.71 8.14 -4.97				0.507 0.492 0.507	K10 L10 M10	56.36 0.46 328	56.36 0.39 -0.24	N10 0.437 0.015 0.912	0.507 0.492 0.507	O10 P10 Q10	56.71 1.19 328	56.71 1.01 -0.62			0.676 0.323 0.676	T10 U10 V10	48.84 10.47 328	48.84 8.94 -5.45	W10 0.437 0.353 0.912	0.667 0.323 0.676	X10 Y10 Z10	56.71 26.99 328	56.71 23.04 -14.05	
11		0.625 0.375 0.625	B11 C11 D11	51.14 7.4 328	51.14 6.32 -3.85	E11 0.375 0.25 0.912	0.618 0.375 0.625	F11 G11 H11	56.71 19.09 328	56.71 16.29 -9.94				0.531 0.468 0.531	K11 L11 M11	55.31 1.85 328	55.31 1.58 -0.96	N11 0.375 0.062 0.912	0.529 0.468 0.531	O11 P11 Q11	56.71 4.77 328	56.71 4.07 -2.48			0.75 0.249 0.75	T11 U11 V11	45.58 14.81 328	45.58 12.65 -7.71	W11 0.375 0.5 0.912	0.736 0.249 0.75	X11 Y11 Z11	56.71 38.18 328	56.71 32.59 -19.88	
12		0.687 0.312 0.687	B12 C12 D12	48.36 11.11 328	48.36 9.48 -5.78	E12 0.312 0.375 0.912	0.677 0.312 0.687	F12 G12 H12	56.71 28.63 328	56.71 24.44 -14.91				0.57 0.429 0.57	K12 L12 M12	53.58 4.16 328	53.58 3.55 -2.16	N12 0.312 0.14 0.912	0.566 0.429 0.57	O12 P12 Q12	56.71 10.73 328	56.71 9.16 -5.59			0.806 0.193 0.806	T12 U12 V12	43.08 18.14 328	43.08 15.49 -9.44	W12 0.312 0.612 0.912	0.789 0.193 0.806	X12 Y12 Z12	56.71 46.76 328	56.71 39.92 -24.34	
13		0.75 0.25 0.75	B13 C13 D13	45.58 14.81 328	45.58 12.65 -7.71	E13 0.25 0.5 0.912	0.736 0.25 0.75	F13 G13 H13	56.71 38.18 328	56.71 32.59 -19.88				0.625 0.375 0.625	K13 L13 M13	51.14 7.4 328	51.14 6.32 -3.85	N13 0.25 0.25 0.912	0.618 0.375 0.625	O13 P13 Q13	56.71 19.09 328	56.71 16.29 -9.94			0.853 0.146 0.853	T13 U13 V13	40.97 20.95 328	40.97 17.88 -10.91	W13 0.25 0.707 0.912	0.834 0.146 0.853	X13 Y13 Z13	56.71 53.99 328	56.71 46.09 -28.11	
14		0.812 0.187 0.812	B14 C14 D14	42.8 18.52 328	42.8 15.81 -9.64	E14 0.187 0.625 0.912	0.795 0.187 0.812	F14 G14 H14	56.71 47.72 328	56.71 40.74 -24.85				0.695 0.304 0.695	K14 L14 M14	48.01 11.57 328	48.01 9.88 -6.02	N14 0.187 0.39 0.912	0.684 0.304 0.695	O14 P14 Q14	56.71 29.82 328	56.71 25.46 -15.53			0.895 0.104 0.895	T14 U14 V14	39.11 23.42 328	39.11 20.0 -12.19	W14 0.187 0.79 0.912	0.873 0.104 0.895	X14 Y14 Z14	56.71 60.36 328	56.71 51.54 -31.43	
15		0.875 0.125 0.875	B15 C15 D15	40.02 22.22 328	40.02 18.97 -11.57	E15 0.125 0.75 0.912	0.854 0.125 0.875	F15 G15 H15	56.71 57.27 328	56.71 48.89 -29.82				0.781 0.218 0.781	K15 L15 M15	44.19 16.66 328	44.19 14.23 -8.67	N15 0.125 0.562 0.912	0.765 0.218 0.781	O15 P15 Q15	56.71 42.95 328	56.71 36.67 -22.36			0.933 0.066 0.933	T15 U15 V15	37.44 25.66 328	37.44 21.91 -13.36	W15 0.125 0.866 0.912	0.909 0.066 0.933	X15 Y15 Z15	56.71 66.13 328	56.71 56.45 -34.43	
16		0.937 0.062 0.937	B16 C16 D16	37.24 25.92 328	37.24 22.13 -13.5	E16																												

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g0INP.PS /.PDF
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a				
O/R	rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a				rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a					
01		1.0 0.0 0.0	B01 39.91 65.06 25	C01 39.91 65.06 25	D01 39.91 65.06 25	E01 1.0 0.046 0.07	F01 1.0 0.046 0.0	G01 77.24 27.18 25	H01 77.24 24.54 11.69				1.0 0.0 0.0	K01 39.91 65.06 25	L01 39.91 65.06 25	M01 58.74 27.99 0.07	N01 0.0 1.0 0.07	O01 1.0 0.046 0.0	P01 77.24 27.18 25	Q01 77.24 24.54 11.69			1.0 0.0 0.0	T01 39.91 65.06 25	U01 39.91 65.06 25	V01 39.91 65.06 25	W01 0.0 1.0 0.07	X01 1.0 0.046 0.0	Y01 77.24 27.18 25	Z01 77.24 24.54 11.69	
02		0.937 0.062 0.062	B02 42.01 56.93 25	C02 42.01 56.93 25	D02 42.01 56.93 25	E02 0.062 0.875 0.07	F02 0.937 0.103 0.062	G02 77.91 23.78 25	H02 77.91 21.47 10.23				0.882 0.117 0.117	K02 43.85 49.81 25	L02 43.85 49.81 25	M02 44.97 21.42 0.07	N02 0.062 0.765 0.07	O02 0.882 0.152 0.117	P02 78.49 20.81 25	Q02 78.49 18.78 8.95			0.967 0.032 0.032	T02 41.0 60.86 25	U02 41.0 54.94 25	V02 41.0 54.94 25	W02 0.062 0.935 0.07	X02 0.967 0.075 0.032	Y02 77.59 25.42 25	Z02 77.59 22.95 10.93	
03		0.875 0.125 0.125	B03 44.11 48.8 25	C03 44.11 48.8 25	D03 44.11 48.8 25	E03 0.125 0.75 0.07	F03 0.875 0.16 0.125	G03 78.57 20.38 25	H03 78.57 18.4 8.77				0.781 0.218 0.218	K03 47.26 36.6 25	L03 47.26 33.04 15.74	M03 44.97 21.42 0.07	N03 0.125 0.562 0.07	O03 0.781 0.245 0.218	P03 79.56 15.29 25	Q03 79.56 13.8 6.57			0.933 0.066 0.066	T03 42.16 56.35 25	U03 42.16 50.87 25	V03 42.16 50.87 25	W03 0.125 0.866 0.07	X03 0.933 0.107 0.066	Y03 77.95 23.54 25	Z03 77.95 21.25 10.12	
04		0.812 0.187 0.187	B04 46.21 40.66 25	C04 46.21 40.66 25	D04 46.21 36.71 17.49	E04 0.187 0.625 0.07	F04 0.812 0.216 0.187	G04 79.23 16.98 25	H04 79.23 15.33 7.3				0.695 0.304 0.304	K04 50.15 25.41 25	L04 50.15 22.94 10.93	M04 50.15 22.94 10.93	N04 0.187 0.39 0.07	O04 0.695 0.322 0.304	P04 80.48 10.61 25	Q04 80.48 9.58 4.56			0.895 0.104 0.104	T04 43.43 51.44 25	U04 43.43 46.43 25	V04 43.43 46.43 25	W04 0.187 0.79 0.07	X04 0.895 0.141 0.104	Y04 78.35 21.49 25	Z04 78.35 19.4 9.24	
05		0.75 0.25 0.25	B05 48.31 32.53 25	C05 48.31 32.53 25	D05 48.31 29.37 13.99	E05 0.25 0.5 0.07	F05 0.75 0.273 0.25	G05 79.9 13.59 25	H05 79.9 12.27 5.84				0.625 0.375 0.375	K05 52.51 16.26 25	L05 52.51 14.68 6.99	M05 52.51 6.99 0.07	N05 0.25 0.25 0.07	O05 0.625 0.386 0.375	P05 81.22 6.79 25	Q05 81.22 6.13 2.92			0.853 0.146 0.146	T05 44.83 46.0 25	U05 44.83 41.53 25	V05 44.83 41.53 25	W05 0.25 0.707 0.07	X05 0.853 0.179 0.146	Y05 78.8 19.22 25	Z05 78.8 17.35 8.26	
06		0.687 0.312 0.312	B06 50.41 24.4 25	C06 50.41 22.02 10.49	D06 50.41 22.02 10.49	E06 0.312 0.375 0.07	F06 0.687 0.33 0.312	G06 80.56 10.19 25	H06 80.56 9.2 4.38				0.57 0.429 0.429	K06 54.34 9.15 25	L06 54.34 8.26 3.93	M06 54.34 8.26 3.93	N06 0.312 0.14 0.07	O06 0.57 0.436 0.429	P06 81.8 3.82 25	Q06 81.8 3.45 1.64			0.806 0.193 0.193	T06 46.42 39.84 25	U06 46.42 35.97 25	V06 46.42 35.97 25	W06 0.312 0.612 0.07	X06 0.806 0.222 0.193	Y06 79.3 16.64 25	Z06 79.3 15.02 7.16	
07		0.625 0.375 0.375	B07 52.51 16.26 25	C07 52.51 14.68 6.99	D07 52.51 14.68 6.99	E07 0.375 0.25 0.07	F07 0.625 0.386 0.375	G07 81.22 6.79 25	H07 81.22 6.13 2.92				0.531 0.468 0.468	K07 55.66 4.06 25	L07 55.66 3.67 1.74	M07 55.66 3.67 1.74	N07 0.375 0.062 0.07	O07 0.531 0.471 0.468	P07 82.22 1.69 25	Q07 82.22 1.53 0.73			0.75 0.249 0.249	T07 48.31 32.53 25	U07 48.31 29.37 13.99	V07 48.31 29.37 13.99	W07 0.375 0.5 0.07	X07 0.75 0.273 0.249	Y07 79.9 13.59 25	Z07 79.9 12.27 5.84	
08		0.562 0.437 0.437	B08 54.61 8.13 25	C08 54.61 7.34 3.49	D08 54.61 7.34 3.49	E08 0.437 0.125 0.07	F08 0.562 0.443 0.437	G08 81.89 3.39 1.46	H08 81.89 3.06 1.46				0.507 0.492 0.492	K08 56.44 1.01 25	L08 56.44 0.91 0.43	M08 56.44 0.91 0.43	N08 0.437 0.015 0.07	O08 0.507 0.492 0.492	P08 82.47 0.42 25	Q08 82.47 0.38 0.18			0.676 0.323 0.323	T08 50.77 20.77 25	U08 50.77 20.76 9.89	V08 50.77 20.76 9.89	W08 0.437 0.353 0.07	X08 0.676 0.339 0.323	Y08 80.67 9.61 25	Z08 80.67 8.67 4.13	
09		0.5 0.5 0.5	B09 56.71 0.0 0	C09 56.71 0.0 0	D09 56.71 0.0 0	E09 0.5 0.5 0.5	F09 0.5 0.5 0.5	G09 82.55 0.0 360	H09 82.55 0.0 360				0.5 0.5 0.5	K09 56.71 0.0 0	L09 56.71 0.0 0	M09 56.71 0.0 0	N09 0.5 0.5 0.5	O09 0.5 0.5 0.5	P09 82.55 0.0 360	Q09 82.55 0.0 360			0.5 0.5 0.5	T09 56.71 0.0 0	U09 56.71 0.0 0	V09 56.71 0.0 0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.499	Y09 82.54 0.02 360	Z09 82.54 0.02 360	
10		0.437 0.562 0.562	B10 54.82 3.28 216	C10 54.82 -2.62 -1.97	D10 54.82 -2.62 -1.97	E10 0.437 0.125 0.602	F10 0.437 0.541 0.562	G10 83.21 2.45 216	H10 83.21 -1.96 -1.47				0.492 0.507 0.507	K10 56.47 0.41 216	L10 56.47 -0.32 -0.24	M10 56.47 -0.32 -0.24	N10 0.437 0.015 0.602	O10 0.492 0.505 0.507	P10 82.63 0.3 216	Q10 82.63 -0.24 -0.18			0.323 0.676 0.676	T10 51.37 9.28 216	U10 51.37 -7.41 -5.58	V10 51.37 -7.41 -5.58	W10 0.437 0.353 0.602	X10 0.323 0.618 0.676	Y10 84.41 6.94 216	Z10 84.41 -5.55 -4.17	
11		0.375 0.625 0.625	B11 52.94 6.56 216	C11 52.94 -5.24 -3.94	D11 52.94 -5.24 -3.94	E11 0.375 0.25 0.602	F11 0.375 0.583 0.625	G11 83.86 4.91 216	H11 83.86 -3.92 -2.95				0.468 0.531 0.531	K11 55.76 1.64 216	L11 55.76 -1.31 -0.98	M11 55.76 -1.31 -0.98	N11 0.375 0.062 0.602	O11 0.468 0.52 0.531	P11 82.88 1.22 216	Q11 82.88 -0.98 -0.73			0.249 0.75 0.75	T11 49.16 13.12 216	U11 49.16 -10.48 -7.89	V11 49.16 -10.48 -7.89	W11 0.375 0.5 0.602	X11 0.249 0.667 0.75	Y11 85.17 9.82 216	Z11 85.17 -7.84 -5.91	
12		0.312 0.687 0.687	B12 51.05 9.84 216	C12 51.05 -7.86 -5.92	D12 51.05 -7.86 -5.92	E12 0.312 0.375 0.602	F12 0.312 0.625 0.687	G12 84.52 7.36 216	H12 84.52 -5.88 -4.43				0.429 0.57 0.57	K12 54.58 3.69 216	L12 54.58 -2.94 -2.22	M12 54.58 -2.94 -2.22	N12 0.312 0.14 0.602	O12 0.429 0.546 0.57	P12 83.29 2.76 216	Q12 83.29 -2.2 -1.66			0.193 0.806 0.806	T12 47.47 16.07 216	U12 47.47 -12.84 -9.66	V12 47.47 -12.84 -9.66	W12 0.312 0.612 0.602	X12 0.193 0.704 0.806	Y12 85.76 12.03 216	Z12 85.76 -9.61 -7.23	
13		0.25 0.75 0.75	B13 49.17 13.12 216	C13 49.17 -10.48 -7.89	D13 49.17 -10.48 -7.89	E13 0.25 0.5 0.602	F13 0.25 0.667 0.75	G13 85.17 9.82 216	H13 85.17 -7.84 -5.91				0.375 0.625 0.625	K13 52.94 6.56 216	L13 52.94 -5.24 -3.94	M13 52.94 -5.24 -3.94	N13 0.25 0.25 0.602	O13 0.375 0.583 0.625	P13 83.86 4.91 216	Q13 83.86 -3.92 -2.95			0.146 0.853 0.853	T13 46.04 18.56 216	U13 46.04 -14.82 -11.16	V13 46.04 -14.82 -11.16	W13 0.25 0.707 0.602	X13 0.146 0.736 0.853	Y13 86.26 13.89 216	Z13 86.26 -11.1 -8.35	
14		0.187 0.812 0.812	B14 47.28 16.4 216	C14 47.28 -13.1 -9.86	D14 47.28 -13.1 -9.86	E14 0.187 0.625 0.602	F14 0.187 0.708 0.812	G14 85.83 12.28 216	H14 85.83 -9.81 -7.38				0.304 0.695 0.695	K14 50.81 10.25 216	L14 50.81 -8.19 -6.16	M14 50.81 -8.19 -6.16	N14 0.187 0.39 0.602	O14 0.304 0.63 0.695	P14 84.6 7.67 216	Q14 84.6 -6.13 -4.61			0.104 0.895 0.895	T14 44.78 20.75 216	U14 44.78 -16.57 -12.48	V14 44.78 -16.57 -12.48	W14 0.187 0.79 0.602	X14 0.104 0.764 0.895	Y14 86.7 15.53 216	Z14 86.7 -12.41 -9.34	
15		0.125 0.875 0.875	B15 45.4 19.68 216	C15 45.4 -15.72 -11.84	D15 45.4 -15.72 -11.84	E15 0.125 0.75 0.602	F15 0.125 0.75 0.875	G15 86.49 14.73 216	H15 86.49 -11.77 -8.86				0.218 0.781 0.781	K15 48.22 14.76 216	L15 48.22 -11.79 -8.88	M15 48.22 -11.79 -8.88	N15 0.125 0.562 0.602	O15 0.218 0.687 0.781	P15 85.5 11.05 216	Q15 85.5 -8.83 -6.64			0.066 0.933 0.933	T15 43.65 22.73 216	U15 43.65 -18.16 -13.67	V15 43.65 -18.16 -13.67	W15 0.125 0.866 0.602	X15 0.066 0.789 0.933	Y15 87.1 17.01 216	Z15 87.1 -13.59 -10.23	
16		0.062 0.937 0.937	B16 43.51 22.96 216	C16 43.51 -18.34 -13.81	D16 43.51 -18.34 -13.81	E16 0.062 0.875 0.602	F16 0.062 0.792 0.937																								

CIE18a $c^*_t = c^*$ TLS70a CIE18a $c^*_t = c^*^{0.5}$ TLS70a CIE18a $c^*_t = c^*^2$ TLS70a

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g0JNP.PS /.PDF
Technische Information: [http://www.ps.bam.de/Version 2.1, io=1.1](http://www.ps.bam.de/Version%202.1,io=1.1)

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	
Y/J	rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a				rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a		
01		B01 1.0 1.0 0.0	C01 81.26 71.61 92	D01 81.26 -2.89 71.56	E01 0.0 1.0 0.256	F01 1.0 0.74 0.0	G01 89.38 28.4 92	H01 89.38 -1.14 28.37				K01 1.0 1.0 0.0	L01 81.26 71.61 92	M01 81.26 -2.89 71.56	N01 0.0 1.0 0.256	O01 1.0 0.74 0.0	P01 89.38 28.4 92	Q01 89.38 -1.14 28.37			T01 1.0 1.0 0.0	U01 81.26 71.61 92	V01 81.26 -2.89 71.56	W01 0.0 1.0 0.256	X01 1.0 0.74 0.0	Y01 89.38 28.4 92	Z01 89.38 -1.14 28.37	
02		B02 0.937 0.937 0.062	C02 78.19 62.66 92	D02 78.19 -2.52 62.61	E02 0.062 0.875 0.256	F02 0.937 0.71 0.062	G02 88.52 24.85 92	H02 88.52 -1.0 24.83				K02 0.882 0.882 0.117	L02 75.5 54.83 92	M02 75.5 -2.21 54.78	N02 0.062 0.765 0.256	O02 0.882 0.683 0.117	P02 87.78 21.74 92	Q02 87.78 -0.87 21.72			T02 0.967 0.967 0.032	U02 79.67 66.99 92	V02 79.67 -2.7 66.93	W02 0.062 0.935 0.256	X02 0.967 0.724 0.032	Y02 88.94 26.56 92	Z02 88.94 -1.07 26.54	
03		B03 0.875 0.875 0.125	C03 75.12 53.71 92	D03 75.12 -2.16 53.67	E03 0.125 0.75 0.256	F03 0.875 0.68 0.125	G03 87.67 21.3 92	H03 87.67 -0.85 21.28				K03 0.781 70.51 92	L03 70.51 -1.62 40.28	M03 0.125 0.562 0.256	N03 0.781 0.635 0.218	O03 0.781 0.635 0.218	P03 86.39 15.97 92	Q03 86.39 -0.64 15.96			T03 0.933 0.933 0.066	U03 77.97 62.02 92	V03 77.97 -2.5 61.97	W03 0.125 0.866 0.256	X03 0.933 0.707 0.066	Y03 88.46 24.59 92	Z03 88.46 -0.99 24.57	
04		B04 0.812 0.812 0.187	C04 72.05 44.76 92	D04 72.05 -1.8 44.72	E04 0.187 0.625 0.256	F04 0.812 0.65 0.187	G04 86.82 17.75 92	H04 86.82 -0.71 17.73				K04 0.695 66.29 92	L04 66.29 -1.12 27.95	M04 0.187 0.39 0.256	N04 0.695 0.593 0.304	O04 0.695 0.593 0.304	P04 85.22 11.09 92	Q04 85.22 -0.44 11.08			T04 0.895 0.895 0.104	U04 76.11 56.61 92	V04 76.11 -2.28 56.57	W04 0.187 0.79 0.256	X04 0.895 0.689 0.104	Y04 87.95 22.45 92	Z04 87.95 -0.9 22.43	
05		B05 0.75 0.75 0.25	C05 68.98 35.8 92	D05 68.98 -1.44 35.78	E05 0.25 0.5 0.256	F05 0.75 0.62 0.25	G05 85.96 14.2 92	H05 85.96 -0.57 14.18				K05 0.625 62.84 92	L05 62.84 -0.72 17.9	M05 0.25 0.25 0.256	N05 0.625 0.56 0.375	O05 0.625 0.56 0.375	P05 84.26 7.1 92	Q05 84.26 -0.28 7.09			T05 0.853 0.853 0.146	U05 74.06 50.64 92	V05 74.06 -2.04 50.6	W05 0.25 0.707 0.256	X05 0.853 0.669 0.146	Y05 87.38 20.08 92	Z05 87.38 -0.81 20.06	
06		B06 0.687 0.687 0.312	C06 65.91 26.85 92	D06 65.91 -1.08 26.83	E06 0.312 0.375 0.256	F06 0.687 0.59 0.312	G06 85.11 10.65 92	H06 85.11 -0.42 10.64				K06 0.57 60.16 92	L06 60.16 -0.4 10.07	M06 0.312 0.14 0.256	N06 0.57 0.533 0.429	O06 0.57 0.533 0.429	P06 83.51 3.99 92	Q06 83.51 -0.16 3.99			T06 0.806 0.806 0.193	U06 71.74 43.85 92	V06 71.74 -1.76 43.82	W06 0.312 0.612 0.256	X06 0.806 0.647 0.193	Y06 86.73 17.39 92	Z06 86.73 -0.7 17.37	
07		B07 0.625 0.625 0.375	C07 62.84 17.9 92	D07 62.84 -0.72 17.89	E07 0.375 0.25 0.256	F07 0.625 0.56 0.375	G07 84.26 7.1 92	H07 84.26 -0.28 7.09				K07 0.531 58.24 92	L07 58.24 -0.18 4.47	M07 0.375 0.062 0.256	N07 0.531 0.515 0.468	O07 0.531 0.515 0.468	P07 82.98 1.77 92	Q07 82.98 -0.07 1.77			T07 0.75 0.75 0.249	U07 68.98 35.8 92	V07 68.98 -1.44 35.78	W07 0.375 0.5 0.256	X07 0.75 0.62 0.249	Y07 85.96 14.2 92	Z07 85.96 -0.57 14.18	
08		B08 0.562 0.562 0.437	C08 59.77 8.95 92	D08 59.77 -0.36 8.94	E08 0.437 0.125 0.256	F08 0.562 0.53 0.437	G08 83.4 3.55 92	H08 83.4 -0.14 3.54				K08 0.507 57.09 92	L08 57.09 -0.04 1.11	M08 0.437 0.015 0.256	N08 0.507 0.503 0.492	O08 0.507 0.503 0.492	P08 82.66 0.44 92	Q08 82.66 -0.01 0.44			T08 0.676 0.676 0.323	U08 65.38 25.32 92	V08 65.38 -1.02 25.3	W08 0.437 0.353 0.256	X08 0.676 0.584 0.323	Y08 84.96 10.04 92	Z08 84.96 -0.4 10.03	
09		B09 0.5 0.5 0.5	C09 56.71 0.0 0	D09 56.71 0.0 0	E09 0.5 0.5 0.0	F09 0.5 0.5 0.5	G09 82.55 0.0 360	H09 82.55 0.0 0				K09 0.5 56.71 0	L09 56.71 0.0 0	M09 0.5 0.0 0	N09 0.5 0.0 0	O09 0.5 0.0 0	P09 82.55 0.0 360	Q09 82.55 0.0 0			T09 0.5 0.5 0.5	U09 56.71 0.0 0	V09 56.71 0.0 0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.499	Y09 82.54 0.02 360	Z09 82.54 0.02 0	
10		B10 0.437 0.437 0.562	C10 53.44 5.81 271	D10 53.44 0.17 -5.8	E10 0.437 0.125 0.754	F10 0.437 0.487 0.562	G10 82.18 3.03 271	H10 82.18 0.09 -3.03				K10 0.492 56.3 271	L10 56.3 0.02 -0.72	M10 0.437 0.015 0.754	N10 0.492 0.498 0.507	O10 0.492 0.498 0.507	P10 82.5 0.37 271	Q10 82.5 0.01 -0.37			T10 0.323 0.323 0.676	U10 47.46 16.43 271	V10 47.46 0.49 -16.42	W10 0.437 0.353 0.754	X10 0.323 0.464 0.676	Y10 81.51 8.58 271	Z10 81.51 0.26 -8.57	
11		B11 0.375 0.375 0.625	C11 50.17 11.62 271	D11 50.17 0.35 -11.61	E11 0.375 0.25 0.754	F11 0.375 0.474 0.625	G11 81.81 6.06 271	H11 81.81 0.18 -6.06				K11 0.468 55.07 271	L11 55.07 0.08 -2.9	M11 0.375 0.062 0.754	N11 0.468 0.493 0.531	O11 0.468 0.493 0.531	P11 82.37 1.51 271	Q11 82.37 0.04 -1.51			T11 0.249 0.249 0.75	U11 43.63 23.24 271	V11 43.63 0.7 -23.23	W11 0.375 0.5 0.754	X11 0.249 0.449 0.75	Y11 81.07 12.13 271	Z11 81.07 0.36 -12.13	
12		B12 0.312 0.312 0.687	C12 46.9 17.43 271	D12 46.9 0.52 -17.42	E12 0.312 0.375 0.754	F12 0.312 0.461 0.687	G12 81.44 9.1 271	H12 81.44 0.27 -9.09				K12 0.429 53.03 271	L12 53.03 6.53 -6.53	M12 0.312 0.14 0.754	N12 0.429 0.485 0.57	O12 0.429 0.485 0.57	P12 82.13 3.41 271	Q12 82.13 0.1 -3.41			T12 0.193 0.193 0.806	U12 40.7 28.47 271	V12 40.7 0.86 -28.45	W12 0.312 0.612 0.754	X12 0.193 0.437 0.806	Y12 80.74 14.86 271	Z12 80.74 0.45 -14.85	
13		B13 0.25 0.25 0.75	C13 43.64 23.24 271	D13 43.64 0.7 -23.23	E13 0.25 0.5 0.754	F13 0.25 0.449 0.75	G13 81.07 12.13 271	H13 81.07 0.36 -12.13				K13 0.375 50.17 271	L13 50.17 0.35 -11.61	M13 0.25 0.25 0.754	N13 0.375 0.474 0.625	O13 0.375 0.474 0.625	P13 81.81 6.06 271	Q13 81.81 0.18 -6.06			T13 0.146 0.146 0.853	U13 38.22 32.87 271	V13 38.22 0.99 -32.85	W13 0.25 0.707 0.754	X13 0.146 0.428 0.853	Y13 80.46 17.16 271	Z13 80.46 0.52 -17.15	
14		B14 0.187 0.187 0.812	C14 40.37 29.05 271	D14 40.37 0.88 -29.04	E14 0.187 0.625 0.754	F14 0.187 0.436 0.812	G14 80.7 15.17 271	H14 80.7 0.46 -15.16				K14 0.304 46.49 271	L14 46.49 0.55 -18.15	M14 0.187 0.39 0.754	N14 0.304 0.46 0.695	O14 0.304 0.46 0.695	P14 81.4 9.48 271	Q14 81.4 0.28 -9.47			T14 0.104 0.104 0.895	U14 36.04 36.75 271	V14 36.04 1.11 -36.73	W14 0.187 0.79 0.754	X14 0.104 0.419 0.895	Y14 80.21 19.19 271	Z14 80.21 0.58 -19.18	
15		B15 0.125 0.125 0.875	C15 37.1 34.86 271	D15 37.1 1.05 -34.85	E15 0.125 0.75 0.754	F15 0.125 0.423 0.875	G15 80.33 18.2 271	H15 80.33 0.55 -18.19				K15 0.218 42.0 271	L15 42.0 26.15 271	M15 0.125 0.79 -26.13	N15 0.218 0.442 0.781	O15 0.218 0.442 0.781	P15 80.89 13.65 271	Q15 80.89 0.41 -13.64			T15 0.066 0.066 0.933	U15 34.07 40.26 271	V15 34.07 1.22 -40.24	W15 0.125 0.866 0.754	X15 0.066 0.411 0.933	Y15 79.99 21.02 271	Z15 79.99 0.63 -21.01	
16		B16 0.062 0.062 0.937	C16 33.83 40.67 271	D16 33.83 1.23 -40.66	E16 0.062 0.875 0.754	F16 0.062 0.411 0.937	G16 79.96 21.24 271	H16 79.96 0.64 -21.23				K16 0.117 36.69 271	L16 36.69 35.59 271	M16 0.062 0.765 0.754	N16 0.117 0.422 0.882	O16 0.117 0.422 0.882	P16 80.29 18.58 271	Q16 80.29 0.56 -18.57			T16 0.032 0.032 0.967	U16 32.25 43.48 271	V16 32.25 1.31 -43.46	W16 0.062 0.935 0.754	X16 0.032 0.404 0.967	Y16 79.79 22.7 271	Z16 79.79 0.68 -22.69	
17		B17 0.0 0.0 1.0	C17 30.57 46.49 271	D17 30.57 1.41 -46.47	E17 0.0 1.0 0.754	F17 0.0 0.398 1.0	G17 79.59 24.27 271	H17 79.59 0.73 -24.26				K17 0.0 30.57 271	L17 30.57 1.41 -46.47	M17 0.0 1.0 0.754	N17 0.0 0.398 1.0	O17 0.0 0.398 1.0	P17 79.59 24.27 271	Q17 79.59 0.73 -24.26			T17 0.0 0.0 1.0	U17 30.56 46.49 271	V17 30.56 1.41 -46.47	W17 0.0 1.0 0.754	X17 0.0 0.398 1.0	Y17 79.59 24.27 271	Z17 79.59 0.73 -24.26	
V/B		CIE18a		c* _t = c*		TLS70a					CIE18a		c* _t = c* ^{0.5}		TLS70a					CIE18a		c* _t = c* ²		TLS70a				

BAM-Registrierung: 20080101-Dg49/10L/L49g0JNP.PS /.PDF BAM-Material: Code=rhatha
Anwendung für Beurteilung und Messung von Drucker- oder Monitorssystemen

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g0KNP.PS /.PDF BAM-Material: Code=rha4ta
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	
L/G		rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a		
01		B01 0.0 1.0 0.0	C01 52.23 44.54 162	D01 52.23 -42.42 13.6	E01 0.0 1.0 0.45	F01 0.0 1.0 0.533	G01 90.17 29.84 162	H01 90.17 -28.41 9.11			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a		
02		B02 0.062 0.937 0.062	C02 52.79 38.97 162	D02 52.79 -37.11 11.9	E02 0.062 0.937 0.45	F02 0.062 0.937 0.529	G02 89.22 26.11 162	H02 89.22 -24.86 7.97			0.117 0.882 0.117	53.28 34.1 162	53.28 -32.47 10.41	0.062 0.765 0.45	0.117 0.882 0.525	88.39 22.84 162	88.39 -21.75 6.97			0.032 0.967 0.032	52.51 41.66 162	52.51 -39.68 12.72	0.062 0.935 0.45	0.032 0.967 0.531	89.68 27.91 162	89.68 -26.58 8.52		
03		B03 0.125 0.875 0.125	C03 53.35 33.41 162	D03 53.35 -31.81 10.2	E03 0.125 0.75 0.45	F03 0.125 0.875 0.525	G03 88.27 22.38 162	H03 88.27 -21.31 6.83			0.218 0.781 0.218	54.19 25.05 162	54.19 -23.86 7.65	0.125 0.562 0.45	0.218 0.781 0.518	86.84 16.78 162	86.84 -15.98 5.12			0.066 0.933 0.066	52.83 38.57 162	52.83 -36.73 11.77	0.125 0.866 0.45	0.066 0.933 0.529	89.15 25.84 162	89.15 -24.61 7.89		
04		B04 0.187 0.812 0.187	C04 53.91 27.84 162	D04 53.91 -26.51 8.5	E04 0.187 0.625 0.45	F04 0.187 0.812 0.521	G04 87.32 18.65 162	H04 87.32 -17.76 5.69			0.304 0.695 0.304	54.96 17.4 162	54.96 -16.57 5.31	0.187 0.39 0.45	0.304 0.695 0.513	85.53 11.65 162	85.53 -11.1 3.55			0.104 0.895 0.104	53.16 35.21 162	53.16 -33.53 10.75	0.187 0.79 0.45	0.104 0.895 0.526	88.58 23.59 162	88.58 -22.46 7.2		
05		B05 0.25 0.75 0.25	C05 54.47 22.27 162	D05 54.47 -21.21 6.8	E05 0.25 0.5 0.45	F05 0.25 0.75 0.516	G05 86.36 14.92 162	H05 86.36 -14.2 4.55			0.375 0.625 0.375	55.59 11.13 162	55.59 -10.6 3.4	0.25 0.25 0.45	0.375 0.625 0.508	84.46 7.46 162	84.46 -7.1 2.27			0.146 0.853 0.146	53.54 31.49 162	53.54 -29.99 9.61	0.25 0.707 0.45	0.146 0.853 0.523	87.94 21.1 162	87.94 -20.09 6.44		
06		B06 0.312 0.687 0.312	C06 55.03 16.7 162	D06 55.03 -15.9 5.1	E06 0.312 0.375 0.45	F06 0.312 0.687 0.512	G06 85.41 11.19 162	H06 85.41 -10.65 3.41			0.429 0.57 0.429	56.08 6.26 162	56.08 -5.96 1.91	0.312 0.14 0.45	0.429 0.57 0.504	83.62 4.19 162	83.62 -3.99 1.28			0.193 0.806 0.193	53.96 27.27 162	53.96 -25.97 8.32	0.312 0.612 0.45	0.193 0.806 0.52	87.22 18.27 162	87.22 -17.4 5.57		
07		B07 0.375 0.625 0.375	C07 55.59 11.13 162	D07 55.59 -10.6 3.4	E07 0.375 0.25 0.45	F07 0.375 0.625 0.508	G07 84.46 7.46 162	H07 84.46 -7.1 2.27			0.468 0.531 0.468	56.43 2.78 162	56.43 -2.65 0.85	0.375 0.062 0.45	0.468 0.531 0.502	83.03 1.86 162	83.03 -1.77 0.56			0.249 0.75 0.249	54.46 22.27 162	54.46 -21.21 6.8	0.375 0.5 0.45	0.249 0.75 0.516	86.36 14.92 162	86.36 -14.2 4.55		
08		B08 0.437 0.562 0.437	C08 56.15 5.56 162	D08 56.15 -5.3 1.7	E08 0.437 0.125 0.45	F08 0.437 0.562 0.504	G08 83.5 3.73 162	H08 83.5 -3.55 1.13			0.492 0.507 0.492	56.64 0.69 162	56.64 -0.66 0.21	0.437 0.015 0.45	0.492 0.507 0.5	82.67 0.46 162	82.67 -0.44 0.14			0.323 0.676 0.323	55.12 15.74 162	55.12 -14.99 4.8	0.437 0.353 0.45	0.323 0.676 0.511	85.25 10.55 162	85.25 -10.04 3.22		
09		B09 0.5 0.5 0.5	C09 56.71 0.0 0.0	D09 56.71 0.0 0.0	E09 0.5 0.0 0.0	F09 0.5 0.0 0.5	G09 82.55 0.0 360	H09 82.55 0.0 0.0			0.5 0.5 0.5	56.71 0.0 0.0	56.71 0.0 0.0	0.5 0.0 0.0	0.5 0.5 0.5	82.55 0.0 360	82.55 0.0 0.0			0.5 0.5 0.5	56.71 0.0 0.0	56.71 0.0 0.0	0.5 0.001 0.0	0.5 0.499 0.499	82.54 0.02 360	82.54 0.02 0.0		
10		B10 0.562 0.437 0.562	C10 53.92 3.7 328	D10 53.92 3.16 -1.92	E10 0.437 0.125 0.912	F10 0.562 0.437 0.552	G10 82.02 5.35 328	H10 82.02 4.57 -2.79			0.507 0.492 0.507	56.36 0.46 328	56.36 0.39 -0.24	0.437 0.015 0.912	0.507 0.492 0.506	82.48 0.66 328	82.48 0.57 -0.34			0.676 0.323 0.676	48.84 10.47 328	48.84 8.94 -5.45	0.437 0.353 0.912	0.676 0.323 0.647	81.06 15.15 328	81.06 12.94 -7.89		
11		B11 0.625 0.375 0.625	C11 51.14 7.4 328	D11 51.14 6.32 -3.85	E11 0.375 0.25 0.912	F11 0.625 0.375 0.604	G11 81.49 10.71 328	H11 81.49 9.15 -5.58			0.531 0.468 0.531	55.31 1.85 328	55.31 1.58 -0.96	0.375 0.062 0.912	0.531 0.468 0.526	82.29 2.67 328	82.29 2.28 -1.39			0.75 0.249 0.75	45.58 14.81 328	45.58 12.65 -7.71	0.375 0.5 0.912	0.75 0.249 0.709	80.44 21.43 328	80.44 18.3 -11.16		
12		B12 0.687 0.312 0.687	C12 48.36 11.11 328	D12 48.36 9.48 -5.78	E12 0.312 0.375 0.912	F12 0.687 0.312 0.656	G12 80.97 16.07 328	H12 80.97 13.72 -8.37			0.57 0.429 0.57	53.58 4.16 328	53.58 3.55 -2.16	0.312 0.14 0.912	0.57 0.429 0.558	81.96 6.02 328	81.96 5.14 -3.13			0.806 0.193 0.806	43.08 18.14 328	43.08 15.49 -9.44	0.312 0.612 0.912	0.806 0.193 0.756	79.96 26.25 328	79.96 22.41 -13.67		
13		B13 0.75 0.25 0.75	C13 45.58 14.81 328	D13 45.58 12.65 -7.71	E13 0.25 0.5 0.912	F13 0.75 0.25 0.709	G13 80.44 21.43 328	H13 80.44 18.3 -11.16			0.625 0.375 0.625	51.14 7.4 328	51.14 6.32 -3.85	0.25 0.25 0.912	0.625 0.375 0.604	81.49 10.71 328	81.49 9.15 -5.58			0.853 0.146 0.853	40.97 20.95 328	40.97 17.88 -10.91	0.25 0.707 0.912	0.853 0.146 0.795	79.56 30.31 328	79.56 25.88 -15.78		
14		B14 0.812 0.187 0.812	C14 42.8 18.52 328	D14 42.8 15.81 -9.64	E14 0.187 0.625 0.912	F14 0.812 0.187 0.761	G14 79.91 26.79 328	H14 79.91 22.87 -13.95			0.695 0.304 0.695	48.01 11.57 328	48.01 9.88 -6.02	0.187 0.39 0.912	0.695 0.304 0.663	80.9 16.74 328	80.9 14.29 -8.72			0.895 0.104 0.895	39.11 23.42 328	39.11 20.0 -12.19	0.187 0.79 0.912	0.895 0.104 0.83	79.21 33.89 328	79.21 28.93 -17.64		
15		B15 0.875 0.125 0.875	C15 40.02 22.22 328	D15 40.02 18.97 -11.57	E15 0.125 0.75 0.912	F15 0.875 0.125 0.813	G15 79.38 32.15 328	H15 79.38 27.45 -16.74			0.781 0.218 0.781	44.19 16.66 328	44.19 14.23 -8.67	0.125 0.562 0.912	0.781 0.218 0.735	80.17 24.11 328	80.17 20.58 -12.55			0.933 0.066 0.933	37.44 25.66 328	37.44 21.91 -13.36	0.125 0.866 0.912	0.933 0.066 0.862	78.89 37.13 328	78.89 31.69 -19.33		
16		B16 0.937 0.062 0.937	C16 37.24 25.92 328	D16 37.24 22.13 -13.5	E16 0.062 0.875 0.912	F16 0.937 0.062 0.866	G16 78.85 37.51 328	H16 78.85 32.02 -19.53			0.882 0.117 0.882	39.67 22.68 328	39.67 19.37 -11.81	0.062 0.765 0.912	0.882 0.117 0.82	79.32 32.82 328	79.32 28.02 -17.09			0.967 0.032 0.967	35.89 27.72 328	35.89 23.66 -14.43	0.062 0.935 0.912	0.967 0.032 0.891	78.6 40.1 328	78.6 34.23 -20.88		
17		B17 1.0 0.0 1.0	C17 34.46 29.63 328	D17 34.46 25.3 -15.43	E17 0.0 1.0 0.912	F17 1.0 0.0 0.918	G17 78.33 42.87 328	H17 78.33 36.6 -22.32			1.0 0.0 1.0	34.46 29.63 328	34.46 25.3 -15.43	0.0 1.0 0.912	1.0 0.0 0.918	78.33 42.87 328	78.33 36.6 -22.32			1.0 0.0 1.0	34.45 29.63 328	34.45 25.3 -15.43	0.0 1.0 0.912	1.0 0.0 0.918	78.33 42.87 328	78.33 36.6 -22.32		
M/M		CIE18a				$c^*_t = c^*$					CIE18a				$c^*_t = c^*^{0.5}$					CIE18a				$c^*_t = c^*^2$				

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g0LNP.PS /.PDF
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a													
O/R	rgb* ₃	LCH* _a LAB* _a	LCH* _a LAB* _a	nch* ₃ olv* ₃	LCH* _a LAB* _a	LCH* _a LAB* _a					rgb* ₃	LCH* _a LAB* _a	LCH* _a LAB* _a	nch* ₃ olv* ₃	LCH* _a LAB* _a	LCH* _a LAB* _a				rgb* ₃	LCH* _a LAB* _a	LCH* _a LAB* _a	nch* ₃ olv* ₃	LCH* _a LAB* _a	LCH* _a LAB* _a															
01		B01 1.0 0.0 0.0	C01 39.91 65.06 25	D01 39.91 58.74 27.99	E01 0.0 1.0 0.07	F01 1.0 0.0 0.0	G01 39.92 65.06 25	H01 39.92 58.73 27.99				K01 1.0 0.0 0.0	L01 39.91 65.06 25	M01 39.91 58.74 27.99	N01 0.0 1.0 0.07	O01 1.0 0.0 0.0	P01 39.92 65.06 25	Q01 39.92 58.73 27.99				T01 1.0 0.0 0.0	U01 39.91 65.06 25	V01 39.91 58.74 27.99	W01 0.0 1.0 0.07	X01 1.0 0.0 0.0	Y01 39.91 65.06 25	Z01 39.91 58.74 27.99												
02		B02 0.937 0.062 0.062	C02 42.01 56.93 25	D02 42.01 51.39 24.49	E02 0.062 0.875 0.07	F02 0.937 0.062 0.062	G02 42.01 56.93 25	H02 42.01 51.39 24.49				K02 0.882 0.117 0.117	L02 43.85 49.81 25	M02 43.85 44.97 21.42	N02 0.062 0.765 0.07	O02 0.882 0.117 0.117	P02 43.85 44.97 21.42	Q02 43.85 44.97 21.42				T02 0.967 0.032 0.032	U02 41.0 60.86 25	V02 41.0 54.94 26.18	W02 0.062 0.935 0.07	X02 0.967 0.032 0.032	Y02 41.0 60.86 25	Z02 41.0 54.94 26.18												
03		B03 0.875 0.125 0.125	C03 44.11 48.8 25	D03 44.11 44.05 20.99	E03 0.125 0.75 0.07	F03 0.875 0.124 0.125	G03 44.11 48.8 25	H03 44.11 44.05 20.99				K03 0.781 0.218 0.218	L03 47.26 36.6 25	M03 47.26 33.04 15.74	N03 0.125 0.562 0.07	O03 0.781 0.218 0.218	P03 47.26 36.6 25	Q03 47.26 33.04 15.74				T03 0.933 0.066 0.066	U03 42.16 56.35 25	V03 42.16 50.87 24.24	W03 0.125 0.866 0.07	X03 0.933 0.066 0.066	Y03 42.16 56.35 25	Z03 42.16 50.87 24.24												
04		B04 0.812 0.187 0.187	C04 46.21 40.66 25	D04 46.21 36.71 17.49	E04 0.187 0.625 0.07	F04 0.812 0.187 0.187	G04 46.21 40.66 25	H04 46.21 36.71 17.49				K04 0.695 0.304 0.304	L04 50.15 25.41 25	M04 50.15 22.94 10.93	N04 0.187 0.39 0.07	O04 0.695 0.304 0.304	P04 50.15 25.41 25	Q04 50.15 22.94 10.93				T04 0.895 0.104 0.104	U04 43.43 51.44 25	V04 43.43 46.43 22.12	W04 0.187 0.79 0.07	X04 0.895 0.104 0.104	Y04 43.43 51.44 25	Z04 43.43 46.43 22.12												
05		B05 0.75 0.25 0.25	C05 48.31 32.53 25	D05 48.31 29.37 13.99	E05 0.25 0.5 0.07	F05 0.75 0.25 0.25	G05 48.31 32.53 25	H05 48.31 29.36 13.99				K05 0.625 0.375 0.375	L05 52.51 16.26 25	M05 52.51 14.68 6.99	N05 0.25 0.25 0.07	O05 0.625 0.375 0.375	P05 52.51 16.26 25	Q05 52.51 14.68 6.99				T05 0.853 0.146 0.146	U05 44.83 46.0 25	V05 44.83 41.53 19.79	W05 0.25 0.707 0.07	X05 0.853 0.146 0.146	Y05 44.83 46.0 25	Z05 44.83 41.53 19.79												
06		B06 0.687 0.312 0.312	C06 50.41 24.4 25	D06 50.41 22.02 10.49	E06 0.312 0.375 0.07	F06 0.687 0.312 0.312	G06 50.41 24.4 25	H06 50.41 22.02 10.49				K06 0.57 0.429 0.429	L06 54.34 9.15 25	M06 54.34 8.26 3.93	N06 0.312 0.14 0.07	O06 0.57 0.429 0.429	P06 54.34 9.15 25	Q06 54.34 8.26 3.93				T06 0.806 0.193 0.193	U06 46.42 39.84 25	V06 46.42 35.97 17.14	W06 0.312 0.612 0.07	X06 0.806 0.193 0.193	Y06 46.42 39.84 25	Z06 46.42 35.97 17.14												
07		B07 0.625 0.375 0.375	C07 52.51 16.26 25	D07 52.51 14.68 6.99	E07 0.375 0.25 0.07	F07 0.625 0.375 0.375	G07 52.51 16.26 25	H07 52.51 14.68 6.99				K07 0.531 0.468 0.468	L07 55.66 4.06 25	M07 55.66 3.67 1.74	N07 0.375 0.062 0.07	O07 0.531 0.468 0.468	P07 55.66 4.06 25	Q07 55.66 3.67 1.74				T07 0.75 0.249 0.249	U07 48.31 32.53 25	V07 48.31 29.37 13.99	W07 0.375 0.5 0.07	X07 0.75 0.249 0.249	Y07 48.31 32.53 25	Z07 48.31 29.37 13.99												
08		B08 0.562 0.437 0.437	C08 54.61 8.13 25	D08 54.61 7.34 3.49	E08 0.437 0.125 0.07	F08 0.562 0.437 0.437	G08 54.61 8.13 3.49	H08 54.61 7.34 3.49				K08 0.507 0.492 0.492	L08 56.44 1.01 25	M08 56.44 0.91 0.43	N08 0.437 0.015 0.07	O08 0.507 0.492 0.492	P08 56.44 1.01 25	Q08 56.44 0.91 0.43				T08 0.676 0.323 0.323	U08 50.77 23.0 25	V08 50.77 20.76 9.89	W08 0.437 0.353 0.07	X08 0.676 0.323 0.323	Y08 50.77 23.0 25	Z08 50.77 20.76 9.89												
09		B09 0.5 0.5 0.5	C09 56.71 0.0 0.0	D09 56.71 0.0 0.0	E09 0.5 0.0 0.0	F09 0.5 0.0 0.5	G09 56.71 0.0 360	H09 56.71 0.0 0.0				K09 0.5 0.5 0.5	L09 56.71 0.0 0.0	M09 56.71 0.0 0.0	N09 0.5 0.0 0.0	O09 0.5 0.5 0.5	P09 56.71 0.0 360	Q09 56.71 0.0 0.0				T09 0.5 0.5 0.5	U09 56.71 0.0 0.0	V09 56.71 0.0 0.0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.5	Y09 56.68 0.03 360	Z09 56.68 0.03 0.0												
10		B10 0.437 0.562 0.562	C10 54.82 3.28 216	D10 54.82 -2.62 -1.97	E10 0.437 0.125 0.602	F10 0.437 0.562 0.562	G10 54.82 3.28 216	H10 54.82 -2.62 -1.97				K10 0.492 0.507 0.507	L10 56.47 0.41 216	M10 56.47 -0.32 -0.24	N10 0.437 0.015 0.602	O10 0.492 0.507 0.507	P10 56.47 0.41 216	Q10 56.47 -0.32 -0.24				T10 0.323 0.676 0.676	U10 51.37 9.28 216	V10 51.37 -7.41 -5.58	W10 0.437 0.353 0.602	X10 0.323 0.676 0.676	Y10 51.37 9.28 216	Z10 51.37 -7.41 -5.58												
11		B11 0.375 0.625 0.625	C11 52.94 6.56 216	D11 52.94 -5.24 -3.94	E11 0.375 0.25 0.602	F11 0.375 0.625 0.625	G11 52.94 6.56 216	H11 52.94 -5.24 -3.94				K11 0.468 0.531 0.531	L11 55.76 1.64 216	M11 55.76 -1.31 -0.98	N11 0.375 0.062 0.602	O11 0.468 0.531 0.531	P11 55.76 1.64 216	Q11 55.76 -1.31 -0.98				T11 0.249 0.75 0.75	U11 49.16 13.12 216	V11 49.16 -10.48 -7.89	W11 0.375 0.5 0.602	X11 0.249 0.75 0.75	Y11 49.16 13.12 216	Z11 49.16 -10.48 -7.89												
12		B12 0.312 0.687 0.687	C12 51.05 9.84 216	D12 51.05 -7.86 -5.92	E12 0.312 0.375 0.602	F12 0.312 0.687 0.687	G12 51.05 9.84 216	H12 51.05 -7.86 -5.92				K12 0.429 0.57 0.57	L12 54.58 3.69 216	M12 54.58 -2.94 -2.22	N12 0.312 0.14 0.602	O12 0.429 0.57 0.57	P12 54.58 3.69 216	Q12 54.58 -2.94 -2.22				T12 0.193 0.806 0.806	U12 47.47 16.07 216	V12 47.47 -12.84 -9.66	W12 0.312 0.612 0.602	X12 0.193 0.806 0.806	Y12 47.47 16.07 216	Z12 47.47 -12.84 -9.66												
13		B13 0.25 0.75 0.75	C13 49.17 13.12 216	D13 49.17 -10.48 -7.89	E13 0.25 0.5 0.602	F13 0.25 0.75 0.75	G13 49.17 13.12 216	H13 49.17 -10.48 -7.89				K13 0.375 0.625 0.625	L13 52.94 6.56 216	M13 52.94 -5.24 -3.94	N13 0.25 0.25 0.602	O13 0.375 0.625 0.625	P13 52.94 6.56 216	Q13 52.94 -5.24 -3.94				T13 0.146 0.853 0.853	U13 46.04 18.56 216	V13 46.04 -14.82 -11.16	W13 0.25 0.707 0.602	X13 0.146 0.853 0.853	Y13 46.04 18.56 216	Z13 46.04 -14.82 -11.16												
14		B14 0.187 0.812 0.812	C14 47.28 16.4 216	D14 47.28 -13.1 -9.86	E14 0.187 0.625 0.602	F14 0.187 0.812 0.812	G14 47.28 16.4 216	H14 47.28 -13.1 -9.86				K14 0.304 0.695 0.695	L14 50.81 10.25 216	M14 50.81 -8.19 -6.16	N14 0.187 0.39 0.602	O14 0.304 0.695 0.695	P14 50.81 10.25 216	Q14 50.81 -8.19 -6.16				T14 0.104 0.895 0.895	U14 44.78 20.75 216	V14 44.78 -16.57 -12.48	W14 0.187 0.79 0.602	X14 0.104 0.895 0.895	Y14 44.78 20.75 216	Z14 44.78 -16.57 -12.48												
15		B15 0.125 0.875 0.875	C15 45.4 19.68 216	D15 45.4 -15.72 -11.84	E15 0.125 0.75 0.602	F15 0.125 0.875 0.875	G15 45.4 19.68 216	H15 45.4 -15.72 -11.84				K15 0.218 0.781 0.781	L15 48.22 14.76 216	M15 48.22 -11.79 -8.88	N15 0.125 0.562 0.602	O15 0.218 0.781 0.781	P15 48.22 14.76 216	Q15 48.22 -11.79 -8.88				T15 0.066 0.933 0.933	U15 43.65 22.73 216	V15 43.65 -18.16 -13.67	W15 0.125 0.866 0.602	X15 0.066 0.933 0.933	Y15 43.65 22.73 216	Z15 43.65 -18.16 -13.67												
16		B16 0.062 0.937 0.937	C16 43.51 22.96 216	D16 43.51 -18.34 -13.81	E16 0.062 0.875 0.602	F16 0.062 0.937 0.937	G16 43.51 22.96 216	H16 43.51 -18.34 -13.81				K16 0.117 0.882 0.882	L16 45.16 20.09 216	M16 45.16 -16.05 -12.08	N16 0.062 0.765 0.602	O16 0.117 0.882 0.882	P16 45.16 20.09 216	Q16 45.16 -16.05 -12.08				T16 0.032 0.967 0.967	U16 42.6 24.55 216	V16 42.6 -19.61 -14.77	W16 0.062 0.935 0.602	X16 0.032 0.967 0.967	Y16 42.6 24.55 216	Z16 42.6 -19.61 -14.77												
17		B17 0.0 1.0 1.0	C17 41.63 26.25 216	D17 41.63 -20.97 -15.79	E17 0.0 1.0 0.602	F17 0.0 1.0 1.0	G17 41.63 26.25 216	H17 41.63 -20.97 -15.79				K17 0.0 41.63 26.25	L17 41.63 20.97 216	M17 41.63 -20.97 -15.79	N17 0.0 1.0 0.602	O17 0.0 1.0 1.0	P17 41.63 26.25 216	Q17 41.63 -20.97 -15.79				T17 0.0 41.62 26.25	U17 41.62 -20.97 -15.79	V17 41.62 0.0 1.0	W17 0.0 1.0 0.602	X17 0.0 1.0 1.0	Y17 41.62 26.25 216	Z17 41.62 -20.97 -15.79												
C/C'	CIE18a				c* _t = c*				TLS00a				CIE18a				c* _t = c* ^{0.5}				TLS00a				CIE18a				c* _t = c* ²				TLS00a							

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; www.ps.bam.de/Dg49/10L/L49g0MNP.PS /.PDF BAM-Material: Code=rhatha
Technische Information: <http://www.ps.bam.de/Version 2.1, io=1,1>

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	
Y/J		rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a		
01		B01 1.0 1.0 0.0	C01 81.26 71.61 92	D01 81.26 -2.89 71.56	E01 0.0 1.0 0.256	F01 1.0 1.0 0.0	G01 81.26 71.61 92	H01 81.26 -2.89 71.56			K01 1.0 1.0 0.0	L01 81.26 71.61 92	M01 81.26 -2.89 71.56	N01 0.0 1.0 0.256	O01 1.0 1.0 0.0	P01 81.26 71.61 92	Q01 81.26 -2.89 71.56			T01 1.0 1.0 0.0	U01 81.26 71.61 92	V01 81.26 -2.89 71.56	W01 0.0 1.0 0.256	X01 1.0 1.0 0.0	Y01 81.26 71.61 92	Z01 81.26 -2.89 71.56		
02		B02 0.937 0.937 0.062	C02 78.19 62.66 92	D02 78.19 -2.52 62.61	E02 0.062 0.875 0.256	F02 0.937 0.937 0.062	G02 78.19 62.66 92	H02 78.19 -2.52 62.61			K02 0.882 0.882 0.117	L02 75.5 54.83 92	M02 75.5 -2.21 54.78	N02 0.062 0.765 0.256	O02 0.882 0.882 0.117	P02 75.5 54.83 92	Q02 75.5 -2.21 54.78			T02 0.967 0.967 0.032	U02 79.67 66.99 92	V02 79.67 -2.7 66.93	W02 0.062 0.935 0.256	X02 0.967 0.967 0.032	Y02 79.67 66.99 92	Z02 79.67 -2.7 66.93		
03		B03 0.875 0.875 0.125	C03 75.12 53.71 92	D03 75.12 -2.16 53.67	E03 0.125 0.75 0.256	F03 0.875 0.875 0.125	G03 75.12 53.71 92	H03 75.12 -2.16 53.67			K03 0.781 0.781 0.218	L03 70.51 40.28 92	M03 70.51 -1.62 40.25	N03 0.125 0.562 0.256	O03 0.781 0.781 0.218	P03 70.51 40.28 92	Q03 70.51 -1.62 40.25			T03 0.933 0.933 0.066	U03 77.97 62.02 92	V03 77.97 -2.5 61.97	W03 0.125 0.866 0.256	X03 0.933 0.933 0.066	Y03 77.97 62.02 92	Z03 77.97 -2.5 61.97		
04		B04 0.812 0.812 0.187	C04 72.05 44.76 92	D04 72.05 -1.8 44.72	E04 0.187 0.625 0.256	F04 0.812 0.812 0.187	G04 72.05 44.76 92	H04 72.05 -1.8 44.72			K04 0.695 0.695 0.304	L04 66.29 27.97 92	M04 66.29 -1.12 27.95	N04 0.187 0.39 0.256	O04 0.695 0.695 0.304	P04 66.29 27.97 92	Q04 66.29 -1.12 27.95			T04 0.895 0.895 0.104	U04 76.11 56.61 92	V04 76.11 -2.28 56.57	W04 0.187 0.79 0.256	X04 0.895 0.895 0.104	Y04 76.11 56.61 92	Z04 76.11 -2.28 56.57		
05		B05 0.75 0.75 0.25	C05 68.98 35.8 92	D05 68.98 -1.44 35.78	E05 0.25 0.5 0.256	F05 0.75 0.75 0.25	G05 68.98 35.8 92	H05 68.98 -1.44 35.78			K05 0.625 0.625 0.375	L05 62.84 17.9 92	M05 62.84 -0.72 17.89	N05 0.25 0.25 0.256	O05 0.625 0.625 0.375	P05 62.84 17.9 92	Q05 62.84 -0.72 17.89			T05 0.853 0.853 0.146	U05 74.06 50.64 92	V05 74.06 -2.04 50.6	W05 0.25 0.707 0.256	X05 0.853 0.853 0.146	Y05 74.06 50.64 92	Z05 74.06 -2.04 50.6		
06		B06 0.687 0.687 0.312	C06 65.91 26.85 92	D06 65.91 -1.08 26.83	E06 0.312 0.375 0.256	F06 0.687 0.687 0.312	G06 65.91 26.85 92	H06 65.91 -1.08 26.83			K06 0.57 0.57 0.429	L06 60.16 10.07 92	M06 60.16 -0.4 10.06	N06 0.312 0.14 0.256	O06 0.57 0.57 0.429	P06 60.16 10.07 92	Q06 60.16 -0.4 10.06			T06 0.806 0.806 0.193	U06 71.74 43.85 92	V06 71.74 -1.76 43.82	W06 0.312 0.612 0.256	X06 0.806 0.806 0.193	Y06 71.74 43.85 92	Z06 71.74 -1.76 43.82		
07		B07 0.625 0.625 0.375	C07 62.84 17.9 92	D07 62.84 -0.72 17.89	E07 0.375 0.25 0.256	F07 0.625 0.625 0.375	G07 62.84 17.9 92	H07 62.84 -0.72 17.89			K07 0.531 0.531 0.468	L07 58.24 4.47 92	M07 58.24 -0.18 4.47	N07 0.375 0.062 0.256	O07 0.531 0.531 0.468	P07 58.24 4.47 92	Q07 58.24 -0.18 4.47			T07 0.75 0.75 0.249	U07 68.98 35.8 92	V07 68.98 -1.44 35.78	W07 0.375 0.5 0.256	X07 0.75 0.75 0.249	Y07 68.98 35.8 92	Z07 68.98 -1.44 35.78		
08		B08 0.562 0.562 0.437	C08 59.77 8.95 92	D08 59.77 -0.36 8.94	E08 0.437 0.125 0.256	F08 0.562 0.562 0.437	G08 59.77 8.95 92	H08 59.77 -0.36 8.94			K08 0.507 0.507 0.492	L08 57.09 1.11 92	M08 57.09 -0.04 1.11	N08 0.437 0.015 0.256	O08 0.507 0.507 0.492	P08 57.09 1.11 92	Q08 57.09 -0.04 1.11			T08 0.676 0.676 0.323	U08 65.38 25.32 92	V08 65.38 -1.02 25.3	W08 0.437 0.353 0.256	X08 0.676 0.676 0.323	Y08 65.38 25.32 92	Z08 65.38 -1.02 25.3		
09		B09 0.5 0.5 0.5	C09 56.71 0.0 0	D09 56.71 0.0 0	E09 0.5 0.0 0.0	F09 0.5 0.0 0.5	G09 56.71 0.0 360	H09 56.71 0.0 0			K09 0.5 0.5 0.5	L09 56.71 0.0 0	M09 56.71 0.0 0	N09 0.5 0.0 0.0	O09 0.5 0.5 0.5	P09 56.71 0.0 360	Q09 56.71 0.0 0			T09 0.5 0.5 0.5	U09 56.71 0.0 0	V09 56.71 0.0 0	W09 0.5 0.001 0.0	X09 0.5 0.499 0.5	Y09 56.68 0.03 360	Z09 56.68 0.03 0		
10		B10 0.437 0.437 0.562	C10 53.44 5.81 271	D10 53.44 0.17 -5.8	E10 0.437 0.125 0.754	F10 0.437 0.437 0.562	G10 53.44 5.81 271	H10 53.44 0.17 -5.8			K10 0.492 0.492 0.507	L10 56.3 0.72 271	M10 56.3 0.02 -0.72	N10 0.437 0.015 0.754	O10 0.492 0.492 0.507	P10 56.3 0.72 271	Q10 56.3 0.02 -0.72			T10 0.323 0.323 0.676	U10 47.46 16.43 271	V10 47.46 0.49 -16.42	W10 0.437 0.353 0.754	X10 0.323 0.323 0.676	Y10 47.46 16.43 271	Z10 47.46 0.49 -16.42		
11		B11 0.375 0.375 0.625	C11 50.17 11.62 271	D11 50.17 0.35 -11.61	E11 0.375 0.25 0.754	F11 0.375 0.375 0.625	G11 50.17 11.62 271	H11 50.17 0.35 -11.61			K11 0.468 0.468 0.531	L11 55.07 2.9 271	M11 55.07 0.08 -2.9	N11 0.375 0.062 0.754	O11 0.468 0.468 0.531	P11 55.07 2.9 271	Q11 55.07 0.08 -2.9			T11 0.249 0.249 0.75	U11 43.63 23.24 271	V11 43.63 0.7 -23.23	W11 0.375 0.5 0.754	X11 0.249 0.249 0.75	Y11 43.63 23.24 271	Z11 43.63 0.7 -23.23		
12		B12 0.312 0.312 0.687	C12 46.9 17.43 271	D12 46.9 0.52 -17.42	E12 0.312 0.375 0.754	F12 0.312 0.312 0.687	G12 46.9 17.43 271	H12 46.9 0.52 -17.42			K12 0.429 0.429 0.57	L12 53.03 6.53 271	M12 53.03 0.19 -6.53	N12 0.312 0.14 0.754	O12 0.429 0.429 0.57	P12 53.03 6.53 271	Q12 53.03 0.19 -6.53			T12 0.193 0.193 0.806	U12 40.7 28.47 271	V12 40.7 0.86 -28.45	W12 0.312 0.193 0.754	X12 0.193 0.193 0.806	Y12 40.7 28.47 271	Z12 40.7 0.86 -28.45		
13		B13 0.25 0.25 0.75	C13 43.64 23.24 271	D13 43.64 0.7 -23.23	E13 0.25 0.5 0.754	F13 0.25 0.25 0.75	G13 43.64 23.24 271	H13 43.64 0.7 -23.23			K13 0.375 0.375 0.625	L13 50.17 11.62 271	M13 50.17 0.35 -11.61	N13 0.25 0.25 0.754	O13 0.375 0.375 0.625	P13 50.17 11.62 271	Q13 50.17 0.35 -11.61			T13 0.146 0.146 0.853	U13 38.22 32.87 271	V13 38.22 0.99 -32.85	W13 0.25 0.707 0.754	X13 0.146 0.146 0.853	Y13 38.22 32.87 271	Z13 38.22 0.99 -32.85		
14		B14 0.187 0.187 0.812	C14 40.37 29.05 271	D14 40.37 0.88 -29.04	E14 0.187 0.625 0.754	F14 0.187 0.187 0.812	G14 40.37 29.05 271	H14 40.37 0.88 -29.04			K14 0.304 0.304 0.695	L14 46.49 18.16 271	M14 46.49 0.55 -18.15	N14 0.187 0.39 0.754	O14 0.304 0.304 0.695	P14 46.49 18.16 271	Q14 46.49 0.55 -18.15			T14 0.104 0.104 0.895	U14 36.04 36.75 271	V14 36.04 1.11 -36.73	W14 0.187 0.79 0.754	X14 0.104 0.104 0.895	Y14 36.04 36.75 271	Z14 36.04 1.11 -36.73		
15		B15 0.125 0.125 0.875	C15 37.1 34.86 271	D15 37.1 1.05 -34.85	E15 0.125 0.75 0.754	F15 0.125 0.125 0.875	G15 37.1 34.86 271	H15 37.1 1.05 -34.85			K15 0.218 0.218 0.781	L15 42.0 26.15 271	M15 42.0 0.79 -26.13	N15 0.125 0.562 0.754	O15 0.218 0.218 0.781	P15 42.0 26.15 271	Q15 42.0 0.79 -26.13			T15 0.066 0.066 0.933	U15 34.07 40.26 271	V15 34.07 1.22 -40.24	W15 0.125 0.866 0.754	X15 0.066 0.066 0.933	Y15 34.07 40.26 271	Z15 34.07 1.22 -40.24		
16		B16 0.062 0.062 0.937	C16 33.83 40.67 271	D16 33.83 1.23 -40.66	E16 0.062 0.875 0.754	F16 0.062 0.062 0.937	G16 33.83 40.67 271	H16 33.83 1.23 -40.66			K16 0.117 0.117 0.882	L16 36.69 35.59 271	M16 36.69 1.07 -35.57	N16 0.062 0.765 0.754	O16 0.117 0.117 0.882	P16 36.69 35.59 271	Q16 36.69 1.07 -35.57			T16 0.032 0.032 0.967	U16 32.25 43.48 271	V16 32.25 1.31 -43.46	W16 0.062 0.935 0.754	X16 0.032 0.032 0.967	Y16 32.25 43.48 271	Z16 32.25 1.31 -43.46		
17		B17 0.0 0.0 1.0	C17 30.57 46.49 271	D17 30.57 0.0 -46.47	E17 0.0 1.0 0.754	F17 0.0 0.0 1.0	G17 30.57 46.49 271	H17 30.57 0.0 -46.47			K17 0.0 0.0 1.0	L17 30.57 1.41 271	M17 30.57 1.41 -46.47	N17 0.0 1.0 0.754	O17 0.0 0.0 1.0	P17 30.57 1.41 271	Q17 30.57 1.41 -46.47			T17 0.0 0.0 1.0	U17 30.56 46.49 271	V17 30.56 0.0 -46.47	W17 0.0 1.0 0.754	X17 0.0 0.0 1.0	Y17 30.56 46.49 271	Z17 30.56 1.41 -46.47		
V/B		CIE18a $c^*_t = c^*$				TLS00a					CIE18a $c^*_t = c^{*0.5}$				TLS00a					CIE18a $c^*_t = c^{*2}$				TLS00a				

Siehe ähnliche Dateien: <http://www.ps.bam.de/Dg49/>; [www.ps.bam.de/Dg49/](http://www.ps.bam.de/Dg49/Version%202.1,%20io=1,1)
Technische Information: [http://www.ps.bam.de/Version 2.1, io=1,1](http://www.ps.bam.de/Version%202.1,%20io=1,1)

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a														
L/G		rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a			rgb* ₃	LCH* _a	LAB* _a	nch* _a	olv* ₃	LCH* _a	LAB* _a															
01		0.0 1.0 0.0	B01 C01 D01	52.23 44.54 162	52.23 -42.42 13.6	E01 F01 0.0 1.0 0.0	0.0 52.23 44.54 162	52.23 -42.42 13.6	H01			0.0 52.23 44.54 162	52.23 -42.42 13.6	M01 N01 0.0 1.0 0.0	0.0 52.23 44.54 162	0.0 52.23 -42.42 13.6	O01 P01 Q01	52.23 44.54 162			0.0 52.23 44.54 162	T01 U01 V01	52.22 52.22 52.22	52.22 52.22 52.22	W01 X01 Y01	0.0 0.0 0.0	52.22 52.22 52.22	52.22 52.22 52.22	Z01 a												
02		0.062 0.937 0.062	B02 C02 D02	52.79 38.97 162	52.79 -37.11 11.9	E02 F02 0.062 0.937 0.062	0.062 52.79 38.97 162	52.79 -37.11 11.9	H02			0.117 0.882 0.117	53.28 34.1 162	53.28 -32.47 10.41	M02 N02 0.062 0.765 0.45	0.117 0.882 0.117	O02 P02 Q02	53.28 34.1 162			0.032 0.967 0.032	T02 U02 V02	52.51 41.66 162	52.51 -39.68 12.72	W02 X02 Y02	0.062 0.935 0.45	0.032 0.967 0.032	52.51 41.66 162	52.51 -39.68 12.72	Z02											
03		0.125 0.875 0.125	B03 C03 D03	53.35 33.41 162	53.35 -31.81 10.2	E03 F03 0.125 0.875 0.125	0.125 53.35 33.41 162	53.35 -31.81 10.2	H03			0.218 0.781 0.218	54.19 25.05 162	54.19 -23.86 7.65	M03 N03 0.125 0.562 0.45	0.218 0.781 0.218	O03 P03 Q03	54.19 25.05 162			0.066 0.933 0.066	T03 U03 V03	52.83 38.57 162	52.83 -36.73 11.77	W03 X03 Y03	0.125 0.866 0.45	0.066 0.933 0.066	52.83 38.57 162	52.83 -36.73 11.77	Z03											
04		0.187 0.812 0.187	B04 C04 D04	53.91 27.84 162	53.91 -26.51 8.5	E04 F04 0.187 0.812 0.187	0.187 53.91 27.84 162	53.91 -26.51 8.5	H04			0.304 0.695 0.304	54.96 17.4 162	54.96 -16.57 5.31	M04 N04 0.187 0.39 0.45	0.304 0.695 0.304	O04 P04 Q04	54.96 17.4 162			0.104 0.895 0.104	T04 U04 V04	53.16 35.21 162	53.16 -33.53 10.75	W04 X04 Y04	0.187 0.79 0.45	0.104 0.895 0.104	53.16 35.21 162	53.16 -33.53 10.75	Z04											
05		0.25 0.75 0.25	B05 C05 D05	54.47 22.27 162	54.47 -21.21 6.8	E05 F05 0.25 0.75 0.25	0.25 54.47 22.27 162	54.47 -21.21 6.8	H05			0.375 0.625 0.375	55.59 11.13 162	55.59 -10.6 3.4	M05 N05 0.25 0.25 0.45	0.375 0.625 0.375	O05 P05 Q05	55.59 11.13 162			0.146 0.853 0.146	T05 U05 V05	53.54 31.49 162	53.54 -29.99 9.61	W05 X05 Y05	0.25 0.707 0.45	0.146 0.853 0.146	53.54 31.49 162	53.54 -29.99 9.61	Z05											
06		0.312 0.687 0.312	B06 C06 D06	55.03 16.7 162	55.03 -15.9 5.1	E06 F06 0.312 0.375 0.45	0.312 55.03 16.7 162	55.03 -15.9 5.1	H06			0.429 0.57 0.429	56.08 6.26 162	56.08 -5.96 1.91	M06 N06 0.312 0.14 0.45	0.429 0.57 0.429	O06 P06 Q06	56.08 6.26 162			0.193 0.806 0.193	T06 U06 V06	53.96 27.27 162	53.96 -25.97 8.32	W06 X06 Y06	0.312 0.612 0.45	0.193 0.806 0.193	53.96 27.27 162	53.96 -25.97 8.32	Z06											
07		0.375 0.625 0.375	B07 C07 D07	55.59 11.13 162	55.59 -10.6 3.4	E07 F07 0.375 0.625 0.375	0.375 55.59 11.13 162	55.59 -10.6 3.4	H07			0.468 0.531 0.468	56.43 2.78 162	56.43 -2.65 0.85	M07 N07 0.375 0.062 0.45	0.468 0.531 0.468	O07 P07 Q07	56.43 2.78 162			0.249 0.75 0.249	T07 U07 V07	54.46 22.27 162	54.46 -21.21 6.8	W07 X07 Y07	0.375 0.5 0.45	0.249 0.75 0.249	54.46 22.27 162	54.46 -21.21 6.8	Z07											
08		0.437 0.562 0.437	B08 C08 D08	56.15 5.56 162	56.15 -5.3 1.7	E08 F08 0.437 0.125 0.45	0.437 56.15 5.56 162	56.15 -5.3 1.7	H08			0.492 0.507 0.492	56.64 0.69 162	56.64 -0.66 0.21	M08 N08 0.437 0.015 0.45	0.492 0.507 0.492	O08 P08 Q08	56.64 0.69 162			0.323 0.676 0.323	T08 U08 V08	55.12 15.74 162	55.12 -14.99 4.8	W08 X08 Y08	0.437 0.353 0.45	0.323 0.676 0.323	55.12 15.74 162	55.12 -14.99 4.8	Z08											
09		0.5 0.5 0.5	B09 C09 D09	56.71 0.0 0.0	56.71 0.0 0.0	E09 F09 0.5 0.5 0.5	0.5 56.71 0.0 360	56.71 0.0 0.0	H09			0.5 0.5 0.5	56.71 0.0 0.0	56.71 0.0 0.0	M09 N09 0.5 0.0 0.0	0.5 0.5 0.5	O09 P09 Q09	56.71 0.0 360			0.5 0.5 0.5	T09 U09 V09	56.71 0.0 0.0	56.71 0.0 0.0	W09 X09 Y09	0.5 0.001 0.0	0.5 0.499 0.5	56.68 0.03 360	56.68 0.03 0.0	Z09											
10		0.562 0.437 0.562	B10 C10 D10	53.92 3.7 328	53.92 3.16 -1.92	E10 F10 0.437 0.125 0.912	0.562 53.92 3.7 328	53.92 3.16 -1.92	H10			0.507 0.492 0.507	56.36 0.46 328	56.36 0.39 -0.24	M10 N10 0.437 0.015 0.912	0.507 0.492 0.507	O10 P10 Q10	56.36 0.46 328			0.676 0.323 0.676	T10 U10 V10	48.84 10.47 328	48.84 8.94 -5.45	W10 X10 Y10	0.437 0.353 0.912	0.676 0.323 0.676	48.84 10.47 328	48.84 8.94 -5.45	Z10											
11		0.625 0.375 0.625	B11 C11 D11	51.14 7.4 328	51.14 6.32 -3.85	E11 F11 0.375 0.25 0.912	0.625 51.14 7.4 328	51.14 6.32 -3.85	H11			0.531 0.468 0.531	55.31 1.85 328	55.31 1.58 -0.96	M11 N11 0.375 0.062 0.912	0.531 0.468 0.531	O11 P11 Q11	55.31 1.85 328			0.75 0.249 0.75	T11 U11 V11	45.58 14.81 328	45.58 12.65 -7.71	W11 X11 Y11	0.375 0.5 0.912	0.75 0.249 0.75	45.58 14.81 328	45.58 12.65 -7.71	Z11											
12		0.687 0.312 0.687	B12 C12 D12	48.36 11.11 328	48.36 9.48 -5.78	E12 F12 0.312 0.375 0.912	0.687 48.36 11.11 328	48.36 9.48 -5.78	H12			0.57 0.429 0.57	53.58 4.16 328	53.58 3.55 -2.16	M12 N12 0.312 0.14 0.912	0.57 0.429 0.57	O12 P12 Q12	53.58 4.16 328			0.806 0.193 0.806	T12 U12 V12	43.08 18.14 328	43.08 15.49 -9.44	W12 X12 Y12	0.312 0.612 0.912	0.806 0.193 0.806	43.08 18.14 328	43.08 15.49 -9.44	Z12											
13		0.75 0.25 0.75	B13 C13 D13	45.58 14.81 328	45.58 12.65 -7.71	E13 F13 0.25 0.5 0.912	0.75 45.58 14.81 328	45.58 12.65 -7.71	H13			0.625 0.375 0.625	51.14 7.4 328	51.14 6.32 -3.85	M13 N13 0.25 0.25 0.912	0.625 0.375 0.625	O13 P13 Q13	51.14 7.4 328			0.853 0.146 0.853	T13 U13 V13	40.97 20.95 328	40.97 17.88 -10.91	W13 X13 Y13	0.25 0.707 0.912	0.853 0.146 0.853	40.97 20.95 328	40.97 17.88 -10.91	Z13											
14		0.812 0.187 0.812	B14 C14 D14	42.8 18.52 328	42.8 15.81 -9.64	E14 F14 0.187 0.625 0.912	0.812 42.8 18.52 328	42.8 15.81 -9.64	H14			0.695 0.304 0.695	48.01 11.57 328	48.01 9.88 -6.02	M14 N14 0.187 0.39 0.912	0.695 0.304 0.695	O14 P14 Q14	48.01 11.57 328			0.895 0.104 0.895	T14 U14 V14	39.11 23.42 328	39.11 20.0 -12.19	W14 X14 Y14	0.187 0.79 0.912	0.895 0.104 0.895	39.11 23.42 328	39.11 20.0 -12.19	Z14											
15		0.875 0.125 0.875	B15 C15 D15	40.02 22.22 328	40.02 18.97 -11.57	E15 F15 0.125 0.75 0.912	0.875 40.02 22.22 328	40.02 18.97 -11.57	H15			0.781 0.218 0.781	44.19 16.66 328	44.19 14.23 -8.67	M15 N15 0.125 0.562 0.912	0.781 0.218 0.781	O15 P15 Q15	44.19 16.66 328			0.933 0.066 0.933	T15 U15 V15	37.44 25.66 328	37.44 21.91 -13.36	W15 X15 Y15	0.125 0.866 0.912	0.933 0.066 0.933	37.44 25.66 328	37.44 21.91 -13.36	Z15											
16		0.937 0.062 0.937	B16 C16 D16	37.24 25.92 328	37.24 22.13 -13.5	E16 F16 0.062 0.875 0.912	0.937 37.24 25.92 328	37.24 22.13 -13.5	H16			0.882 0.117 0.882	39.67 22.68 328	39.67 19.37 -11.81	M16 N16 0.062 0.765 0.912	0.882 0.117 0.882	O16 P16 Q16	39.67 22.68 328			0.967 0.032 0.967	T16 U16 V16	35.89 27.72 328	35.89 23.66 -14.43	W16 X16 Y16	0.062 0.935 0.912	0.967 0.032 0.967	35.89 27.72 328	35.89 23.66 -14.43	Z16											
17		1.0 0.0 1.0	B17 C17 D17	34.46 29.63 328	34.46 25.3 -15.43	E17 F17 0.0 1.0 0.0	1.0 34.46 29.63 328	34.46 25.3 -15.43	H17			1.0 34.46 29.63 328	34.46 25.3 -15.43	M17 N17 0.0 1.0 0.0	1.0 34.46 29.63 328	1.0 34.46 25.3 -15.43	O17 P17 Q17	34.46 29.63 328			1.0 34.45 29.63 328	T17 U17 V17	34.45 29.63 328	34.45 25.3 -15.43	W17 X17 Y17	0.0 1.0 0.0	1.0 34.45 29.63 328	34.45 25.3 -15.43	Z17												
M/M		CIE18a				$c^*_t = c^*$				TLS00a						CIE18a				$c^*_t = c^{*0.5}$				TLS00a						CIE18a				$c^*_t = c^{*2}$				TLS00a			