



Ein und Ausgabe:
 Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM
 Daten für jede Farbe:
*lab*_{tch}** und *lab*_{icu}**
 Elementar-Bunttextext:
*u** = 16 Bunttöne *r00j*, *r25j*, ..., *b75r*
 Kontrastreduzierungsfaktor:
c_R = 0.97

ORS20_95aM; adaptierte CIELAB-Daten					
	<i>L</i> *= <i>L</i> * _a	<i>a</i> * _a	<i>b</i> * _a	<i>C</i> * _{ab,a}	<i>h</i> * _{ab,a}
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



%Umfang
*u**_{rel} = 87
 %Regularität
*g**_{H,rel} = 57
*g**_{C,rel} = 59

ORS20_95aM; adaptierte CIELAB-Daten					
	<i>L</i> *= <i>L</i> * _a	<i>a</i> * _a	<i>b</i> * _a	<i>C</i> * _{ab,a}	<i>h</i> * _{ab,a}
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$ $u^* = r00j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r00j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 48 66 32

$LAB^*LCH^*_{Ma}$: 48 73 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.3

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$ $u^* = r25j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r25j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 51 58 52

$LAB^*LCH^*_{Ma}$: 51 78 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$ $u^* = r75j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r75j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 74 19 73

$LAB^*LCH^*_{Ma}$: 74 76 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.61 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$ $u^* = j00g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j00g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 87 -2 85

$LAB^*LCH^*_{Ma}$: 87 85 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.91 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$ $u^* = j25g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j25g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 78 -25 72

$LAB^*LCH^*_{Ma}$: 78 76 110

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.69 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$ $u^* = j50g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j50g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 66 -41 55

$LAB^*LCH^*_{Ma}$: 66 69 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.38 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$ $u^* = j75g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j75g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 55 -55 39

$LAB^*LCH^*_{Ma}$: 55 68 145

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.1 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$ $u^* = g00b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g00b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 53 -53 17

$LAB^*LCH^*_{Ma}$: 53 57 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.21

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$ $u^* = g25b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g25b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 55 -43 -6

$LAB^*LCH^*_{Ma}$: 55 45 190

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.53

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$ $u^* = g50b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g50b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 57 -35 -26

$LAB^*LCH^*_{Ma}$: 57 45 217

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.79

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$ $u^* = g75b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g75b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 54 -20 -43

$LAB^*LCH^*_{Ma}$: 54 48 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.86 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$ $u^* = b00r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b00r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 42 1 -42

$LAB^*LCH^*_{Ma}$: 42 43 272

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.48 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$ $u^* = b25r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b25r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 29 25 -42

$LAB^*LCH^*_{Ma}$: 29 50 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.09 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$ $u^* = b50r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b50r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 35 47 -28

$LAB^*LCH^*_{Ma}$: 35 56 329

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.4 0.0 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$ $u^* = b75r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b75r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 48 72 -3

$LAB^*LCH^*_{Ma}$: 48 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.92

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357




	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	
01																																						
02																																						
03																																						
04																																						
05																																						
06																																						
07																																						
08																																						
09																																						
10																																						
11																																						
12																																						
13																																						
14																																						
15																																						
16																																						
17																																						
18																																						
19																																						
20																																						
21																																						
22																																						
23																																						
24																																						
25																																						
26																																						
27																																						

Ein und Ausgabe:
 Farbmétrisches Drucker-Reflektiv-System ORS20_95aM
 Daten für jede Farbe:
*lab*_{tch*}* und *lab*_{icu*}*
 Elementar-Bunttontext:
*u** = 16 Bunttöne *r00j*, *r25j*, ..., *b75r*
 Kontrastreduzierungsfaktor:
 $c_R = 0.97$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



%Umfang

$u_{rel}^* = 87$



%Regularität

$g_{H,rel}^* = 57$

$g_{C,rel}^* = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$ $u^* = r00j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r00j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 48 66 32

$LAB^*LCH^*_{Ma}$: 48 73 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.3

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$ $u^* = r25j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r25j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 51 58 52

$LAB^*LCH^*_{Ma}$: 51 78 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$ $u^* = r50j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r50j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 63 38 63

$LAB^*LCH^*_{Ma}$: 63 73 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.35 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$ $u^* = r75j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r75j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 74 19 73

$LAB^*LCH^*_{Ma}$: 74 76 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.61 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmétrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$ $u^* = j00g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j00g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 87 -2 85

$LAB^*LCH^*_{Ma}$: 87 85 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.91 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmétrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$ $u^* = j25g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j25g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 78 -25 72

$LAB^*LCH^*_{Ma}$: 78 76 110

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.69 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$ $u^* = j50g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j50g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 66 -41 55

$LAB^*LCH^*_{Ma}$: 66 69 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.38 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$ $u^* = j75g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j75g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 55 -55 39

$LAB^*LCH^*_{Ma}$: 55 68 145

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.1 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$


ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357




Dreiecks-Helligkeit t^*

Dreiecks-Helligkeit t^*




ORS20_95aM; adaptierte CIELAB-Daten					
	$L^* = \bar{L}_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



*lab*olv**_{Ma}: 0.0 1.0 0.53

ORS20_95aM; adaptierte CIELAB-Daten					
	L^*_{*a}	a^*_{*a}	b^*_{*a}	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 217/360 = 0.603$ $u^* = g50b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g50b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 57 -35 -26

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 57 45 217

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.79

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{\text{rel}} = 87$



%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 244/360 = 0.679$ $u^* = g75b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g75b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 54 -20 -43

$LAB^*LCH^*_{Ma}$: 54 48 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.86 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Refektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$ $u^* = b00r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b00r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 42 1 -42

$LAB^*LCH^*_{Ma}$: 42 43 272

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.48 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmétrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$ $u^* = b25r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b25r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 29 25 -42

$LAB^*LCH^*_{Ma}$: 29 50 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.09 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$ $u^* = b50r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b50r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 35 47 -28

$LAB^*LCH^*_{Ma}$: 35 56 329

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.4 0.0 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 357/360 = 0.992$ $u^* = b75r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b75r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 48 72 -3

$LAB^*LCH^*_{Ma}$: 48 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.92

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357







Ein und Ausgabe:
 Farbmétrisches Drucker-Reflektiv-System ORS20_95aM
 Daten für jede Farbe:
 lab^*_{tch} und lab^*_{icu}
 Elementar-Bunttextext:
 $u^* = 16$ Bunttöne $r00j$, $r25j$, ..., $b75r$
 Kontrastreduzierungsfaktor:
 $c_R = 0.97$

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



%Umfang
 $u^*_{rel} = 87$
 %Regularität
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$ $u^* = r00j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r00j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 48 66 32

$LAB^*LCH^*_{Ma}$: 48 73 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.3

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 42/360 = 0.117$ $u^* = r25j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r25j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 51 58 52

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 51 78 42

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.08 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{\text{rel}} = 87$



%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 59/360 = 0.164$ $u^* = r50j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r50j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 63 38 63

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 63 73 59

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.5 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.35 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{\text{rel}} = 87$



%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$ $u^* = r75j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r75j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 74 19 73

$LAB^*LCH^*_{Ma}$: 74 76 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.61 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$ $u^* = j00g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j00g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 87 -2 85

$LAB^*LCH^*_{Ma}$: 87 85 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.91 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 110/360 = 0.305$ $u^* = j25g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j25g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}: 78 -25 72$

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}: 78 76 110$

$\text{lab}^*\text{rgb}^*_{\text{Ma}}: 0.75 1.0 0.0$

$\text{lab}^*\text{olv}^*_{\text{Ma}}: 0.69 1.0 0.0$

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{\text{rel}} = 87$



%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 127/360 = 0.354$ $u^* = j50g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttonstext:

$u^* = j50g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 66 -41 55

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 66 69 127

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.38 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{\text{rel}} = 87$



%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 145/360 = 0.402$ $u^* = j75g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j75g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 55 -55 39

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 55 68 145

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.1 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{\text{rel}} = 87$



%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$ $u^* = g00b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g00b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 53 -53 17

$LAB^*LCH^*_{Ma}$: 53 57 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.21

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$ $u^* = g25b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g25b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 55 -43 -6

$LAB^*LCH^*_{Ma}$: 55 45 190

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.53

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 244/360 = 0.679$ $u^* = g75b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g75b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 54 -20 -43

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 54 48 244

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.86 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{\text{rel}} = 87$



%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 272/360 = 0.755$ $u^* = b00r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b00r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 42 1 -42

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 42 43 272

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.48 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{\text{rel}} = 87$



%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 300/360 = 0.834$ $u^* = b25r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b25r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 29 25 -42

$\text{LAB}^*\text{LCH}^*_{Ma}$: 29 50 300

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.09 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 329/360 = 0.913$ $u^* = b50r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b50r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 35 47 -28

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 35 56 329

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.4 0.0 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{\text{rel}} = 87$


%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 357/360 = 0.992$ $u^* = b75r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttonstext:

$u^* = b75r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 48 72 -3

$\text{LAB}^*\text{LCH}^*_{Ma}$: 48 72 357

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 0.92

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Dg950-7A, Seite 54/180



Ein und Ausgabe:
 Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM
 Daten für jede Farbe:
 lab^*_{tch} und lab^*_{icu}
 Elementar-Bunttextext:
 $u^* = 16$ Bunttöne $r00j$, $r25j$, ..., $b75r$
 Kontrastreduzierungsfaktor:
 $c_R = 0.97$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



%Umfang
 $u^*_{rel} = 87$
 %Regularität
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272




LAB*LAB*

CIELAB-Date

$$u^* = r00j$$
 $c_P = 0.97$

Dreiecks-Helligkeit t^*



	$L^* = \bar{L}_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

$LAB*LAB*_{Ma}: 48 \ 66 \ 32$

LAB*ICH* : 48 73 25

LAB LCH Ma. 40 75 25
LAB LCH Ma. 40 75 25

lab*rgb*Ma: 1.0 0.0 0.0

lab*olv*_Ma: 1.0 0.0 0.3

Dreiecks-Helligkeit t^*

100



%Umfang

$$\mathbf{u}_{\text{rel}}^* = 87$$

%Regularität

$$g^*_{H,rel} = 57$$
$$g^*_{C,rel} = 59$$

	$L^* = L_{*a}^a$	a_{*a}^a	b_{*a}^a	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 42/360 = 0.117$ $u^* = r25j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r25j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 51 58 52

$\text{LAB}^*\text{LCH}^*_{Ma}$: 51 78 42

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.08 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$ $u^* = r50j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r50j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 63 38 63

$LAB^*LCH^*_{Ma}$: 63 73 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.35 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$

$u^* = r75j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r75j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 74 19 73

$LAB^*LCH^*_{Ma}$: 74 76 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.61 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357

$LAB^*LAB^*_a$

$i^* = 1.00$

Brillantheit i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative Buntheit c^*

relative Buntheit c^*

$i^* = 0.00$

Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$ $u^* = j00g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j00g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 87 -2 85

$LAB^*LCH^*_{Ma}$: 87 85 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.91 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$


%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 110/360 = 0.305$ $u^* = j25g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j25g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 78 -25 72

$\text{LAB}^*\text{LCH}^*_{Ma}$: 78 76 110

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.69 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 127/360 = 0.354$ $u^* = j50g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j50g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 66 -41 55

$\text{LAB}^*\text{LCH}^*_{Ma}$: 66 69 127

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.38 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regelbarkeit

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 145/360 = 0.402$ $u^* = j75g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j75g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 55 -55 39

$\text{LAB}^*\text{LCH}^*_{Ma}$: 55 68 145

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.1 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 162/360 = 0.451$ $u^* = g00b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g00b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 53 -53 17

$\text{LAB}^*\text{LCH}^*_{Ma}$: 53 57 162

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.21

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 190/360 = 0.527$ $u^* = g25b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g25b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 55 -43 -6

$\text{LAB}^*\text{LCH}^*_{Ma}$: 55 45 190

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.53

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$ $u^* = g50b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g50b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 57 -35 -26

$LAB^*LCH^*_{Ma}$: 57 45 217

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.79

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 244/360 = 0.679$ $u^* = g75b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g75b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 54 -20 -43

$\text{LAB}^*\text{LCH}^*_{Ma}$: 54 48 244

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.86 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 272/360 = 0.755$ $u^* = b00r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b00r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 42 1 -42

$\text{LAB}^*\text{LCH}^*_{Ma}$: 42 43 272

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.48 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 300/360 = 0.834$ $u^* = b25r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b25r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 29 25 -42

$\text{LAB}^*\text{LCH}^*_{Ma}$: 29 50 300

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.09 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 329/360 = 0.913$ $u^* = b50r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b50r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 35 47 -28

$\text{LAB}^*\text{LCH}^*_{Ma}$: 35 56 329

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.4 0.0 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 357/360 = 0.992$ $u^* = b75r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b75r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 48 72 -3

$\text{LAB}^*\text{LCH}^*_{Ma}$: 48 72 357

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 0.92

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten


	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Dg950-7A, Seite 72/180



Ein und Ausgabe:
 Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM
 Daten für jede Farbe:
 lab^*_{tch} und lab^*_{icu}
 Elementar-Bunttextext:
 $u^* = 16$ Bunttöne $r00j$, $r25j$, ..., $b75r$
 Kontrastreduzierungsfaktor:
 $c_R = 0.97$

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



%Umfang
 $u^*_{rel} = 87$
 %Regularität
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 25/360 = 0.071$ $u^* = r00j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r00j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 48 66 32

$\text{LAB}^*\text{LCH}^*_{Ma}$: 48 73 25

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 0.3

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 42/360 = 0.117$ $u^* = r25j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r25j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 51 58 52

$\text{LAB}^*\text{LCH}^*_{Ma}$: 51 78 42

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.08 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 59/360 = 0.164$ $u^* = r50j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r50j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 63 38 63

$\text{LAB}^*\text{LCH}^*_{Ma}$: 63 73 59

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.5 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.35 0.0

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$

$u^* = r75j$

$LAB^*LCH^*_a$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r75j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_Ma$: 74 19 73

$LAB^*LCH^*_Ma$: 74 76 76

$lab^*rgb^*_Ma$: 1.0 0.75 0.0

$lab^*olv^*_Ma$: 1.0 0.61 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab} \cdot h^* = h_{ab}/360 = 110/360 = 0.305$ $u^* = j25g$

Daten für jede Farbe:

$\text{lab} \cdot \text{tch}^*$ und $\text{lab} \cdot \text{icu}^*$


Elementar-Bunttonstext:

$u^* = j25g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB} \cdot \text{LAB}^*_{Ma}$: 78 -25 72

$\text{LAB} \cdot \text{LCH}^*_{Ma}$: 78 76 110

$\text{lab} \cdot \text{rgb}^*_{Ma}$: 0.75 1.0 0.0

$\text{lab} \cdot \text{olv}^*_{Ma}$: 0.69 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$


$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten


	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357




Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Dreiecks-Helligkeit t^*



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$ $u^* = j75g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttonstext:

$u^* = j75g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 55 -55 39

$LAB^*LCH^*_{Ma}$: 55 68 145

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.1 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$


$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten


	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357




Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Dreiecks-Helligkeit t^*



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 190/360 = 0.527$ $u^* = g25b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttextext:

$u^* = g25b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 55 -43 -6

$\text{LAB}^*\text{LCH}^*_{Ma}$: 55 45 190

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.53

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmétrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 217/360 = 0.603$ $u^* = g50b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g50b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 57 -35 -26

$\text{LAB}^*\text{LCH}^*_{Ma}$: 57 45 217

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.79

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 244/360 = 0.679$ $u^* = g75b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g75b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 54 -20 -43

$\text{LAB}^*\text{LCH}^*_{Ma}$: 54 48 244

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.86 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 272/360 = 0.755$ $u^* = b00r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b00r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 42 1 -42

$LAB^*LCH^*_{Ma}$: 42 43 272

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.48 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 300/360 = 0.834$ $u^* = b25r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b25r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 29 25 -42

$\text{LAB}^*\text{LCH}^*_{Ma}$: 29 50 300

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.09 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 329/360 = 0.913$ $u^* = b50r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b50r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 35 47 -28

$\text{LAB}^*\text{LCH}^*_{Ma}$: 35 56 329

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.4 0.0 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 357/360 = 0.992$ $u^* = b75r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b75r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 48 72 -3

$\text{LAB}^*\text{LCH}^*_{Ma}$: 48 72 357

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 0.92

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LCH*a										
01	20.0	23.9	27.7	31.6	35.5	39.3	43.2	47.0	50.9	23.5	28.8	32.7	36.5	40.4	44.2	48.1	52.0	55.8	27.0	32.3	37.6	41.5	45.3	49.2	53.0	56.9	60.8	64.7	68.5	72.4	76.3	80.2	84.1	88.0	91.9	95.8	99.7	20.0	20.0	20.0	20.0							
	0.0	8.7	17.4	26.1	34.8	43.5	52.3	61.0	69.7	10.0	11.2	17.7	25.6	33.9	42.8	50.9	59.4	68.1	20.0	18.5	22.4	28.3	35.4	43.1	51.2	59.4	67.7	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	0.0	0.0	0.0	0.0							
	271	151	151	151	151	151	151	151	151	38	96	120	130	135	138	141	142	143	38	68	96	118	126	126	130	133	133	135	271	38	38	38	38	38	38	38	38	271	271	271	271							
02	20.7	24.8	28.7	32.6	36.4	40.3	44.1	48.0	51.9	23.2	29.4	33.2	37.1	41.0	44.8	48.7	52.6	56.4	27.0	32.9	38.2	42.7	46.5	49.8	53.6	57.5	61.4	65.3	69.2	73.1	77.0	80.9	84.8	88.7	92.6	96.5	100.0	20.7	20.7	20.7	20.7							
	6.6	6.6	11.3	19.1	27.7	36.0	44.6	53.2	61.9	9.5	0.0	8.7	17.4	26.1	34.8	43.5	52.3	61.0	17.8	10.0	11.2	17.7	25.6	33.9	42.3	50.9	59.4	6.6	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	0.0	0.0	0.0	0.0						
	305	236	186	171	165	161	159	158	157	354	271	151	151	151	151	151	151	151	17	38	96	120	130	135	138	141	142	236	271	38	38	38	38	38	38	38	38	271	271	271	271							
03	21.4	25.5	29.7	33.5	37.4	41.2	45.1	49.0	52.8	24.2	30.1	34.2	38.1	41.9	45.8	49.7	53.5	57.4	27.0	32.9	38.8	42.6	46.5	50.3	54.2	58.1	61.9	65.8	69.7	73.6	77.5	81.4	85.3	89.2	93.1	97.0	100.0	21.4	21.4	21.4	21.4							
	13.1	10.8	13.1	16.4	22.7	30.2	38.3	46.6	55.0	14.4	6.6	6.6	11.4	19.1	27.5	36.0	44.6	53.2	18.3	9.2	0.0	8.7	17.4	26.1	34.8	43.5	52.3	13.1	6.6	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	0.0	0.0	0.0	0.0					
	305	270	236	204	186	177	171	167	165	334	305	236	186	171	165	161	159	158	354	9.2	0.0	151	151	151	151	151	151	236	236	271	38	38	38	38	38	38	38	38	271	271	271	271						
04	22.2	26.3	30.4	34.3	38.2	42.2	46.1	49.9	53.8	25.0	30.8	34.9	39.0	42.9	46.8	50.6	54.5	58.3	27.8	33.6	39.5	43.6	47.4	51.3	55.2	59.0	62.9	66.8	70.7	74.6	78.5	82.4	86.3	90.2	94.1	98.0	100.0	22.2	22.2	22.2	22.2							
	19.7	16.7	16.7	19.7	22.2	27.4	34.1	41.5	49.5	38.0	38.1	10.8	13.2	16.4	22.8	30.2	38.2	46.3	54.5	23.2	14.4	6.6	6.6	11.4	19.1	27.5	36.0	44.6	61.7	13.2	6.6	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	0.0	0.0	0.0	0.0			
	305	283	258	236	213	186	179	174	172	325	305	270	236	204	186	177	171	167	341	10.8	13.2	16.4	22.8	30.2	38.2	46.3	54.5	61.7	135	236	271	38	38	38	38	38	38	38	271	271	271	271						
05	23.0	27.1	31.2	35.1	39.0	42.9	46.8	50.7	54.6	26.5	31.8	35.7	39.6	43.5	47.4	51.3	55.2	59.1	30.2	35.5	40.8	44.7	48.6	52.5	56.4	60.3	64.2	68.1	72.0	75.9	79.8	83.7	87.6	91.5	95.4	99.3	100.0	23.0	23.0	23.0	23.0							
	26.3	22.9	21.7	22.9	26.3	28.4	32.8	38.6	44.4	26.7	19.7	16.7	16.7	13.7	22.2	27.4	34.1	41.5	28.8	20.4	13.1	10.8	13.2	16.4	22.8	30.2	38.2	38.3	26.3	19.7	13.2	6.6	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	0.0	0.0	0.0	0.0		
	305	289	270	252	236	218	204	194	186	320	305	283	258	236	213	197	186	179	334	325	305	270	236	204	186	177	171	236	236	236	271	38	38	38	38	38	38	38	38	271	271	271	271					
06	23.8	27.9	31.8	35.9	40.0	44.1	48.0	51.9	55.7	26.4	32.2	36.3	40.4	44.6	48.7	52.5	56.4	60.3	29.3	35.0	40.9	45.0	49.1	53.2	57.1	61.0	64.8	68.7	72.6	76.5	80.4	84.3	88.2	92.1	96.0	100.0	23.8	23.8	23.8	23.8								
	32.8	29.3	27.3	27.3	29.3	32.9	34.7	38.5	43.0	33.0	26.3	22.9	21.7	22.9	26.3	28.4	32.8	38.6	34.7	26.7	19.7	16.7	16.7	19.7	22.2	27.4	34.1	32.9	26.3	19.7	13.2	6.6	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	0.0	0.0	0.0	0.0		
	305	293	278	263	248	236	222	209	199	317	305	289	270	252	236	218	204	194	328	305	283	258	236	213	197	186	177	236	236	236	271	38	38	38	38	38	38	38	38	271	271	271	271					
07	24.3	28.4	32.5	36.6	40.7	44.9	49.0	52.8	56.7	27.1	33.0	37.1	41.2	45.3	49.4	53.5	57.4	61.2	29.9	35.8	41.6	45.7	49.8	53.9	58.1	61.9	65.8	69.7	73.6	77.5	81.4	85.3	89.2	93.1	97.0	100.0	24.3	24.3	24.3	24.3								
	34.3	35.7	33.3	32.5	33.3	35.8	39.5	41.1	44.5	29.5	32.8	29.3	27.3	27.3	29.3	32.9	34.7	38.5	40.8	33.1	26.3	22.9	21.7	22.9	26.3	28.4	32.8	32.8	39.5	32.9	26.3	19.7	13.2	6.6	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	0.0	0.0	0.0	0.0
	305	295	283	270	258	246	236	224	213	315	305	293	278	263	248	236	222	209	325	317	305	289	270	252	236	218	204	236	236	236	271	38	38	38	38	38	38	38	38	271	271	271	271					
08	25.0	29.1	33.2	37.3	41.4	45.5	49.6	53.7	57.7	27.8	33.7	37.8	41.9	46.0	50.1	54.2	58.3	62.2	30.6	36.5	42.3	46.4	50.6	54.7	58.8	62.9	66.7	70.6	74.5	78.4	82.3	86.2	90.1	94.0	97.9	100.0	25.0	25.0	25.0	25.0								
	46.0	42.2	39.9	38.1	38.1	39.5	42.3	46.0	47.6	46.0	39.4	35.7	33.3	32.5	33.3	35.8	39.5	41.1	47.4	39.9	32.8	29.3	27.3	27.3	29.3	32.9	34.7	46.0	39.5	32.9	26.3	19.7	13.2	6.6	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	0.0	0.0	0.0	0.0
	305	297	287	276	265	254	244	236	226	314	305	295	283	270	258	246	236	224	322	315	305	293	278	263	248	236	222	236	236	236	271	38	38	38	38	38	38	38	38	271	271	271	271					
09	25.7	29.8	33.9	38.1	42.2	46.3	50.4	54.5	58.6	28.5	34.4	38.5	42.6	46.7	50.8	54.9	59.1	63.2	31.3	37.2	43.0	47.1	51.2	55.3	59.4	63.5	67.5	71.6	75.7	79.8	83.9	88.0	92.1	96.2	100.0	25.7	25.7	25.7	25.7									
	52.5	48.7	45.8	43.9	43.9	44.3	46.0	45.8	52.6	52.5	45.6	42.2	39.5	38.1	38.1	39.5	42.6	46.4	53.3	46.0	39.4	35.7	33.3	32.5	33.3	35.8	39.5	46.0	39.5	32.9	26.3	19.7	13.1	6.6	0.0	10.0	20.0	30.0	40.0	50.0	60.0	70.0	80.0	90.0	0.0	0.0	0.0	0.0
	305	298	289	280	270	261	252	243	236	313	305	297	287	276	265	254	244	236	320	314	305	293	278	263	248	236	222	236	236	236	271	38	38	38	38	38	38	38	38	271	271	271	271					
10	26.3	30.5	34.1	37.8	41.4	45.0	48.6	52.1	55.7	30.0	35.8	39.4	43.0	46.5	50.0	53.5	57.0	60.5	32.0	38.0	43.8	49.6	55.4	61.2	67.0	72.8	78.6	84.4	90.2	96.0	100.0	26.3	26.3	26.3	26.3													
	30.0	27.5	26.9	28.3	29.8	31.6	33.6	35.8	38.0	46.0	37.1	37.0	39.7	42.7	45.7	50.3	56.6	63.0	50.0	46.8	45.8	47.7	50.6	55.9	61.4	67.5	74.2	81.0	87.8	94.6	100.0	30.0	30.0	30.0	30.0													
	305	299	289	280	270	261	252	243	236	314	305	295	283	270	258	246	236	224	322	315	305	293	278	263	248	236	222	236	236	236	271	38	38	38	38	38	38	38	38	271	271	271	271					
11	26.9	30.6	34.1	37.7	41.0	44.3	47.6	50.8	54.1	30.9	36.8	40.5	44.2	47.9	51.6	55.3	59.0	62.7	32.0	38.0	43.8	49.6	55.4	61.2	67.0	72.8	78.6	84.4	90.2	96.0	100.0	26.9	26.9	26.9	26.9													
	27.4	20.0	18.5	22.4	28.3	35.4	43.1	51.2	59.4	37.2	38.0	27.5	28.9	33.5	39.2	45.9	53.2	60.8	47.1	40.0	37.1	37.0	39.7	44.7	50.3	56.6	63.6	70.6	77.6	84.6	91.6	98.6	100.0	27.4	27.4	27.4	27.4											
	24	38	69	96	111	120	126	130	133	28	38	58	79	96	107	114	120	124	30	38	53	69	84	96	104	111																						



Ein und Ausgabe:
 Farbmétrisches Drucker-Reflektiv-System ORS20_95aM
 Daten für jede Farbe:
 $lab^{*}tch^{*}$ und $lab^{*}icu^{*}$
 Elementar-Bunttontext:
 $u^{*} = 16$ Bunttöne $r00j$, $r25j$, ..., $b75r$
 Kontrastreduzierungsfaktor:
 $c_R = 0.97$

	$L^{*}=L^{*}_a$	a^{*}_a	b^{*}_a	$C^{*}_{ab,a}$	$h^{*}_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



%Umfang
 $u^{*}_{rel} = 87$
 %Regularität
 $g^{*}_{H,rel} = 57$
 $g^{*}_{C,rel} = 59$

	$L^{*}=L^{*}_a$	a^{*}_a	b^{*}_a	$C^{*}_{ab,a}$	$h^{*}_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$ $u^* = r00j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r00j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 48 66 32

$LAB^*LCH^*_{Ma}$: 48 73 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.3

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 42/360 = 0.117$ $u^* = r25j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r25j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 51 58 52

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 51 78 42

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.08 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{\text{rel}} = 87$



%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 59/360 = 0.164$ $u^* = r50j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r50j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 63 38 63

$\text{LAB}^*\text{LCH}^*_{Ma}$: 63 73 59

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.5 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.35 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Dreiecks-Helligkeit t^*

Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 110/360 = 0.305$ $u^* = j25g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j25g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 78 -25 72

$\text{LAB}^*\text{LCH}^*_{Ma}$: 78 76 110

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.69 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$ $u^* = j50g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j50g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 66 -41 55

$LAB^*LCH^*_{Ma}$: 66 69 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.38 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$ $u^* = j75g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttonstext:

$u^* = j75g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 55 -55 39

$LAB^*LCH^*_{Ma}$: 55 68 145

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.1 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 162/360 = 0.451$ $u^* = g00b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g00b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 53 -53 17

$\text{LAB}^*\text{LCH}^*_{Ma}$: 53 57 162

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.21

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 190/360 = 0.527$ $u^* = g25b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g25b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 55 -43 -6

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 55 45 190

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 0.5

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.53

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{\text{rel}} = 87$



%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 217/360 = 0.603$ $u^* = g50b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g50b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 57 -35 -26

$LAB^*LCH^*_{Ma}$: 57 45 217

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.79

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 244/360 = 0.679$ $u^* = g75b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g75b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 54 -20 -43

$\text{LAB}^*\text{LCH}^*_{Ma}$: 54 48 244

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.86 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$


%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 272/360 = 0.755$ $u^* = b00r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b00r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 42 1 -42

$\text{LAB}^*\text{LCH}^*_{Ma}$: 42 43 272

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.48 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 300/360 = 0.834$ $u^* = b25r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b25r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 29 25 -42

$LAB^*LCH^*_{Ma}$: 29 50 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.09 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 329/360 = 0.913$ $u^* = b50r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b50r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 35 47 -28

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 35 56 329

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.4 0.0 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{\text{rel}} = 87$



%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 357/360 = 0.992$ $u^* = b75r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b75r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 48 72 -3

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 48 72 357

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.0 0.92

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{\text{rel}} = 87$



%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$


ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357




Ein und Ausgabe:
 Farbmétrisches Drucker-Reflektiv-System ORS20_95aM
 Daten für jede Farbe:
*lab*_{tch*}* und *lab*_{icu*}*
 Elementar-Bunttontext:
*u** = 16 Bunttöne *r00j*, *r25j*, ..., *b75r*
 Kontrastreduzierungsfaktor:
 $c_R = 0.97$

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



%Umfang
 $u^*_{rel} = 87$
 %Regularität
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Dreiecks-Helligkeit t^*


$$g^*_{C,rel} = 59$$


Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 42/360 = 0.117$ $u^* = r25j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r25j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 51 58 52

$\text{LAB}^*\text{LCH}^*_{Ma}$: 51 78 42

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.08 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 76/360 = 0.21$

$u^* = r75j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r75j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 74 19 73

$\text{LAB}^*\text{LCH}^*_{Ma}$: 74 76 76

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.75 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.61 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 110/360 = 0.305$ $u^* = j25g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j25g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 78 -25 72

$\text{LAB}^*\text{LCH}^*_{Ma}$: 78 76 110

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.69 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 127/360 = 0.354$ $u^* = j50g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j50g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 66 -41 55

$\text{LAB}^*\text{LCH}^*_{Ma}$: 66 69 127

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.38 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$ $u^* = g00b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g00b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 53 -53 17

$LAB^*LCH^*_{Ma}$: 53 57 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.21

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 190/360 = 0.527$ $u^* = g25b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g25b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 55 -43 -6

$\text{LAB}^*\text{LCH}^*_{Ma}$: 55 45 190

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.53

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 217/360 = 0.603$ $u^* = g50b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttextext:

$u^* = g50b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 57 -35 -26

$\text{LAB}^*\text{LCH}^*_{Ma}$: 57 45 217

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.79

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$


%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 272/360 = 0.755$ $u^* = b00r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttonstext:

$u^* = b00r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 42 1 -42

$\text{LAB}^*\text{LCH}^*_{Ma}$: 42 43 272

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.48 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$



$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



► **Directs** management



Strengths



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 329/360 = 0.913$ $u^* = \text{b50r}$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = \text{b50r}$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 35 47 -28

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 35 56 329

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.4 0.0 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{\text{rel}} = 87$



%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 357/360 = 0.992$ $u^* = b75r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b75r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	47.94	63.36	48.95	80.07	38
Y _{Ma}	90.37	-9.94	88.91	89.46	96
L _{Ma}	50.9	-60.88	33.87	69.68	151
C _{Ma}	58.62	-29.4	-43.62	52.61	236
V _{Ma}	25.72	30.13	-43.02	52.54	305
M _{Ma}	48.13	72.95	-8.1	73.39	354
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 48 72 -3

$\text{LAB}^*\text{LCH}^*_{Ma}$: 48 72 357

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 0.92

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357




Dg950-7A, Seite 126/180

Ein und Ausgabe:
 Farbmétrisches Drucker-Reflektiv-System ORS20_95aM
 Daten für jede Farbe:
 lab^*_{tch} und lab^*_{icu}
 Elementar-Bunttontext:
 $u^* = 16$ Bunttöne $r00j$, $r25j$, ..., $b75r$
 Kontrastreduzierungsfaktor:
 $c_R = 0.97$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95M; CIELAB-Daten

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Dg950-7A, Seite 128/180

Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 42/360 = 0.117$ $u^* = r25j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r25j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95M; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 51 58 52

$LAB^*LCH^*_{Ma}$: 51 78 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.08 0.0

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Dreiecks-Helligkeit t^*



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$

$u^* = r75j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r75j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95M; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 74 19 73

$LAB^*LCH^*_{Ma}$: 74 76 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.61 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357

LAB^*LAB^*

$i^*=1,00$

Brillantheit i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative Buntheit c^*

relative Buntheit c^*

$i^* = 0,00$

Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$ $u^* = j00g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j00g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95M; CIELAB-Daten

	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_Ma: 87 -2 85$

$LAB^*LCH^*_Ma: 87 85 92$

$lab^*rgb^*_Ma: 1.0 1.0 0.0$

$lab^*olv^*_Ma: 1.0 0.91 0.0$

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$ $u^* = j25g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j25g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95M; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 78 -25 72

$LAB^*LCH^*_{Ma}$: 78 76 110

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.69 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 127/360 = 0.354$ $u^* = j50g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j50g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95M; CIELAB-Daten

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 66 -41 55

$LAB^*LCH^*_{Ma}$: 66 69 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.38 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$ $u^* = j75g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j75g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95M; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 55 -55 39

$LAB^*LCH^*_{Ma}$: 55 68 145

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.1 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$ $u^* = g00b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g00b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95M; CIELAB-Daten

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 53 -53 17

$LAB^*LCH^*_{Ma}$: 53 57 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.21

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$ $u^* = g25b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g25b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95M; CIELAB-Daten					
	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_Ma$: 55 -43 -6

$LAB^*LCH^*_Ma$: 55 45 190

$lab^*rgb^*_Ma$: 0.0 1.0 0.5

$lab^*olv^*_Ma$: 0.0 1.0 0.53

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$


ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



► **Directs** management




ORS20_95M; CIELAB-Daten					
	$L^* = \bar{L}^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Stephen King

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^* = \bar{L}_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 244/360 = 0.679$ $u^* = g75b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g75b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95M; CIELAB-Daten

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 54 -20 -43

$\text{LAB}^*\text{LCH}^*_{Ma}$: 54 48 244

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.86 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab} \cdot h^* = h_{ab}/360 = 272/360 = 0.755$ $u^* = b00r$

Daten für jede Farbe:

$\text{lab}^* \text{tch}^*$ und $\text{lab}^* \text{icu}^*$


Elementar-Bunttontext:

$u^* = b00r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95M; CIELAB-Daten

	$L^* = L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^* \text{LAB}^*_{Ma}$: 42 1 -42

$\text{LAB}^* \text{LCH}^*_{Ma}$: 42 43 272

$\text{lab}^* \text{rgb}^*_{Ma}$: 0.0 0.0 1.0

$\text{lab}^* \text{olv}^*_{Ma}$: 0.0 0.48 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 300/360 = 0.834$ $u^* = b25r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b25r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95M; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 29 25 -42

$\text{LAB}^*\text{LCH}^*_{Ma}$: 29 50 300

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.09 1.0

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 329/360 = 0.913$ $u^* = b50r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b50r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95M; CIELAB-Daten

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 35 47 -28

$LAB^*LCH^*_{Ma}$: 35 56 329

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.4 0.0 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 357/360 = 0.992$ $u^* = b75r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b75r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95M; CIELAB-Daten

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 48 \ 72 \ -3$

$\text{LAB}^*\text{LCH}^*_{Ma}: 48 \ 72 \ 357$

$\text{lab}^*\text{rgb}^*_{Ma}: 1.0 \ 0.0 \ 0.5$

$\text{lab}^*\text{olv}^*_{Ma}: 1.0 \ 0.0 \ 0.92$

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$



%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten


	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*			
01	20.0	23.9	27.7	31.6	35.5	39.3	43.2	47.0	50.9	23.5	28.8	32.7	36.5	40.4	44.2	48.1	52.0	55.8	27.0	32.3	37.6	41.5	45.3	49.2	53.0	56.9	60.8	95.0	89.1	83.2	77.3	71.5	65.6	59.7	53.8	47.9	20.0	20.0	20.0	20.0	
	0.4	-7.1	-14.8	-22.5	-30.2	-37.9	-45.5	-53.2	-60.9	98.3	-0.9	-8.5	-16.2	-23.9	-31.6	-39.3	-47.0	-54.6	16.2	6.9	-2.3	-10.0	-17.6	-25.3	-33.0	-40.7	-48.4	0.9	7.1	15.1	23.1	31.2	39.2	47.2	55.2	63.3	0.4	0.4	0.4	0.4	
	0.2	4.2	8.6	13.1	17.6	22.1	26.6	31.1	35.6	6.0	-1.4	15.8	20.3	24.8	29.3	33.8	38.3	42.8	12.4	17.7	23.0	27.5	32.0	36.5	41.0	45.5	50.0	4.6	10.3	16.0	21.8	27.5	33.2	39.0	44.7	50.4	-0.2	-0.2	-0.2	-0.2	
02	20.7	24.8	28.7	32.6	36.4	40.3	44.1	48.0	51.9	23.5	29.4	33.2	37.1	41.0	44.8	48.7	52.6	56.4	27.0	32.3	37.6	41.5	45.3	49.2	53.0	56.9	60.8	95.0	89.1	83.2	77.3	71.5	65.6	59.7	53.8	47.9	20.0	20.0	20.0	20.0	
	4.3	-3.2	-10.9	-18.6	-26.3	-33.9	-41.6	-49.3	-57.0	99.5	0.3	-7.3	-15.0	-22.7	-30.4	-38.0	-45.7	-53.4	17.3	8.1	-1.0	-8.7	-16.4	-24.1	-31.8	-39.5	-47.2	-4.4	-9.7	15.3	23.3	31.3	39.4	47.4	55.4	63.4	0.3	0.3	0.3	0.3	
	-5.6	-5.4	-0.9	3.5	8.0	12.5	17.0	21.5	25.9	-1.0	9.3	4.8	9.3	13.8	18.2	22.7	27.2	31.7	5.2	6.6	12.0	16.5	21.0	25.4	29.9	34.4	38.9	-1.1	4.0	9.7	15.4	21.2	26.9	32.6	38.4	44.1	0.3	0.3	0.3	0.3	
03	21.4	25.5	29.7	33.5	37.4	41.2	45.1	49.0	52.8	24.2	30.1	34.2	38.1	41.9	45.8	49.7	53.5	57.4	27.0	32.3	37.6	41.5	45.3	49.2	53.0	56.9	60.8	95.0	89.1	83.2	77.3	71.5	65.6	59.7	53.8	47.9	20.0	20.0	20.0	20.0	
	8.0	0.4	-7.0	-14.7	-22.4	-30.0	-37.7	-45.4	-53.1	113.2	4.0	-3.4	-11.1	-18.8	-26.4	-34.1	-41.8	-49.5	18.5	9.3	0.1	-7.5	-15.2	-22.9	-30.6	-38.2	-45.9	-8.0	-4.3	-0.5	7.4	15.5	23.5	31.5	39.5	47.6	0.1	0.1	0.1	0.1	
	-10.9	-10.7	-10.5	-6.0	-1.5	2.9	7.4	11.8	16.3	-6.3	-4.9	-4.7	-0.3	4.1	8.6	13.1	17.6	22.1	-1.8	-0.4	9.0	5.4	9.9	14.4	18.9	23.3	27.8	-6.8	-1.7	3.3	9.1	14.8	20.6	26.3	32.0	37.8	0.9	0.9	0.9	0.9	
04	22.2	26.3	30.4	34.5	38.5	42.2	46.1	49.9	53.8	25.0	30.8	34.9	39.0	42.9	46.8	50.6	54.5	58.3	27.8	33.6	39.5	43.6	47.4	51.3	55.2	59.0	62.9	96.1	90.2	84.3	78.4	72.5	66.6	60.7	54.8	48.9	21.0	21.0	21.0	21.0	
	11.7	4.2	-3.2	-10.7	-18.4	-26.1	-33.8	-41.5	-49.2	117.0	7.8	0.3	-7.2	-14.8	-22.5	-30.2	-37.9	-45.6	22.3	13.1	3.9	-3.6	-11.3	-18.9	-26.6	-34.3	-42.0	-11.6	-7.9	-4.1	-0.3	7.6	15.6	23.7	31.7	39.7	0.0	0.0	0.0	0.0	
	-16.2	-16.0	-5.8	-15.6	-11.1	-6.7	-2.2	2.2	6.7	-11.7	-10.3	-10.1	-9.9	-5.4	-0.9	3.5	8.0	12.4	-7.1	-5.7	-4.3	-1.3	0.3	4.7	9.2	13.7	18.2	-12.6	-7.7	-2.3	2.7	8.5	14.2	19.9	25.7	31.4	1.5	1.5	1.5	1.5	
05	22.9	27.0	31.1	35.2	39.3	43.2	47.0	50.9	54.8	25.7	31.5	35.6	39.7	43.9	47.7	51.6	55.4	59.3	28.5	34.3	40.2	44.3	48.4	52.3	56.1	60.0	63.9	97.8	91.9	85.9	79.9	73.9	67.9	61.9	55.9	49.9	22.0	22.0	22.0	22.0	
	15.5	7.9	0.4	-7.0	-14.5	-22.2	-29.9	-37.6	-45.2	220.8	11.5	4.0	-3.4	-10.9	-18.6	-26.3	-34.0	-41.7	26.1	16.8	7.6	0.1	-7.3	-15.0	-22.7	-30.4	-38.1	-45.8	-15.2	-11.4	-7.7	-3.9	-0.2	7.8	15.8	23.8	31.9	0.0	0.0	0.0	0.0
	-21.6	-21.4	-21.2	-21.0	-20.8	-16.3	-11.8	-7.3	-2.8	-17.0	-15.6	-15.4	-15.2	-15.0	-10.5	-6.0	-1.6	2.8	-12.5	-11.1	-9.7	-9.5	-9.3	-4.8	-0.3	4.1	8.6	-18.3	-13.2	-8.0	-2.9	2.1	7.9	13.6	19.3	25.1	2.1	2.1	2.1	2.1	
06	23.6	27.7	31.8	35.9	40.0	44.1	48.0	51.9	55.7	26.4	32.2	36.3	40.5	44.6	48.7	52.5	56.4	60.3	29.2	35.0	40.9	45.0	49.1	53.2	57.1	61.0	64.8	98.7	92.8	86.8	80.8	74.8	68.8	62.8	56.8	50.8	23.0	23.0	23.0	23.0	
	19.2	11.7	4.2	-3.2	-10.8	-18.3	-25.8	-33.3	-40.8	324.5	15.3	7.8	0.2	-7.2	-14.7	-22.4	-30.1	-37.7	29.8	20.6	11.4	3.8	-3.6	-11.1	-18.8	-26.5	-34.1	-18.8	-15.0	-11.3	-7.5	-3.7	0.0	8.0	16.0	24.0	0.0	0.0	0.0	0.0	
	-26.9	-26.7	-26.5	-26.3	-26.1	-25.9	-21.4	-16.9	-12.4	-22.3	-20.9	-20.7	-20.6	-20.4	-20.2	-15.7	-11.2	-6.7	-17.8	-16.4	-15.0	-14.8	-14.6	-14.4	-9.9	-5.4	-1.0	-24.1	-18.9	-13.8	-8.7	-3.5	1.5	7.3	13.0	18.7	2.7	2.7	2.7	2.7	
07	24.3	28.4	32.5	36.6	40.7	44.9	49.0	52.8	56.7	27.1	33.0	37.1	41.2	45.3	49.4	53.5	57.4	61.2	29.9	35.8	41.6	45.7	49.8	53.9	57.8	61.9	65.8	99.7	93.8	87.8	81.8	75.8	69.8	63.8	57.8	51.8	24.0	24.0	24.0	24.0	
	23.0	15.5	7.9	0.4	-7.0	-14.5	-22.0	-29.5	-37.0	428.3	19.0	11.5	4.0	-3.4	-10.9	-18.5	-26.1	-33.8	63.4	15.1	7.6	0.1	-7.3	-14.9	-22.5	-30.2	-37.9	-45.6	-14.9	-11.1	-7.3	-3.6	0.1	8.1	16.2	0.5	-0.5	-0.5	-0.5		
	-32.2	-32.0	-31.8	-31.6	-31.4	-31.2	-31.0	-26.6	-22.1	-27.7	-26.3	-26.1	-25.9	-25.7	-25.5	-25.3	-20.8	-16.3	-23.1	-21.7	-20.3	-20.1	-19.9	-19.7	-19.5	-15.1	-10.6	-29.8	-24.7	-19.5	-14.4	-9.3	-4.1	0.9	6.6	12.4	0.3	0.3	0.3	0.3	
08	25.0	29.1	33.2	37.3	41.3	45.3	49.2	53.1	57.0	27.8	33.7	37.8	41.9	46.0	50.1	54.2	58.2	62.2	30.6	36.5	42.4	46.5	50.6	54.7	58.8	62.9	66.9	100.8	94.9	88.9	82.9	76.9	70.9	64.9	58.9	52.9	25.0	25.0	25.0	25.0	
	26.7	19.2	11.7	4.2	-3.3	-10.8	-18.3	-25.8	-33.3	532.0	22.8	15.3	7.8	0.2	-7.2	-14.7	-22.2	-29.7	29.3	28.1	18.9	11.3	3.8	-3.6	-11.1	-18.8	-26.5	-34.2	-18.8	-15.0	-11.2	-7.4	-3.6	0.3	8.3	-0.7	-0.7	-0.7	-0.7		
	-37.5	-37.4	-37.2	-37.0	-36.8	-36.6	-36.4	-36.2	-31.7	-33.6	-31.4	-31.2	-31.0	-30.8	-30.6	-30.4	-26.0	-28.5	-2.1	-25.7	-25.7	-25.7	-25.7	-25.7	-25.7	-25.7	-25.7	-25.7	-25.7	-25.7	-25.7	-25.7	-25.7	-25.7	-25.7	-25.7	-25.7	-25.7	-25.7		
09	25.7	29.8	33.9	38.0	42.1	46.2	50.3	54.4	58.5	28.5	34.4	38.5	42.6	46.7	50.8	54.9	59.0	63.1	31.3	37.2	43.1	49.0	54.9	60.8	66.7	72.6	78.5	102.4	96.5	90.5	84.5	78.5	72.5	66.5	60.5	54.5	26.0	26.0	26.0	26.0	
	23.0	15.5	7.9	0.4	-7.0	-14.5	-22.1	-29.6	-37.1	293.8	19.0	11.5	4.0	-3.4	-11.0	-18.5	-26.0	-33.5	31.8	22.6	15.1	7.6	0.1	-7.4	-14.9	-22.4	-30.0	-37.5	-45.0	-18.3	-14.5	-10.7	-7.0	-3.2	0.4	-0.9	-0.9	-0.9	-0.9		
	-42.9	-42.7	-42.5	-42.3	-42.1	-41.9	-41.7	-41.5	-41.3	-38.3	-36.9	-36.7	-36.5	-36.3	-36.2	-36.0	-35.8	-35.6	-33.8	-32.4	-31.0	-30.8	-30.6	-30.4	-30.2	-30.0	-29.8	-41.3	-36.2	-31.0	-25.9	-20.8	-15.6	-10.5	-5.4	-0.2	4.6	4.6	4.6	4.6	
10	30.5	35.8	41.1	46.4	51.7	57.0	62.3	67.6	72.9	34.0	39.3	44.6	49.9	55.2	60.5	65.8	71.1	76.4	37.5	42.8	48.1	53.4	58.7	64.0	69.3	74.6	79.9	103.8	97.9	91.9	85.9	79.9	73.9	67.9	61.9	55.9	29.0	29.0	29.0	29.0	
	24.0	14.8	5.5	-3.7	-11.4	-19.0	-26.7	-34.4	-42.1	131.9	22.6	13.3	4.1	-5.1	-12.8	-20.4	-28.1	-35.8	83.9	20.5	12.1	11.9	2.7	-6.5	-14.2	-21.9	-29.6	-37.3	-45.0	-5.8	-7.0	-8.2	-9.5	-10.7	0.4	0.4	0.4	0.4			
	18.7	24.1	29.4	34.7	39.9	45.2	50.5	55.8	61.1	46.4	51.7	57.0	62.3	67.6	72.9	78.2	83.5	88.8	36.7	42.0	47.3	52.6	57.9	63.2	68.5	73.8	79.1	84.4	89.7	95.0	100.3	105.6	110.9	116.2	121.5	126.8	132.1	137.4	142.7		
11	30.5	36.4	41.7	47.0	52.3	57.6	62.9	68.2	73.5	34.0	39.4	44.7	50.1	55.4	60.7	66.0	71.3	76.6	37.5	42.9	48.2	53.5	58.8	64.1	69.4	74.7	80.0	103.9	98.0	92.0	86.0	80.0	74.0	68.0	62.0	56.0	29.0	29.0	29.0	29.0	
	25.2	16.0	6.7	-2.4	-10.1	-17.8	-25.5	-33.2	-40.9	131.3	23.8	14.6	5.3	-3.9	-11.5	-19.2	-26.9	-34.6	94.0	21.7	22.4	13.2	3.9	-5.3	-12.9	-20.6	-28.3	-36.0	-43.7	-51.4	-59.1	-66.8	-74.5	-82.2	-89.9	-97.6	-105.3	-113.0	-120.7		
	11.6	13.0	18.3	23.7	28.2	32.6	37.1	41.6	46.1	17.9	19.3	24.7	30.0	35.4	40.8	46.2	51.6	57.0	24.3	25.7	31.0	36.4	41.7	47.0	52.3	57.6	62.9	68.2	73.5	78.8	84.1	89.4	94.7	100.0	105.3	110.6	115.9	121.2	126.5		
12	30.5	36.4	42.2	47.5	51.4	55.3	59.1	63.0	66.9	34.0	39.5	45.7	51.0	56.3	60.2	64.1	67.9	71.8	37.5	43.4	49.2	54.9	59.8	65.1	69.9	74.7	79.6	103.5	97.6	91.6	85.6										



Ein und Ausgabe:
 Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM
 Daten für jede Farbe:
 lab^*_{tch} und lab^*_{icu}
 Elementar-Bunttextext:
 $u^* = 16$ Bunttöne $r00j$, $r25j$, ..., $b75r$
 Kontrastreduzierungsfaktor:
 $c_R = 0.97$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



%Umfang
 $u^*_{rel} = 87$
 %Regularität
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 25/360 = 0.071$ $u^* = r00j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r00j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 48 66 32

$LAB^*LCH^*_{Ma}$: 48 73 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.3

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$


ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357




Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^* = L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Dreiecks-Helligkeit t^*



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$ $u^* = r50j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r50j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 63 38 63

$LAB^*LCH^*_{Ma}$: 63 73 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.35 0.0

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 76/360 = 0.21$

$u^* = r75j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r75j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 74 19 73

$LAB^*LCH^*_{Ma}$: 74 76 76

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.61 0.0

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 92/360 = 0.256$ $u^* = j00g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j00g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 87 -2 85

$LAB^*LCH^*_{Ma}$: 87 85 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.91 0.0

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 110/360 = 0.305$ $u^* = j25g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j25g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}: 78 -25 72$

$LAB^*LCH^*_{Ma}: 78 76 110$

$lab^*rgb^*_{Ma}: 0.75 1.0 0.0$

$lab^*olv^*_{Ma}: 0.69 1.0 0.0$

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 127/360 = 0.354$ $u^* = j50g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j50g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 66 -41 55

$\text{LAB}^*\text{LCH}^*_{Ma}$: 66 69 127

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.38 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 145/360 = 0.402$ $u^* = j75g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = j75g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 55 -55 39

$LAB^*LCH^*_{Ma}$: 55 68 145

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.1 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 162/360 = 0.451$ $u^* = g00b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g00b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 53 \text{ } -53 \text{ } 17$

$\text{LAB}^*\text{LCH}^*_{Ma}: 53 \text{ } 57 \text{ } 162$

$\text{lab}^*\text{rgb}^*_{Ma}: 0.0 \text{ } 1.0 \text{ } 0.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.0 \text{ } 1.0 \text{ } 0.21$

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 190/360 = 0.527$ $u^* = g25b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g25b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 55 -43 -6

$\text{LAB}^*\text{LCH}^*_{Ma}$: 55 45 190

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.53

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 217/360 = 0.603$ $u^* = g50b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g50b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 57 \ -35 \ -26$

$\text{LAB}^*\text{LCH}^*_{Ma}: 57 \ 45 \ 217$

$\text{lab}^*\text{rgb}^*_{Ma}: 0.0 \ 1.0 \ 1.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.0 \ 1.0 \ 0.79$

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 244/360 = 0.679$ $u^* = g75b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g75b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 54 -20 -43$

$\text{LAB}^*\text{LCH}^*_{Ma}: 54 48 244$

$\text{lab}^*\text{rgb}^*_{Ma}: 0.0 0.5 1.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.0 0.86 1.0$

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 272/360 = 0.755$ $u^* = b00r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b00r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 42 \ 1 \ -42$

$\text{LAB}^*\text{LCH}^*_{Ma}: 42 \ 43 \ 272$

$\text{lab}^*\text{rgb}^*_{Ma}: 0.0 \ 0.0 \ 1.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.0 \ 0.48 \ 1.0$

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 300/360 = 0.834$ $u^* = b25r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b25r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 29 25 -42

$\text{LAB}^*\text{LCH}^*_{Ma}$: 29 50 300

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.09 1.0

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 329/360 = 0.913$ $u^* = b50r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b50r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 35 47 -28

$\text{LAB}^*\text{LCH}^*_{Ma}$: 35 56 329

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.4 0.0 1.0

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 357/360 = 0.992$ $u^* = b75r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b75r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 48 72 -3

$\text{LAB}^*\text{LCH}^*_{Ma}$: 48 72 357

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 0.92

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$


ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Dg950-7A, Seite 162/180


Ein und Ausgabe:
 Farbmétrisches Drucker-Reflektiv-System ORS20_95aM
 Daten für jede Farbe:
*lab*_{tch}** und *lab*_{icu}**
 Elementar-Bunttontext:
*u** = 16 Bunttöne *r00j*, *r25j*, ..., *b75r*
 Kontrastreduzierungsfaktor:
 $c_R = 0.97$

	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



%Umfang
 $u^*_{rel} = 87$
 %Regularität
 $g^*_{H,rel} = 57$
 $g^*_{C,rel} = 59$

	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 25/360 = 0.071$ $u^* = r00j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r00j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 48 66 32

$\text{LAB}^*\text{LCH}^*_{Ma}$: 48 73 25

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 0.3

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357

$\text{LAB}^*\text{cmyn}^*$

$i^* = 1.00$

$i^* = 0.80$


Brillantheit i^*

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 42/360 = 0.117$ $u^* = r25j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = r25j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 51 58 52

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 51 78 42

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.08 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{\text{rel}} = 87$

%Regularität

$g^*_{H,\text{rel}} = 57$

$g^*_{C,\text{rel}} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357

$\text{LAB}^*\text{cmyn}^*$

$i^*=1.00$

$i^*=0.80$


Brillantheit i^*

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 59/360 = 0.164$ $u^* = r50j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttonstext:

$u^* = r50j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 63 38 63

$LAB^*LCH^*_{Ma}$: 63 73 59

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.35 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357

LAB^*cmyn^*

$i^* = 1.00$

$i^* = 0.80$


Brillantheit i^*

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$



Ein und Ausgabe: Farbmétrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 76/360 = 0.21$

$u^* = r75j$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttonstext:

$u^* = r75j$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 74 19 73

$\text{LAB}^*\text{LCH}^*_{Ma}$: 74 76 76

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.75 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.61 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357

$\text{LAB}^*\text{cmyn}^*$

$i^*=1.00$

$i^*=0.80$



Brillantheit i^*

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 92/360 = 0.256$ $u^* = j00g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttonstext:

$u^* = j00g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 87 -2 85

$\text{LAB}^*\text{LCH}^*_{Ma}$: 87 85 92

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.91 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357

$\text{LAB}^*\text{cmyn}^*$

$i^* = 1.00$

$i^* = 0.80$


Brillantheit i^*

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 110/360 = 0.305$ $u^* = j25g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttonstext:

$u^* = j25g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 78 -25 72

$\text{LAB}^*\text{LCH}^*_{Ma}$: 78 76 110

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.69 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$


%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357

$\text{LAB}^*\text{cmyn}^*$



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 127/360 = 0.354$ $u^* = j50g$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttonstext:

$u^* = j50g$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 66 -41 55

$\text{LAB}^*\text{LCH}^*_{Ma}$: 66 69 127

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.38 1.0 0.0

Dreiecks-Helligkeit t^*

%Umfang


$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 162/360 = 0.451$ $u^* = g00b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g00b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 53 -53 17

$LAB^*LCH^*_{Ma}$: 53 57 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.21

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = lab^*h^* = h_{ab}/360 = 190/360 = 0.527$ $u^* = g25b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g25b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$LAB^*LAB^*_{Ma}$: 55 -43 -6

$LAB^*LCH^*_{Ma}$: 55 45 190

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.53

Dreiecks-Helligkeit t^*

%Umfang


$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 217/360 = 0.603$ $u^* = g50b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g50b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 57 -35 -26$

$\text{LAB}^*\text{LCH}^*_{Ma}: 57 45 217$

$\text{lab}^*\text{rgb}^*_{Ma}: 0.0 1.0 1.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.0 1.0 0.79$

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357

$\text{LAB}^*\text{cmyn}^*$

$i^*=1.00$

Brillantheit i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative Buntheit c^*

relative Buntheit c^*

$i^* = 0.00$

Ein und Ausgabe: Farbmatisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 244/360 = 0.679$ $u^* = g75b$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = g75b$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 54 -20 -43$

$\text{LAB}^*\text{LCH}^*_{Ma}: 54 48 244$

$\text{lab}^*\text{rgb}^*_{Ma}: 0.0 0.5 1.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.0 0.86 1.0$

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357

$\text{LAB}^*\text{cmyn}^*$

$i^*=1.00$

Brillantheit i^*


$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$



Ein und Ausgabe: Farbmétrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 272/360 = 0.755$ $u^* = b00r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttonstext:

$u^* = b00r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 42 1 -42

$\text{LAB}^*\text{LCH}^*_{Ma}$: 42 43 272

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.48 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$

%Regularität


$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357

$\text{LAB}^*\text{cmyn}^*$

Brillantheit i^*



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 300/360 = 0.834$ $u^* = b25r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b25r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	47.94	63.28	50.46	80.94	39
Y_M	90.37	-10.8	93.19	93.81	97
L_M	50.9	-61.01	35.57	70.63	150
C_M	58.62	-29.67	-41.41	50.96	234
V_M	25.72	30.47	-42.97	52.69	305
M_M	48.13	72.87	-6.58	73.17	355
N_M	20.0	0.45	-0.32	0.55	324
W_M	95.0	-0.94	4.59	4.68	102
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.88	71.56	71.62	92
G_{CIE}	52.23	-42.41	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 29 25 -42

$\text{LAB}^*\text{LCH}^*_{Ma}$: 29 50 300

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.09 1.0

Dreiecks-Helligkeit t^*

%Umfang



$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357



Ein und Ausgabe: Farbmimetrisches Drucker-Reflektiv-System ORS20_95aM für relativen CIELAB-Buntton $h^* = \text{lab}^*h^* = h_{ab}/360 = 329/360 = 0.913$ $u^* = b50r$

Daten für jede Farbe:

lab^*tch^* und lab^*icu^*


Elementar-Bunttontext:

$u^* = b50r$

Kontrastreduzierungsfaktor:

$c_R = 0.97$

Dreiecks-Helligkeit t^*



ORS20_95aM; CIELAB-Daten					
	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	47.94	63.28	50.46	80.94	39
Y _M	90.37	-10.8	93.19	93.81	97
L _M	50.9	-61.01	35.57	70.63	150
C _M	58.62	-29.67	-41.41	50.96	234
V _M	25.72	30.47	-42.97	52.69	305
M _M	48.13	72.87	-6.58	73.17	355
N _M	20.0	0.45	-0.32	0.55	324
W _M	95.0	-0.94	4.59	4.68	102
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Daten für Maximalfarbe (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 35 47 -28

$\text{LAB}^*\text{LCH}^*_{Ma}$: 35 56 329

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.4 0.0 1.0

Dreiecks-Helligkeit t^*

%Umfang

$u^*_{rel} = 87$

%Regularität

$g^*_{H,rel} = 57$

$g^*_{C,rel} = 59$

ORS20_95aM; adaptierte CIELAB-Daten					
	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	48.0	66.28	31.58	73.42	25
r25j	51.32	57.52	52.13	77.63	42
r50j	62.67	37.9	62.82	73.37	59
r75j	73.73	18.8	73.24	75.61	76
j00g	86.61	-3.44	85.36	85.43	92
j25g	78.07	-25.81	71.76	76.26	110
j50g	65.83	-41.61	54.69	68.73	127
j75g	54.87	-55.75	39.41	68.28	145
g00b	52.54	-54.18	17.37	56.9	162
g25b	55.02	-44.09	-7.45	44.73	190
g50b	56.98	-36.08	-27.17	45.18	217
g75b	53.92	-20.89	-43.53	48.3	244
b00r	41.64	1.31	-43.31	43.34	272
b25r	28.53	25.05	-43.07	49.84	300
b50r	34.77	47.42	-28.92	55.55	329
b75r	48.12	72.21	-3.72	72.31	357

