






Ee010-1, Picture B4N: 16 equidistant steps N-C, N-M, N-Y, W-N; PS operator olv* setrgbcolor




Ee010-3, Picture B5N: Script and Landolt-rings W, C, M, Y, Z; PS operator olv* setrgbcolor




Ee010-5, Picture B6N: Landolt-rings N-C, N-M; PS operator olv* setrgbcolor




Ee010-7, Picture B7N: Landolt-rings N-Y, W-N; PS operator olv* setrgbcolor




Ee011-1, Picture B4Z: 16 equidistant steps Z-C, Z-M, Z-Y, W-N; PS operator olv* setrgbcolor



Ee011-3, Picture B5Z: Script and Landolt-rings N, C, M, Y, W; PS operator olv* setrgbcolor




Ee011-5, Picture B6Z: Landolt-rings Z-C, Z-M; PS operator olv* setrgbcolor



Ee011-7, Picture B7Z: Landolt-rings Z-Y, W-N; PS operator olv* setrgbcolor


See for similar files: <http://www.ps.bam.de/Ee01/>; www.ps.bam.de/Ee01/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSp=0



Ee010-1, Picture B4N: 16 equidistant steps N-C, N-M, N-Y, W-N; PS operator olv* setrgbcolor



Ee010-3, Picture B5N: Script and Landolt-rings W, C, M, Y, Z; PS operator olv* setrgbcolor




Ee010-5, Picture B6N: Landolt-rings N-C, N-M; PS operator olv* setrgbcolor



Ee010-7, Picture B7N: Landolt-rings N-Y, W-N; PS operator olv* setrgbcolor


Ee01; Test chart of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-test chart 2, olv* interpretation



Ee011-1, Picture B4Z: 16 equidistant steps Z-C, Z-M, Z-Y, W-N; PS operator olv* setrgbcolor



Ee011-3, Picture B5Z: Script and Landolt-rings N, C, M, Y, W; PS operator olv* setrgbcolor



Ee011-5, Picture B6Z: Landolt-rings Z-C, Z-M; PS operator olv* setrgbcolor




Ee011-7, Picture B7Z: Landolt-rings Z-Y, W-N; PS operator olv* setrgbcolor

input: rgb->olv* setrgbcolor
output: olv*->cmy0* setcmyk

BAM registration: 20080901-Ee01/10L/L01E00NP.PS/ .PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee01/>; www.ps.bam.de/Ee01/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0

BAM registration: 20080901-Ee01/10L/L01E00NP.PS/ .PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems




Ee010-1, Picture B4N: 16 equidistant steps N-C, N-M, N-Y, W-N; PS operator olv* setrgbcolor



Ee010-3, Picture B5N: Script and Landolt-rings W, C, M, Y, Z; PS operator olv* setrgbcolor




Ee010-5, Picture B6N: Landolt-rings N-C, N-M; PS operator olv* setrgbcolor




Ee010-7, Picture B7N: Landolt-rings N-Y, W-N; PS operator olv* setrgbcolor


Ee01; Test chart of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-test chart 2, olv* interpretation




Ee011-1, Picture B4Z: 16 equidistant steps Z-C, Z-M, Z-Y, W-N; PS operator olv* setrgbcolor



Ee011-3, Picture B5Z: Script and Landolt-rings N, C, M, Y, W; PS operator olv* setrgbcolor




Ee011-5, Picture B6Z: Landolt-rings Z-C, Z-M; PS operator olv* setrgbcolor




Ee011-7, Picture B7Z: Landolt-rings Z-Y, W-N; PS operator olv* setrgbcolor

input: **rgb**->olv* setrgbcolor
output: olv*->cmyn* setcmyn


See for similar files: <http://www.ps.bam.de/Ee01/>; www.ps.bam.de/Ee01/; www.ps.bam.de/Ee01/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0




Ee010-1, Picture B4N: 16 equidistant steps N-C, N-M, N-Y, W-N; PS operator olv* setrgbcolor



Ee010-3, Picture B5N: Script and Landolt-rings W, C, M, Y, Z; PS operator olv* setrgbcolor




Ee010-5, Picture B6N: Landolt-rings N-C, N-M; PS operator olv* setrgbcolor




Ee010-7, Picture B7N: Landolt-rings N-Y, W-N; PS operator olv* setrgbcolor


Ee01; Test chart of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-test chart 2, olv* interpretation




Ee011-1, Picture B4Z: 16 equidistant steps Z-C, Z-M, Z-Y, W-N; PS operator olv* setrgbcolor



Ee011-3, Picture B5Z: Script and Landolt-rings N, C, M, Y, W; PS operator olv* setrgbcolor



Ee011-5, Picture B6Z: Landolt-rings Z-C, Z-M; PS operator olv* setrgbcolor




Ee011-7, Picture B7Z: Landolt-rings Z-Y, W-N; PS operator olv* setrgbcolor


input: **rgb**->**olv* setrgbcolor**
output: **olv***->**cmy0* setcmyk**

BAM registration: 20080901-Ee01/10L/L01E00NP.PS/ .PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems


See for similar files: <http://www.ps.bam.de/Ee01/>; www.ps.bam.de/Ee01/; www.ps.bam.de/Ee01/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0



Ee010-1, Picture B4N: 16 equidistant steps N-C, N-M, N-Y, W-N; PS operator olv* setrgbcolor



Ee010-3, Picture B5N: Script and Landolt-rings W, C, M, Y, Z; PS operator olv* setrgbcolor




Ee010-5, Picture B6N: Landolt-rings N-C, N-M; PS operator olv* setrgbcolor




Ee010-7, Picture B7N: Landolt-rings N-Y, W-N; PS operator olv* setrgbcolor


Ee01; Test chart of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-test chart 2, olv* interpretation




Ee011-1, Picture B4Z: 16 equidistant steps Z-C, Z-M, Z-Y, W-N; PS operator olv* setrgbcolor



Ee011-3, Picture B5Z: Script and Landolt-rings N, C, M, Y, W; PS operator olv* setrgbcolor



Ee011-5, Picture B6Z: Landolt-rings Z-C, Z-M; PS operator olv* setrgbcolor



Ee011-7, Picture B7Z: Landolt-rings Z-Y, W-N; PS operator olv* setrgbcolor

input: **rgb**->**olv* setrgbcolor**
output: **olv***->**cmy0* setcmyk**

BAM registration: 20080901-Ee01/10L/L01E00NP.PS/ .PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems