



See for similar files: <http://www.ps.bam.de/Ee21/>; www.ps.bam.de/Ee.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20080901-Ee21/10L/L21E00NP.PS/.PDF
 application for evaluation and measurement of printer or monitor systems
 BAM material: code=rh4ta







See for similar files: <http://www.ps.bam.de/Ee21/>; www.ps.bam.de/Ee.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1




See for similar files: <http://www.ps.bam.de/Ee21/>; www.ps.bam.de/Ee.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1



BAM registration: 20080901-Ee21/10L/L21E00NP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems




www.ps.bam.de/Ee21/10L/L21E00NP.PS/.PDF; ORS18_95aM; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: *cmyn*



⋮

⋮

⋮




⋮

⋮

BAM-test chart Ee21; Colorimetric systems, Page 5/6
D65: colour scales and 4 separations for 16 hues *g00b* to *b75r*

input: *000n / w / nnn0 / www set...*
output: *->cmyn6* setcmykcolor*



See for similar files: <http://www.ps.bam.de/Ee21/>; www.ps.bam.de/Ee.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

