



See for similar files: <http://www.ps.bam.de/Ee22/>; <http://www.ps.bam.de/Version2.1,io=1,1,ColSp=1>




www.ps.bam.de/Ee22/10L/L22E00NA.PS/.TXT; ORS18_95aM; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM registration: 20080901-Ee22/10L/L22E00NA.PS/.TXT
application for evaluation and measurement of printer or monitor systems

BAM material: code=rha4ta



BAM-test chart Ee22; Colorimetric systems, Page 1/11
D65: colour scales and 9 tables for 16 hues r00j to j75g

input: 000n / w / nnn0 / www set..
output: no change compared to input

See for similar files: <http://www.ps.bam.de/Ee22/>; www.ps.bam.de/Ee22/; [www.ps.bam.de/Version 2.1, io=1,1, ColsPx=1](http://www.ps.bam.de/Version%202.1,%20io=1,1,ColsPx=1)

BAM registration: 20080901-Ee22/10L/L22E00NA.PS/.TXT
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta




www.ps.bam.de/Ee22/10L/L22E00NA.PS/.TXT; ORS18_95aM; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM-test chart Ee22; Colorimetric systems, Page 5/11
D65: colour scales and 9 tables for 16 hues r00j to j75g

input: 000n / w / nnn0 / www set..
output: ->cmyn6* setcmkcolor





See for similar files: <http://www.ps.bam.de/Ee22/>; www.ps.bam.de/Ee22/; www.ps.bam.de/ColSpX=1
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

www.ps.bam.de/Ee22/10L/L22E00NA.PS/.TXT; ORS18_95aM; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)

Input and output:
Colorimetric Printer Reflective System ORS18_95aM
data for any colour:
 u^*_R and number $m_0 = 00 \dots 15$
elementary hue text:
 u^*_R 16 hues $r00j$ $r25j$... $r75j$
contrast reduction factor:
 $c_R = 1.0$

ORS18_95aM, adapted (a) CIE LAB data
Data for maximum colour (Ma):
 C_{*ab}^* C_{*ab}^* C_{*ab}^* C_{*ab}^*
 u^*_R 16 hues $r00j$ $r25j$... $r75j$
contrast reduction factor:
 $c_R = 1.0$

ORS18_95aM, adapted (a) CIE LAB data
Data for maximum colour (Ma):
 C_{*ab}^* C_{*ab}^* C_{*ab}^* C_{*ab}^*
 u^*_R 16 hues $r00j$ $r25j$... $r75j$
contrast reduction factor:
 $c_R = 1.0$

Input and output: Colorimetric Printer Reflective System ORS18_95aM for relative CIE LAB hue $h^* = \text{lab}^*h^* = h_{a0}/360 = 0.071$
data for any colour:
 u^*_R 16 hues $r00j$ $r25j$... $r75j$
contrast reduction factor:
 $c_R = 1.0$



























ORS18_95aM, adapted (a) CIE LAB data
Data for maximum colour (Ma):
 C_{*ab}^* C_{*ab}^* C_{*ab}^* C_{*ab}^*
 u^*_R 16 hues $r00j$ $r25j$... $r75j$
contrast reduction factor:
 $c_R = 1.0$

ORS18_95aM, adapted (a) CIE LAB data
Data for maximum colour (Ma):
 C_{*ab}^* C_{*ab}^* C_{*ab}^* C_{*ab}^*
 u^*_R 16 hues $r00j$ $r25j$... $r75j$
contrast reduction factor:
 $c_R = 1.0$

Input and output: Colorimetric Printer Reflective System ORS18_95aM for relative CIE LAB hue $h^* = \text{lab}^*h^* = h_{a0}/360 = 0.117$
data for any colour:
 u^*_R 16 hues $r00j$ $r25j$... $r75j$
contrast reduction factor:
 $c_R = 1.0$

ORS18_95aM, adapted (a) CIE LAB data
Data for maximum colour (Ma):
 C_{*ab}^* C_{*ab}^* C_{*ab}^* C_{*ab}^*
 u^*_R 16 hues $r00j$ $r25j$... $r75j$
contrast reduction factor:
 $c_R = 1.0$

ORS18_95aM, adapted (a) CIE LAB data
Data for maximum colour (Ma):
 C_{*ab}^* C_{*ab}^* C_{*ab}^* C_{*ab}^*
 u^*_R 16 hues $r00j$ $r25j$... $r75j$
contrast reduction factor:
 $c_R = 1.0$



BAM-test chart Ee22; Colorimetric systems, Page 11/11
D65: colour scales and 9 tables for 16 hues $r00j$ to $j75g$

input: 000n / w / nnn0 / www set..
output: ->cmyn6* setcmkcolor

BAM registration: 20080901-Ee22/10L/L22E00NA.PS/.TXT
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta