






Input and output: Colorimetric Printer Reflective System FR509_92a data for any colour:
 u^*_e and number no. = 00...15
elementary hue test:
 $u^*_e = 16$ hues $r00$, $r25$, ..., $b75$
contrast reduction factor:
 $c_R = 1.0$


FR509_92a adapted (a) CIELAB data									
L^*	a^*	b^*	C_{ab}^*	h_{ab}^*	L^*	a^*	b^*	C_{ab}^*	h_{ab}^*
000	35.47	63.32	30.17	70.15	25	m816			
005	39.12	54.56	49.45	73.64	42	o109			
010	50.64	39.15	64.89	75.79	59	o409			
015	64.01	21.26	82.83	85.52	76	o609			
020	83.18	-4.38	108.53	108.62	92	o809			
025	66.73	-29.89	83.06	88.28	110	y341			
030	54.03	-48.31	63.49	79.78	127	o609			
035	44.73	-60.33	42.64	73.88	145	o809			
040	47.59	-49.08	15.74	51.54	162	i236			
045	49.87	-39.7	-6.72	40.27	180	i556			
050	51.85	-32.33	-24.35	40.48	217	h876			
055	49.83	-17.29	-36.02	39.96	244	c209			
060	37.91	1.28	-42.35	42.37	272	c539			
065	23.81	30.38	-52.26	60.45	300	e876			
070	29.52	69.06	-42.14	80.9	329	v689			
075	36.48	71.47	-3.69	71.57	357	m346			

FR509_92a adapted (a) CIELAB data									
L^*	a^*	b^*	C_{ab}^*	h_{ab}^*	L^*	a^*	b^*	C_{ab}^*	h_{ab}^*
000	35.06	60.0	44.0	74.4	36				
005	33.77	-5.17	109.32	109.44	93				
010	44.13	-62.67	48.24	79.09	142				
015	52.66	-29.14	-31.99	43.27	228				
020	83.18	-4.38	108.53	108.62	92				
025	66.73	-29.89	83.06	88.28	110	y341			
030	54.03	-48.31	63.49	79.78	127	o609			
035	44.73	-60.33	42.64	73.88	145	o809			
040	47.59	-49.08	15.74	51.54	162	i236			
045	49.87	-39.7	-6.72	40.27	180	i556			
050	51.85	-32.33	-24.35	40.48	217	h876			
055	49.83	-17.29	-36.02	39.96	244	c209			
060	37.91	1.28	-42.35	42.37	272	c539			
065	23.81	30.38	-52.26	60.45	300	e876			
070	29.52	69.06	-42.14	80.9	329	v689			
075	36.48	71.47	-3.69	71.57	357	m346			




Input and output: Colorimetric Printer Reflective System FR509_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*h^* and lab^*i^*
Hue tests:
 $u^*_e = r50$ $u^*_a = o09$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness i^*

FR509_92a adapted (a) CIELAB data									
L^*	a^*	b^*	C_{ab}^*	h_{ab}^*	L^*	a^*	b^*	C_{ab}^*	h_{ab}^*
000	35.06	60.0	44.0	74.4	36				
005	33.77	-5.17	109.32	109.44	93				
010	44.13	-62.67	48.24	79.09	142				
015	52.66	-29.14	-31.99	43.27	228				
020	83.18	-4.38	108.53	108.62	92				
025	66.73	-29.89	83.06	88.28	110	y341			
030	54.03	-48.31	63.49	79.78	127	o609			
035	44.73	-60.33	42.64	73.88	145	o809			
040	47.59	-49.08	15.74	51.54	162	i236			
045	49.87	-39.7	-6.72	40.27	180	i556			
050	51.85	-32.33	-24.35	40.48	217	h876			
055	49.83	-17.29	-36.02	39.96	244	c209			
060	37.91	1.28	-42.35	42.37	272	c539			
065	23.81	30.38	-52.26	60.45	300	e876			
070	29.52	69.06	-42.14	80.9	329	v689			
075	36.48	71.47	-3.69	71.57	357	m346			




Input and output: Colorimetric Printer Reflective System FR509_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*h^* and lab^*i^*
Hue tests:
 $u^*_e = j25g$ $u^*_a = y34l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness i^*

FR509_92a adapted (a) CIELAB data									
L^*	a^*	b^*	C_{ab}^*	h_{ab}^*	L^*	a^*	b^*	C_{ab}^*	h_{ab}^*
000	35.06	60.0	44.0	74.4	36				
005	33.77	-5.17	109.32	109.44	93				
010	44.13	-62.67	48.24	79.09	142				
015	52.66	-29.14	-31.99	43.27	228				
020	83.18	-4.38	108.53	108.62	92				
025	66.73	-29.89	83.06	88.28	110	y341			
030	54.03	-48.31	63.49	79.78	127	o609			
035	44.73	-60.33	42.64	73.88	145	o809			
040	47.59	-49.08	15.74	51.54	162	i236			
045	49.87	-39.7	-6.72	40.27	180	i556			
050	51.85	-32.33	-24.35	40.48	217	h876			
055	49.83	-17.29	-36.02	39.96	244	c209			
060	37.91	1.28	-42.35	42.37	272	c539			
065	23.81	30.38	-52.26	60.45	300	e876			
070	29.52	69.06	-42.14	80.9	329	v689			
075	36.48	71.47	-3.69	71.57	357	m346			




Input and output: Colorimetric Printer Reflective System FR509_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*h^* and lab^*i^*
Hue tests:
 $u^*_e = r00$ $u^*_a = m81o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness i^*

FR509_92a adapted (a) CIELAB data									
L^*	a^*	b^*	C_{ab}^*	h_{ab}^*	L^*	a^*	b^*	C_{ab}^*	h_{ab}^*
000	35.06	60.0	44.0	74.4	36				
005	33.77	-5.17	109.32	109.44	93				
010	44.13	-62.67	48.24	79.09	142				
015	52.66	-29.14	-31.99	43.27	228				
020	83.18	-4.38	108.53	108.62	92				
025	66.73	-29.89	83.06	88.28	110	y341			
030	54.03	-48.31	63.49	79.78	127	o609			
035	44.73	-60.33	42.64	73.88	145	o809			
040	47.59	-49.08	15.74	51.54	162	i236			
045	49.87	-39.7	-6.72	40.27	180	i556			
050	51.85	-32.33	-24.35	40.48	217	h876			
055	49.83	-17.29	-36.02	39.96	244	c209			
060	37.91	1.28	-42.35	42.37	272	c539			
065	23.81	30.38	-52.26	60.45	300	e876			
070	29.52	69.06	-42.14	80.9	329	v689			
075	36.48	71.47	-3.69	71.57	357	m346			




Input and output: Colorimetric Printer Reflective System FR509_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*h^* and lab^*i^*
Hue tests:
 $u^*_e = r75j$ $u^*_a = o69y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness i^*

FR509_92a adapted (a) CIELAB data									
L^*	a^*	b^*	C_{ab}^*	h_{ab}^*	L^*	a^*	b^*	C_{ab}^*	h_{ab}^*
000	35.06	60.0	44.0	74.4	36				
005	33.77	-5.17	109.32	109.44	93				
010	44.13	-62.67	48.24	79.09	142				
015	52.66	-29.14	-31.99	43.27	228				
020	83.18	-4.38	108.53	108.62	92				
025	66.73	-29.89	83.06	88.28	110	y341			
030	54.03	-48.31	63.49	79.78	127	o609			
035	44.73	-60.33	42.64	73.88	145	o809			
040	47.59	-49.08	15.74	51.54	162	i236			
045	49.87	-39.7	-6.72	40.27	180	i556			
050	51.85	-32.33	-24.35	40.48	217	h876			
055	49.83	-17.29	-36.02	39.96	244	c209			
060	37.91	1.28	-42.35	42.37	272	c539			
065	23.81	30.38	-52.26	60.45	300	e876			
070	29.52	69.06	-42.14	80.9	329	v689			
075	36.48	71.47	-3.69	71.57	357	m346			



Input and output: Colorimetric Printer Reflective System FR509_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*h^* and lab^*i^*
Hue tests:
 $u^*_e = j50j$ $u^*_a = y69l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness i^*


FR509_92a adapted (a) CIELAB data									
L^*	a^*	b^*	C_{ab}^*	h_{ab}^*	L^*	a^*	b^*	C_{ab}^*	h_{ab}^*
000	35.06	60.0	44.0	74.4	36				
005	33.77	-5.17	109.32	109.44	93				
010	44.13	-62.67	48.24	79.09	142				
015	52.66	-29.14	-31.99	43.27	228				
020	83.18	-4.38	108.53	108.62	92				
025	66.73	-29.89	83.06	88.28	110	y341			
030	54.03	-48.31	63.49	79.78	127	o609			
035	44.73	-60.33	42.64	73.88	145	o809			
040	47.59	-49.08	15.74	51.54	162	i236			
045	49.87	-39.7	-6.72	40.27	180	i556			
050	51.85	-32.33	-24.35	40.48	217	h876			
055	49.83	-17.29	-36.02	39.96	244	c209			
060	37.91	1.28	-42.35	42.37	272	c539			
065	23.81	30.38	-52.26	60.45	300	e876			
070	29.52	69.06	-42.14	80.9	329	v689			
075	36.48	71.47	-3.69	71.57	357	m346			



Input and output: Colorimetric Printer Reflective System FR509_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*h


Input and output:
Colorimetric Printer Reflective System FR509_92a
data for any colour:
 u^*_e and number no. = 00...15
elementary hue text:
 $u^*_e = 16$ hues $r00$, $r25$, ..., $b75$
contrast reduction factor:
 $c_R = 1.0$

FR509_92a adapted (a) CIELAB data									
u^*_e	L^*	a^*	b^*	C_{ab}^*	h_{ab}^*	u^*_e	L^*	a^*	b^*
000	35.47	63.32	30.17	70.15	25	m80	35.06	60.00	44.0
010	39.12	54.56	49.45	73.64	42	o10y	39.12	54.56	49.45
020	50.64	39.15	64.89	75.79	59	o40y	50.64	39.15	64.89
030	64.01	21.26	82.83	85.52	76	o69y	64.01	21.26	82.83
040	83.18	-4.38	108.53	108.62	92	o98y	83.18	-4.38	108.53
050	66.73	-29.89	83.06	88.28	110	y34l	66.73	-29.89	83.06
060	54.03	-48.31	63.49	79.78	127	y68l	54.03	-48.31	63.49
070	44.73	-60.33	42.64	73.88	145	83c	44.73	-60.33	42.64
080	47.59	-49.08	15.74	51.54	162	123c	47.59	-49.08	15.74
090	48.97	-39.7	-6.72	40.27	180	155c	48.97	-39.7	-6.72
100	51.85	-32.33	-24.35	40.48	217	87c	51.85	-32.33	-24.35
110	49.08	-17.29	-36.02	39.96	244	c20v	49.08	-17.29	-36.02
120	37.91	1.28	-42.35	42.37	272	c53v	37.91	1.28	-42.35
130	23.81	30.38	-52.26	60.45	300	c87v	23.81	30.38	-52.26
140	25.52	69.06	-42.14	80.9	329	v68m	25.52	69.06	-42.14
150	36.48	71.47	-3.69	71.57	357	m34b	36.48	71.47	-3.69



FR509_92a adapted (a) CIELAB data									
u^*_e	L^*	a^*	b^*	C_{ab}^*	h_{ab}^*	u^*_e	L^*	a^*	b^*
000	35.47	63.32	30.17	70.15	25	m80	35.06	60.00	44.0
010	39.12	54.56	49.45	73.64	42	o10y	39.12	54.56	49.45
020	50.64	39.15	64.89	75.79	59	o40y	50.64	39.15	64.89
030	64.01	21.26	82.83	85.52	76	o69y	64.01	21.26	82.83
040	83.18	-4.38	108.53	108.62	92	o98y	83.18	-4.38	108.53
050	66.73	-29.89	83.06	88.28	110	y34l	66.73	-29.89	83.06
060	54.03	-48.31	63.49	79.78	127	y68l	54.03	-48.31	63.49
070	44.73	-60.33	42.64	73.88	145	83c	44.73	-60.33	42.64
080	47.59	-49.08	15.74	51.54	162	123c	47.59	-49.08	15.74
090	48.97	-39.7	-6.72	40.27	180	155c	48.97	-39.7	-6.72
100	51.85	-32.33	-24.35	40.48	217	87c	51.85	-32.33	-24.35
110	49.08	-17.29	-36.02	39.96	244	c20v	49.08	-17.29	-36.02
120	37.91	1.28	-42.35	42.37	272	c53v	37.91	1.28	-42.35
130	23.81	30.38	-52.26	60.45	300	c87v	23.81	30.38	-52.26
140	25.52	69.06	-42.14	80.9	329	v68m	25.52	69.06	-42.14
150	36.48	71.47	-3.69	71.57	357	m34b	36.48	71.47	-3.69

Input and output: Colorimetric Printer Reflective System FR509_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*h^* and lab^*u^*
Hue texts:
 $u^*_e = r00$ $u^*_d = m80$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*



FR509_92a adapted (a) CIELAB data									
u^*_e	L^*	a^*	b^*	C_{ab}^*	h_{ab}^*	u^*_e	L^*	a^*	b^*
000	35.47	63.32	30.17	70.15	25	m80	35.06	60.00	44.0
010	39.12	54.56	49.45	73.64	42	o10y	39.12	54.56	49.45
020	50.64	39.15	64.89	75.79	59	o40y	50.64	39.15	64.89
030	64.01	21.26	82.83	85.52	76	o69y	64.01	21.26	82.83
040	83.18	-4.38	108.53	108.62	92	o98y	83.18	-4.38	108.53
050	66.73	-29.89	83.06	88.28	110	y34l	66.73	-29.89	83.06
060	54.03	-48.31	63.49	79.78	127	y68l	54.03	-48.31	63.49
070	44.73	-60.33	42.64	73.88	145	83c	44.73	-60.33	42.64
080	47.59	-49.08	15.74	51.54	162	123c	47.59	-49.08	15.74
090	48.97	-39.7	-6.72	40.27	180	155c	48.97	-39.7	-6.72
100	51.85	-32.33	-24.35	40.48	217	87c	51.85	-32.33	-24.35
110	49.08	-17.29	-36.02	39.96	244	c20v	49.08	-17.29	-36.02
120	37.91	1.28	-42.35	42.37	272	c53v	37.91	1.28	-42.35
130	23.81	30.38	-52.26	60.45	300	c87v	23.81	30.38	-52.26
140	25.52	69.06	-42.14	80.9	329	v68m	25.52	69.06	-42.14
150	36.48	71.47	-3.69	71.57	357	m34b	36.48	71.47	-3.69

Data for maximum colour (Ma):									
u^*_e	L^*	a^*	b^*	C_{ab}^*	h_{ab}^*	u^*_e	L^*	a^*	b^*
000	35.47	63.32	30.17	70.15	25	m80	35.06	60.00	44.0
010	39.12	54.56	49.45	73.64	42	o10y	39.12	54.56	49.45
020	50.64	39.15	64.89	75.79	59	o40y	50.64	39.15	64.89
030	64.01	21.26	82.83	85.52	76	o69y	64.01	21.26	82.83
040	83.18	-4.38	108.53	108.62	92	o98y	83.18	-4.38	108.53
050	66.73	-29.89	83.06	88.28	110	y34l	66.73	-29.89	83.06
060	54.03	-48.31	63.49	79.78	127	y68l	54.03	-48.31	63.49
070	44.73	-60.33	42.64	73.88	145	83c	44.73	-60.33	42.64
080	47.59	-49.08	15.74	51.54	162	123c	47.59	-49.08	15.74
090	48.97	-39.7	-6.72	40.27	180	155c	48.97	-39.7	-6.72
100	51.85	-32.33	-24.35	40.48	217	87c	51.85	-32.33	-24.35
110	49.08	-17.29	-36.02	39.96	244	c20v	49.08	-17.29	-36.02
120	37.91	1.28	-42.35	42.37	272	c53v	37.91	1.28	-42.35
130	23.81	30.38	-52.26	60.45	300	c87v	23.81	30.38	-52.26
140	25.52	69.06	-42.14	80.9	329	v68m	25.52	69.06	-42.14
150	36.48	71.47	-3.69	71.57	357	m34b	36.48	71.47	-3.69


Data for maximum colour (Ma):									
u^*_e	L^*	a^*	b^*	C_{ab}^*	h_{ab}^*	u^*_e	L^*	a^*	b^*
000	35.47	63.32	30.17	70.15	25	m80	35.06	60.00	44.0
010	39.12	54.56	49.45	73.64	42	o10y	39.12	54.56	49.45
020	50.64	39.15	64.89	75.79	59	o40y	50.64	39.15	64.89
030	64.01	21.26	82.83	85.52	76	o69y	64.01	21.26	82.83
040	83.18	-4.38	108.53	108.62	92	o98y	83.18	-4.38	108.53
050	66.73	-29.89	83.06	88.28	110	y34l	66.73	-29.89	83.06
060	54.03	-48.31	63.49	79.78	127	y68l	54.03	-48.31	63.49
070	44.73	-60.33	42.64	73.88	145	83c	44.73	-60.33	42.64
080	47.59	-49.08	15.74	51.54	162	123c	47.59	-49.08	15.74
090	48.97	-39.7	-6.72	40.27	180	155c	48.97	-39.7	-6.72
100	51.85	-32.33	-24.35	40.48	217	87c	51.85	-32.33	-24.35
110	49.08	-17.29	-36.02	39.96	244	c20v	49.08	-17.29	-36.02
120	37.91	1.28	-42.35	42.37	272	c53v	37.91	1.28	-42.35
130	23.81	30.38	-52.26	60.45	300	c87v	23.81	30.38	-52.26
140	25.52	69.06	-42.14	80.9	329	v68m	25.52	69.06	-42.14
150	36.48	71.47	-3.69	71.57	357	m34b	36.48	71.47	-3.69

Data for maximum colour (Ma):									
u^*_e	L^*	a^*	b^*	C_{ab}^*	h_{ab}^*	u^*_e	L^*	a^*	b^*
000	35.47	63.32	30.17	70.15	25	m80	35.06	60.00	44.0
010	39.12	54.56	49.45	73.64	42	o10y	39.12	54.56	49.45
020	50.64	39.15	64.89	75.79	59	o40y	50.64	39.15	64.89
030	64.01	21.26	82.83	85.52	76	o69y	64.01	21.26	82.83
040	83.18	-4.38	108.53	108.62	92	o98y	83.18	-4.38	108.53
050	66.73	-29.89	83.06	88.28	110	y34l	66.73	-29.89	83.06
060	54.03	-48.31	63.49	79.78	127	y68l	54.03	-48.31	63.49
070	44.73	-60.33	42.64	73.88	145	83c	44.73	-60.33	42.64
080	47.59	-49.08	15.74	51.54	162	123c	47.59	-49.08	15.74
090	48.97	-39.7	-6.72	40.27	180	155c	48.97	-39.7	-6.72
100	51.85	-32.33	-24.35	40.48	217	87c	51.85	-32.33	-24.35
110	49.08	-17.29	-36.02	39.96	244	c20v	49.08	-17.29	-36.02
120	37.91	1.28	-42.35	42.37	272	c53v	37.91	1.28	-42.35
130	23.81	30.38	-52.26	60.45	300	c87v	23.81	30.38	-52.26
140	25.52	69.06	-42.14	80.9	329	v68m	25.52	69.06	-42.14
150	36.48	71.47	-3.69	71.57	357	m34b	36.48	71.47	-3.69



Data for maximum colour (Ma):									
u^*_e	L^*	a^*	b^*	C_{ab}^*	h_{ab}^*	u^*_e	L^*	a^*	b^*
000	35.47	63.32	30.17	70.15	25	m80	35.06	60.00	44.0
010	39.12	54.56	49.45	73.64	42	o10y	39.12	54.56	49.45
020	50.64	39.15	64.89	75.79	59	o40y	50.64	39.15	64.89
030	64.01	21.26	82.83	85.52	76	o69y	64.01	21.26	82.83
040	83.18	-4.38	108.53	108.62	92	o98y	83.18	-4.38	108.53
050	66.73	-29.89	83.06	88.28	110	y34l	66.73	-29.89	83.06
060	54.03	-48.31	63.49	79.78	127	y68l	54.03	-48.31	63.49
070	44.73	-60.33	42.64	73.88	145	83c	44.73	-60.33	42.64
080	47.59	-49							

Input and output:
Colorimetric Printer Reflective System FR509_92a
data for any colour:
 u^*_e and number no. = 00...15
elementary hue text:
 $u^*_e = 16$ hues $r00$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$



FR509_92a adapted (a) CIELAB data									
L^*	a^*	b^*	C_{ab}^*	h_{ab}^*	L^*	a^*	b^*	C_{ab}^*	h_{ab}^*
000	35.47	63.32	30.17	70.15	25	m816			
005	39.12	54.56	49.45	73.64	42	o109			
010	50.64	39.15	64.89	75.79	59	o409			
015	64.01	21.26	82.83	85.52	76	o699			
020	83.18	-4.38	108.53	108.62	92	o989			
025	66.73	-29.89	83.06	88.28	110	y341			
030	54.03	-48.33	63.49	79.78	127	y699			
035	44.73	-60.33	42.64	73.88	145	k03c			
040	47.59	-49.08	15.74	51.54	162	i23c			
045	49.97	-39.7	-6.72	40.27	180	i55c			
050	51.85	-32.33	-24.35	40.48	217	87c			
055	49.02	-17.29	-36.02	39.96	244	c09c			
060	37.91	1.28	-42.35	42.37	272	c539			
065	23.81	30.38	-52.26	60.45	300	e67c			
070	29.52	69.06	-42.14	80.9	329	v689			
075	36.48	71.47	-3.69	71.57	357	m346			





Input and output: Colorimetric Printer Reflective System FR509_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*h^* and lab^*h^*
Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*





Input and output: Colorimetric Printer Reflective System FR509_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*h^* and lab^*h^*
Hue texts:
 $u^*_e = j25g$ $u^*_d = y34l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*





Input and output: Colorimetric Printer Reflective System FR509_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*h^* and lab^*h^*
Hue texts:
 $u^*_e = r00j$ $u^*_d = m81o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*





Input and output: Colorimetric Printer Reflective System FR509_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*h^* and lab^*h^*
Hue texts:
 $u^*_e = r75j$ $u^*_d = o69y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*





Input and output: Colorimetric Printer Reflective System FR509_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*h^* and lab^*h^*
Hue texts:
 $u^*_e = j50j$ $u^*_d = y699$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*



Input and output: Colorimetric Printer Reflective System FR509_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*h^* and lab^*h^*
Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*



Input and output: Colorimetric Printer Reflective System FR509_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*h^* and lab^*h^*
Hue texts:
 $u^*_e = j00g$ $u^*_d = o89y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*



Input and output: Colorimetric Printer Reflective System FR509_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.402$
data for any colour:
 lab^*h^* and lab^*h^*
Hue texts:
 $u^*_e = j75g$ $u^*_d = k03c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*

