



Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:
 u_e^* and number $no.$ = 00 .. 15
elementary hue text:
 $u_e^* = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$l03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$l23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$l55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$l87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$



%Gamut
 $u_{rel}^* = 109$
%Regularity
 $g_{H,rel}^* = 31$
 $g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data					
Name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.17	109.32	109.44	93
L _{Ma}	44.13	-62.67	48.24	79.09	142
C _{Ma}	52.66	-29.14	-31.99	43.27	228
V _{Ma}	14.15	50.3	-59.04	77.57	310
M _{Ma}	37.37	78.64	-33.5	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

$u^*_e = r00j$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m81o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30



$LAB^*LCH^*_{Ma}$: 35 70 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o10y$


contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.11 0.0

triangle lightness t^*


%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$



FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

$u^*_e = r50j$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o40y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65



$LAB^*LCH^*_{Ma}$: 51 76 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

$u^*_e = r75j$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o69y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83



$LAB^*LCH^*_{Ma}$: 64 86 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

$u^*_e = j00g$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o98y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -4 109



$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

$u^*_e = j25g$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -30 83



$LAB^*LCH^*_{Ma}$: 67 88 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

$u^*_e = j50g$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -48 63



$LAB^*LCH^*_{Ma}$: 54 80 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

$u^*_e = j75g$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = l03c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -60 43



$LAB^*LCH^*_{Ma}$: 45 74 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$


contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -49 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*


% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	l03c
g00b	47.59	-49.08	15.74	51.54	162	l23c
g25b	49.97	-39.7	-6.72	40.27	190	l55c
g50b	51.85	-32.33	-24.35	40.48	217	l87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

$u^*_e = g25b$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l55c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -40 -7



$LAB^*LCH^*_{Ma}$: 50 40 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

$u^*_e = g50b$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l87c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -32 -24



$LAB^*LCH^*_{Ma}$: 52 40 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.87

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

$u^*_e = g75b$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c20v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -17 -36



$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

$u^*_e = b00r$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -42



$LAB^*LCH^*_{Ma}$: 38 42 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

$u^*_e = b25r$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -52


$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

$u^*_e = b50r$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v68m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -42



$LAB^*LCH^*_{Ma}$: 30 81 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.69 0.0 1.0

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m34o$


contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -4

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*


%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$




FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	
01																																						
02																																						
03																																						
04																																						
05																																						
06																																						
07																																						
08																																						
09																																						
10																																						
11																																						
12																																						
13																																						
14																																						
15																																						
16																																						
17																																						
18																																						
19																																						
20																																						
21																																						
22																																						
23																																						
24																																						
25																																						
26																																						
27																																						


Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:
 u_e^* and number $no.$ = 00 .. 15
elementary hue text:
 $u_e^* = 16$ hues $r00j, r25j, ..., b75r$
contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$l03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$l23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$l55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$l87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$



%Gamut
 $u_{rel}^* = 109$
%Regularity
 $g_{H,rel}^* = 31$
 $g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data					
Name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.17	109.32	109.44	93
L _{Ma}	44.13	-62.67	48.24	79.09	142
C _{Ma}	52.66	-29.14	-31.99	43.27	228
V _{Ma}	14.15	50.3	-59.04	77.57	310
M _{Ma}	37.37	78.64	-33.5	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

$u^*_e = r00j$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m81o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30



$LAB^*LCH^*_{Ma}$: 35 70 25


$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	





$$u_e^* = r25j$$
triangle lightness t^* 

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0		44.0	74.4	36
Y _{Ma}	83.77	-5.17		109.32	109.44	93
L _{Ma}	44.13	-62.67		48.24	79.09	142
C _{Ma}	52.66	-29.14		-31.99	43.27	228
V _{Ma}	14.15	50.3		-59.04	77.57	310
M _{Ma}	37.37	78.64		-33.5	85.48	337
N _{Ma}	8.58	0.0		0.0	0.0	0
W _{Ma}	92.02	0.0		0.0	0.0	0
R _{Ma}	39.92	58.74		27.99	65.07	25
J _{Ma}	81.26	-2.89		71.56	71.62	92
G _{Ma}	52.23	-42.42		13.6	44.55	162
B _{Ma}	30.57	1.41		-46.47	46.49	272

triangle lightness t^*

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
<i>r00j</i>	35.47	63.32	30.17	70.15	25	<i>m81a</i>	
<i>r25j</i>	39.12	54.56	49.45	73.64	42	<i>o10y</i>	
<i>r50j</i>	50.64	39.15	64.89	75.79	59	<i>o40y</i>	
<i>r75j</i>	64.01	21.26	82.83	85.52	76	<i>o69y</i>	
<i>j00g</i>	83.18	-4.38	108.53	108.62	92	<i>o98y</i>	
<i>j25g</i>	66.73	-29.89	83.06	88.28	110	<i>y34l</i>	
<i>j50g</i>	54.03	-48.31	63.49	79.78	127	<i>y69l</i>	
<i>j75g</i>	44.73	-60.33	42.64	73.88	145	<i>l03c</i>	
<i>g00b</i>	47.59	-49.08	15.74	51.54	162	<i>l23c</i>	
<i>g25b</i>	49.97	-39.7	-6.72	40.27	190	<i>l55c</i>	
<i>g50b</i>	51.85	-32.33	-24.35	40.48	217	<i>l87c</i>	
<i>g75b</i>	46.92	-17.29	-36.02	39.96	244	<i>c20v</i>	
<i>b00r</i>	37.91	1.28	-42.35	42.37	272	<i>c53v</i>	
<i>b25r</i>	23.81	30.38	-52.26	60.45	300	<i>c87v</i>	
<i>b50r</i>	29.52	69.06	-42.14	80.9	329	<i>v68m</i>	
<i>b75r</i>	36.48	71.47	-3.69	71.57	357	<i>m34o</i>	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

$u^*_e = r50j$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o40y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65



$LAB^*LCH^*_{Ma}$: 51 76 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

$u^*_e = r75j$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o69y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83



$LAB^*LCH^*_{Ma}$: 64 86 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

$u^*_e = j00g$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o98y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -4 109



$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

$u^*_e = j25g$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 67 -30 83$



$LAB^*LCH^*_{Ma}: 67 88 109$

$lab^*rgb^*_{Ma}: 0.75 1.0 0.0$

$lab^*olv^*_{Ma}: 0.66 1.0 0.0$

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

$u^*_e = j50g$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 54 -48 63$



$LAB^*LCH^*_{Ma}: 54 80 127$

$lab^*rgb^*_{Ma}: 0.5 1.0 0.0$

$lab^*olv^*_{Ma}: 0.3 1.0 0.0$

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

$u^*_e = j75g$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = l03c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -60 43



$LAB^*LCH^*_{Ma}$: 45 74 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

$u^*_e = g00b$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -49 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

%Gamut



$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

$u^*_e = g25b$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l55c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -40 -7



$LAB^*LCH^*_{Ma}$: 50 40 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

$u^*_e = g50b$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l87c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 52 -32 -24$



$LAB^*LCH^*_{Ma}: 52 40 216$

$lab^*rgb^*_{Ma}: 0.0 1.0 1.0$

$lab^*olv^*_{Ma}: 0.0 1.0 0.87$

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

$u^*_e = g75b$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c20v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -17 -36



$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

$u^*_e = b00r$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -42



$LAB^*LCH^*_{Ma}$: 38 42 271


$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0


triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	




$$u^*_e = b25r$$
triangle lightness t^* 

FRS09_92aM; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
Q _{Ma}	35.06	60.0		44.0	74.4	36
Y _{Ma}	83.77	-5.17		109.32	109.44	93
L _{Ma}	44.13	-62.67		48.24	79.09	142
C _{Ma}	52.66	-29.14		-31.99	43.27	228
V _{Ma}	14.15	50.3		-59.04	77.57	310
M _{Ma}	37.37	78.64		-33.5	85.48	337
N _{Ma}	8.58	0.0		0.0	0.0	0
W _{Ma}	92.02	0.0		0.0	0.0	0
R _{Ma}	39.92	58.74		27.99	65.07	25
J _{Ma}	81.26	-2.89		71.56	71.62	92
G _{Ma}	52.23	-42.42		13.6	44.55	162
B _{Ma}	30.57	1.41		-46.47	46.49	272



triangle height: 0



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

$u^*_e = b50r$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v68m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -42



$LAB^*LCH^*_{Ma}$: 30 81 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.69 0.0 1.0

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

$u^*_e = b75r$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m34o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -4



$LAB^*LCH^*_{Ma}$: 36 72 357


$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*


FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	






Input and output:
 Colorimetric Printer Reflective System FRS09_92aM
 data for any colour:
 u_e^* and number $no.$ = 00 .. 15
 elementary hue text:
 $u_e^* = 16$ hues $r00j$, $r25j$, ..., $b75r$
 contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$	
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$	
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$	
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$	
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$	
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$	
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$	
$j75g$	44.73	-60.33	42.64	73.88	145	$l03c$	
$g00b$	47.59	-49.08	15.74	51.54	162	$l23c$	
$g25b$	49.97	-39.7	-6.72	40.27	190	$l55c$	
$g50b$	51.85	-32.33	-24.35	40.48	217	$l87c$	
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$	
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$	
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$	
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$	
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$	



%Gamut
 $u_{rel}^* = 109$
 %Regularity
 $g_{H,rel}^* = 31$
 $g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data						
Name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{CIE}	39.92	58.74	27.99	65.07	25	
J _{CIE}	81.26	-2.89	71.56	71.62	92	
G _{CIE}	52.23	-42.42	13.6	44.55	162	
B _{CIE}	30.57	1.41	-46.47	46.49	272	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m81o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	i03c
g00b	47.59	-49.08	15.74	51.54	162	i23c
g25b	49.97	-39.7	-6.72	40.27	190	i55c
g50b	51.85	-32.33	-24.35	40.48	217	i87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o10y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 39 55 49

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 39 74 42

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.11 0.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 109$

% Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o40y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 51 39 65

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 51 76 58

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.5 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.4 0.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 109$

% Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.21$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = r75j$ $u^*_d = o69y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 64 21 83

$LAB \cdot LCH \cdot Ma$: 64 86 75

$lab \cdot rgb \cdot Ma$: 1.0 0.75 0.0

$lab \cdot olv \cdot Ma$: 1.0 0.7 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o98y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -4 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.305$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u_e^* = j25g$ $u_d^* = y34l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 67 -30 83$

$LAB \cdot LCH \cdot Ma: 67 88 109$

$lab \cdot rgb \cdot Ma: 0.75 1.0 0.0$

$lab \cdot olv \cdot Ma: 0.66 1.0 0.0$

triangle lightness t^*

% Gamut


$u_{rel}^* = 109$

% Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.354$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 54 -48 63$

$LAB \cdot LCH \cdot Ma: 54 80 127$

$lab \cdot rgb \cdot Ma: 0.5 1.0 0.0$

$lab \cdot olv \cdot Ma: 0.3 1.0 0.0$

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = l03c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -60 43

$LAB^*LCH^*_{Ma}$: 45 74 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$u^*_e = j75g$

lab^*olv^*

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -49 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l55c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -40 -7

$LAB^*LCH^*_{Ma}$: 50 40 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.603$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = g50b$ $u^*_d = l87c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 52 -32 -24$

$LAB \cdot LCH \cdot Ma: 52 40 216$

$lab \cdot rgb \cdot Ma: 0.0 1.0 1.0$

$lab \cdot olv \cdot Ma: 0.0 1.0 0.87$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$lab \cdot olv^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c20v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -17 -36

$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -42

$LAB^*LCH^*_{Ma}$: 38 42 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

brilliantness i^*

$i^*=0.75$

$i^*=0.50$

$i^* \pm 0.25$
0.25

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -52

$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$
0.25

0.50

0.75

1.00

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v68m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}: 30 \ 69 \ -42$

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}: 30 \ 81 \ 328$

$\text{lab}^*\text{rgb}^*_{\text{Ma}}: 1.0 \ 0.0 \ 1.0$

$\text{lab}^*\text{olv}^*_{\text{Ma}}: 0.69 \ 0.0 \ 1.0$

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 109$

% Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.992$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = b75r$ $u^*_d = m34o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 36 \ 71 \ -4$

$LAB \cdot LCH \cdot Ma: 36 \ 72 \ 357$

$lab \cdot rgb \cdot Ma: 1.0 \ 0.0 \ 0.5$

$lab \cdot olv \cdot Ma: 1.0 \ 0.0 \ 0.66$

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Ee320-7A, Page 54/198


Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:
 u_e^* and number *no.* = 00 .. 15
elementary hue text:
 $u_e^* = 16$ hues *r00j*, *r25j*, ..., *b75r*
contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
<i>r00j</i>	35.47	63.32	30.17	70.15	25	<i>m81o</i>	
<i>r25j</i>	39.12	54.56	49.45	73.64	42	<i>o10y</i>	
<i>r50j</i>	50.64	39.15	64.89	75.79	59	<i>o40y</i>	
<i>r75j</i>	64.01	21.26	82.83	85.52	76	<i>o69y</i>	
<i>j00g</i>	83.18	-4.38	108.53	108.62	92	<i>o98y</i>	
<i>j25g</i>	66.73	-29.89	83.06	88.28	110	<i>y34l</i>	
<i>j50g</i>	54.03	-48.31	63.49	79.78	127	<i>y69l</i>	
<i>j75g</i>	44.73	-60.33	42.64	73.88	145	<i>l03c</i>	
<i>g00b</i>	47.59	-49.08	15.74	51.54	162	<i>l23c</i>	
<i>g25b</i>	49.97	-39.7	-6.72	40.27	190	<i>l55c</i>	
<i>g50b</i>	51.85	-32.33	-24.35	40.48	217	<i>l87c</i>	
<i>g75b</i>	46.92	-17.29	-36.02	39.96	244	<i>c20v</i>	
<i>b00r</i>	37.91	1.28	-42.35	42.37	272	<i>c53v</i>	
<i>b25r</i>	23.81	30.38	-52.26	60.45	300	<i>c87v</i>	
<i>b50r</i>	29.52	69.06	-42.14	80.9	329	<i>v68m</i>	
<i>b75r</i>	36.48	71.47	-3.69	71.57	357	<i>m34o</i>	



%Gamut
 $u_{rel}^* = 109$
%Regularity
 $g_{H,rel}^* = 31$
 $g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data						
Name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{CIE}	39.92	58.74	27.99	65.07	25	
J _{CIE}	81.26	-2.89	71.56	71.62	92	
G _{CIE}	52.23	-42.42	13.6	44.55	162	
B _{CIE}	30.57	1.41	-46.47	46.49	272	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.071$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u_e^* = r00j$ $u_d^* = m81o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 35 63 30

$LAB \cdot LCH \cdot Ma$: 35 70 25

$lab \cdot rgb \cdot Ma$: 1.0 0.0 0.0

$lab \cdot olv \cdot Ma$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut


$u_{rel}^* = 109$

% Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.117$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = r25j$ $u^*_d = o10y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 39 55 49

$LAB \cdot LCH \cdot Ma$: 39 74 42

$lab \cdot rgb \cdot Ma$: 1.0 0.25 0.0

$lab \cdot olv \cdot Ma$: 1.0 0.11 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.164$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = r50j$ $u^*_d = o40y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 51 \ 39 \ 65$

$LAB \cdot LCH \cdot Ma: 51 \ 76 \ 58$

$lab \cdot rgb \cdot Ma: 1.0 \ 0.5 \ 0.0$

$lab \cdot olv \cdot Ma: 1.0 \ 0.4 \ 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$lab \cdot rgb^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.21$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u_e^* = r75j$ $u_d^* = o69y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^* = L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 64 21 83

$LAB \cdot LCH \cdot Ma$: 64 86 75

$lab \cdot rgb \cdot Ma$: 1.0 0.75 0.0

$lab \cdot olv \cdot Ma$: 1.0 0.7 0.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 109$

% Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^* = L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$lab \cdot rgb^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o98y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -4 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



$$u_e^* = j25g$$

*lab*rgb**

ELAB data


$$h^*_{ab,a}$$

70.15	25	<i>m</i>
72.34	15	<i>m</i>

73.64	42	0
75.70	50	0

75.79	59	σ
85.52	76	σ

108.62 92 0



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0		44.0	74.4	36
Y _{Ma}	83.77	-5.17		109.32	109.44	93
L _{Ma}	44.13	-62.67		48.24	79.09	142
C _{Ma}	52.66	-29.14		-31.99	43.27	228
V _{Ma}	14.15	50.3		-59.04	77.57	310
M _{Ma}	37.37	78.64		-33.5	85.48	337
N _{Ma}	8.58	0.0		0.0	0.0	0
W _{Ma}	92.02	0.0		0.0	0.0	0
R _{Ma}	39.92	58.74		27.99	65.07	25
J _{Ma}	81.26	-2.89		71.56	71.62	92
G _{Ma}	52.23	-42.42		13.6	44.55	162
B _{Ma}	30.57	1.41		-46.47	46.49	272

*LAB*LAB**Ma: 67 -30 83


LABLCH**_{M2}: 67 88 109**

$$lab*rah*o : 0.75 \quad 1.0 \quad 0.0$$
 $l_1 l_1^* l_2^*$ 0.66 1.0 0.0

lab*oliv*Ma: 0.66 1.0 0.0

triangle lightness t^*

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
<i>r00j</i>	35.47	63.32	30.17	70.15	25	<i>m81o</i>	
<i>r25j</i>	39.12	54.56	49.45	73.64	42	<i>o10y</i>	
<i>r50j</i>	50.64	39.15	64.89	75.79	59	<i>o40y</i>	
<i>r75j</i>	64.01	21.26	82.83	85.52	76	<i>o69y</i>	
<i>j00g</i>	83.18	-4.38	108.53	108.62	92	<i>o98y</i>	
<i>j25g</i>	66.73	-29.89	83.06	88.28	110	<i>y34l</i>	
<i>j50g</i>	54.03	-48.31	63.49	79.78	127	<i>y69l</i>	
<i>j75g</i>	44.73	-60.33	42.64	73.88	145	<i>l03c</i>	
<i>g00b</i>	47.59	-49.08	15.74	51.54	162	<i>l23c</i>	
<i>g25b</i>	49.97	-39.7	-6.72	40.27	190	<i>l55c</i>	
<i>g50b</i>	51.85	-32.33	-24.35	40.48	217	<i>l87c</i>	
<i>g75b</i>	46.92	-17.29	-36.02	39.96	244	<i>c20v</i>	
<i>b00r</i>	37.91	1.28	-42.35	42.37	272	<i>c53v</i>	
<i>b25r</i>	23.81	30.38	-52.26	60.45	300	<i>c87v</i>	
<i>b50r</i>	29.52	69.06	-42.14	80.9	329	<i>v68m</i>	
<i>b75r</i>	36.48	71.47	-3.69	71.57	357	<i>m34o</i>	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = j50g$ $u_d^* = y69l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -48 63

$LAB^*LCH^*_{Ma}$: 54 80 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

% Gamut


$u_{rel}^* = 109$

% Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.402$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = j75g$ $u^*_d = l03c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 45 -60 43

$LAB \cdot LCH \cdot Ma$: 45 74 144

$lab \cdot rgb \cdot Ma$: 0.25 1.0 0.0

$lab \cdot olv \cdot Ma$: 0.0 1.0 0.03

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.451$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 48 -49 16

$LAB \cdot LCH \cdot Ma$: 48 52 162

$lab \cdot rgb \cdot Ma$: 0.0 1.0 0.0

$lab \cdot olv \cdot Ma$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$lab \cdot rgb^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

brilliantness i^*

$i^* = 0.75$

$i^* = 0.50$

$i^* \pm 0.25$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.527$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = g25b$ $u^*_d = l55c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 50 -40 -7$

$LAB \cdot LCH \cdot Ma: 50 40 189$

$lab \cdot rgb \cdot Ma: 0.0 1.0 0.5$

$lab \cdot olv \cdot Ma: 0.0 1.0 0.55$

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.603$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = g50b$ $u^*_d = l87c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 52 \ -32 \ -24$

$LAB \cdot LCH \cdot Ma: 52 \ 40 \ 216$

$lab \cdot rgb \cdot Ma: 0.0 \ 1.0 \ 1.0$

$lab \cdot olv \cdot Ma: 0.0 \ 1.0 \ 0.87$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$u^*_e = g50b$

$lab \cdot rgb^*$

$lab \cdot rgb^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c20v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -17 -36

$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



$$u_e^* = b00r$$

*lab*rgb**


ELAB data

$$h^*_{ab,a}$$
70.15 25 *m*

73.64	42	0
75.70	50	0

75.79	59	σ
85.52	76	σ

108.62 92 0



FRS09_92aM; adapted (a) CIELAB data

FRS09_92aM; adapted (a) CIELAB data


$$L^* = L^*, a^* = a^*, b^* = b^*, C^* = C^*, h^* = h^*$$

$r00i$	35	47	63	32	30	17	70	15	25	n
--------	----	----	----	----	----	----	----	----	----	-----

r_{25j}	39.12	54.56	49.45	73.64	42	σ
-----------	-------	-------	-------	-------	----	----------

<i>r50j</i>	50.64	39.15	64.89	75.79	59	<i>a</i>
<i>r75i</i>	64.01	31.26	82.83	85.53	76	<i>a</i>

<i>j00g</i>	83.18	-4.38	108.53	108.62	92	<i>a</i>
-------------	-------	-------	--------	--------	----	----------



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.17	109.32	109.44	93
L _{Ma}	44.13	-62.67	48.24	79.09	142
C _{Ma}	52.66	-29.14	-31.99	43.27	228
V _{Ma}	14.15	50.3	-59.04	77.57	310
M _{Ma}	37.37	78.64	-33.5	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -52

$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	i03c
g00b	47.59	-49.08	15.74	51.54	162	i23c
g25b	49.97	-39.7	-6.72	40.27	190	i55c
g50b	51.85	-32.33	-24.35	40.48	217	i87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o

$u^*_e = b25r$

lab^*rgb^*

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v68m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -42

$LAB^*LCH^*_{Ma}$: 30 81 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.69 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.992$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = b75r$ $u^*_d = m34o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 36 \ 71 \ -4$

$LAB \cdot LCH \cdot Ma: 36 \ 72 \ 357$

$lab \cdot rgb \cdot Ma: 1.0 \ 0.0 \ 0.5$

$lab \cdot olv \cdot Ma: 1.0 \ 0.0 \ 0.66$

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Ee320-7A, Page 72/198


Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:
 u_e^* and number *no.* = 00 .. 15
elementary hue text:
 $u_e^* = 16$ hues *r00j, r25j, ..., b75r*
contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
<i>r00j</i>	35.47	63.32	30.17	70.15	25	<i>m81o</i>	
<i>r25j</i>	39.12	54.56	49.45	73.64	42	<i>o10y</i>	
<i>r50j</i>	50.64	39.15	64.89	75.79	59	<i>o40y</i>	
<i>r75j</i>	64.01	21.26	82.83	85.52	76	<i>o69y</i>	
<i>j00g</i>	83.18	-4.38	108.53	108.62	92	<i>o98y</i>	
<i>j25g</i>	66.73	-29.89	83.06	88.28	110	<i>y34l</i>	
<i>j50g</i>	54.03	-48.31	63.49	79.78	127	<i>y69l</i>	
<i>j75g</i>	44.73	-60.33	42.64	73.88	145	<i>l03c</i>	
<i>g00b</i>	47.59	-49.08	15.74	51.54	162	<i>l23c</i>	
<i>g25b</i>	49.97	-39.7	-6.72	40.27	190	<i>l55c</i>	
<i>g50b</i>	51.85	-32.33	-24.35	40.48	217	<i>l87c</i>	
<i>g75b</i>	46.92	-17.29	-36.02	39.96	244	<i>c20v</i>	
<i>b00r</i>	37.91	1.28	-42.35	42.37	272	<i>c53v</i>	
<i>b25r</i>	23.81	30.38	-52.26	60.45	300	<i>c87v</i>	
<i>b50r</i>	29.52	69.06	-42.14	80.9	329	<i>v68m</i>	
<i>b75r</i>	36.48	71.47	-3.69	71.57	357	<i>m34o</i>	



%Gamut
 $u_{rel}^* = 109$
%Regularity
 $g_{H,rel}^* = 31$
 $g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data					
Name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.17	109.32	109.44	93
L _{Ma}	44.13	-62.67	48.24	79.09	142
C _{Ma}	52.66	-29.14	-31.99	43.27	228
V _{Ma}	14.15	50.3	-59.04	77.57	310
M _{Ma}	37.37	78.64	-33.5	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.071$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u_e^* = r00j$ $u_d^* = m81o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 35 63 30

$LAB \cdot LCH^*_{Ma}$: 35 70 25

$lab \cdot rgb^*_{Ma}$: 1.0 0.0 0.0

$lab \cdot olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut


$u_{rel}^* = 109$

% Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	i03c
g00b	47.59	-49.08	15.74	51.54	162	i23c
g25b	49.97	-39.7	-6.72	40.27	190	i55c
g50b	51.85	-32.33	-24.35	40.48	217	i87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o10y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.11 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o40y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o69y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o98y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.17	109.32	109.44	93
L _{Ma}	44.13	-62.67	48.24	79.09	142
C _{Ma}	52.66	-29.14	-31.99	43.27	228
V _{Ma}	14.15	50.3	-59.04	77.57	310
M _{Ma}	37.37	78.64	-33.5	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -4 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	i03c
g00b	47.59	-49.08	15.74	51.54	162	i23c
g25b	49.97	-39.7	-6.72	40.27	190	i55c
g50b	51.85	-32.33	-24.35	40.48	217	i87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -30 83

$LAB^*LCH^*_{Ma}$: 67 88 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$



$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.17	109.32	109.44	93
L _{Ma}	44.13	-62.67	48.24	79.09	142
C _{Ma}	52.66	-29.14	-31.99	43.27	228
V _{Ma}	14.15	50.3	-59.04	77.57	310
M _{Ma}	37.37	78.64	-33.5	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -48 63

$LAB^*LCH^*_{Ma}$: 54 80 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	i03c
g00b	47.59	-49.08	15.74	51.54	162	i23c
g25b	49.97	-39.7	-6.72	40.27	190	i55c
g50b	51.85	-32.33	-24.35	40.48	217	i87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*


$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = l03c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 45 -60 43

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 45 74 144

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.03

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 109$

% Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$\text{LAB}^*\text{LAB}^*_a$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -49 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$u^*_e = g00b$

$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

$i^* \pm 0,25$
0,25

0,50

0,75

1,00

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l55c$


contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -40 -7

$LAB^*LCH^*_{Ma}$: 50 40 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*


% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$



$u^*_e = g25b$

$LAB^*LAB^*_a$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	l03c
g00b	47.59	-49.08	15.74	51.54	162	l23c
g25b	49.97	-39.7	-6.72	40.27	190	l55c
g50b	51.85	-32.33	-24.35	40.48	217	l87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o

$LAB^*LAB^*_a$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l87c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.17	109.32	109.44	93
L _{Ma}	44.13	-62.67	48.24	79.09	142
C _{Ma}	52.66	-29.14	-31.99	43.27	228
V _{Ma}	14.15	50.3	-59.04	77.57	310
M _{Ma}	37.37	78.64	-33.5	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -32 -24

$LAB^*LCH^*_{Ma}$: 52 40 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.87

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	i03c
g00b	47.59	-49.08	15.74	51.54	162	i23c
g25b	49.97	-39.7	-6.72	40.27	190	i55c
g50b	51.85	-32.33	-24.35	40.48	217	i87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c20v$


contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -17 -36

$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	




$$u^*_e = b00r$$

$$LAB^*LAB^*_a$$

*lab*tch** and *lab*icu**

$$u^*_p = b00r \quad u^*_d = c53v$$
$$c_D = 1.0$$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0		44.0	74.4	36
Y _{Ma}	83.77	-5.17		109.32	109.44	93
L _{Ma}	44.13	-62.67		48.24	79.09	142
C _{Ma}	52.66	-29.14		-31.99	43.27	228
V _{Ma}	14.15	50.3		-59.04	77.57	310
M _{Ma}	37.37	78.64		-33.5	85.48	337
N _{Ma}	8.58	0.0		0.0	0.0	0
W _{Ma}	92.02	0.0		0.0	0.0	0
R _{Ma}	39.92	58.74		27.99	65.07	25
J _{Ma}	81.26	-2.89		71.56	71.62	92
G _{Ma}	52.23	-42.42		13.6	44.55	162
B _{Ma}	30.57	1.41		-46.47	46.49	272

$LAB*LAB*_{Ma}: 38 \ 1 \ -42$

LAB*LCH*Ma: 38 42 271

$$lab*rah*Ma: 0.0 \quad 0.0 \quad 1.0$$

1.1	1.2	1.3	1.4	1.5	1.6	1.7	1.8	1.9	1.10	1.11	1.12	1.13	1.14	1.15	1.16	1.17	1.18	1.19	1.20	1.21	1.22	1.23	1.24	1.25	1.26	1.27	1.28	1.29	1.30	1.31	1.32	1.33	1.34	1.35	1.36	1.37	1.38	1.39	1.40	1.41	1.42	1.43	1.44	1.45	1.46	1.47	1.48	1.49	1.50	1.51	1.52	1.53	1.54	1.55	1.56	1.57	1.58	1.59	1.60	1.61	1.62	1.63	1.64	1.65	1.66	1.67	1.68	1.69	1.70	1.71	1.72	1.73	1.74	1.75	1.76	1.77	1.78	1.79	1.80	1.81	1.82	1.83	1.84	1.85	1.86	1.87	1.88	1.89	1.90	1.91	1.92	1.93	1.94	1.95	1.96	1.97	1.98	1.99	2.00	2.01	2.02	2.03	2.04	2.05	2.06	2.07	2.08	2.09	2.10	2.11	2.12	2.13	2.14	2.15	2.16	2.17	2.18	2.19	2.20	2.21	2.22	2.23	2.24	2.25	2.26	2.27	2.28	2.29	2.30	2.31	2.32	2.33	2.34	2.35	2.36	2.37	2.38	2.39	2.40	2.41	2.42	2.43	2.44	2.45	2.46	2.47	2.48	2.49	2.50	2.51	2.52	2.53	2.54	2.55	2.56	2.57	2.58	2.59	2.60	2.61	2.62	2.63	2.64	2.65	2.66	2.67	2.68	2.69	2.70	2.71	2.72	2.73	2.74	2.75	2.76	2.77	2.78	2.79	2.80	2.81	2.82	2.83	2.84	2.85	2.86	2.87	2.88	2.89	2.90	2.91	2.92	2.93	2.94	2.95	2.96	2.97	2.98	2.99	3.00	3.01	3.02	3.03	3.04	3.05	3.06	3.07	3.08	3.09	3.10	3.11	3.12	3.13	3.14	3.15	3.16	3.17	3.18	3.19	3.20	3.21	3.22	3.23	3.24	3.25	3.26	3.27	3.28	3.29	3.30	3.31	3.32	3.33	3.34	3.35	3.36	3.37	3.38	3.39	3.40	3.41	3.42	3.43	3.44	3.45	3.46	3.47	3.48	3.49	3.50	3.51	3.52	3.53	3.54	3.55	3.56	3.57	3.58	3.59	3.60	3.61	3.62	3.63	3.64	3.65	3.66	3.67	3.68	3.69	3.70	3.71	3.72	3.73	3.74	3.75	3.76	3.77	3.78	3.79	3.80	3.81	3.82	3.83	3.84	3.85	3.86	3.87	3.88	3.89	3.90	3.91	3.92	3.93	3.94	3.95	3.96	3.97	3.98	3.99	4.00	4.01	4.02	4.03	4.04	4.05	4.06	4.07	4.08	4.09	4.10	4.11	4.12	4.13	4.14	4.15	4.16	4.17	4.18	4.19	4.20	4.21	4.22	4.23	4.24	4.25	4.26	4.27	4.28	4.29	4.30	4.31	4.32	4.33	4.34	4.35	4.36	4.37	4.38	4.39	4.40	4.41	4.42	4.43	4.44	4.45	4.46	4.47	4.48	4.49	4.50	4.51	4.52	4.53	4.54	4.55	4.56	4.57	4.58	4.59	4.60	4.61	4.62	4.63	4.64	4.65	4.66	4.67	4.68	4.69	4.70	4.71	4.72	4.73	4.74	4.75	4.76	4.77	4.78	4.79	4.80	4.81	4.82	4.83	4.84	4.85	4.86	4.87	4.88	4.89	4.90	4.91	4.92	4.93	4.94	4.95	4.96	4.97	4.98	4.99	5.00	5.01	5.02	5.03	5.04	5.05	5.06	5.07	5.08	5.09	5.10
-----	-----	-----	-----	-----	-----	-----	-----	-----	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------

lab*olv*Ma: 0.0 0.4/ 1.0

triangle lightness t^*


%Gamut

$$\mathbf{u}_{\text{rel}}^* = 109$$

%Regularity

$$g^*_{H\text{ rel}} = 31$$
$$g^*_{C,rel} = 40$$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
<i>r00j</i>	35.47	63.32	30.17	70.15	25	<i>m81o</i>	
<i>r25j</i>	39.12	54.56	49.45	73.64	42	<i>o10y</i>	
<i>r50j</i>	50.64	39.15	64.89	75.79	59	<i>o40y</i>	
<i>r75j</i>	64.01	21.26	82.83	85.52	76	<i>o69y</i>	
<i>j00g</i>	83.18	-4.38	108.53	108.62	92	<i>o98y</i>	
<i>j25g</i>	66.73	-29.89	83.06	88.28	110	<i>y34l</i>	
<i>j50g</i>	54.03	-48.31	63.49	79.78	127	<i>y69l</i>	
<i>j75g</i>	44.73	-60.33	42.64	73.88	145	<i>l03c</i>	
<i>g00b</i>	47.59	-49.08	15.74	51.54	162	<i>l23c</i>	
<i>g25b</i>	49.97	-39.7	-6.72	40.27	190	<i>l55c</i>	
<i>g50b</i>	51.85	-32.33	-24.35	40.48	217	<i>l87c</i>	
<i>g75b</i>	46.92	-17.29	-36.02	39.96	244	<i>c20v</i>	
<i>b00r</i>	37.91	1.28	-42.35	42.37	272	<i>c53v</i>	
<i>b25r</i>	23.81	30.38	-52.26	60.45	300	<i>c87v</i>	
<i>b50r</i>	29.52	69.06	-42.14	80.9	329	<i>v68m</i>	
<i>b75r</i>	36.48	71.47	-3.69	71.57	357	<i>m34o</i>	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -52

$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$u^*_e = b25r$

$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^*=1.00$

$i^*=0.80$

brilliantness i^*

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v68m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -42

$LAB^*LCH^*_{Ma}$: 30 81 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.69 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$u^*_e = b50r$

$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

1,00

0,75

0,50

0,25

0,00

$i^* = 0,00$

$i^* \pm 0,25$
0,25

$i^* = 0,50$

$i^* = 0,75$

$i^* = 1,00$

relative chroma c^*

1,00

0,75

0,50

0,25

0,00

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m34o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -4

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	




	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*a			
01	8.6	13.0	17.5	21.9	26.4	30.8	35.2	39.7	44.1	11.9	18.0	21.6	26.0	30.4	34.8	39.3	43.7	48.2	15.2	20.1	27.4	30.5	34.7	39.0	43.4	47.8	52.2	92.0	84.9	77.8	70.7	63.5	56.4	49.3	42.2	35.1	8.6	8.6	8.6	8.6	
	9.0	-7.8	-15.7	-23.5	-31.3	-39.2	-47.0	-54.8	-62.7	7.5	-0.6	-9.6	-17.6	-25.5	-33.4	-41.1	-49.0	-56.8	15.0	8.4	-1.3	-11.0	-19.3	-27.3	-35.2	-43.1	-50.9	0.0	7.5	15.0	22.5	30.0	37.5	45.0	52.5	60.0	0.0	0.0	0.0	0.0	
	9.0	6.0	-12.1	18.1	24.1	30.2	36.2	42.2	48.2	5.5	13.7	18.5	24.4	30.4	36.4	42.4	48.4	54.4	11.0	27.3	31.4	36.9	42.8	48.7	54.7	60.7	0.0	5.5	11.0	16.5	22.0	27.5	33.0	38.5	44.0	0.0	0.0	0.0	0.0		
02	9.3	14.1	18.8	23.5	28.2	32.7	37.3	41.8	46.3	12.2	19.0	23.5	27.9	32.3	36.8	41.2	45.7	50.1	15.5	22.3	28.4	32.1	36.6	40.8	45.3	49.7	54.2	87.1	81.6	74.5	67.4	60.2	53.1	46.0	38.9	31.7	19.0	19.0	19.0	19.0	
	6.3	-3.5	-10.2	-17.1	-24.2	-31.5	-38.9	-46.4	-54.0	9.8	-7.8	-15.7	-23.5	-31.3	-39.2	-47.0	-54.8	-62.7	7.5	-0.6	-9.6	-17.6	-25.5	-33.4	-41.1	-49.0	-56.8	0.0	7.5	15.0	22.5	30.0	37.5	45.0	52.5	60.0	0.0	0.0	0.0	0.0	
	-7.4	-4.0	-0.9	2.8	7.1	11.8	16.8	22.0	27.4	-4.2	0.0	6.0	12.1	18.1	24.1	30.2	36.2	42.2	2.0	5.5	13.7	18.5	24.4	30.4	36.4	42.4	48.4	-4.0	0.0	5.5	11.0	16.5	22.0	27.5	33.0	38.5	0.0	0.0	0.0	0.0	
03	10.0	16.2	19.6	24.4	29.1	33.8	38.5	43.1	47.8	12.7	19.7	24.5	29.3	34.0	38.6	43.2	47.7	52.3	15.8	22.6	29.4	33.9	38.3	42.8	47.2	51.7	56.1	82.2	76.7	71.2	64.0	56.9	49.8	42.7	35.6	28.4	29.4	29.4	29.4	29.4	
	12.6	-0.2	-7.3	-13.9	-20.5	-27.3	-34.2	-41.2	-48.4	15.9	6.3	-3.6	-10.2	-17.1	-24.2	-31.5	-38.9	-46.4	49.7	9.8	0.0	-7.8	-15.7	-23.5	-31.3	-39.2	-47.0	-7.3	-3.6	0.0	7.5	15.0	22.5	30.0	37.5	45.0	0.0	0.0	0.0	0.0	
	-14.8	-10.4	-8.0	-4.9	-1.8	1.7	5.5	9.7	14.1	-11.7	-7.4	-4.0	-0.9	2.8	7.1	11.8	16.8	22.0	-8.4	-4.2	0.0	6.0	12.1	18.1	24.1	30.2	36.2	-8.0	-4.0	0.0	5.5	11.0	16.5	22.0	27.5	33.0	0.0	0.0	0.0	0.0	
04	10.7	17.9	21.7	25.1	29.8	34.6	39.4	44.1	48.8	13.4	20.4	26.6	30.0	34.8	39.5	44.3	49.0	53.6	16.3	23.2	30.1	34.9	39.7	44.4	49.0	53.6	58.2	77.3	71.7	66.2	60.7	53.6	46.5	39.4	32.3	25.1	39.9	39.9	39.9	39.9	
	18.9	3.9	-3.8	-10.9	-17.6	-24.1	-30.7	-37.5	-44.4	32.2	12.6	-0.2	-7.3	-13.9	-20.5	-27.3	-34.2	-41.2	22.5	15.9	6.3	-3.6	-10.2	-17.1	-24.2	-31.5	-38.9	-10.9	-7.3	-3.6	0.0	7.5	15.0	22.5	30.0	37.5	0.0	0.0	0.0	0.0	
	-22.1	-17.0	8.4	-14.2	-12.0	-8.7	-5.8	-2.7	0.7	4.4	-19.1	-14.8	-10.4	-8.0	-4.9	-1.8	1.7	5.5	9.7	-16.0	-11.7	-7.4	-4.0	-0.9	2.8	7.1	11.8	16.8	-12.0	-8.0	-4.0	0.0	5.5	11.0	16.5	22.0	27.5	0.0	0.0	0.0	0.0
05	11.4	19.4	23.7	27.1	30.6	35.3	40.1	44.9	49.6	14.1	21.1	28.4	32.1	35.5	40.3	45.1	49.8	54.5	16.9	23.8	30.8	37.0	40.5	45.2	50.0	54.7	59.4	72.3	66.8	61.3	55.8	50.3	43.2	36.1	28.9	21.8	50.3	50.3	50.3	50.3	
	25.2	8.6	-0.3	-7.3	-14.6	-21.3	-27.8	-34.4	-41.0	28.5	18.9	3.9	-3.8	-10.9	-17.6	-24.1	-30.7	-37.5	31.9	22.2	12.6	-0.2	-7.3	-13.9	-20.5	-27.3	-34.2	-14.6	-10.9	-7.3	-3.6	0.0	7.5	15.0	22.5	30.0	0.0	0.0	0.0	0.0	
	-25.9	-23.9	-20.8	-18.5	-16.0	-12.6	-9.7	-6.8	-3.6	-26.5	-22.1	-17.0	-14.4	-12.0	-8.7	-5.8	-2.7	0.7	-23.4	-19.1	-14.8	-10.4	-8.0	-4.9	-1.8	1.7	5.5	-16.0	-12.0	-8.0	-4.0	0.0	5.5	11.0	16.5	22.0	0.0	0.0	0.0	0.0	
06	12.1	20.7	25.6	29.3	32.6	36.1	40.8	45.6	50.4	14.8	21.8	29.8	34.2	37.5	41.0	45.8	50.6	55.3	17.6	24.5	31.5	38.8	42.5	46.0	50.7	55.5	60.2	67.4	61.9	56.4	50.9	45.4	39.9	32.8	25.6	18.5	60.7	60.7	60.7	60.7	
	31.4	13.7	3.5	-4.0	-10.9	-18.2	-25.0	-31.5	-38.0	34.8	25.2	8.6	-0.3	-7.3	-14.6	-21.3	-27.8	-34.4	38.1	28.5	18.9	3.9	-3.8	-10.9	-17.6	-24.1	-30.7	-18.2	-14.6	-10.9	-7.3	-3.6	0.0	7.5	15.0	22.5	0.0	0.0	0.0	0.0	
	-36.9	-30.8	-27.4	-24.8	-22.5	-20.0	-16.5	-13.6	-10.7	-33.9	-29.5	-23.9	-20.8	-18.5	-16.0	-12.6	-9.7	-6.8	-3.0	-30.9	-26.5	-22.1	-17.0	-14.4	-12.0	-8.7	-5.8	-2.7	-20.0	-16.0	-12.0	-8.0	-4.0	0.0	5.5	11.0	16.5	0.0	0.0	0.0	0.0
07	12.8	21.8	27.3	31.3	34.7	38.0	41.6	46.3	51.1	15.5	22.5	31.1	36.0	39.7	43.0	46.6	51.3	56.0	18.2	25.2	32.2	40.4	44.6	48.0	51.5	56.2	61.0	62.5	57.0	51.5	46.0	40.5	34.9	29.4	22.3	15.2	71.2	71.2	71.2	71.2	
	37.7	19.0	7.8	-0.5	-7.6	-14.4	-21.9	-28.7	-35.4	31.1	13.7	3.5	-4.0	-10.9	-18.2	-25.0	-31.5	-38.0	31.4	25.2	8.6	-0.3	-7.3	-14.6	-21.3	-27.8	-21.9	-18.2	-14.6	-10.9	-7.3	-3.6	0.0	7.5	15.0	0.0	0.0	0.0	0.0		
	-44.3	-37.9	-34.1	-31.3	-28.8	-26.5	-24.0	-20.4	-17.4	-41.3	-36.9	-30.8	-27.4	-24.8	-22.5	-20.0	-16.5	-13.6	-38.3	-33.9	-29.5	-23.9	-20.8	-18.5	-16.0	-12.6	-9.7	-24.0	-20.0	-16.0	-12.0	-8.0	-4.0	0.0	5.5	11.0	0.0	0.0	0.0	0.0	
08	13.5	22.9	28.1	33.2	38.0	40.2	43.5	47.1	51.8	16.2	23.2	32.3	37.7	41.7	45.2	49.8	52.1	56.8	18.9	25.9	32.9	41.5	46.5	50.1	53.4	57.0	61.7	57.6	52.1	46.6	41.0	35.5	30.0	24.5	19.0	11.9	81.6	81.6	81.6	81.6	
	40.4	24.6	12.3	3.3	-4.2	-11.1	-18.0	-25.5	-32.3	34.7	19.0	7.8	-0.5	-7.6	-14.4	-21.9	-28.7	-35.4	41.1	31.4	13.7	3.5	-4.0	-10.9	-18.2	-25.0	-25.5	-21.9	-18.2	-14.6	-10.9	-7.3	-3.6	0.0	7.5	0.0	0.0	0.0	0.0		
	-51.7	-45.0	-40.9	-37.8	-35.0	-32.9	-30.5	-28.0	-24.4	-48.7	-44.3	-37.9	-34.1	-31.3	-28.8	-26.5	-24.0	-20.4	-45.6	-41.3	-36.9	-30.8	-27.4	-24.8	-22.5	-20.0	-16.5	-28.0	-24.0	-20.0	-16.0	-12.0	-8.0	-4.0	0.0	5.5	0.0	0.0	0.0		
09	14.2	23.9	30.9	38.9	42.3	45.5	49.0	52.1	56.7	23.9	33.3	38.2	43.0	47.3	51.9	53.9	57.9	62.9	24.7	32.7	40.7	48.7	52.7	56.8	60.9	62.5	57.9	52.7	47.1	41.6	36.1	30.6	25.1	19.7	12.1	82.0	82.0	82.0	82.0		
	50.3	30.2	17.1	7.3	-0.7	-7.8	-14.7	-21.6	-29.4	53.6	44.0	24.6	12.3	3.3	-4.2	-11.1	-18.0	-25.5	57.9	47.3	37.7	19.0	7.8	-0.5	-7.6	-14.4	-21.9	-29.4	-25.5	-21.9	-18.2	-14.6	-10.9	-7.3	-3.6	0.0	0.0	0.0	0.0		
	-59.0	-52.2	-47.7	-44.4	-41.7	-39.2	-36.9	-34.6	-32.1	-56.0	-51.7	-45.0	-40.9	-37.8	-35.2	-32.9	-30.5	-28.0	-53.0	-48.7	-44.3	-37.9	-34.1	-31.3	-28.8	-26.5	-24.0	-32.0	-28.0	-24.0	-20.0	-16.0	-12.0	-8.0	-4.0	0.0	0.0	0.0	0.0		
10	18.5	23.3	28.8	36.8	39.6	43.5	47.7	52.0	56.4	21.8	26.6	31.7	37.7	46.2	48.8	52.5	56.5	60.8	25.1	29.9	34.8	40.3	46.8	55.6	58.1	61.6	65.5	92.0	91.0	90.0	88.9	87.9	86.9	85.8	84.8	83.8	8.6	8.6	8.6	8.6	
	25.2	16.0	8.7	-1.9	-12.1	-20.7	-28.9	-36.9	-44.9	30.0	26.3	16.8	8.7	-2.6	-13.0	-22.0	-30.0	-38.3	53.5	31.1	24.5	17.3	8.5	-3.2	-13.9	-23.1	-31.7	0.0	-0.6	-1.3	-1.9	-2.6	-3.2	-3.9	-4.5	-5.2	0.0	0.0	0.0	0.0	
	16.5	23.0	30.3	41.0	44.6	49.8	55.4	61.2	67.1	22.0	28.5	35.2	43.3	54.7	57.9	62.8	68.2	73.9	27.5	34.0	40.5	47.8	56.5	68.3	71.4	75.9	81.1	0.0	0.0	13.7	27.3	41.0	54.7	68.3	82.0	95.7	109.3	0.0	0.0		
11	18.8	25.6	30.6	37.8	41.0	45.1	49.4	53.8	58.2	22.1	28.9	33.8	39.2	47.2	50.1	54.0	58.1	62.5	25.4	32.3	37.1	42.1	48.1	56.6	59.3	62.9	67.0	82.3	81.6	80.6	79.5	78.5	77.5	76.4	75.4	74.4	14.1	14.1	14.1	14.1	
	24.7	15.0	8.4	-1.3	-11.0	-19.3	-27.3	-35.2	-43.3	32.2	22.5	16.0	8.7	-1.9	-12.1	-20.7	-28.9	-36.9	39.3	30.0	23.6	16.8	8.7	-2.6	-13.0	-22.0	-30.6	4.3	0.0	-0.6	-1.3	-1.9	-2.6	-3.2	-3.9	-4.5	0.0	0.0	0.0	0.0	
	7.3	11.0	17.6	27.3	31.4	36.9	42.8	48.7	54.7	12.7	16.5	23.0	30.3	41.0	44.6	49.8	55.4	61.2	18.0	22.0	28.5	35.2	43.3	54.7	57.9	62.8	68.2	-7.4	0.0	13.7	27.3	41.0	54.7	68.3	82.0	95.7	0.0	0.0	0.0	0.0	
12	19.0	25.9	32.8	38.8	42.5	46.8	51.3	55.7	60.1	22.4	29.2	36.1	41.0	48.2	51.4	55.5	59.9	64.2	25.7	32.5	39.4	44.2	49.6	57.6	60.5	64.4	68.6	72.6	71.9	71.2	70.1	69.1	68.1	67.0	66.0	65.0	19.7	1			

Input and output:
 Colorimetric Printer Reflective System FRS09_92aM
 data for any colour:
 u_e^* and number *no.* = 00 .. 15
 elementary hue text:
 $u_e^* = 16$ hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data


u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
<i>r00j</i>	35.47	63.32	30.17	70.15	25	<i>m81o</i>
<i>r25j</i>	39.12	54.56	49.45	73.64	42	<i>o10y</i>
<i>r50j</i>	50.64	39.15	64.89	75.79	59	<i>o40y</i>
<i>r75j</i>	64.01	21.26	82.83	85.52	76	<i>o69y</i>
<i>j00g</i>	83.18	-4.38	108.53	108.62	92	<i>o98y</i>
<i>j25g</i>	66.73	-29.89	83.06	88.28	110	<i>y34l</i>
<i>j50g</i>	54.03	-48.31	63.49	79.78	127	<i>y69l</i>
<i>j75g</i>	44.73	-60.33	42.64	73.88	145	<i>l03c</i>
<i>g00b</i>	47.59	-49.08	15.74	51.54	162	<i>l23c</i>
<i>g25b</i>	49.97	-39.7	-6.72	40.27	190	<i>l55c</i>
<i>g50b</i>	51.85	-32.33	-24.35	40.48	217	<i>l87c</i>
<i>g75b</i>	46.92	-17.29	-36.02	39.96	244	<i>c20v</i>
<i>b00r</i>	37.91	1.28	-42.35	42.37	272	<i>c53v</i>
<i>b25r</i>	23.81	30.38	-52.26	60.45	300	<i>c87v</i>
<i>b50r</i>	29.52	69.06	-42.14	80.9	329	<i>v68m</i>
<i>b75r</i>	36.48	71.47	-3.69	71.57	357	<i>m34o</i>



%Gamut
 $u_{rel}^* = 109$
 %Regularity
 $g_{H,rel}^* = 31$
 $g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data

Name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.17	109.32	109.44	93
L _{Ma}	44.13	-62.67	48.24	79.09	142
C _{Ma}	52.66	-29.14	-31.99	43.27	228
V _{Ma}	14.15	50.3	-59.04	77.57	310
M _{Ma}	37.37	78.64	-33.5	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m81o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.17	109.32	109.44	93
L _{Ma}	44.13	-62.67	48.24	79.09	142
C _{Ma}	52.66	-29.14	-31.99	43.27	228
V _{Ma}	14.15	50.3	-59.04	77.57	310
M _{Ma}	37.37	78.64	-33.5	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	i03c
g00b	47.59	-49.08	15.74	51.54	162	i23c
g25b	49.97	-39.7	-6.72	40.27	190	i55c
g50b	51.85	-32.33	-24.35	40.48	217	i87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o

$LAB^*LCH^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o10y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.17	109.32	109.44	93
L _{Ma}	44.13	-62.67	48.24	79.09	142
C _{Ma}	52.66	-29.14	-31.99	43.27	228
V _{Ma}	14.15	50.3	-59.04	77.57	310
M _{Ma}	37.37	78.64	-33.5	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.11 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	i03c
g00b	47.59	-49.08	15.74	51.54	162	i23c
g25b	49.97	-39.7	-6.72	40.27	190	i55c
g50b	51.85	-32.33	-24.35	40.48	217	i87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o

$LAB^*LCH^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$

0.50

0.75

1.00

0.00

0.20

0.40

0.60

0.80

1.00

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o40y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$LAB^*LCH^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o69y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.17	109.32	109.44	93
L _{Ma}	44.13	-62.67	48.24	79.09	142
C _{Ma}	52.66	-29.14	-31.99	43.27	228
V _{Ma}	14.15	50.3	-59.04	77.57	310
M _{Ma}	37.37	78.64	-33.5	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	i03c
g00b	47.59	-49.08	15.74	51.54	162	i23c
g25b	49.97	-39.7	-6.72	40.27	190	i55c
g50b	51.85	-32.33	-24.35	40.48	217	i87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o

$u^*_e = r75j$

$LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o98y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -4 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$LAB^*LCH^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

1,00

0,75

0,50

0,25

0,00

$i^* = 0,00$

$i^* \pm 0,25$
0,25

0,50

0,75

1,00

brilliantness i^*

$i^* = 0,75$

$i^* = 0,50$

$i^* = 1,00$

Black separation empty

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -30 83

$LAB^*LCH^*_{Ma}$: 67 88 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	i03c
g00b	47.59	-49.08	15.74	51.54	162	i23c
g25b	49.97	-39.7	-6.72	40.27	190	i55c
g50b	51.85	-32.33	-24.35	40.48	217	i87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o

$u^*_e = j25g$

$LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = j50g$ $u_d^* = y69l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -48 63

$LAB^*LCH^*_{Ma}$: 54 80 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 109$

% Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$LAB^*LCH^*_{Ma}$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = l03c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -60 43

$LAB^*LCH^*_{Ma}$: 45 74 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	l03c
g00b	47.59	-49.08	15.74	51.54	162	l23c
g25b	49.97	-39.7	-6.72	40.27	190	l55c
g50b	51.85	-32.33	-24.35	40.48	217	l87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o

$u^*_e = j75g$

$LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -49 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$LAB^*LCH^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l55c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}: 50 \ -40 \ -7$

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}: 50 \ 40 \ 189$

$\text{lab}^*\text{rgb}^*_{\text{Ma}}: 0.0 \ 1.0 \ 0.5$

$\text{lab}^*\text{olv}^*_{\text{Ma}}: 0.0 \ 1.0 \ 0.55$

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 109$

% Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$u^*_e = g25b$
 $\text{LAB}^*\text{LCH}^*_{\text{Ma}}$

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

brilliantness i^*

$i^*=0.75$

$i^*=0.50$

$i^*=0.25$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.603$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = g50b$ $u_d^* = l87c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 52 -32 -24

$\text{LAB}^*\text{LCH}^*_{Ma}$: 52 40 216

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.87

triangle lightness t^*

% Gamut

$u_{rel}^* = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$\text{LAB}^*\text{LCH}^*_a$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$
0.25

0.50

0.75

1.00

brilliantness i^*

$i^* = 0.75$

$i^* = 0.50$

$i^* = 1.00$

Black separation empty

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.17	109.32	109.44	93
L _{Ma}	44.13	-62.67	48.24	79.09	142
C _{Ma}	52.66	-29.14	-31.99	43.27	228
V _{Ma}	14.15	50.3	-59.04	77.57	310
M _{Ma}	37.37	78.64	-33.5	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -42

$LAB^*LCH^*_{Ma}$: 38 42 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	i03c
g00b	47.59	-49.08	15.74	51.54	162	i23c
g25b	49.97	-39.7	-6.72	40.27	190	i55c
g50b	51.85	-32.33	-24.35	40.48	217	i87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o

$u^*_e = b00r$

$LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$

$i^* = 0.50$

$i^* = 0.75$

$i^* = 1.00$

Black separation empty

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -52

$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$u^*_e = b25r$

$LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

$i^* \pm 0,25$

$i^* = 0,50$

$i^* = 0,75$

$i^* = 1,00$

Black separation empty

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v68m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -42

$LAB^*LCH^*_{Ma}$: 30 81 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.69 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	i03c
g00b	47.59	-49.08	15.74	51.54	162	i23c
g25b	49.97	-39.7	-6.72	40.27	190	i55c
g50b	51.85	-32.33	-24.35	40.48	217	i87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o

$u^*_e = b50r$

$LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m34o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -4

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

%Gamut

$u^*_{rel} = 109$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	i03c
g00b	47.59	-49.08	15.74	51.54	162	i23c
g25b	49.97	-39.7	-6.72	40.27	190	i55c
g50b	51.85	-32.33	-24.35	40.48	217	i87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o

$u^*_e = b75r$

$LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

relative chroma c^*

1,00

0,75

0,50

0,25

0,00

r00j
92.0
0.0
0

r00j
71.2
0.0
0

r00j
50.3
0.0
0

r00j
29.4
0.0
0

r00j
8.6
0.0
0

b75r
78.1
17.9
357

b75r
57.3
17.9
357

b75r
36.4
17.9
357

b75r
15.6
17.9
357

b75r
64.3
35.8
357

b75r
43.4
35.8
357

b75r
22.5
35.8
357

b75r
50.4
53.7
357

b75r
29.5
53.7
357

b75r
36.5
71.6
357

$i^* = 1.00$

brilliantness i^*

relative chroma c^*

1,00

0,25

0,00

92.0
0.0
0

88.3
4.8
357

84.6
9.5
357

80.9
14.3
357

77.2
19.1
357

73.5
23.9
357

69.8
28.6
357

66.1
33.4
357

62.4
38.2
357

58.7
42.9
357

55.0
47.7
357

51.3
52.5
357

47.6
57.3
357

43.9
62.0
357

40.2
66.8
357

36.5
71.6
357

32.8
76.4
357

29.1
81.2
357

25.4
85.9
357

21.7
90.6
357

18.0
95.3
357

14.3
100.0
357

10.6
104.7
357

6.9
109.4
357

3.2
114.1
357

-0.5
118.8
357

-6.8
123.5
357

-13.1
128.2
357

-19.4
132.9
357

-25.7
137.6
357

-32.0
142.3
357

-38.3
147.0
357

-44.6
151.7
357

-50.9
156.4
357

-57.2
161.1
357

-63.5
165.8
357

-69.8
170.5
357

-76.1
175.2
357

-82.4
179.9
357

-88.7
184.6
357

-95.0
189.3
357

-101.3
194.0
357

-107.6
198.7
357

-113.9
203.4
357

-120.2
208.1
357

-126.5
212.8
357

-132.8
217.5
357

-139.1
222.2
357

-145.4
226.9
357

-151.7
231.6
357

-158.0
236.3
357

-164.3
241.0
357

-170.6
245.7
357

-176.9
250.4
357

-183.2
255.1
357

-189.5
259.8
357

-195.8
264.5
357

-202.1
269.2
357

-208.4
273.9
357

-214.7
278.6
357

-221.0
283.3
357

-227.3
288.0
357

-233.6
292.7
357

-239.9
297.4
357

-246.2
302.1
357

-252.5
306.8
357

-258.8
311.5
357

-265.1
316.2
357

-271.4
320.9
357

-277.7
325.6
357

-284.0
330.3
357

-290.3
335.0
357

-296.6
339.7
357

-302.9
344.4
357

-309.2
349.1
357

-315.5
353.8
357

-321.8
358.5
357

-328.1
363.2
357

-334.4
367.9
357

-340.7
372.6
357

-347.0
377.3
357

-353.3
382.0
357

-359.6
386.7
357

-365.9
391.4
357

-372.2
396.1
357

-378.5
400.8
357

-384.8
405.5
357

-391.1
410.2
357

-397.4
414.9
357

-403.7
419.6
357

-410.0
424.3
357

-416.3
429.0
357

-422.6
433.7
357

-428.9
438.4
357

-435.2
443.1
357

-441.5
447.8
357

-447.8
452.5
357

-454.1
457.2
357

-460.4
461.9
357

-466.7
466.6
357

-473.0
471.3
357

-479.3
476.0
357

-485.6
480.7
357

-491.9
485.4
357

-498.2
490.1
357

-504.5
494.8
357

-510.8
499.5
357

-517.1
504.2
357

-523.4
508.9
357

-529.7
513.6
357

-536.0
518.3
357

-542.3
523.0
357

-548.6
527.7
357

-554.9
532.4
357

-561.2
537.1
357

-567.5
541.8
357

-573.8
546.5
357

-580.1
551.2
357

-586.4
555.9
357

-592.7
560.6
357

-599.0
565.3
357

-605.3
570.0
357

-611.6
574.7
357

-617.9
579.4
357

-624.2
584.1
357

-630.5
588.8
357

-636.8
593.5
357

-643.1
598.2
357

-649.4
602.9
357

-655.7
607.6
357

-662.0
612.3
357


-668.3
617.0
357

-674.6
621.7

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LCH*a																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
01	8.6	13.0	17.5	21.9	26.4	30.8	35.2	39.7	44.1	48.5	52.9	57.3	61.7	66.1	70.5	74.9	79.3	83.7	88.1	92.5	96.9	101.3	105.7	110.1	114.5	118.9	123.3	127.7	132.1	136.5	140.9	145.3	149.7	154.1	158.5	162.9	167.3	171.7	176.1	180.5	184.9	189.3	193.7	198.1	202.5	206.9	211.3	215.7	220.1	224.5	228.9	233.3	237.7	242.1	246.5	250.9	255.3	259.7	264.1	268.5	272.9	277.3	281.7	286.1	290.5	294.9	299.3	303.7	308.1	312.5	316.9	321.3	325.7	330.1	334.5	338.9	343.3	347.7	352.1	356.5	360.9	365.3	369.7	374.1	378.5	382.9	387.3	391.7	396.1	400.5	404.9	409.3	413.7	418.1	422.5	426.9	431.3	435.7	440.1	444.5	448.9	453.3	457.7	462.1	466.5	470.9	475.3	479.7	484.1	488.5	492.9	497.3	501.7	506.1	510.5	514.9	519.3	523.7	528.1	532.5	536.9	541.3	545.7	550.1	554.5	558.9	563.3	567.7	572.1	576.5	580.9	585.3	589.7	594.1	598.5	602.9	607.3	611.7	616.1	620.5	624.9	629.3	633.7	638.1	642.5	646.9	651.3	655.7	660.1	664.5	668.9	673.3	677.7	682.1	686.5	690.9	695.3	699.7	704.1	708.5	712.9	717.3	721.7	726.1	730.5	734.9	739.3	743.7	748.1	752.5	756.9	761.3	765.7	770.1	774.5	778.9	783.3	787.7	792.1	796.5	800.9	805.3	809.7	814.1	818.5	822.9	827.3	831.7	836.1	840.5	844.9	849.3	853.7	858.1	862.5	866.9	871.3	875.7	880.1	884.5	888.9	893.3	897.7	902.1	906.5	910.9	915.3	919.7	924.1	928.5	932.9	937.3	941.7	946.1	950.5	954.9	959.3	963.7	968.1	972.5	976.9	981.3	985.7	990.1	994.5	998.9	1003.3	1007.7	1012.1	1016.5	1020.9	1025.3	1029.7	1034.1	1038.5	1042.9	1047.3	1051.7	1056.1	1060.5	1064.9	1069.3	1073.7	1078.1	1082.5	1086.9	1091.3	1095.7	1100.1	1104.5	1108.9	1113.3	1117.7	1122.1	1126.5	1130.9	1135.3	1139.7	1144.1	1148.5	1152.9	1157.3	1161.7	1166.1	1170.5	1174.9	1179.3	1183.7	1188.1	1192.5	1196.9	1201.3	1205.7	1210.1	1214.5	1218.9	1223.3	1227.7	1232.1	1236.5	1240.9	1245.3	1249.7	1254.1	1258.5	1262.9	1267.3	1271.7	1276.1	1280.5	1284.9	1289.3	1293.7	1298.1	1302.5	1306.9	1311.3	1315.7	1320.1	1324.5	1328.9	1333.3	1337.7	1342.1	1346.5	1350.9	1355.3	1359.7	1364.1	1368.5	1372.9	1377.3	1381.7	1386.1	1390.5	1394.9	1399.3	1403.7	1408.1	1412.5	1416.9	1421.3	1425.7	1430.1	1434.5	1438.9	1443.3	1447.7	1452.1	1456.5	1460.9	1465.3	1469.7	1474.1	1478.5	1482.9	1487.3	1491.7	1496.1	1500.5	1504.9	1509.3	1513.7	1518.1	1522.5	1526.9	1531.3	1535.7	1540.1	1544.5	1548.9	1553.3	1557.7	1562.1	1566.5	1570.9	1575.3	1579.7	1584.1	1588.5	1592.9	1597.3	1601.7	1606.1	1610.5	1614.9	1619.3	1623.7	1628.1	1632.5	1636.9	1641.3	1645.7	1650.1	1654.5	1658.9	1663.3	1667.7	1672.1	1676.5	1680.9	1685.3	1689.7	1694.1	1698.5	1702.9	1707.3	1711.7	1716.1	1720.5	1724.9	1729.3	1733.7	1738.1	1742.5	1746.9	1751.3	1755.7	1760.1	1764.5	1768.9	1773.3	1777.7	1782.1	1786.5	1790.9	1795.3	1799.7	1804.1	1808.5	1812.9	1817.3	1821.7	1826.1	1830.5	1834.9	1839.3	1843.7	1848.1	1852.5	1856.9	1861.3	1865.7	1870.1	1874.5	1878.9	1883.3	1887.7	1892.1	1896.5	1900.9	1905.3	1909.7	1914.1	1918.5	1922.9	1927.3	1931.7	1936.1	1940.5	1944.9	1949.3	1953.7	1958.1	1962.5	1966.9	1971.3	1975.7	1980.1	1984.5	1988.9	1993.3	1997.7	2002.1	2006.5	2010.9	2015.3	2019.7	2024.1	2028.5	2032.9	2037.3	2041.7	2046.1	2050.5	2054.9	2059.3	2063.7	2068.1	2072.5	2076.9	2081.3	2085.7	2090.1	2094.5	2098.9	2103.3	2107.7	2112.1	2116.5	2120.9	2125.3	2129.7	2134.1	2138.5	2142.9	2147.3	2151.7	2156.1	2160.5	2164.9	2169.3	2173.7	2178.1	2182.5	2186.9	2191.3	2195.7	2200.1	2204.5	2208.9	2213.3	2217.7	2222.1	2226.5	2230.9	2235.3	2239.7	2244.1	2248.5	2252.9	2257.3	2261.7	2266.1	2270.5	2274.9	2279.3	2283.7	2288.1	2292.5	2296.9	2301.3	2305.7	2310.1	2314.5	2318.9	2323.3	2327.7	2332.1	2336.5	2340.9	2345.3	2349.7	2354.1	2358.5	2362.9	2367.3	2371.7	2376.1	2380.5	2384.9	2389.3	2393.7	2398.1	2402.5	2406.9	2411.3	2415.7	2420.1	2424.5	2428.9	2433.3	2437.7	2442.1	2446.5	2450.9	2455.3	2459.7	2464.1	2468.5	2472.9	2477.3	2481.7	2486.1	2490.5	2494.9	2499.3	2503.7	2508.1	2512.5	2516.9	2521.3	2525.7	2530.1	2534.5	2538.9	2543.3	2547.7	2552.1	2556.5	2560.9	2565.3	2569.7	2574.1	2578.5	2582.9	2587.3	2591.7	2596.1	2600.5	2604.9	2609.3	2613.7	2618.1	2622.5	2626.9	2631.3	2635.7	2640.1	2644.5	2648.9	2653.3	2657.7	2662.1	2666.5	2670.9	2675.3	2679.7	2684.1	2688.5	2692.9	2697.3	2701.7	2706.1	2710.5	2714.9	2719.3	2723.7	2728.1	2732.5	2736.9	2741.3	2745.7	2750.1	2754.5	2758.9	2763.3	2767.7	2772.1	2776.5	2780.9	2785.3	2789.7	2794.1	2798.5	2802.9	2807.3	2811.7	2816.1	2820.5	2824.9	2829.3	2833.7	2838.1	2842.5	2846.9	2851.3	2855.7	2860.1	2864.5	2868.9	2873.3	2877.7	2882.1	2886.5	2890.9	2895.3	2899.7	2904.1	2908.5	2912.9	2917.3	2921.7	2926.1	2930.5	2934.9	2939.3	2943.7	2948.1	2952.5	2956.9	2961.3	2965.7	2970.1	2974.5	2978.9	2983.3	2987.7	2992.1	2996.5	3000.9	3005.3	3009.7	3014.1	3018.5	3022.9	3027.3	3031.7	3036.1	3040.5	3044.9	3049.3	3053.7	3058.1	3062.5	3066.9	3071.3	3075.7	3080.1	3084.5	3088.9	3093.3	3097.7	3102.1	3106.5	3110.9	3115.3	3119.7	3124.1	3128.5	3132.9	3137.3	3141.7	3146.1	3150.5	3154.9	3159.3	3163.7	3168.1	3172.5	3176.9	3181.3	3185.7	3190.1	3194.5	3198.9	3203.3	3207.7	3212.1	3216.5	3220.9	3225.3	3229.7	3234.1	3238.5	3242.9	3247.3	3251.7	3256.1	3260.5	3264.9	3269.3	3273.7	3278.1	3282.5	3286.9	3291.3	3295.7	3300.1	3304.5	3308.9	3313.3	3317.7	3322.1	3326.5	3330.9	3335.3	3339.7	3344.1	3348.5	3352.9	3357.3	3361.7	3366.1	3370.5	3374.9	3379.3	3383.7	3388.1	3392.5	3396.9	3401.3	3405.7	3410.1	3414.5	3418.9	3423.3	3427.7	3432.1	3436.5	3440.9	3445.3	3449.7	3454.1	3458.5	3462.9	3467.3	3471.7	3476.1	3480.5	3484.9	3489.3	3493.7	3498.1	3502.5	3506.9	3511.3	3515.7	3520.1	3524.5	3528.9	3533.3	3537.7	3542.1	3546.5	3550.9	3555.3	3559.7	3564.1	3568.5	3572.9	3577.3	3581.7	3586.1	3590.5	3594.9	3599.3	3603.7	3608.1	3612.5	3616.9	3621.3	3625.7	3630.1	3634.5	3638.9	3643.3	3647.7	3652.1	3656.5	3660.9	3665.3	3669.7	3674.1	3678.5	3682.9	3687.3	3691.7	3696.1	3700.5	3704.9	3709.3	3713.7	3718.1	3722.5	3726.9	3731.3	3735.7	3740.1	3744.5	3748.9	3753.3	3757.7	3762.1	3766.5	3770.9	3775.3	3779.7	3784.1	3788.5	3792.9	3797.3	3801.7	3806.1	3810.5	3814.9	3819.3	3823.7	3828.1	3832.5	3836.9	3841.3	3845.7	3850.1	3854.5	3858.9	3863.3	3867.7	3872.1	3876.5	3880.9	3885.3	3889.7	3894.1	3898.5	3902.9	3907.3	3911.7	3916.1	3920.5	3924.9	3929.3	3933.7	3938.1	3942.5	3946.9	3951.3	3955.7	3960.1	3964.5	3968.9	3973.3	3977.7	3982.1	3986.5	3990.9	3995.3	3999.7	4004.1	4008.5	4012.9	4017.3	4021.7	4026.1	4030.5	4034.9	4039.3	4043.7	4048.1	4052.5	4056.9	4061.3	4065.7	4070.1	4074.5	4078.9	4083.3	4087.7	4092.1	4096.5	4100.9	4105.3	4109.7	4114.1	4118.5	4122.9	4127.3	4131.7	4136.1	4140.5	4144.9	4149.3	4153.7	4158.1	4162.5	4166.9	4171.3	4175.7	4180.1	4184.5	4188.9	4193.3	4197.7	4202.1	4206.5	4210.9	4215.3	4219.7	4224.1	4228.5	4232.9	4237.3	4241.7	4246.1	4250.5	4254.9	4259.3	4263.7	4268.1	4272.5	4276.9	4281.3	4285.7	4290.1	4294.5	4298.9	4303.3	4307.7	4312.1	4316.5	4320.9	4325.3	4329.7	4334.1	4338.5	4342.9	4347.3	4351.7	4356.1	4360.5	4364.9	4369.3	4373.7	4378.1	4382.5	4386.9	4391.3	4395.7	4400.1	4404.5	4408.9	4413.3	4417.7	4422.1	4426.5	4430.9	4435.3	4439.7	4444.1	4448.5	4452.9	4457.3	4461.7	4466.1	4470.5	4474.9	4479.3	4483.7	4488.1	4492.5	4496.9	4501.3	4505.7	4510.1	4514.5	4518.9	4523.3	4527.7	4532.1	4536.5	4540.9	4545.3	4549.7	4554.1	4558.5	4562.9	4567.3	4571.7	4576.1	4580.5	4584.9	4589.3	4593.7	4598.1	4602.5	4606.9	4611.3	4615.7	4620.1	4624.5	4628.9	4633.3	4637.7	4642.1	4646.5	4650.9	4655.3	4659.7	4664.1	4668.5	4672.9	4677.3	4681.7	4686.1	4690.5	4694.9	4699.3	4703.7	4708.1	4712.5	4716.9	4721.3	4725.7	4730.1	4734.5	4738.9	4743.3	4747.7	4752.1	4756.5	4760.9	4765.3	4769.7	4774.1	4778.5	4782.9	4787.3	4791.7	4796.1	4800.5	4804.9	4809.3	4813.7	4818.1	4822.5	4826.9	4831.3	4835.7	4840.1	4844.5	4848.9	4853.3	4857.7	4862.1	4866.5	4870.9	4875.3	4879.7	4884.1	4888.5	4892.9	4897.3	4901.7	4906.1	4910.5	4914.9	4919.3	4923.7	4928.1	4932.5	4936.9	4941.3	4945.7	4950.1	4954.5	4958.9	4


Input and output:
 Colorimetric Printer Reflective System FRS09_92aM
 data for any colour:
 u_e^* and number *no.* = 00 .. 15
 elementary hue text:
 $u_e^* = 16$ hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
<i>r00j</i>	35.47	63.32	30.17	70.15	25	<i>m81o</i>	
<i>r25j</i>	39.12	54.56	49.45	73.64	42	<i>o10y</i>	
<i>r50j</i>	50.64	39.15	64.89	75.79	59	<i>o40y</i>	
<i>r75j</i>	64.01	21.26	82.83	85.52	76	<i>o69y</i>	
<i>j00g</i>	83.18	-4.38	108.53	108.62	92	<i>o98y</i>	
<i>j25g</i>	66.73	-29.89	83.06	88.28	110	<i>y34l</i>	
<i>j50g</i>	54.03	-48.31	63.49	79.78	127	<i>y69l</i>	
<i>j75g</i>	44.73	-60.33	42.64	73.88	145	<i>l03c</i>	
<i>g00b</i>	47.59	-49.08	15.74	51.54	162	<i>l23c</i>	
<i>g25b</i>	49.97	-39.7	-6.72	40.27	190	<i>l55c</i>	
<i>g50b</i>	51.85	-32.33	-24.35	40.48	217	<i>l87c</i>	
<i>g75b</i>	46.92	-17.29	-36.02	39.96	244	<i>c20v</i>	
<i>b00r</i>	37.91	1.28	-42.35	42.37	272	<i>c53v</i>	
<i>b25r</i>	23.81	30.38	-52.26	60.45	300	<i>c87v</i>	
<i>b50r</i>	29.52	69.06	-42.14	80.9	329	<i>v68m</i>	
<i>b75r</i>	36.48	71.47	-3.69	71.57	357	<i>m34o</i>	



%Gamut
 $u_{rel}^* = 109$
 %Regularity
 $g_{H,rel}^* = 31$
 $g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data						
Name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{CIE}	39.92	58.74	27.99	65.07	25	
J _{CIE}	81.26	-2.89	71.56	71.62	92	
G _{CIE}	52.23	-42.42	13.6	44.55	162	
B _{CIE}	30.57	1.41	-46.47	46.49	272	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.071$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u_e^* = r00j$ $u_d^* = m81o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 35 63 30

$LAB \cdot LCH \cdot Ma$: 35 70 25

$lab \cdot rgb \cdot Ma$: 1.0 0.0 0.0

$lab \cdot olv \cdot Ma$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut


$u_{rel}^* = 109$

% Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.117$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = r25j$ $u^*_d = o10y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 39 55 49

$LAB \cdot LCH \cdot Ma$: 39 74 42

$lab \cdot rgb \cdot Ma$: 1.0 0.25 0.0

$lab \cdot olv \cdot Ma$: 1.0 0.11 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.164$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = r50j$ $u^*_d = o40y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 51 \ 39 \ 65$

$LAB \cdot LCH \cdot Ma: 51 \ 76 \ 58$

$lab \cdot rgb \cdot Ma: 1.0 \ 0.5 \ 0.0$

$lab \cdot olv \cdot Ma: 1.0 \ 0.4 \ 0.0$

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.21$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u_e^* = r75j$ $u_d^* = o69y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^* = L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 64 21 83

$LAB \cdot LCH \cdot Ma$: 64 86 75

$lab \cdot rgb \cdot Ma$: 1.0 0.75 0.0

$lab \cdot olv \cdot Ma$: 1.0 0.7 0.0

triangle lightness t^*

% Gamut


$u_{rel}^* = 109$

% Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^* = L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.256$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = j00g$ $u^*_d = o98y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 83 -4 109$

$LAB \cdot LCH \cdot Ma: 83 109 92$

$lab \cdot rgb \cdot Ma: 1.0 1.0 0.0$

$lab \cdot olv \cdot Ma: 1.0 0.99 0.0$

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.305$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 67 -30 83$

$LAB \cdot LCH \cdot Ma: 67 88 109$

$lab \cdot rgb \cdot Ma: 0.75 1.0 0.0$

$lab \cdot olv \cdot Ma: 0.66 1.0 0.0$

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.354$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 54 -48 63$

$LAB \cdot LCH \cdot Ma: 54 80 127$

$lab \cdot rgb \cdot Ma: 0.5 1.0 0.0$

$lab \cdot olv \cdot Ma: 0.3 1.0 0.0$

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.402$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = j75g$ $u^*_d = l03c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.17	109.32	109.44	93
L _{Ma}	44.13	-62.67	48.24	79.09	142
C _{Ma}	52.66	-29.14	-31.99	43.27	228
V _{Ma}	14.15	50.3	-59.04	77.57	310
M _{Ma}	37.37	78.64	-33.5	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 45 -60 43

$LAB \cdot LCH \cdot Ma$: 45 74 144

$lab \cdot rgb \cdot Ma$: 0.25 1.0 0.0

$lab \cdot olv \cdot Ma$: 0.0 1.0 0.03

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	l03c
g00b	47.59	-49.08	15.74	51.54	162	l23c
g25b	49.97	-39.7	-6.72	40.27	190	l55c
g50b	51.85	-32.33	-24.35	40.48	217	l87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o

$lab \cdot tch^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.451$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 48 -49 16

$LAB \cdot LCH \cdot Ma$: 48 52 162

$lab \cdot rgb \cdot Ma$: 0.0 1.0 0.0

$lab \cdot olv \cdot Ma$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.527$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u_e^* = g25b$ $u_d^* = l55c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 50 -40 -7$

$LAB \cdot LCH \cdot Ma: 50 40 189$

$lab \cdot rgb \cdot Ma: 0.0 1.0 0.5$

$lab \cdot olv \cdot Ma: 0.0 1.0 0.55$

triangle lightness t^*

% Gamut


$u_{rel}^* = 109$

% Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l87c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -32 -24

$LAB^*LCH^*_{Ma}$: 52 40 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.87

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.679$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u_e^* = g75b$ $u_d^* = c20v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 47 -17 -36

$LAB \cdot LCH \cdot Ma$: 47 40 244

$lab \cdot rgb \cdot Ma$: 0.0 0.5 1.0

$lab \cdot olv \cdot Ma$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut


$u_{rel}^* = 109$

% Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 1 -42

$LAB^*LCH^*_{Ma}$: 38 42 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.834$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 24 30 -52

$LAB \cdot LCH \cdot Ma$: 24 60 300

$lab \cdot rgb \cdot Ma$: 0.5 0.0 1.0

$lab \cdot olv \cdot Ma$: 0.0 0.12 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.913$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = b50r$ $u^*_d = v68m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 30 \ 69 \ -42$

$LAB \cdot LCH \cdot Ma: 30 \ 81 \ 328$

$lab \cdot rgb \cdot Ma: 1.0 \ 0.0 \ 1.0$

$lab \cdot olv \cdot Ma: 0.69 \ 0.0 \ 1.0$

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m34o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -4

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	




Ee320-7A, Page 126/198

Input and output:
 Colorimetric Printer Reflective System FRS09_92aM
 data for any colour:
 u_e^* and number *no.* = 00 .. 15
 elementary hue text:
 $u_e^* = 16$ hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data


u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
<i>r00j</i>	35.47	63.32	30.17	70.15	25	<i>m81o</i>
<i>r25j</i>	39.12	54.56	49.45	73.64	42	<i>o10y</i>
<i>r50j</i>	50.64	39.15	64.89	75.79	59	<i>o40y</i>
<i>r75j</i>	64.01	21.26	82.83	85.52	76	<i>o69y</i>
<i>j00g</i>	83.18	-4.38	108.53	108.62	92	<i>o98y</i>
<i>j25g</i>	66.73	-29.89	83.06	88.28	110	<i>y34l</i>
<i>j50g</i>	54.03	-48.31	63.49	79.78	127	<i>y69l</i>
<i>j75g</i>	44.73	-60.33	42.64	73.88	145	<i>l03c</i>
<i>g00b</i>	47.59	-49.08	15.74	51.54	162	<i>l23c</i>
<i>g25b</i>	49.97	-39.7	-6.72	40.27	190	<i>l55c</i>
<i>g50b</i>	51.85	-32.33	-24.35	40.48	217	<i>l87c</i>
<i>g75b</i>	46.92	-17.29	-36.02	39.96	244	<i>c20v</i>
<i>b00r</i>	37.91	1.28	-42.35	42.37	272	<i>c53v</i>
<i>b25r</i>	23.81	30.38	-52.26	60.45	300	<i>c87v</i>
<i>b50r</i>	29.52	69.06	-42.14	80.9	329	<i>v68m</i>
<i>b75r</i>	36.48	71.47	-3.69	71.57	357	<i>m34o</i>



%Gamut
 $u_{rel}^* = 109$
 %Regularity
 $g_{H,rel}^* = 31$
 $g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data

Name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	35.06	60.0	44.0	74.4	36
Y _{Ma}	83.77	-5.17	109.32	109.44	93
L _{Ma}	44.13	-62.67	48.24	79.09	142
C _{Ma}	52.66	-29.14	-31.99	43.27	228
V _{Ma}	14.15	50.3	-59.04	77.57	310
M _{Ma}	37.37	78.64	-33.5	85.48	337
N _{Ma}	8.58	0.0	0.0	0.0	0
W _{Ma}	92.02	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m81o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	35.47	63.32	30.17	70.15	25	m81o
r25j	39.12	54.56	49.45	73.64	42	o10y
r50j	50.64	39.15	64.89	75.79	59	o40y
r75j	64.01	21.26	82.83	85.52	76	o69y
j00g	83.18	-4.38	108.53	108.62	92	o98y
j25g	66.73	-29.89	83.06	88.28	110	y34l
j50g	54.03	-48.31	63.49	79.78	127	y69l
j75g	44.73	-60.33	42.64	73.88	145	l03c
g00b	47.59	-49.08	15.74	51.54	162	l23c
g25b	49.97	-39.7	-6.72	40.27	190	l55c
g50b	51.85	-32.33	-24.35	40.48	217	l87c
g75b	46.92	-17.29	-36.02	39.96	244	c20v
b00r	37.91	1.28	-42.35	42.37	272	c53v
b25r	23.81	30.38	-52.26	60.45	300	c87v
b50r	29.52	69.06	-42.14	80.9	329	v68m
b75r	36.48	71.47	-3.69	71.57	357	m34o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.117$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = r25j$ $u^*_d = o10y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 39 55 49

$LAB \cdot LCH \cdot Ma$: 39 74 42

$lab \cdot rgb \cdot Ma$: 1.0 0.25 0.0

$lab \cdot olv \cdot Ma$: 1.0 0.11 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o40y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.21$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u_e^* = r75j$ $u_d^* = o69y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 64 21 83

$LAB \cdot LCH \cdot Ma$: 64 86 75

$lab \cdot rgb \cdot Ma$: 1.0 0.75 0.0

$lab \cdot olv \cdot Ma$: 1.0 0.7 0.0

triangle lightness t^*

% Gamut


$u_{rel}^* = 109$

% Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o98y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -4 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.305$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 67 -30 83$

$LAB \cdot LCH \cdot Ma: 67 88 109$

$lab \cdot rgb \cdot Ma: 0.75 1.0 0.0$

$lab \cdot olv \cdot Ma: 0.66 1.0 0.0$

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.354$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 54 -48 63$

$LAB \cdot LCH \cdot Ma: 54 80 127$

$lab \cdot rgb \cdot Ma: 0.5 1.0 0.0$

$lab \cdot olv \cdot Ma: 0.3 1.0 0.0$

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -60 43

$LAB^*LCH^*_{Ma}$: 45 74 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -49 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l55c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -40 -7

$LAB^*LCH^*_{Ma}$: 50 40 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.603$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = g50b$ $u^*_d = l87c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 52 \ -32 \ -24$

$LAB \cdot LCH \cdot Ma: 52 \ 40 \ 216$

$lab \cdot rgb \cdot Ma: 0.0 \ 1.0 \ 1.0$

$lab \cdot olv \cdot Ma: 0.0 \ 1.0 \ 0.87$

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c20v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -17 -36

$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	l03c	
g00b	47.59	-49.08	15.74	51.54	162	l23c	
g25b	49.97	-39.7	-6.72	40.27	190	l55c	
g50b	51.85	-32.33	-24.35	40.48	217	l87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$lab^*icu^*_d$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.755$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u_e^* = b00r$ $u_d^* = c53v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 38 1 -42

$LAB \cdot LCH \cdot Ma$: 38 42 271

$lab \cdot rgb \cdot Ma$: 0.0 0.0 1.0

$lab \cdot olv \cdot Ma$: 0.0 0.47 1.0

triangle lightness t^*

% Gamut


$u_{rel}^* = 109$

% Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.834$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 24 30 -52

$LAB \cdot LCH \cdot Ma$: 24 60 300

$lab \cdot rgb \cdot Ma$: 0.5 0.0 1.0

$lab \cdot olv \cdot Ma$: 0.0 0.12 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	

$lab \cdot icu \cdot d$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v68m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -42

$LAB^*LCH^*_{Ma}$: 30 81 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.69 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m34o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	60.0	44.0	74.4	36	
Y _{Ma}	83.77	-5.17	109.32	109.44	93	
L _{Ma}	44.13	-62.67	48.24	79.09	142	
C _{Ma}	52.66	-29.14	-31.99	43.27	228	
V _{Ma}	14.15	50.3	-59.04	77.57	310	
M _{Ma}	37.37	78.64	-33.5	85.48	337	
N _{Ma}	8.58	0.0	0.0	0.0	0	
W _{Ma}	92.02	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -4

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

% Gamut


$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	35.47	63.32	30.17	70.15	25	m81o	
r25j	39.12	54.56	49.45	73.64	42	o10y	
r50j	50.64	39.15	64.89	75.79	59	o40y	
r75j	64.01	21.26	82.83	85.52	76	o69y	
j00g	83.18	-4.38	108.53	108.62	92	o98y	
j25g	66.73	-29.89	83.06	88.28	110	y34l	
j50g	54.03	-48.31	63.49	79.78	127	y69l	
j75g	44.73	-60.33	42.64	73.88	145	i03c	
g00b	47.59	-49.08	15.74	51.54	162	i23c	
g25b	49.97	-39.7	-6.72	40.27	190	i55c	
g50b	51.85	-32.33	-24.35	40.48	217	i87c	
g75b	46.92	-17.29	-36.02	39.96	244	c20v	
b00r	37.91	1.28	-42.35	42.37	272	c53v	
b25r	23.81	30.38	-52.26	60.45	300	c87v	
b50r	29.52	69.06	-42.14	80.9	329	v68m	
b75r	36.48	71.47	-3.69	71.57	357	m34o	




Ee320-7A, Page 144/198

Input and output:
 Colorimetric Printer Reflective System FRS09_92aM
 data for any colour:
 u_e^* and number *no.* = 00 .. 15
 elementary hue text:
 $u_e^* = 16$ hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data


u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
<i>r00j</i>	35.47	63.32	30.17	70.15	25	<i>m81o</i>
<i>r25j</i>	39.12	54.56	49.45	73.64	42	<i>o10y</i>
<i>r50j</i>	50.64	39.15	64.89	75.79	59	<i>o40y</i>
<i>r75j</i>	64.01	21.26	82.83	85.52	76	<i>o69y</i>
<i>j00g</i>	83.18	-4.38	108.53	108.62	92	<i>o98y</i>
<i>j25g</i>	66.73	-29.89	83.06	88.28	110	<i>y34l</i>
<i>j50g</i>	54.03	-48.31	63.49	79.78	127	<i>y69l</i>
<i>j75g</i>	44.73	-60.33	42.64	73.88	145	<i>l03c</i>
<i>g00b</i>	47.59	-49.08	15.74	51.54	162	<i>l23c</i>
<i>g25b</i>	49.97	-39.7	-6.72	40.27	190	<i>l55c</i>
<i>g50b</i>	51.85	-32.33	-24.35	40.48	217	<i>l87c</i>
<i>g75b</i>	46.92	-17.29	-36.02	39.96	244	<i>c20v</i>
<i>b00r</i>	37.91	1.28	-42.35	42.37	272	<i>c53v</i>
<i>b25r</i>	23.81	30.38	-52.26	60.45	300	<i>c87v</i>
<i>b50r</i>	29.52	69.06	-42.14	80.9	329	<i>v68m</i>
<i>b75r</i>	36.48	71.47	-3.69	71.57	357	<i>m34o</i>



%Gamut
 $u_{rel}^* = 109$
 %Regularity
 $g_{H,rel}^* = 31$
 $g_{C,rel}^* = 40$

FRS09_92M; CIELAB data

Name	$L^*=L^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.5	103.15	103.25	92
L _M	44.13	-62.11	43.56	75.86	145
C _M	52.66	-28.56	-36.99	46.73	232
V _M	14.15	50.78	-62.6	80.61	309
M _M	37.37	79.18	-37.93	87.8	334
N _M	8.58	0.46	-3.35	3.38	278
W _M	92.02	0.69	-6.48	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m81o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O_M	35.06	60.53	39.66	72.37	33	
Y_M	83.77	-4.5	103.15	103.25	92	
L_M	44.13	-62.11	43.56	75.86	145	
C_M	52.66	-28.56	-36.99	46.73	232	
V_M	14.15	50.78	-62.6	80.61	309	
M_M	37.37	79.18	-37.93	87.8	334	
N_M	8.58	0.46	-3.35	3.38	278	
W_M	92.02	0.69	-6.48	6.52	276	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$	
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$	
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$	
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$	
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$	
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$	
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$	
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$	
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$	
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$	
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$	
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$	
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$	
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$	
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$	
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$	

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.117$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = r25j$ $u^*_d = o10y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 39 55 49

$LAB \cdot LCH^*_{Ma}$: 39 74 42

$lab \cdot rgb^*_{Ma}$: 1.0 0.25 0.0

$lab \cdot olv^*_{Ma}$: 1.0 0.11 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$LAB \cdot LAB^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o40y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	35.06	60.53	39.66	72.37	33	
Y_M	83.77	-4.5	103.15	103.25	92	
L_M	44.13	-62.11	43.56	75.86	145	
C_M	52.66	-28.56	-36.99	46.73	232	
V_M	14.15	50.78	-62.6	80.61	309	
M_M	37.37	79.18	-37.93	87.8	334	
N_M	8.58	0.46	-3.35	3.38	278	
W_M	92.02	0.69	-6.48	6.52	276	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 51 \ 39 \ 65$

$LAB^*LCH^*_Ma: 51 \ 76 \ 58$

$lab^*rgb^*_Ma: 1.0 \ 0.5 \ 0.0$

$lab^*olv^*_Ma: 1.0 \ 0.4 \ 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.21$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = r75j$ $u^*_d = o69y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 64 21 83

$LAB \cdot LCH^*_{Ma}$: 64 86 75

$lab \cdot rgb^*_{Ma}$: 1.0 0.75 0.0

$lab \cdot olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$LAB \cdot LAB^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o98y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	35.06	60.53	39.66	72.37	33	
Y_M	83.77	-4.5	103.15	103.25	92	
L_M	44.13	-62.11	43.56	75.86	145	
C_M	52.66	-28.56	-36.99	46.73	232	
V_M	14.15	50.78	-62.6	80.61	309	
M_M	37.37	79.18	-37.93	87.8	334	
N_M	8.58	0.46	-3.35	3.38	278	
W_M	92.02	0.69	-6.48	6.52	276	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 83 -4 109$

$LAB^*LCH^*_Ma: 83 109 92$

$lab^*rgb^*_Ma: 1.0 1.0 0.0$

$lab^*olv^*_Ma: 1.0 0.99 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = j25g$ $u_d^* = y34l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -30 83

$LAB^*LCH^*_{Ma}$: 67 88 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 109$

% Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 54 -48 63$

$LAB^*LCH^*_Ma: 54 80 127$

$lab^*rgb^*_Ma: 0.5 1.0 0.0$

$lab^*olv^*_Ma: 0.3 1.0 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = l03c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	35.06	60.53	39.66	72.37	33	
Y_M	83.77	-4.5	103.15	103.25	92	
L_M	44.13	-62.11	43.56	75.86	145	
C_M	52.66	-28.56	-36.99	46.73	232	
V_M	14.15	50.78	-62.6	80.61	309	
M_M	37.37	79.18	-37.93	87.8	334	
N_M	8.58	0.46	-3.35	3.38	278	
W_M	92.02	0.69	-6.48	6.52	276	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 45 -60 43$

$LAB^*LCH^*_Ma: 45 74 144$

$lab^*rgb^*_Ma: 0.25 1.0 0.0$

$lab^*olv^*_Ma: 0.0 1.0 0.03$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$l03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$l23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$l55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$l87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -49 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l55c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data

	u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33	
Y_M	83.77	-4.5	103.15	103.25	92	
L_M	44.13	-62.11	43.56	75.86	145	
C_M	52.66	-28.56	-36.99	46.73	232	
V_M	14.15	50.78	-62.6	80.61	309	
M_M	37.37	79.18	-37.93	87.8	334	
N_M	8.58	0.46	-3.35	3.38	278	
W_M	92.02	0.69	-6.48	6.52	276	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 50 -40 -7$

$LAB^*LCH^*_{Ma}: 50 40 189$

$lab^*rgb^*_{Ma}: 0.0 1.0 0.5$

$lab^*olv^*_{Ma}: 0.0 1.0 0.55$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25		$m81o$
$r25j$	39.12	54.56	49.45	73.64	42		$o10y$
$r50j$	50.64	39.15	64.89	75.79	59		$o40y$
$r75j$	64.01	21.26	82.83	85.52	76		$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92		$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110		$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127		$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145		$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162		$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190		$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217		$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244		$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272		$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300		$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329		$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357		$m34o$

LAB^*LAB^*

$i^*=1.00$

$i^*=0.80$

brilliantness i^*

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l87c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33	
Y_M	83.77	-4.5	103.15	103.25	92	
L_M	44.13	-62.11	43.56	75.86	145	
C_M	52.66	-28.56	-36.99	46.73	232	
V_M	14.15	50.78	-62.6	80.61	309	
M_M	37.37	79.18	-37.93	87.8	334	
N_M	8.58	0.46	-3.35	3.38	278	
W_M	92.02	0.69	-6.48	6.52	276	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 52 -32 -24$

$LAB^*LCH^*_{Ma}: 52 40 216$

$lab^*rgb^*_{Ma}: 0.0 1.0 1.0$

$lab^*olv^*_{Ma}: 0.0 1.0 0.87$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25		$m81o$
$r25j$	39.12	54.56	49.45	73.64	42		$o10y$
$r50j$	50.64	39.15	64.89	75.79	59		$o40y$
$r75j$	64.01	21.26	82.83	85.52	76		$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92		$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110		$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127		$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145		$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162		$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190		$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217		$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244		$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272		$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300		$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329		$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357		$m34o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*ch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c20v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33	
Y_M	83.77	-4.5	103.15	103.25	92	
L_M	44.13	-62.11	43.56	75.86	145	
C_M	52.66	-28.56	-36.99	46.73	232	
V_M	14.15	50.78	-62.6	80.61	309	
M_M	37.37	79.18	-37.93	87.8	334	
N_M	8.58	0.46	-3.35	3.38	278	
W_M	92.02	0.69	-6.48	6.52	276	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 47 -17 -36

$LAB^*LCH^*_Ma$: 47 40 244

$lab^*rgb^*_Ma$: 0.0 0.5 1.0

$lab^*olv^*_Ma$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$	
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$	
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$	
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$	
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$	
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$	
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$	
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$	
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$	
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$	
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$	
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$	
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$	
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$	
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$	
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$	

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	35.06	60.53	39.66	72.37	33	
Y_M	83.77	-4.5	103.15	103.25	92	
L_M	44.13	-62.11	43.56	75.86	145	
C_M	52.66	-28.56	-36.99	46.73	232	
V_M	14.15	50.78	-62.6	80.61	309	
M_M	37.37	79.18	-37.93	87.8	334	
N_M	8.58	0.46	-3.35	3.38	278	
W_M	92.02	0.69	-6.48	6.52	276	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 38 \ 1 \ -42$

$LAB^*LCH^*_Ma: 38 \ 42 \ 271$

$lab^*rgb^*_Ma: 0.0 \ 0.0 \ 1.0$

$lab^*olv^*_Ma: 0.0 \ 0.47 \ 1.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*ch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O_M	35.06	60.53	39.66	72.37	33	
Y_M	83.77	-4.5	103.15	103.25	92	
L_M	44.13	-62.11	43.56	75.86	145	
C_M	52.66	-28.56	-36.99	46.73	232	
V_M	14.15	50.78	-62.6	80.61	309	
M_M	37.37	79.18	-37.93	87.8	334	
N_M	8.58	0.46	-3.35	3.38	278	
W_M	92.02	0.69	-6.48	6.52	276	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 24 \ 30 \ -52$

$LAB^*LCH^*_Ma: 24 \ 60 \ 300$

$lab^*rgb^*_Ma: 0.5 \ 0.0 \ 1.0$

$lab^*olv^*_Ma: 0.0 \ 0.12 \ 1.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v68m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	35.06	60.53	39.66	72.37	33	
Y_M	83.77	-4.5	103.15	103.25	92	
L_M	44.13	-62.11	43.56	75.86	145	
C_M	52.66	-28.56	-36.99	46.73	232	
V_M	14.15	50.78	-62.6	80.61	309	
M_M	37.37	79.18	-37.93	87.8	334	
N_M	8.58	0.46	-3.35	3.38	278	
W_M	92.02	0.69	-6.48	6.52	276	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 30 \ 69 \ -42$

$LAB^*LCH^*_Ma: 30 \ 81 \ 328$

$lab^*rgb^*_Ma: 1.0 \ 0.0 \ 1.0$

$lab^*olv^*_Ma: 0.69 \ 0.0 \ 1.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m34o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92M; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 36 \ 71 \ -4$

$LAB^*LCH^*_Ma: 36 \ 72 \ 357$

$lab^*rgb^*_Ma: 1.0 \ 0.0 \ 0.5$

$lab^*olv^*_Ma: 1.0 \ 0.0 \ 0.66$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*


$i^* = 0.00$

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*						
01	8.6	13.0	17.5	21.9	26.4	30.8	35.2	39.7	44.1	11.9	18.0	21.6	26.0	30.4	34.8	39.3	43.7	48.2	15.2	20.1	27.4	30.5	34.7	39.0	43.4	47.8	52.2	92.0	84.9	77.8	70.7	63.5	56.4	49.3	42.2	35.1	8.6	8.6	8.6	8.6				
02	9.5	-7.4	-15.2	-23.0	-30.8	-38.6	-46.5	-54.3	-62.1	8.0	-0.2	-9.1	-17.1	-24.9	-32.8	-40.6	-48.4	-56.2	15.5	8.9	-0.8	-10.5	-18.7	-26.7	-34.6	-42.5	-50.3	8.2	15.7	23.1	30.6	38.1	45.6	53.1	60.5	67.9	75.3	82.7	90.1					
03	14.1	18.8	23.5	28.2	32.7	37.3	41.8	46.3	50.8	12.2	19.0	23.5	27.9	32.3	36.8	41.2	45.7	50.1	15.5	22.3	28.4	32.1	36.4	40.8	45.3	49.7	54.2	87.1	81.6	74.5	67.4	60.2	53.1	46.0	38.9	31.7	24.5	17.3	10.1	2.9				
04	-6.8	-3.2	-9.8	-16.6	-23.7	-31.0	-38.4	-45.9	-53.4	10.3	0.5	-7.3	-15.2	-23.0	-30.8	-38.6	-46.4	-54.3	17.6	8.0	-0.1	-17.1	-24.9	-32.7	-40.6	-48.4	-56.2	-3.0	9.7	15.6	23.1	30.6	38.1	45.6	53.0	60.5	67.9	75.3	82.7	90.1				
05	-11	-8	-5	-1	3	8	12	17	23	-8	0	-5	-12	-19	-26	-33	-40	-47	2	10	14	20	26	31	37	42	2	10	14	20	26	31	37	42	2	10	14	20	26	31	37	42	2	
06	10.0	16.2	19.6	24.4	29.1	33.8	38.5	43.1	47.8	12.7	19.7	24.5	29.3	34.0	38.6	43.2	47.7	52.3	15.8	22.6	29.4	33.9	38.3	42.8	47.2	51.7	56.1	82.2	76.7	71.2	64.0	56.9	49.8	42.7	35.6	28.4	21.4	14.3	7.2	0.1				
07	13.0	9.3	-6.8	-13.4	-20.0	-26.7	-33.6	-40.7	-47.8	16.4	6.8	-3.1	-9.7	-16.6	-23.7	-30.8	-38.2	-45.8	20.1	10.3	0.5	-7.3	-15.2	-22.9	-30.8	-38.6	-46.4	-54.2	-6.6	-3.0	9.6	15.6	23.1	30.6	38.0	45.5	52.9	60.4	67.8	75.2	82.6	90.0		
08	-18	-14	-12	-9	-6	-3	1	5	9	-15	-11	-8	-5	-2	3	7	12	17	-12	-8	-4	2	8	13	19	25	31	-14	-10	-6	9	15	22	29	36	43	50	57	64	71	78	85	92	99
09	-17	17.9	21.7	25.1	29.8	34.4	39.4	44.1	48.8	13.4	20.4	26.6	30.0	34.8	39.5	44.2	48.9	53.6	16.3	23.2	30.1	34.9	39.7	44.4	49.0	53.6	58.2	77.3	71.7	66.2	60.7	53.6	46.5	39.4	32.3	25.1	17.9	10.8	3.7	-3.4	-10.8	-18.2		
10	19.3	4.4	-3.3	-10.4	-17.1	-23.6	-30.2	-36.9	-43.2	8.2	13.1	0.3	-6.8	-13.4	-20.0	-26.7	-33.6	-40.7	26.6	16.4	6.8	-3.1	-9.7	-16.5	-23.6	-30.9	-38.3	-45.7	-10.3	-6.7	-3.0	9.6	15.6	23.0	30.5	38.0	45.5	52.9	60.4	67.8	75.2	82.6	90.0	
11	-26	-21	-18	-16	-13	-10	-7	-4	0	-23	-19	-14	-12	-9	-6	-3	1	5	-20	-16	-12	-8	-5	-2	7	12	-18	-14	-10	-6	9	15	22	29	36	43	50	57	64	71	78	85	92	99
12	11.4	19.4	23.7	27.1	30.6	35.3	40.1	44.9	49.6	14.1	21.1	28.4	32.1	35.5	40.3	45.1	49.8	54.5	16.9	23.8	30.6	37.0	40.5	45.2	50.0	54.7	59.4	72.3	66.8	61.3	55.8	50.3	43.2	36.1	28.9	21.8	14.7	7.6	0.5	-2.4	-9.4	-16.8		
13	25.6	9.1	0.2	-6.8	-14.0	-20.8	-27.3	-33.8	-40.4	29.0	19.4	4.4	-3.1	-10.4	-17.1	-23.6	-30.2	-36.9	32.4	23.0	13.1	0.4	-6.7	-13.9	-20.9	-26.7	-33.4	-40.3	-47.2	-54.1	-61.0	-67.9	-74.8	-81.7	-88.6	-95.5	-102.4	-109.3	-116.2	-123.1	-130.0	-136.9		
14	-33	-28	-25	-23	-20	-17	-14	-11	-9	-30	-26	-21	-19	-16	-13	-11	-8	-4	-27	-23	-19	-15	-13	-10	-7	-3	0	-22	-18	-13	-9	-5	1	7	12	18	23	29	34	40	46	51	57	63
15	12.1	20.7	25.6	29.3	32.6	36.1	40.8	45.6	50.4	14.8	21.8	29.8	34.2	37.5	41.0	45.8	50.6	55.3	17.6	24.5	31.5	38.8	42.5	46.0	50.7	55.5	60.2	67.4	61.9	56.4	50.9	45.4	39.9	32.8	25.6	18.5	11.4	4.3	-2.8	-9.7	-16.6	-23.5		
16	31.9	14.1	4.0	-3.5	-10.3	-17.7	-24.4	-31.0	-37.5	35.3	25.6	9.1	0.2	-6.8	-14.0	-20.8	-27.3	-33.8	38.6	29.0	19.4	4.4	-3.2	-10.4	-17.0	-23.5	-30.1	-37.6	-44.0	-50.3	-56.6	-62.9	-69.2	-75.5	-81.8	-88.1	-94.4	-100.7	-107.0	-113.3	-119.6	-125.9		
17	-40	-35	-31	-29	-27	-24	-21	-18	-16	-37	-33	-28	-25	-23	-21	-17	-15	-12	-35	-30	-26	-22	-19	-17	-14	-11	-8	-26	-21	-17	-13	-9	-5	1	7	13	19	25	31	37	43	49	55	
18	12.8	21.8	27.3	31.3	34.7	38.0	41.6	46.3	51.1	15.5	22.5	31.1	36.0	39.7	43.0	46.6	51.3	56.0	18.2	25.2	32.2	40.2	44.6	48.0	51.5	56.2	61.0	62.5	57.0	51.5	46.0	40.5	34.9	29.4	22.3	15.2	7.2	0.1	-2.9	-9.8	-16.7	-23.6		
19	38.2	19.5	8.3	-1.3	-9.0	-16.3	-23.3	-30.3	-37.3	34.1	24.4	8.1	14.2	1.1	-3.5	-10.3	-17.6	-24.4	30.4	25.3	25.7	9.1	0.2	-6.8	-14.0	-20.9	-27.2	-34.1	-41.0	-47.9	-54.8	-61.7	-68.6	-75.5	-82.4	-89.3	-96.2	-103.1	-110.0	-116.9	-123.8	-130.7	-137.6	
20	-48	-42	-38	-35	-33	-31	-29	-25	-22	-45	-41	-35	-32	-29	-27	-25	-21	-19	-42	-38	-34	-28	-26	-23	-21	-18	-15	-29	-25	-21	-17	-13	-9	-5	1	7	13	19	25	31	37	43	49	55
21	13.5	22.9	28.8	33.2	36.8	40.2	43.5	47.1	51.8	16.2	23.2	32.3	37.1	41.7	45.2	48.5	52.1	56.8	18.9	25.9	32.9	41.5	46.5	50.1	53.4	57.0	61.7	57.6	52.1	46.6	41.0	35.5	30.0	24.5	19.0	11.9	4.8	-2.1	-9.0	-15.9	-22.8	-29.7	-36.6	
22	44.5	25.1	12.8	3.8	-3.7	-10.6	-17.4	-24.9	-31.7	34.8	24.9	8.3	0.0	-7.0	-13.9	-21.3	-28.1	-34.9	41.6	32.0	14.2	4.1	-3.5	-10.8	-17.6	-24.4	-31.2	-38.0	-44.8	-51.6	-58.4	-65.2	-72.0	-78.8	-85.6	-92.4	-99.2	-106.0	-112.8	-119.6	-126.4	-133.2		
23	-45	-49	-45	-42	-40	-37	-35	-33	-29	-52	-48	-42	-39	-36	-34	-31	-29	-26	-49	-45	-41	-35	-32	-28	-25	-21	-16	-11	-6	-1	4	9	14	19	24	29	34	39	44	49	54	59	64	
24	14.2	23.9	30.2	36.5	38.9	42.3	45.6	49.0	52.7	16.9	23.9	33.3	38.2	43.6	48.7	53.9	57.6	61.9	19.6	26.6	33.6	42.7	48.1	52.2	56.6	59.9	63.2	52.7	47.1	41.6	36.1	30.6	25.1	19.6	14.1	8.6	3.1	-3.4	-10.3	-17.2	-24.1	-31.0		
25	50.8	30.8	17.7	7.9	0.1	-7.3	-14.1	-21.0	-28.1	44.5	25.1	12.9	3.8	-3.7	-10.5	-17.4	-24.5	-31.6	49.7	39.3	19.6	3.8	0.1	-7.9	-13.8	-21.2	-28.6	-34.9	-41.2	-47.5	-53.8	-60.1	-66.4	-72.7	-79.0	-85.3	-91.6	-97.9	-104.2	-110.5	-116.8	-123.1	-129.4	
26	-63	-56	-52	-49	-46	-44	-42	-39	-37	-60	-56	-49	-45	-42	-40	-37	-35	-32	-57	-53	-49	-43	-39	-36	-34	-32	-29	-27	-24	-20	-16	-12	-8	-4	0	6	12	18	24	30	36	42	48	54
27	18.5	23.3	28.8	36.8	39.6	43.5	47.7	52.0	56.4	21.8	26.6	31.7	37.7	46.2	48.8	52.5	56.5	60.8	25.1	29.9	34.8	40.3	46.8	55.6	58.1	61.6	65.5	92.0	91.0	90.0	88.9	87.9	86.9	85.8	84.8	83.8	8.6	8.6	8.6	8.6				
28	23.0	16.5	9.3	-1.4	-11.5	-20.1	-28.3	-36.4	-44.3	30.5	24.1	17.3	9.7	3.7	-2.0	-12.4	-21.4	-29.7	38.0	31.6	25.0	17.8	9.1	-2.6	-11.3	-22.5	-31.0	-40.7	-50.4	-60.1	-69.8	-79.5	-89.2	-98.9	-108.6	-118.3	-128.0	-137.7	-147.4	-157.1	-166.8	-176.5		
29	13.8	19.6	26.3	37.4	41.0	45.1	51.6	56.2	62.1	18	24	31	39	50	58	63	69	74	30	36	43	52	63	66	73	81	88	96	104	112	120	128	136	144	152	160	168	176	184	192	200	208	216	
30	18.9	25.6	30.6	37.8	41.4	45.5	51.8	58.2	62.1	28.9	33.8	39.2	47.2	50.1	54.0	58.1	62.5	67.4	32.3	37.1	42.1	48.1	56.6	59.3	62.9	67.0	72.3	77.6	82.9	88.2	93.5	98.8	104.1	109.4	114.7	120.0	125.3	130.6	135.9	141.2	146.5	151.8		
31	25.2	15.5	8.9	-0.8	-10.4	-18.7	-26.7	-34.6	-42.5	32.7	23.0	16.6	9.3	-1.4	-11.5	-20.1	-28.3	-36.4	30.5	24.1	17.4	9.3	-2.0	-12.4	-21.3	-29.8	-39.7	-49.6	-59.5	-69.4	-79.3	-89.2	-99.1	-109.0	-118.9	-128.8	-138.7	-148.6	-158.5	-168.4	-178.3	-188.2		
32	29.0	25.9	32.8	38.8	42.5	46.8	51.3	55.7	60.1	22.4	29.2	36.1	41.0	48.2	51.4	55.5	59.9	64.2	25.7	32.5	39.4	44.2	49.6	57.6	60.5	64.4	68.6	72.6	71.9	71.2	70.1	69.1	68.1	67.0	66.0	65.0	19.7	19.7	19.7	19.7				
33	19.4	26.2	33.0	39.9	44.3	48.8	53.2	57.6	62.1	22.6	29.5	36.3	43.2	49.3	52.9	57.3	61.7	66.1	25.9	32.8	39.6	46.5	51.4	58.7	61.8	66.0	70.3	62.8	62.1	61.4	60.7	59.7	58.7	57.6	56.6	55.6	25.3	25.3	25.3	25.3				
34	30.0	20.2	10.4	0.5	-7.3	-15.1	-22.9	-30.7	-38.6	37.1	27.4	17.7	8.1	-0.1	-9.1	-17.0	-24.9	-32.7	44.5	34.9	25.3																							

Input and output:
 Colorimetric Printer Reflective System FRS09_92aM
 data for any colour:
 u_e^* and number *no.* = 00 .. 15
 elementary hue text:
 $u_e^* = 16$ hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data


u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
<i>r00j</i>	35.47	63.32	30.17	70.15	25	<i>m81o</i>
<i>r25j</i>	39.12	54.56	49.45	73.64	42	<i>o10y</i>
<i>r50j</i>	50.64	39.15	64.89	75.79	59	<i>o40y</i>
<i>r75j</i>	64.01	21.26	82.83	85.52	76	<i>o69y</i>
<i>j00g</i>	83.18	-4.38	108.53	108.62	92	<i>o98y</i>
<i>j25g</i>	66.73	-29.89	83.06	88.28	110	<i>y34l</i>
<i>j50g</i>	54.03	-48.31	63.49	79.78	127	<i>y69l</i>
<i>j75g</i>	44.73	-60.33	42.64	73.88	145	<i>l03c</i>
<i>g00b</i>	47.59	-49.08	15.74	51.54	162	<i>l23c</i>
<i>g25b</i>	49.97	-39.7	-6.72	40.27	190	<i>l55c</i>
<i>g50b</i>	51.85	-32.33	-24.35	40.48	217	<i>l87c</i>
<i>g75b</i>	46.92	-17.29	-36.02	39.96	244	<i>c20v</i>
<i>b00r</i>	37.91	1.28	-42.35	42.37	272	<i>c53v</i>
<i>b25r</i>	23.81	30.38	-52.26	60.45	300	<i>c87v</i>
<i>b50r</i>	29.52	69.06	-42.14	80.9	329	<i>v68m</i>
<i>b75r</i>	36.48	71.47	-3.69	71.57	357	<i>m34o</i>



%Gamut
 $u_{rel}^* = 109$
 %Regularity
 $g_{H,rel}^* = 31$
 $g_{C,rel}^* = 40$

FRS09_92aM; CIELAB data

Name	$L^*=L^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.5	103.15	103.25	92
L _M	44.13	-62.11	43.56	75.86	145
C _M	52.66	-28.56	-36.99	46.73	232
V _M	14.15	50.78	-62.6	80.61	309
M _M	37.37	79.18	-37.93	87.8	334
N _M	8.58	0.46	-3.35	3.38	278
W _M	92.02	0.69	-6.48	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m81o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.117$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = r25j$ $u^*_d = o10y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 39 55 49

$LAB \cdot LCH \cdot Ma$: 39 74 42

$lab \cdot rgb \cdot Ma$: 1.0 0.25 0.0

$lab \cdot olv \cdot Ma$: 1.0 0.11 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$lab \cdot olv^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.164$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u_e^* = r50j$ $u_d^* = o40y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 51 39 65

$LAB \cdot LCH \cdot Ma$: 51 76 58

$lab \cdot rgb \cdot Ma$: 1.0 0.5 0.0

$lab \cdot olv \cdot Ma$: 1.0 0.4 0.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 109$

% Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$lab \cdot olv^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.21$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = r75j$ $u^*_d = o69y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 64 21 83

$LAB \cdot LCH \cdot Ma$: 64 86 75

$lab \cdot rgb \cdot Ma$: 1.0 0.75 0.0

$lab \cdot olv \cdot Ma$: 1.0 0.7 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$lab \cdot olv^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o98y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -4 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.305$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 67 -30 83$

$LAB \cdot LCH \cdot Ma: 67 88 109$

$lab \cdot rgb \cdot Ma: 0.75 1.0 0.0$

$lab \cdot olv \cdot Ma: 0.66 1.0 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$lab \cdot olv^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.354$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 54 -48 63$

$LAB \cdot LCH \cdot Ma: 54 80 127$

$lab \cdot rgb \cdot Ma: 0.5 1.0 0.0$

$lab \cdot olv \cdot Ma: 0.3 1.0 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$lab \cdot olv^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = l03c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 45 -60 43$

$LAB^*LCH^*_{Ma}: 45 74 144$

$lab^*rgb^*_{Ma}: 0.25 1.0 0.0$

$lab^*olv^*_{Ma}: 0.0 1.0 0.03$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$l03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$l23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$l55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$l87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$u^*_e = j75g$

lab^*olv^*

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -49 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l55c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 50 -40 -7$

$LAB^*LCH^*_{Ma}: 50 40 189$

$lab^*rgb^*_{Ma}: 0.0 1.0 0.5$

$lab^*olv^*_{Ma}: 0.0 1.0 0.55$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$u^*_e = g25b$

lab^*olv^*

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l87c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

	u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33	
Y_M	83.77	-4.5	103.15	103.25	92	
L_M	44.13	-62.11	43.56	75.86	145	
C_M	52.66	-28.56	-36.99	46.73	232	
V_M	14.15	50.78	-62.6	80.61	309	
M_M	37.37	79.18	-37.93	87.8	334	
N_M	8.58	0.46	-3.35	3.38	278	
W_M	92.02	0.69	-6.48	6.52	276	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 52 -32 -24$

$LAB^*LCH^*_{Ma}: 52 40 216$

$lab^*rgb^*_{Ma}: 0.0 1.0 1.0$

$lab^*olv^*_{Ma}: 0.0 1.0 0.87$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*	b^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25		$m81o$
$r25j$	39.12	54.56	49.45	73.64	42		$o10y$
$r50j$	50.64	39.15	64.89	75.79	59		$o40y$
$r75j$	64.01	21.26	82.83	85.52	76		$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92		$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110		$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127		$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145		$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162		$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190		$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217		$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244		$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272		$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300		$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329		$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357		$m34o$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c20v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -17 -36

$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$u^*_e = g75b$

lab^*olv^*

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.755$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 38 \ 1 \ -42$

$LAB \cdot LCH \cdot Ma: 38 \ 42 \ 271$

$lab \cdot rgb \cdot Ma: 0.0 \ 0.0 \ 1.0$

$lab \cdot olv \cdot Ma: 0.0 \ 0.47 \ 1.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$lab \cdot olv^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -52

$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$
0.25

0.50

0.75

1.00

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v68m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -42

$LAB^*LCH^*_{Ma}$: 30 81 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.69 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m34o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 71 -4

$LAB^*LCH^*_{Ma}$: 36 72 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*


$i^* = 0.00$

Ee320-7A, Page 180/198

Input and output:
 Colorimetric Printer Reflective System FRS09_92aM
 data for any colour:
 u_e^* and number *no.* = 00 .. 15
 elementary hue text:
 $u_e^* = 16$ hues *r00j, r25j, ..., b75r*
 contrast reduction factor:
 $c_R = 1.0$

FRS09_92aM; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
<i>r00j</i>	35.47	63.32	30.17	70.15	25	<i>m81o</i>
<i>r25j</i>	39.12	54.56	49.45	73.64	42	<i>o10y</i>
<i>r50j</i>	50.64	39.15	64.89	75.79	59	<i>o40y</i>
<i>r75j</i>	64.01	21.26	82.83	85.52	76	<i>o69y</i>
<i>j00g</i>	83.18	-4.38	108.53	108.62	92	<i>o98y</i>
<i>j25g</i>	66.73	-29.89	83.06	88.28	110	<i>y34l</i>
<i>j50g</i>	54.03	-48.31	63.49	79.78	127	<i>y69l</i>
<i>j75g</i>	44.73	-60.33	42.64	73.88	145	<i>l03c</i>
<i>g00b</i>	47.59	-49.08	15.74	51.54	162	<i>l23c</i>
<i>g25b</i>	49.97	-39.7	-6.72	40.27	190	<i>l55c</i>
<i>g50b</i>	51.85	-32.33	-24.35	40.48	217	<i>l87c</i>
<i>g75b</i>	46.92	-17.29	-36.02	39.96	244	<i>c20v</i>
<i>b00r</i>	37.91	1.28	-42.35	42.37	272	<i>c53v</i>
<i>b25r</i>	23.81	30.38	-52.26	60.45	300	<i>c87v</i>
<i>b50r</i>	29.52	69.06	-42.14	80.9	329	<i>v68m</i>
<i>b75r</i>	36.48	71.47	-3.69	71.57	357	<i>m34o</i>



%Gamut

$u_{rel}^* = 109$


%Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; CIELAB data

Name	$L^*=L^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O _M	35.06	60.53	39.66	72.37	33
Y _M	83.77	-4.5	103.15	103.25	92
L _M	44.13	-62.11	43.56	75.86	145
C _M	52.66	-28.56	-36.99	46.73	232
V _M	14.15	50.78	-62.6	80.61	309
M _M	37.37	79.18	-37.93	87.8	334
N _M	8.58	0.46	-3.35	3.38	278
W _M	92.02	0.69	-6.48	6.52	276
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m81o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 63 30

$LAB^*LCH^*_{Ma}$: 35 70 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data


u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

relative chroma c^*



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o10y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 55 49

$LAB^*LCH^*_{Ma}$: 39 74 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.11 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o40y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 51 39 65

$LAB^*LCH^*_{Ma}$: 51 76 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$

$i^* = 0.50$

$i^* = 0.75$

$i^* = 1.00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o69y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 21 83

$LAB^*LCH^*_{Ma}$: 64 86 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o98y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -4 109

$LAB^*LCH^*_{Ma}$: 83 109 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -30 83

$LAB^*LCH^*_{Ma}$: 67 88 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 54 -48 63$

$LAB^*LCH^*_{Ma}: 54 80 127$

$lab^*rgb^*_{Ma}: 0.5 1.0 0.0$

$lab^*olv^*_{Ma}: 0.3 1.0 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = l03c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 -60 43

$LAB^*LCH^*_{Ma}$: 45 74 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$l03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$l23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$l55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$l87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$u^*_e = j75g$

LAB^*cmyn^*

LAB^*cmyn^*

$i^* = 1.00$

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

brilliantness i^*

brilliantness i^*

1,00

0,75

0,50

0,25

0,00

0.0
0.0
0.0
0.0

0.25
0.0
0.24
0.0

0.5
0.0
0.49
0.0

0.75
0.0
0.73
0.0

1.0
0.0
0.97
0.0

0.5
0.5
0.5
0.0

0.5
0.25
0.49
0.0

0.75
0.25
0.74
0.0

1.0
0.25
0.98
0.0

1.0
0.5
0.99
0.0

0.75
0.75
0.75
0.0

1.0
0.75
0.99
0.0

1.0
1.0
1.0
0.0

1.0
0.75
0.99
0.0

$i^* = 0.00$

$i^* \pm 0.25$

$i^* = 0.50$

$i^* = 0.75$

$i^* = 1.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -49 16

$LAB^*LCH^*_{Ma}$: 48 52 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l55c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 50 -40 -7$

$LAB^*LCH^*_{Ma}: 50 40 189$

$lab^*rgb^*_{Ma}: 0.0 1.0 0.5$

$lab^*olv^*_{Ma}: 0.0 1.0 0.55$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l87c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 52 -32 -24$

$LAB^*LCH^*_Ma: 52 40 216$

$lab^*rgb^*_Ma: 0.0 1.0 1.0$

$lab^*olv^*_Ma: 0.0 1.0 0.87$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c20v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -17 -36

$LAB^*LCH^*_{Ma}$: 47 40 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$u^*_e = g75b$

LAB^*cmyn^*

LAB^*cmyn^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 38 \ 1 \ -42$

$LAB^*LCH^*_{Ma}: 38 \ 42 \ 271$

$lab^*rgb^*_{Ma}: 0.0 \ 0.0 \ 1.0$

$lab^*olv^*_{Ma}: 0.0 \ 0.47 \ 1.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$u^*_e = b00r$

LAB^*cmyn^*

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 24 30 -52

$LAB^*LCH^*_{Ma}$: 24 60 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

LAB^*cmyn^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v68m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 69 -42

$LAB^*LCH^*_{Ma}$: 30 81 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.69 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$u^*_e = b50r$

LAB^*cmyn^*

LAB^*cmyn^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m34o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	35.06	60.53	39.66	72.37	33
Y_M	83.77	-4.5	103.15	103.25	92
L_M	44.13	-62.11	43.56	75.86	145
C_M	52.66	-28.56	-36.99	46.73	232
V_M	14.15	50.78	-62.6	80.61	309
M_M	37.37	79.18	-37.93	87.8	334
N_M	8.58	0.46	-3.35	3.38	278
W_M	92.02	0.69	-6.48	6.52	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 36 \ 71 \ -4$

$LAB^*LCH^*_{Ma}: 36 \ 72 \ 357$

$lab^*rgb^*_{Ma}: 1.0 \ 0.0 \ 0.5$

$lab^*olv^*_{Ma}: 1.0 \ 0.0 \ 0.66$

triangle lightness t^*

% Gamut

$u^*_{rel} = 109$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	35.47	63.32	30.17	70.15	25	$m81o$
$r25j$	39.12	54.56	49.45	73.64	42	$o10y$
$r50j$	50.64	39.15	64.89	75.79	59	$o40y$
$r75j$	64.01	21.26	82.83	85.52	76	$o69y$
$j00g$	83.18	-4.38	108.53	108.62	92	$o98y$
$j25g$	66.73	-29.89	83.06	88.28	110	$y34l$
$j50g$	54.03	-48.31	63.49	79.78	127	$y69l$
$j75g$	44.73	-60.33	42.64	73.88	145	$i03c$
$g00b$	47.59	-49.08	15.74	51.54	162	$i23c$
$g25b$	49.97	-39.7	-6.72	40.27	190	$i55c$
$g50b$	51.85	-32.33	-24.35	40.48	217	$i87c$
$g75b$	46.92	-17.29	-36.02	39.96	244	$c20v$
$b00r$	37.91	1.28	-42.35	42.37	272	$c53v$
$b25r$	23.81	30.38	-52.26	60.45	300	$c87v$
$b50r$	29.52	69.06	-42.14	80.9	329	$v68m$
$b75r$	36.48	71.47	-3.69	71.57	357	$m34o$

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*cmyn'*
01	00																																					