

Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	92
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r00j$ $u_d^* = m81o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data
 u_e^* $L^*=L_a^*$ a_a^* b_a^* $C_{ab,a}^*$ $h_{ab,a}^*$

O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 39 57 27

LAB^*LCH^*Ma : 39 63 25

lab^*rgb^*Ma : 1.0 0.0 0.0

lab^*olv^*Ma : 1.0 0.0 0.18

triangle lightness t^*

%Gamut

$u_{rel}^* = 88$


%Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$


FRS09_92aM; adapted (a) CIELAB data
 u_e^* $L^*=L_a^*$ a_a^* b_a^* $C_{ab,a}^*$ $h_{ab,a}^*$ u_d^*

r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = r25j$ $u_d^* = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 42 49 44

LAB^*LCH^*Ma : 42 66 42

lab^*rgb^*Ma : 1.0 0.25 0.0

lab^*olv^*Ma : 1.0 0.1 0.0

triangle lightness t^*

%Gamut



$u_{rel}^* = 88$

%Regularity

$g_{H,rel}^* = 31$


$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = r50j$ $u_d^* = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 53 35 58

LAB^*LCH^*Ma : 53 68 58

lab^*rgb^*Ma : 1.0 0.5 0.0

lab^*olv^*Ma : 1.0 0.4 0.0

triangle lightness t^*

%Gamut


$u_{rel}^* = 88$

%Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.21$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r75j$ $u_d^* = o69y$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*\text{Ma}$: 65 19 74

$\text{LAB}^*\text{LCH}^*\text{Ma}$: 65 77 75

$\text{lab}^*\text{rgb}^*\text{Ma}$: 1.0 0.75 0.0

$\text{lab}^*\text{olv}^*\text{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

%Gamut

$u_{rel}^* = 88$


%Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data

	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o98y$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = j25g$ $u_d^* = y34l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 67 -27 75

LAB^*LCH^*Ma : 67 79 109

lab^*rgb^*Ma : 0.75 1.0 0.0

lab^*olv^*Ma : 0.66 1.0 0.0

triangle lightness t^*

%Gamut



$u_{rel}^* = 88$

%Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l55c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 52 -36 -6

LAB^*LCH^*Ma : 52 36 189

lab^*rgb^*Ma : 0.0 1.0 0.5

lab^*olv^*Ma : 0.0 1.0 0.55

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l87c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.679$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c20v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 49 -16 -32

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 49 36 244

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.8 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 88$


%Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.755$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 41 1 -38

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 41 38 271

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 88$


%Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = b75r$ $u_d^* = m33o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 40 64 -3

LAB^*LCH^*Ma : 40 64 357

lab^*rgb^*Ma : 1.0 0.0 0.5

lab^*olv^*Ma : 1.0 0.0 0.66

triangle lightness t^*

%Gamut

$u_{rel}^* = 88$



%Regularity

$g_{H,rel}^* = 31$


$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data

	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



See for similar files: <http://www.ps.bam.de/Ee33/>; www.ps.bam.de/Ee33/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=0



Input and output:

Colorimetric Printer Reflective System FRS09_92aM
data for any colour:

u^*_e and number *no.* = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues *r00j*, *r25j*, ..., *b75r*

contrast reduction factor:

$c_R = 0.9$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
<i>r00j</i>	39.18	56.94	27.13	63.07	25	<i>m81o</i>
<i>r25j</i>	42.41	49.1	44.5	66.26	42	<i>o10y</i>
<i>r50j</i>	52.78	35.22	58.37	68.17	59	<i>o40y</i>
<i>r75j</i>	64.82	19.12	74.47	76.89	76	<i>o69y</i>
<i>j00g</i>	82.06	-3.94	97.52	97.6	92	<i>o98y</i>
<i>j25g</i>	67.26	-26.87	74.67	79.36	110	<i>y34l</i>
<i>j50g</i>	55.83	-43.45	57.11	71.76	127	<i>y69l</i>
<i>j75g</i>	47.5	-54.18	38.3	66.35	145	<i>l03c</i>
<i>g00b</i>	50.07	-44.09	14.13	46.3	162	<i>l23c</i>
<i>g25b</i>	52.21	-35.66	-6.03	36.17	190	<i>l55c</i>
<i>g50b</i>	53.9	-29.04	-21.87	36.36	217	<i>l87c</i>
<i>g75b</i>	49.44	-15.51	-32.31	35.84	244	<i>c20v</i>
<i>b00r</i>	41.36	1.15	-37.95	37.97	272	<i>c53v</i>
<i>b25r</i>	28.74	27.19	-46.77	54.1	300	<i>c87v</i>
<i>b50r</i>	33.74	61.97	-37.81	72.59	329	<i>v68m</i>
<i>b75r</i>	40.08	64.26	-3.32	64.35	357	<i>m33o</i>



%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r00j$ $u_d^* = m81o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut


$u_{rel}^* = 88$

% Regularity

$g_{H,rel}^* = 31$


$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = r25j$ $u_d^* = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 49 44

$LAB^*LCH^*_{Ma}$: 42 66 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.1 0.0

triangle lightness t^*

%Gamut


$u_{rel}^* = 88$

%Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r50j$ $u_d^* = o40y$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

%Gamut


$u_{rel}^* = 88$

%Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r75j$ $u_d^* = o69y$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 19 74

$LAB^*LCH^*_{Ma}$: 65 77 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

%Gamut


$u_{rel}^* = 88$

%Regularity

$g_{H,rel}^* = 31$


$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = j00g$ $u_d^* = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut



$u_{rel}^* = 88$

%Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -27 75

$LAB^*LCH^*_{Ma}$: 67 79 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$

O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$ u^*_d

r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j75g$ $u^*_d = i03c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g00b$ $u^*_d = l23c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l55c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b00r$ $u_d^* = c53v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut



$u_{rel}^* = 88$

%Regularity

$g_{H,rel}^* = 31$


$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b25r$ $u_d^* = c87v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

%Gamut



$u_{rel}^* = 88$

%Regularity

$g_{H,rel}^* = 31$


$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = b75r$ $u_d^* = m33o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

%Gamut

$u_{rel}^* = 88$


%Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o




Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:

u^*_e and number $no.$ = 00 .. 15
elementary hue text:
 $u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 0.9$

FRS09_92aM; adapted (a) CIELAB data


u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	92
J_{CIE}	81.26	-2.89	71.56	71.62	95
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m81o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 49 44

$LAB^*LCH^*_{Ma}$: 42 66 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.1 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r75j$ $u^*_d = o69y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 19 74

$LAB^*LCH^*_{Ma}$: 65 77 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j25g$ $u^*_d = y34l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -27 75

$LAB^*LCH^*_{Ma}$: 67 79 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j50g$ $u^*_d = y69l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g00b$ $u^*_d = l23c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l55c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b00r$ $u^*_d = c53v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b25r$ $u^*_d = c87v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = b25r$
 lab^*olv^*



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b75r$ $u^*_d = m33o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output:

Colorimetric Printer Reflective System FRS09_92aM
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	92
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r00j$ $u^*_d = m81o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$u^*_e = r00j$
 lab^*rgb^*



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 49 44

$LAB^*LCH^*_{Ma}$: 42 66 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.1 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*rgb^*

$i^* = 1.00$

$i^* = 0.80$

brilliantness i^*

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$


brilliantness i^*

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j25g$ $u^*_d = y34l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -27 75

$LAB^*LCH^*_{Ma}$: 67 79 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = j50g$ $u_d^* = y69l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity


$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g00b$ $u^*_d = l23c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l55c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*rgb^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$


$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*rgb^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*



$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$


$i^* = 0.20$

$i^* = 0.00$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b25r$ $u^*_d = c87v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b75r$ $u^*_d = m33o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output:

Colorimetric Printer Reflective System FRS09_92aM
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	92
J_{CIE}	81.26	-2.89	71.56	71.62	95
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r00j$ $u^*_d = m81o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 49 44

$LAB^*LCH^*_{Ma}$: 42 66 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.1 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = r25j$
 $LAB^*LAB^*_a$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = r50j$
 $LAB^*LAB^*_a$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r75j$ $u^*_d = o69y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 19 74

$LAB^*LCH^*_{Ma}$: 65 77 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$u^*_e = r75j$
 $LAB^*LAB^*_a$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 82 -4 98

$LAB^*LCH^*_Ma$: 82 98 92

$lab^*rgb^*_Ma$: 1.0 1.0 0.0

$lab^*olv^*_Ma$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j25g$ $u^*_d = y34l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 67 -27 75

$LAB^*LCH^*_Ma$: 67 79 109

$lab^*rgb^*_Ma$: 0.75 1.0 0.0

$lab^*olv^*_Ma$: 0.66 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = j25g$
 $LAB^*LAB^*_a$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j50g$ $u^*_d = y69l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g00b$ $u^*_d = l23c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l55c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$u^*_e = g25b$
 $LAB^*LAB^*_a$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$u^*_e = g50b$
 $LAB^*LAB^*_a$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c20v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b25r$ $u^*_d = c87v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$u^*_e = b25r$
 $LAB^*LAB^*_a$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = b50r$
 $LAB^*LAB^*_a$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b75r$ $u^*_d = m33o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = b75r$
 $LAB^*LAB^*_a$



See for similar files: <http://www.ps.bam.de/Ee33/>; www.ps.bam.de/Ee33/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1, ColSpx=0

BAM registration: 20081001-Ee33/10L/L33E00NP.PS/.PDF BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems


	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*a
01	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
02	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
03	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
04	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
05	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
06	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
07	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
08	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
09	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
10	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
11	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
12	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
13	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
14	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
15	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
16	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
17	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
18	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
19	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
20	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
21	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
22	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
23	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
24	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
25	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
26	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
27	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0

Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:

u^*_e and number $no.$ = 00 .. 15
elementary hue text:
 $u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 0.9$

FRS09_92aM; adapted (a) CIELAB data


u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	92
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r00j$ $u^*_d = m81o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = r00j$
 $LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 49 44

$LAB^*LCH^*_{Ma}$: 42 66 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.1 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = r25j$
 $LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = r50j$
 $LAB^*LCH^*_{Ma}$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r75j$ $u^*_d = o69y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 19 74

$LAB^*LCH^*_{Ma}$: 65 77 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = r75j$
 $LAB^*LCH^*_{Ma}$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = j00g$
 $LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$


$i^*=0.20$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j25g$ $u^*_d = y34l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -27 75

$LAB^*LCH^*_{Ma}$: 67 79 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = j25g$
 $LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j50g$ $u^*_d = y69l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = j50g$
 $LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = j75g$
 $LAB^*LCH^*_{Ma}$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l55c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data							
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$u^*_e = g25b$
 $LAB^*LCH^*_{Ma}$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = g50b$
 $LAB^*LCH^*_{Ma}$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$u^*_e = g75b$
 $LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$


$i^* = 0.20$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b00r$ $u^*_d = c53v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$u^*_e = b00r$
 $LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$


$i^* = 0.20$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b25r$ $u^*_d = c87v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = b25r$
 $LAB^*LCH^*_{Ma}$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v68m$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b75r$ $u^*_d = m33o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*




FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3
 $LAB^*LCH^*_{Ma}$: 40 64 357
 $lab^*rgb^*_{Ma}$: 1.0 0.0 0.5
 $lab^*olv^*_{Ma}$: 1.0 0.0 0.66
triangle lightness t^*

%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



See for similar files: <http://www.ps.bam.de/Ee33/>; www.ps.bam.de
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=0

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LCH*a																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0	167.0	171.0	175.0	179.0	183.0	187.0	191.0	195.0	199.0	203.0	207.0	211.0	215.0	219.0	223.0	227.0	231.0	235.0	239.0	243.0	247.0	251.0	255.0	259.0	263.0	267.0	271.0	275.0	279.0	283.0	287.0	291.0	295.0	299.0	303.0	307.0	311.0	315.0	319.0	323.0	327.0	331.0	335.0	339.0	343.0	347.0	351.0	355.0	359.0	363.0	367.0	371.0	375.0	379.0	383.0	387.0	391.0	395.0	399.0	403.0	407.0	411.0	415.0	419.0	423.0	427.0	431.0	435.0	439.0	443.0	447.0	451.0	455.0	459.0	463.0	467.0	471.0	475.0	479.0	483.0	487.0	491.0	495.0	499.0	503.0	507.0	511.0	515.0	519.0	523.0	527.0	531.0	535.0	539.0	543.0	547.0	551.0	555.0	559.0	563.0	567.0	571.0	575.0	579.0	583.0	587.0	591.0	595.0	599.0	603.0	607.0	611.0	615.0	619.0	623.0	627.0	631.0	635.0	639.0	643.0	647.0	651.0	655.0	659.0	663.0	667.0	671.0	675.0	679.0	683.0	687.0	691.0	695.0	699.0	703.0	707.0	711.0	715.0	719.0	723.0	727.0	731.0	735.0	739.0	743.0	747.0	751.0	755.0	759.0	763.0	767.0	771.0	775.0	779.0	783.0	787.0	791.0	795.0	799.0	803.0	807.0	811.0	815.0	819.0	823.0	827.0	831.0	835.0	839.0	843.0	847.0	851.0	855.0	859.0	863.0	867.0	871.0	875.0	879.0	883.0	887.0	891.0	895.0	899.0	903.0	907.0	911.0	915.0	919.0	923.0	927.0	931.0	935.0	939.0	943.0	947.0	951.0	955.0	959.0	963.0	967.0	971.0	975.0	979.0	983.0	987.0	991.0	995.0	999.0	1003.0	1007.0	1011.0	1015.0	1019.0	1023.0	1027.0	1031.0	1035.0	1039.0	1043.0	1047.0	1051.0	1055.0	1059.0	1063.0	1067.0	1071.0	1075.0	1079.0	1083.0	1087.0	1091.0	1095.0	1099.0	1103.0	1107.0	1111.0	1115.0	1119.0	1123.0	1127.0	1131.0	1135.0	1139.0	1143.0	1147.0	1151.0	1155.0	1159.0	1163.0	1167.0	1171.0	1175.0	1179.0	1183.0	1187.0	1191.0	1195.0	1199.0	1203.0	1207.0	1211.0	1215.0	1219.0	1223.0	1227.0	1231.0	1235.0	1239.0	1243.0	1247.0	1251.0	1255.0	1259.0	1263.0	1267.0	1271.0	1275.0	1279.0	1283.0	1287.0	1291.0	1295.0	1299.0	1303.0	1307.0	1311.0	1315.0	1319.0	1323.0	1327.0	1331.0	1335.0	1339.0	1343.0	1347.0	1351.0	1355.0	1359.0	1363.0	1367.0	1371.0	1375.0	1379.0	1383.0	1387.0	1391.0	1395.0	1399.0	1403.0	1407.0	1411.0	1415.0	1419.0	1423.0	1427.0	1431.0	1435.0	1439.0	1443.0	1447.0	1451.0	1455.0	1459.0	1463.0	1467.0	1471.0	1475.0	1479.0	1483.0	1487.0	1491.0	1495.0	1499.0	1503.0	1507.0	1511.0	1515.0	1519.0	1523.0	1527.0	1531.0	1535.0	1539.0	1543.0	1547.0	1551.0	1555.0	1559.0	1563.0	1567.0	1571.0	1575.0	1579.0	1583.0	1587.0	1591.0	1595.0	1599.0	1603.0	1607.0	1611.0	1615.0	1619.0	1623.0	1627.0	1631.0	1635.0	1639.0	1643.0	1647.0	1651.0	1655.0	1659.0	1663.0	1667.0	1671.0	1675.0	1679.0	1683.0	1687.0	1691.0	1695.0	1699.0	1703.0	1707.0	1711.0	1715.0	1719.0	1723.0	1727.0	1731.0	1735.0	1739.0	1743.0	1747.0	1751.0	1755.0	1759.0	1763.0	1767.0	1771.0	1775.0	1779.0	1783.0	1787.0	1791.0	1795.0	1799.0	1803.0	1807.0	1811.0	1815.0	1819.0	1823.0	1827.0	1831.0	1835.0	1839.0	1843.0	1847.0	1851.0	1855.0	1859.0	1863.0	1867.0	1871.0	1875.0	1879.0	1883.0	1887.0	1891.0	1895.0	1899.0	1903.0	1907.0	1911.0	1915.0	1919.0	1923.0	1927.0	1931.0	1935.0	1939.0	1943.0	1947.0	1951.0	1955.0	1959.0	1963.0	1967.0	1971.0	1975.0	1979.0	1983.0	1987.0	1991.0	1995.0	1999.0	2003.0	2007.0	2011.0	2015.0	2019.0	2023.0	2027.0	2031.0	2035.0	2039.0	2043.0	2047.0	2051.0	2055.0	2059.0	2063.0	2067.0	2071.0	2075.0	2079.0	2083.0	2087.0	2091.0	2095.0	2099.0	2103.0	2107.0	2111.0	2115.0	2119.0	2123.0	2127.0	2131.0	2135.0	2139.0	2143.0	2147.0	2151.0	2155.0	2159.0	2163.0	2167.0	2171.0	2175.0	2179.0	2183.0	2187.0	2191.0	2195.0	2199.0	2203.0	2207.0	2211.0	2215.0	2219.0	2223.0	2227.0	2231.0	2235.0	2239.0	2243.0	2247.0	2251.0	2255.0	2259.0	2263.0	2267.0	2271.0	2275.0	2279.0	2283.0	2287.0	2291.0	2295.0	2299.0	2303.0	2307.0	2311.0	2315.0	2319.0	2323.0	2327.0	2331.0	2335.0	2339.0	2343.0	2347.0	2351.0	2355.0	2359.0	2363.0	2367.0	2371.0	2375.0	2379.0	2383.0	2387.0	2391.0	2395.0	2399.0	2403.0	2407.0	2411.0	2415.0	2419.0	2423.0	2427.0	2431.0	2435.0	2439.0	2443.0	2447.0	2451.0	2455.0	2459.0	2463.0	2467.0	2471.0	2475.0	2479.0	2483.0	2487.0	2491.0	2495.0	2499.0	2503.0	2507.0	2511.0	2515.0	2519.0	2523.0	2527.0	2531.0	2535.0	2539.0	2543.0	2547.0	2551.0	2555.0	2559.0	2563.0	2567.0	2571.0	2575.0	2579.0	2583.0	2587.0	2591.0	2595.0	2599.0	2603.0	2607.0	2611.0	2615.0	2619.0	2623.0	2627.0	2631.0	2635.0	2639.0	2643.0	2647.0	2651.0	2655.0	2659.0	2663.0	2667.0	2671.0	2675.0	2679.0	2683.0	2687.0	2691.0	2695.0	2699.0	2703.0	2707.0	2711.0	2715.0	2719.0	2723.0	2727.0	2731.0	2735.0	2739.0	2743.0	2747.0	2751.0	2755.0	2759.0	2763.0	2767.0	2771.0	2775.0	2779.0	2783.0	2787.0	2791.0	2795.0	2799.0	2803.0	2807.0	2811.0	2815.0	2819.0	2823.0	2827.0	2831.0	2835.0	2839.0	2843.0	2847.0	2851.0	2855.0	2859.0	2863.0	2867.0	2871.0	2875.0	2879.0	2883.0	2887.0	2891.0	2895.0	2899.0	2903.0	2907.0	2911.0	2915.0	2919.0	2923.0	2927.0	2931.0	2935.0	2939.0	2943.0	2947.0	2951.0	2955.0	2959.0	2963.0	2967.0	2971.0	2975.0	2979.0	2983.0	2987.0	2991.0	2995.0	2999.0	3003.0	3007.0	3011.0	3015.0	3019.0	3023.0	3027.0	3031.0	3035.0	3039.0	3043.0	3047.0	3051.0	3055.0	3059.0	3063.0	3067.0	3071.0	3075.0	3079.0	3083.0	3087.0	3091.0	3095.0	3099.0	3103.0	3107.0	3111.0	3115.0	3119.0	3123.0	3127.0	3131.0	3135.0	3139.0	3143.0	3147.0	3151.0	3155.0	3159.0	3163.0	3167.0	3171.0	3175.0	3179.0	3183.0	3187.0	3191.0	3195.0	3199.0	3203.0	3207.0	3211.0	3215.0	3219.0	3223.0	3227.0	3231.0	3235.0	3239.0	3243.0	3247.0	3251.0	3255.0	3259.0	3263.0	3267.0	3271.0	3275.0	3279.0	3283.0	3287.0	3291.0	3295.0	3299.0	3303.0	3307.0	3311.0	3315.0	3319.0	3323.0	3327.0	3331.0	3335.0	3339.0	3343.0	3347.0	3351.0	3355.0	3359.0	3363.0	3367.0	3371.0	3375.0	3379.0	3383.0	3387.0	3391.0	3395.0	3399.0	3403.0	3407.0	3411.0	3415.0	3419.0	3423.0	3427.0	3431.0	3435.0	3439.0	3443.0	3447.0	3451.0	3455.0	3459.0	3463.0	3467.0	3471.0	3475.0	3479.0	3483.0	3487.0	3491.0	3495.0	3499.0	3503.0	3507.0	3511.0	3515.0	3519.0	3523.0	3527.0	3531.0	3535.0	3539.0	3543.0	3547.0	3551.0	3555.0	3559.0	3563.0	3567.0	3571.0	3575.0	3579.0	3583.0	3587.0	3591.0	3595.0	3599.0	3603.0	3607.0	3611.0	3615.0	3619.0	3623.0	3627.0	3631.0	3635.0	3639.0	3643.0	3647.0	3651.0	3655.0	3659.0	3663.0	3667.0	3671.0	3675.0	3679.0	3683.0	3687.0	3691.0	3695.0	3699.0	3703.0	3707.0	3711.0	3715.0	3719.0	3723.0	3727.0	3731.0	3735.0	3739.0	3743.0	3747.0	3751.0	3755.0	3759.0	3763.0	3767.0	3771.0	3775.0	3779.0	3783.0	3787.0	3791.0	3795.0	3799.0	3803.0	3807.0	3811.0	3815.0	3819.0	3823.0	3827.0	3831.0	3835.0	3839.0	3843.0	3847.0	3851.0	3855.0	3859.0	3863.0	3867.0	3871.0	3875.0	3879.0	3883.0	3887.0	3891.0	3895.0	3899.0	3903.0	3907.0	3911.0	3915.0	3919.0	3923.0	3927.0	3931.0	3935.0	3939.0	3943.0	3947.0	3951.0	3955.0	3959.0	3963.0	3967.0	3971.0	3975.0	3979.0	3983.0	3987.0	3991.0	3995.0	3999.0	4003.0	4007.0	4011.0	4015.0	4019.0	4023.0	4027.0	4031.0	4035.0	4039.0	4043.0	4047.0	4051.0	4055.0	4059.0	4063.0	4067.0	4071.0	4075.0	4079.0	4083.0	4087.0	4091.0	4095.0	4099.0	4103.0	4107.0	4111.0	4115.0	4119.0	4123.0	4127.0	4131.0	4135.0	4139.0	4143.0	4147.0	4151.0	4155.0	4159.0	4163.0	4167.0	4171.0	4175.0	4179.0	4183.0	4187.0	4191.0	4195.0	4199.0	4203.0	4207.0	4211.0	4215.0	4219.0	4223.0	4227.0	4231.0	4235.0	4239.0	4243.0	4247.0	4251.0	4255.0	4259.0	4263.0	4267.0	4271.0	4275.0	4279.0	4283.0	4287.0	4291.0	4295.0	4299.0	4303.0	4307.0	4311.0	4315.0	4319.0	4323.0	4327.0	4331.0	4335.0	4339.0	4343.0	4347.0	4351.0	4355.0	4359.0	4363.0	4367.0	4371.0	4375.0	4379.0	4383.0	4387.0	4391.0	4395.0	4399.0	4403.0	4407.0	4411.0	4415.0	4419.0	4423.0	4427.0	4431.0	4435.0	4439.0	4443.0	4447.0	4451.0	4455.0	4459.0	4463.0	4467.0	4471.0	4475.0	4479.0	4483.0	4487.0	4491.0</

BAM registration: 20081001-Ee33/10L/L33E00NP.PS/.PDF BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems

Input and output:

Colorimetric Printer Reflective System FRS09_92aM
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	92
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r00j$ $u^*_d = m81o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 49 44

$LAB^*LCH^*_{Ma}$: 42 66 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.1 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r75j$ $u^*_d = o69y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 19 74

$LAB^*LCH^*_{Ma}$: 65 77 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*tch^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o98y$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = j25g$ $u_d^* = y34l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -27 75

$LAB^*LCH^*_{Ma}$: 67 79 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*tch^*

$i^* = 1.00$

$i^* = 0.80$

brilliantness i^*

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = g25b$ $u_d^* = l55c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c20v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b00r$ $u_d^* = c53v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b25r$ $u_d^* = c87v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b50r$ $u_d^* = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 88$

% Regularity

$g_{H,rel}^* = 31$

$g_{C,rel}^* = 40$

FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b75r$ $u^*_d = m33o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357



See for similar files: <http://www.ps.bam.de/Ee33/>; www.ps.bam.de
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=0

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab* <i>tch*</i>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
01	0.0	0.06	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.56	0.63	0.69	0.75	0.81	0.88	0.94	1.0	1.06	1.13	1.19	1.25	1.31	1.38	1.44	1.5	1.56	1.63	1.69	1.75	1.81	1.88	1.94	2.0	2.06	2.13	2.19	2.25	2.31	2.38	2.44	2.5	2.56	2.63	2.69	2.75	2.81	2.88	2.94	3.0	3.06	3.13	3.19	3.25	3.31	3.38	3.44	3.5	3.56	3.63	3.69	3.75	3.81	3.88	3.94	4.0	4.06	4.13	4.19	4.25	4.31	4.38	4.44	4.5	4.56	4.63	4.69	4.75	4.81	4.88	4.94	5.0	5.06	5.13	5.19	5.25	5.31	5.38	5.44	5.5	5.56	5.63	5.69	5.75	5.81	5.88	5.94	6.0	6.06	6.13	6.19	6.25	6.31	6.38	6.44	6.5	6.56	6.63	6.69	6.75	6.81	6.88	6.94	7.0	7.06	7.13	7.19	7.25	7.31	7.38	7.44	7.5	7.56	7.63	7.69	7.75	7.81	7.88	7.94	8.0	8.06	8.13	8.19	8.25	8.31	8.38	8.44	8.5	8.56	8.63	8.69	8.75	8.81	8.88	8.94	9.0	9.06	9.13	9.19	9.25	9.31	9.38	9.44	9.5	9.56	9.63	9.69	9.75	9.81	9.88	9.94	10.0	10.06	10.13	10.19	10.25	10.31	10.38	10.44	10.5	10.56	10.63	10.69	10.75	10.81	10.88	10.94	11.0	11.06	11.13	11.19	11.25	11.31	11.38	11.44	11.5	11.56	11.63	11.69	11.75	11.81	11.88	11.94	12.0	12.06	12.13	12.19	12.25	12.31	12.38	12.44	12.5	12.56	12.63	12.69	12.75	12.81	12.88	12.94	13.0	13.06	13.13	13.19	13.25	13.31	13.38	13.44	13.5	13.56	13.63	13.69	13.75	13.81	13.88	13.94	14.0	14.06	14.13	14.19	14.25	14.31	14.38	14.44	14.5	14.56	14.63	14.69	14.75	14.81	14.88	14.94	15.0	15.06	15.13	15.19	15.25	15.31	15.38	15.44	15.5	15.56	15.63	15.69	15.75	15.81	15.88	15.94	16.0	16.06	16.13	16.19	16.25	16.31	16.38	16.44	16.5	16.56	16.63	16.69	16.75	16.81	16.88	16.94	17.0	17.06	17.13	17.19	17.25	17.31	17.38	17.44	17.5	17.56	17.63	17.69	17.75	17.81	17.88	17.94	18.0	18.06	18.13	18.19	18.25	18.31	18.38	18.44	18.5	18.56	18.63	18.69	18.75	18.81	18.88	18.94	19.0	19.06	19.13	19.19	19.25	19.31	19.38	19.44	19.5	19.56	19.63	19.69	19.75	19.81	19.88	19.94	20.0	20.06	20.13	20.19	20.25	20.31	20.38	20.44	20.5	20.56	20.63	20.69	20.75	20.81	20.88	20.94	21.0	21.06	21.13	21.19	21.25	21.31	21.38	21.44	21.5	21.56	21.63	21.69	21.75	21.81	21.88	21.94	22.0	22.06	22.13	22.19	22.25	22.31	22.38	22.44	22.5	22.56	22.63	22.69	22.75	22.81	22.88	22.94	23.0	23.06	23.13	23.19	23.25	23.31	23.38	23.44	23.5	23.56	23.63	23.69	23.75	23.81	23.88	23.94	24.0	24.06	24.13	24.19	24.25	24.31	24.38	24.44	24.5	24.56	24.63	24.69	24.75	24.81	24.88	24.94	25.0	25.06	25.13	25.19	25.25	25.31	25.38	25.44	25.5	25.56	25.63	25.69	25.75	25.81	25.88	25.94	26.0	26.06	26.13	26.19	26.25	26.31	26.38	26.44	26.5	26.56	26.63	26.69	26.75	26.81	26.88	26.94	27.0	27.06	27.13	27.19	27.25	27.31	27.38	27.44	27.5	27.56	27.63	27.69	27.75	27.81	27.88	27.94	28.0	28.06	28.13	28.19	28.25	28.31	28.38	28.44	28.5	28.56	28.63	28.69	28.75	28.81	28.88	28.94	29.0	29.06	29.13	29.19	29.25	29.31	29.38	29.44	29.5	29.56	29.63	29.69	29.75	29.81	29.88	29.94	30.0	30.06	30.13	30.19	30.25	30.31	30.38	30.44	30.5	30.56	30.63	30.69	30.75	30.81	30.88	30.94	31.0	31.06	31.13	31.19	31.25	31.31	31.38	31.44	31.5	31.56	31.63	31.69	31.75	31.81	31.88	31.94	32.0	32.06	32.13	32.19	32.25	32.31	32.38	32.44	32.5	32.56	32.63	32.69	32.75	32.81	32.88	32.94	33.0	33.06	33.13	33.19	33.25	33.31	33.38	33.44	33.5	33.56	33.63	33.69	33.75	33.81	33.88	33.94	34.0	34.06	34.13	34.19	34.25	34.31	34.38	34.44	34.5	34.56	34.63	34.69	34.75	34.81	34.88	34.94	35.0	35.06	35.13	35.19	35.25	35.31	35.38	35.44	35.5	35.56	35.63	35.69	35.75	35.81	35.88	35.94	36.0	36.06	36.13	36.19	36.25	36.31	36.38	36.44	36.5	36.56	36.63	36.69	36.75	36.81	36.88	36.94	37.0	37.06	37.13	37.19	37.25	37.31	37.38	37.44	37.5	37.56	37.63	37.69	37.75	37.81	37.88	37.94	38.0	38.06	38.13	38.19	38.25	38.31	38.38	38.44	38.5	38.56	38.63	38.69	38.75	38.81	38.88	38.94	39.0	39.06	39.13	39.19	39.25	39.31	39.38	39.44	39.5	39.56	39.63	39.69	39.75	39.81	39.88	39.94	40.0	40.06	40.13	40.19	40.25	40.31	40.38	40.44	40.5	40.56	40.63	40.69	40.75	40.81	40.88	40.94	41.0	41.06	41.13	41.19	41.25	41.31	41.38	41.44	41.5	41.56	41.63	41.69	41.75	41.81	41.88	41.94	42.0	42.06	42.13	42.19	42.25	42.31	42.38	42.44	42.5	42.56	42.63	42.69	42.75	42.81	42.88	42.94	43.0	43.06	43.13	43.19	43.25	43.31	43.38	43.44	43.5	43.56	43.63	43.69	43.75	43.81	43.88	43.94	44.0	44.06	44.13	44.19	44.25	44.31	44.38	44.44	44.5	44.56	44.63	44.69	44.75	44.81	44.88	44.94	45.0	45.06	45.13	45.19	45.25	45.31	45.38	45.44	45.5	45.56	45.63	45.69	45.75	45.81	45.88	45.94	46.0	46.06	46.13	46.19	46.25	46.31	46.38	46.44	46.5	46.56	46.63	46.69	46.75	46.81	46.88	46.94	47.0	47.06	47.13	47.19	47.25	47.31	47.38	47.44	47.5	47.56	47.63	47.69	47.75	47.81	47.88	47.94	48.0	48.06	48.13	48.19	48.25	48.31	48.38	48.44	48.5	48.56	48.63	48.69	48.75	48.81	48.88	48.94	49.0	49.06	49.13	49.19	49.25	49.31	49.38	49.44	49.5	49.56	49.63	49.69	49.75	49.81	49.88	49.94	50.0	50.06	50.13	50.19	50.25	50.31	50.38	50.44	50.5	50.56	50.63	50.69	50.75	50.81	50.88	50.94	51.0	51.06	51.13	51.19	51.25	51.31	51.38	51.44	51.5	51.56	51.63	51.69	51.75	51.81	51.88	51.94	52.0	52.06	52.13	52.19	52.25	52.31	52.38	52.44	52.5	52.56	52.63	52.69	52.75	52.81	52.88	52.94	53.0	53.06	53.13	53.19	53.25	53.31	53.38	53.44	53.5	53.56	53.63	53.69	53.75	53.81	53.88	53.94	54.0	54.06	54.13	54.19	54.25	54.31	54.38	54.44	54.5	54.56	54.63	54.69	54.75	54.81	54.88	54.94	55.0	55.06	55.13	55.19	55.25	55.31	55.38	55.44	55.5	55.56	55.63	55.69	55.75	55.81	55.88	55.94	56.0	56.06	56.13	56.19	56.25	56.31	56.38	56.44	56.5	56.56	56.63	56.69	56.75	56.81	56.88	56.94	57.0	57.06	57.13	57.19	57.25	57.31	57.38	57.44	57.5	57.56	57.63	57.69	57.75	57.81	57.88	57.94	58.0	58.06	58.13	58.19	58.25	58.31	58.38	58.44	58.5	58.56	58.63	58.69	58.75	58.81	58.88	58.94	59.0	59.06	59.13	59.19	59.25	59.31	59.38	59.44	59.5	59.56	59.63	59.69	59.75	59.81	59.88	59.94	60.0	60.06	60.13	60.19	60.25	60.31	60.38	60.44	60.5	60.56	60.63	60.69	60.75	60.81	60.88	60.94	61.0	61.06	61.13	61.19	61.25	61.31	61.38	61.44	61.5	61.56	61.63	61.69	61.75	61.81	61.88	61.94	62.0	62.06	62.13	62.19	62.25	62.31	62.38	62.44	62.5	62.56	62.63	62.69	62.75	62.81	62.88	62.94	63.0	63.06	63.13	63.19	63.25	63.31	63.38	63.44	63.5	63.56	63.63	63.69	63.75	63.81	63.88	63.94	64.0	64.06	64.13	64.19	64.25	64.31	64.38	64.44	64.5	64.56	64.63	64.69	64.75	64.81	64.88	64.94	65.0	65.06	65.13	65.19	65.25	65.31	65.38	65.44	65.5	65.56	65.63	65.69	65.75	65.81	65.88	65.94	66.0	66.06	66.13	66.19	66.25	66.31	66.38	66.44	66.5	66.56	66.63	66.69	66.75	66.81	66.88	66.94	67.0	67.06	67.13	67.19	67.25	67.31	67.38	67.44	67.5	67.56	67.63	67.69	67.75	67.81	67.88	67.94	68.0	68.06	68.13	68.19	68.25	68.31	68.38	68.44	68.5	68.56	68.63	68.69	68.75	68.81	68.88	68.94	69.0	69.06	69.13	69.19	69.25	69.31	69.38	69.44	69.5	69.56	69.63	69.69	69.75	69.81	69.88	69.94	70.0	70.06	70.13	70.19	70.25	70.31	70.38	70.44	70.5	70.56	70.63	70.69	70.75	70.81	70.88	70.94	71.0	71.06	71.13	71.19	71.25	71.31	71.38	71.44	71.5	71.56	71.63	71.69	71.75	71.81	71.88	71.94	72.0	72.06	72.13	72.19	72.25	72.31	72.38	72.44	72.5	72.56	72.63	72.69	72.75	72.81	72.88	72.94	73.0	73.06	73.13	73.19	73.25	73.31	73.38	73.44	73.5	73.56	73.63	73.69	73.75	73.81	73.88	73.94	74.0	74.06	74.13	74.19	74.25	74.31	74.38	74.44	74.5	74.56	74.63	74.69	74.75	74.81	74.88	74.94	75.0	75.06	75.13	75.19	75.25	75.31	75.38	75.44	75.5	75.56	75.63	75.69	75.75	75.81	75.88	75.94	76.0	76.06	76.13	76.19	76.25	76.31	76.

Input and output:

Colorimetric Printer Reflective System FRS09_92aM
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	92
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r00j$ $u^*_d = m81o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity


$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 49 44

$LAB^*LCH^*_{Ma}$: 42 66 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.1 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$lab^*icu^*_d$

$i^*=1.00$

brilliantness i^*


$i^*=0.80$

$i^*=0.60$

$i^*=0.40$


$i^*=0.20$

$i^*=0.00$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = r50j$
 $lab^*icu^*_d$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r75j$ $u^*_d = o69y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 19 74

$LAB^*LCH^*_{Ma}$: 65 77 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = r75j$
 $lab^*icu^*_d$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j50g$ $u^*_d = y69l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$lab^*icu^*_d$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g00b$ $u^*_d = l23c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$lab^*icu^*_d$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$


$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l55c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$lab^*icu^*_d$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$


$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = 187c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	


Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22
 $LAB^*LCH^*_{Ma}$: 54 36 216
 $lab^*rgb^*_{Ma}$: 0.0 1.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.88
triangle lightness t^*

%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$lab^*icu^*_d$
 $i^*=1.00$
 $i^*=0.80$
 $i^*=0.60$
 $i^*=0.40$
 $i^*=0.20$
brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = g75b$ $u_d^* = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$lab^*icu^*_d$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$


$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b00r$ $u^*_d = c53v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$lab^*icu^*_d$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$


$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b25r$ $u^*_d = c87v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$lab^*icu^*_d$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$


$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$lab^*icu^*_d$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$


$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b75r$ $u^*_d = m330$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m330

$lab^*icu^*_d$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

See for similar files: <http://www.ps.bam.de/Ee33/>; www.ps.bam.de
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=0

BAM registration: 20081001-Ee33/10L/L33E00NP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*icu*d			
01	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	
02	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
03	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.13	0.13	0.13	0.13	
04	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.13	0.13	0.13	0.13
05	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	
06	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	
07	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.88	0.75	0.63	0.63	0.63	0.63	0.63	0.63	0.38	0.38	0.38	0.38		
08	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.88	0.75	0.63	0.63	0.63	0.63	0.63	0.63	0.38	0.38	0.38	0.38		
09	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	0.88	0.75	0.63	0.63	0.63	0.63	0.63	0.63	0.5	0.5	0.5	0.5		
10	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	0.5	0.5	0.5	0.5	0.5	0.63	0.75	0.88	1.0	0.88	0.75	0.63	0.63	0.63	0.63	0.63	0.63	0.5	0.5	0.5	0.5		
11	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
12	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
13	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
14	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
15	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
16	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
17	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
18	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
19	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
20	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
21	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
22	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
23	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
24	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
25	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
26	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		
27	0.63	0.63	0.63	0.63	0.63	0.63	0.75	0.88	1.0	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63		

Input and output:

Colorimetric Printer Reflective System FRS09_92aM
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92M; CIELAB data

Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r00j$ $u^*_d = m81o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$


$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 42 49 44

LAB^*LCH^*Ma : 42 66 42

lab^*rgb^*Ma : 1.0 0.25 0.0

lab^*olv^*Ma : 1.0 0.1 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	39.18	56.94	27.13	63.07	25	m81o			
r25j	42.41	49.1	44.5	66.26	42	o10y			
r50j	52.78	35.22	58.37	68.17	59	o40y			
r75j	64.82	19.12	74.47	76.89	76	o69y			
j00g	82.06	-3.94	97.52	97.6	92	o98y			
j25g	67.26	-26.87	74.67	79.36	110	y34l			
j50g	55.83	-43.45	57.11	71.76	127	y69l			
j75g	47.5	-54.18	38.3	66.35	145	l03c			
g00b	50.07	-44.09	14.13	46.3	162	l23c			
g25b	52.21	-35.66	-6.03	36.17	190	l55c			
g50b	53.9	-29.04	-21.87	36.36	217	l87c			
g75b	49.44	-15.51	-32.31	35.84	244	c20v			
b00r	41.36	1.15	-37.95	37.97	272	c53v			
b25r	28.74	27.19	-46.77	54.1	300	c87v			
b50r	33.74	61.97	-37.81	72.59	329	v68m			
b75r	40.08	64.26	-3.32	64.35	357	m33o			



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$


$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j25g$ $u^*_d = y34l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92M; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 67 -27 75

LAB^*LCH^*Ma : 67 79 109

lab^*rgb^*Ma : 0.75 1.0 0.0

lab^*olv^*Ma : 0.66 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j50g$ $u^*_d = y69l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = g00b$ $u_d^* = l23c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92M; CIELAB data						
u_e^*	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l55c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b00r$ $u_d^* = c53v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92M; CIELAB data						
u_e^*	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 41 1 -38

LAB^*LCH^*Ma : 41 38 271

lab^*rgb^*Ma : 0.0 0.0 1.0

lab^*olv^*Ma : 0.0 0.47 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u_e^*	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b25r$ $u^*_d = c87v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 29 27 -47

LAB^*LCH^*Ma : 29 54 300

lab^*rgb^*Ma : 0.5 0.0 1.0

lab^*olv^*Ma : 0.0 0.12 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

LAB^*LAB^*

$i^*=1.00$

$i^*=0.80$

brilliantness i^*

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$


$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

LAB^*LAB^*

$i^*=1.00$

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$


brilliantness i^*

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b75r$ $u^*_d = m33o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92M; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

relative chroma c^*

relative chroma c^*

See for similar files: <http://www.ps.bam.de/Ee33/>; www.ps.bam.de
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0

BAM registration: 20081001-Ee33/10L/L33E00NP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*	
01	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0	167.0
02	0.4	-6.6	-13.6	-20.7	-27.7	-34.7	-41.8	-48.8	-55.8	-62.8	-69.8	-76.8	-83.8	-90.8	-97.8	-104.8	-111.8	-118.8	-125.8	-132.8	-139.8	-146.8	-153.8	-160.8	-167.8	-174.8	-181.8	-188.8	-195.8	-202.8	-209.8	-216.8	-223.8	-230.8	-237.8	-244.8	-251.8	-258.8	-265.8
03	15.6	20.0	24.4	28.8	33.2	37.6	42.0	46.4	50.8	55.2	59.6	64.0	68.4	72.8	77.2	81.6	86.0	90.4	94.8	99.2	103.6	108.0	112.4	116.8	121.2	125.6	130.0	134.4	138.8	143.2	147.6	152.0	156.4	160.8	165.2	169.6	174.0	178.4	
04	6.1	-2.8	-8.8	-14.9	-21.3	-27.8	-34.5	-41.2	-48.0	-54.9	-61.7	-68.5	-75.3	-82.1	-88.9	-95.7	-102.5	-109.3	-116.1	-122.9	-129.7	-136.5	-143.3	-150.1	-156.9	-163.7	-170.5	-177.3	-184.1	-190.9	-197.7	-204.5	-211.3	-218.1	-224.9	-231.7	-238.5	-245.3	
05	-10	-7	-4	-1	3	7	11	16	20	24	29	33	38	42	47	51	56	60	65	69	74	78	83	87	92	96	101	105	110	114	119	123	128	132	137	141	146	150	
06	16.3	21.8	24.9	29.2	33.5	37.7	41.9	46.1	50.2	54.4	58.6	62.8	67.0	71.2	75.4	79.6	83.8	88.0	92.2	96.4	100.6	104.8	109.0	113.2	117.4	121.6	125.8	130.0	134.2	138.4	142.6	146.8	151.0	155.2	159.4	163.6	167.8	172.0	
07	11.7	9.3	-6.1	-12.0	-17.9	-24.0	-30.2	-36.6	-43.0	-49.4	-55.8	-62.2	-68.6	-75.0	-81.4	-87.8	-94.2	-100.6	-107.0	-113.4	-119.8	-126.2	-132.6	-139.0	-145.4	-151.8	-158.2	-164.6	-171.0	-177.4	-183.8	-190.2	-196.6	-203.0	-209.4	-215.8	-222.2		
08	-16	13	-1	-8	-5	-2	4	8	-4	-10	-7	-4	-1	5	9	-1	-8	-5	-2	4	8	-4	-10	-7	-4	-1	5	9	-1	-8	-5	-2	4	8	-4	-10	-7	-4	
09	17.9	23.4	26.7	29.9	34.1	38.4	42.7	46.9	51.2	55.4	59.6	63.9	68.1	72.4	76.7	80.9	85.2	89.4	93.7	97.9	102.2	106.4	110.7	114.9	119.2	123.4	127.7	131.9	136.2	140.4	144.7	148.9	153.2	157.4	161.7	165.9	170.2	174.4	
10	16.4	3.9	-2.9	-9.4	-15.3	-21.2	-27.1	-33.0	-38.9	-44.8	-50.7	-56.6	-62.5	-68.4	-74.3	-80.2	-86.1	-92.0	-97.9	-103.8	-109.7	-115.6	-121.5	-127.4	-133.3	-139.2	-145.1	-151.0	-156.9	-162.8	-168.7	-174.6	-180.5	-186.4	-192.3	-198.2	-204.1		
11	23	-19	-7	-14	-12	-8	3	9	16	23	30	37	44	51	58	65	72	79	86	93	100	107	114	121	128	135	142	149	156	163	170	177	184	191	198	205	212	219	
12	15.5	27.0	34.8	41.3	47.8	54.3	60.8	67.3	73.8	80.3	86.8	93.3	99.8	106.3	112.8	119.3	125.8	132.3	138.8	145.3	151.8	158.3	164.8	171.3	177.8	184.3	190.8	197.3	203.8	210.3	216.8	223.3	229.8	236.3	242.8	249.3	255.8		
13	23.0	8.2	9.2	-6.1	-12.6	-18.7	-24.8	-30.9	-37.0	-43.1	-49.2	-55.3	-61.4	-67.5	-73.6	-79.7	-85.8	-91.9	-98.0	-104.1	-110.2	-116.3	-122.4	-128.5	-134.6	-140.7	-146.8	-152.9	-159.0	-165.1	-171.2	-177.3	-183.4	-189.5	-195.6	-201.7	-207.8		
14	-30	-25	-22	-20	-18	-15	-13	-10	-8	-7	-6	-5	-4	-3	-2	-1	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20		
15	18.1	25.9	30.3	33.6	36.9	39.8	44.0	48.3	52.6	56.9	61.2	65.5	69.8	74.1	78.4	82.7	87.0	91.3	95.6	99.9	104.2	108.5	112.8	117.1	121.4	125.7	130.0	134.3	138.6	142.9	147.2	151.5	155.8	160.1	164.4	168.7	173.0		
16	28.7	12.7	3.6	-3.1	-9.3	-15.9	-22.0	-27.8	-33.7	-39.1	-45.0	-50.9	-56.8	-62.7	-68.6	-74.5	-80.4	-86.3	-92.2	-98.1	-104.0	-110.0	-115.9	-121.8	-127.7	-133.6	-139.5	-145.4	-151.3	-157.2	-163.1	-169.0	-174.9	-180.8	-186.7	-192.6	-198.5		
17	-36	-31	-28	-26	-24	-22	-19	-17	-14	-14	-30	-25	-23	-21	-19	-16	-13	-11	-9	-7	-4	-2	-2	-19	-15	-12	-10	-7	-5	-3	-1	1	6	11	16	21			
18	18.8	26.9	31.8	35.4	38.5	41.5	44.7	48.9	53.2	57.1	61.2	65.3	69.4	73.5	77.6	81.7	85.8	89.9	94.0	98.1	102.2	106.3	110.4	114.5	118.6	122.7	126.8	130.9	135.0	139.1	143.2	147.3	151.4	155.5	159.6	163.7	167.8		
19	34.3	17.5	7.5	0.0	-6.3	-12.5	-19.1	-25.2	-31.3	-37.3	-43.4	-49.4	-55.5	-61.5	-67.6	-73.6	-79.7	-85.7	-91.8	-97.8	-103.9	-109.9	-115.9	-121.9	-127.9	-133.9	-139.9	-145.9	-151.9	-157.9	-163.9	-169.9	-175.9	-181.9	-187.9	-193.9			
20	-43	-38	-34	-32	-30	-28	-26	-23	-20	-40	-37	-32	-29	-26	-24	-22	-19	-17	-15	-12	-10	-8	-6	-4	-2	-1	1	2	3	4	5	6	7	8	9	10	11		
21	19.4	27.9	33.2	37.1	40.4	43.4	46.4	49.9	53.9	57.8	61.8	65.8	69.8	73.8	77.8	81.8	85.8	89.8	93.8	97.8	101.8	105.8	109.8	113.8	117.8	121.8	125.8	129.8	133.8	137.8	141.8	145.8	149.8	153.8	157.8	161.8			
22	40.0	22.5	11.6	3.4	-3.3	-9.5	-15.7	-22.4	-28.5	-34.0	-39.9	-45.8	-51.7	-57.6	-63.5	-69.4	-75.3	-81.2	-87.1	-93.0	-98.9	-104.8	-110.7	-116.6	-122.5	-128.4	-134.3	-140.2	-146.1	-152.0	-157.9	-163.8	-169.7	-175.6	-181.5	-187.4	-193.3		
23	-50	-44	-40	-38	-36	-34	-32	-29	-26	-47	-43	-38	-35	-32	-30	-28	-26	-23	-21	-19	-17	-14	-12	-10	-8	-6	-4	-2	-1	1	2	3	4	5	6	7	8		
24	20.0	28.7	34.4	38.7	42.2	45.3	48.3	51.3	54.6	58.2	61.8	65.4	69.0	72.6	76.2	79.8	83.4	87.0	90.6	94.2	97.8	101.4	105.0	108.6	112.2	115.8	119.4	123.0	126.6	130.2	133.8	137.4	141.0	144.6	148.2	151.8			
25	45.6	27.6	15.9	7.1	-0.1	-6.5	-12.8	-18.9	-25.7	-32.6	-39.5	-46.4	-53.3	-60.2	-67.1	-74.0	-80.9	-87.8	-94.7	-101.6	-108.5	-115.4	-122.3	-129.2	-136.1	-143.0	-150.0	-156.9	-163.8	-170.7	-177.6	-184.5	-191.4	-198.3	-205.2	-212.1			
26	-56	-50	-47	-44	-41	-39	-37	-35	-33	-35	-50	-44	-41	-38	-36	-34	-32	-30	-28	-26	-24	-22	-20	-18	-16	-14	-12	-10	-8	-6	-4	-2	0	2	4	6			
27	23.9	28.3	33.2	40.3	42.9	46.4	50.2	54.1	58.0	62.9	66.8	70.7	74.6	78.5	82.4	86.3	90.2	94.1	98.0	101.9	105.8	109.7	113.6	117.5	121.4	125.3	129.2	133.1	137.0	140.9	144.8	148.7	152.6	156.5	160.4	164.3			
28	20.7	14.9	8.3	-1.2	-10.3	-18.1	-25.8	-32.7	-39.7	-46.7	-53.6	-60.5	-67.4	-74.3	-81.2	-88.1	-95.0	-101.9	-108.8	-115.7	-122.6	-129.5	-136.4	-143.3	-150.2	-157.1	-164.0	-170.9	-177.8	-184.7	-191.6	-198.5	-205.4	-212.3	-219.2	-226.1			
29	24.2	30.3	34.8	38.8	43.1	47.8	51.7	55.7	59.6	63.6	67.5	71.4	75.3	79.2	83.1	87.0	90.9	94.8	98.7	102.6	106.5	110.4	114.3	118.2	122.1	126.0	130.0	133.9	137.8	141.7	145.6	149.5	153.4	157.3	161.2	165.1			
30	22.7	13.9	8.0	-0.7	-9.4	-16.8	-24.0	-31.3	-38.7	-45.9	-53.1	-60.3	-67.5	-74.7	-81.9	-89.1	-96.3	-103.5	-110.7	-117.9	-125.1	-132.3	-139.5																

Input and output:

Colorimetric Printer Reflective System FRS09_92aM
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; CIELAB data

Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m81o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O_M	38.8	54.41	35.65	65.05	33	
Y_M	82.58	-4.04	92.72	92.8	92	
L_M	46.95	-55.83	39.15	68.19	145	
C_M	54.62	-25.67	-33.25	42.01	232	
V_M	20.01	45.64	-56.27	72.45	309	
M_M	40.88	71.17	-34.09	78.92	334	
N_M	15.0	0.43	-3.23	3.26	278	
W_M	90.0	0.62	-5.76	5.79	276	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 42 49 44

$LAB^*LCH^*_Ma$: 42 66 42

$lab^*rgb^*_Ma$: 1.0 0.25 0.0

$lab^*olv^*_Ma$: 1.0 0.1 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r75j$ $u^*_d = o69y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 19 74

$LAB^*LCH^*_{Ma}$: 65 77 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -27 75

$LAB^*LCH^*_{Ma}$: 67 79 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	39.18	56.94	27.13	63.07	25	m81o			
r25j	42.41	49.1	44.5	66.26	42	o10y			
r50j	52.78	35.22	58.37	68.17	59	o40y			
r75j	64.82	19.12	74.47	76.89	76	o69y			
j00g	82.06	-3.94	97.52	97.6	92	o98y			
j25g	67.26	-26.87	74.67	79.36	110	y34l			
j50g	55.83	-43.45	57.11	71.76	127	y69l			
j75g	47.5	-54.18	38.3	66.35	145	i03c			
g00b	50.07	-44.09	14.13	46.3	162	i23c			
g25b	52.21	-35.66	-6.03	36.17	190	i55c			
g50b	53.9	-29.04	-21.87	36.36	217	i87c			
g75b	49.44	-15.51	-32.31	35.84	244	c20v			
b00r	41.36	1.15	-37.95	37.97	272	c53v			
b25r	28.74	27.19	-46.77	54.1	300	c87v			
b50r	33.74	61.97	-37.81	72.59	329	v68m			
b75r	40.08	64.26	-3.32	64.35	357	m33o			



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	39.18	56.94	27.13	63.07	25	m81o			
r25j	42.41	49.1	44.5	66.26	42	o10y			
r50j	52.78	35.22	58.37	68.17	59	o40y			
r75j	64.82	19.12	74.47	76.89	76	o69y			
j00g	82.06	-3.94	97.52	97.6	92	o98y			
j25g	67.26	-26.87	74.67	79.36	110	y34l			
j50g	55.83	-43.45	57.11	71.76	127	y69l			
j75g	47.5	-54.18	38.3	66.35	145	l03c			
g00b	50.07	-44.09	14.13	46.3	162	l23c			
g25b	52.21	-35.66	-6.03	36.17	190	l55c			
g50b	53.9	-29.04	-21.87	36.36	217	l87c			
g75b	49.44	-15.51	-32.31	35.84	244	c20v			
b00r	41.36	1.15	-37.95	37.97	272	c53v			
b25r	28.74	27.19	-46.77	54.1	300	c87v			
b50r	33.74	61.97	-37.81	72.59	329	v68m			
b75r	40.08	64.26	-3.32	64.35	357	m33o			



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l55c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	39.18	56.94	27.13	63.07	25	m81o			
r25j	42.41	49.1	44.5	66.26	42	o10y			
r50j	52.78	35.22	58.37	68.17	59	o40y			
r75j	64.82	19.12	74.47	76.89	76	o69y			
j00g	82.06	-3.94	97.52	97.6	92	o98y			
j25g	67.26	-26.87	74.67	79.36	110	y34l			
j50g	55.83	-43.45	57.11	71.76	127	y69l			
j75g	47.5	-54.18	38.3	66.35	145	l03c			
g00b	50.07	-44.09	14.13	46.3	162	l23c			
g25b	52.21	-35.66	-6.03	36.17	190	l55c			
g50b	53.9	-29.04	-21.87	36.36	217	l87c			
g75b	49.44	-15.51	-32.31	35.84	244	c20v			
b00r	41.36	1.15	-37.95	37.97	272	c53v			
b25r	28.74	27.19	-46.77	54.1	300	c87v			
b50r	33.74	61.97	-37.81	72.59	329	v68m			
b75r	40.08	64.26	-3.32	64.35	357	m33o			



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	39.18	56.94	27.13	63.07	25	m81o			
r25j	42.41	49.1	44.5	66.26	42	o10y			
r50j	52.78	35.22	58.37	68.17	59	o40y			
r75j	64.82	19.12	74.47	76.89	76	o69y			
j00g	82.06	-3.94	97.52	97.6	92	o98y			
j25g	67.26	-26.87	74.67	79.36	110	y34l			
j50g	55.83	-43.45	57.11	71.76	127	y69l			
j75g	47.5	-54.18	38.3	66.35	145	l03c			
g00b	50.07	-44.09	14.13	46.3	162	l23c			
g25b	52.21	-35.66	-6.03	36.17	190	l55c			
g50b	53.9	-29.04	-21.87	36.36	217	l87c			
g75b	49.44	-15.51	-32.31	35.84	244	c20v			
b00r	41.36	1.15	-37.95	37.97	272	c53v			
b25r	28.74	27.19	-46.77	54.1	300	c87v			
b50r	33.74	61.97	-37.81	72.59	329	v68m			
b75r	40.08	64.26	-3.32	64.35	357	m33o			



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	39.18	56.94	27.13	63.07	25	m81o			
r25j	42.41	49.1	44.5	66.26	42	o10y			
r50j	52.78	35.22	58.37	68.17	59	o40y			
r75j	64.82	19.12	74.47	76.89	76	o69y			
j00g	82.06	-3.94	97.52	97.6	92	o98y			
j25g	67.26	-26.87	74.67	79.36	110	y34l			
j50g	55.83	-43.45	57.11	71.76	127	y69l			
j75g	47.5	-54.18	38.3	66.35	145	l03c			
g00b	50.07	-44.09	14.13	46.3	162	l23c			
g25b	52.21	-35.66	-6.03	36.17	190	l55c			
g50b	53.9	-29.04	-21.87	36.36	217	l87c			
g75b	49.44	-15.51	-32.31	35.84	244	c20v			
b00r	41.36	1.15	-37.95	37.97	272	c53v			
b25r	28.74	27.19	-46.77	54.1	300	c87v			
b50r	33.74	61.97	-37.81	72.59	329	v68m			
b75r	40.08	64.26	-3.32	64.35	357	m33o			

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b25r$ $u^*_d = c87v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	39.18	56.94	27.13	63.07	25	m81o			
r25j	42.41	49.1	44.5	66.26	42	o10y			
r50j	52.78	35.22	58.37	68.17	59	o40y			
r75j	64.82	19.12	74.47	76.89	76	o69y			
j00g	82.06	-3.94	97.52	97.6	92	o98y			
j25g	67.26	-26.87	74.67	79.36	110	y34l			
j50g	55.83	-43.45	57.11	71.76	127	y69l			
j75g	47.5	-54.18	38.3	66.35	145	l03c			
g00b	50.07	-44.09	14.13	46.3	162	l23c			
g25b	52.21	-35.66	-6.03	36.17	190	l55c			
g50b	53.9	-29.04	-21.87	36.36	217	l87c			
g75b	49.44	-15.51	-32.31	35.84	244	c20v			
b00r	41.36	1.15	-37.95	37.97	272	c53v			
b25r	28.74	27.19	-46.77	54.1	300	c87v			
b50r	33.74	61.97	-37.81	72.59	329	v68m			
b75r	40.08	64.26	-3.32	64.35	357	m33o			

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	u^*_e	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o			
r25j	42.41	49.1	44.5	66.26	42	o10y			
r50j	52.78	35.22	58.37	68.17	59	o40y			
r75j	64.82	19.12	74.47	76.89	76	o69y			
j00g	82.06	-3.94	97.52	97.6	92	o98y			
j25g	67.26	-26.87	74.67	79.36	110	y34l			
j50g	55.83	-43.45	57.11	71.76	127	y69l			
j75g	47.5	-54.18	38.3	66.35	145	l03c			
g00b	50.07	-44.09	14.13	46.3	162	l23c			
g25b	52.21	-35.66	-6.03	36.17	190	l55c			
g50b	53.9	-29.04	-21.87	36.36	217	l87c			
g75b	49.44	-15.51	-32.31	35.84	244	c20v			
b00r	41.36	1.15	-37.95	37.97	272	c53v			
b25r	28.74	27.19	-46.77	54.1	300	c87v			
b50r	33.74	61.97	-37.81	72.59	329	v68m			
b75r	40.08	64.26	-3.32	64.35	357	m33o			



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m33o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; CIELAB data

Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m81o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$LAB^*cmy^n^*$

$i^*=1.00$

$i^*=0.80$

brilliantness i^*

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o10y$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 49 44

$LAB^*LCH^*_{Ma}$: 42 66 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.1 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o40y$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o69y$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 19 74

$LAB^*LCH^*_{Ma}$: 65 77 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

LAB^*cmyn^*

$i^*=1.00$

$i^*=0.80$

brilliantness i^*

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$


$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -27 75

$LAB^*LCH^*_{Ma}$: 67 79 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = j75g$
 LAB^*cmyn^*

LAB^*cmyn^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g00b$ $u^*_d = l23c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$


$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l55c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

$u^*_e = g25b$
 LAB^*cmyn^*

FRS09_92aM; adapted (a) CIELAB data								
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d		
r00j	39.18	56.94	27.13	63.07	25	m81o		
r25j	42.41	49.1	44.5	66.26	42	o10y		
r50j	52.78	35.22	58.37	68.17	59	o40y		
r75j	64.82	19.12	74.47	76.89	76	o69y		
j00g	82.06	-3.94	97.52	97.6	92	o98y		
j25g	67.26	-26.87	74.67	79.36	110	y34l		
j50g	55.83	-43.45	57.11	71.76	127	y69l		
j75g	47.5	-54.18	38.3	66.35	145	l03c		
g00b	50.07	-44.09	14.13	46.3	162	l23c		
g25b	52.21	-35.66	-6.03	36.17	190	l55c		
g50b	53.9	-29.04	-21.87	36.36	217	l87c		
g75b	49.44	-15.51	-32.31	35.84	244	c20v		
b00r	41.36	1.15	-37.95	37.97	272	c53v		
b25r	28.74	27.19	-46.77	54.1	300	c87v		
b50r	33.74	61.97	-37.81	72.59	329	v68m		
b75r	40.08	64.26	-3.32	64.35	357	m33o		



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l87c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data

u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$


$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


$u^*_e = g75b$
 LAB^*cmyn^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b00r$ $u^*_d = c53v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$


$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b25r$ $u^*_d = c87v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


$u^*_e = b25r$
 LAB^*cmyn^*

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92aM; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m33o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92aM; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92aM; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$LAB^*cmy^n^*$

$i^* = 1.00$

brilliantness i^*



$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$



[illegible]