

Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	92
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m81o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 49 44

$LAB^*LCH^*_{Ma}$: 42 66 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.1 0.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = r50j$ $u_d^* = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = r75j$ $u^*_d = o69y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 19 74

$LAB^*LCH^*_{Ma}$: 65 77 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*
Hue texts:
 $u^*_e = j00g$ $u^*_d = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98
 $LAB^*LCH^*_{Ma}$: 82 98 92
 $lab^*rgb^*_{Ma}$: 1.0 1.0 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.99 0.0
triangle lightness t^*

%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -27 75

$LAB^*LCH^*_{Ma}$: 67 79 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l55c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:

lab^*tch^* and lab^*icu^*
Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*





FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22
 $LAB^*LCH^*_{Ma}$: 54 36 216
 $lab^*rgb^*_{Ma}$: 0.0 1.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.88
triangle lightness t^*


%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b00r$ $u^*_d = c53v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m33o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



See for similar files: <http://www.ps.bam.de/Ee37/>; www.ps.bam.de/Ee37/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=0




Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:

u^*_e and number *no.* = 00 .. 15
elementary hue text:
 $u^*_e = 16$ hues *r00j*, *r25j*, ..., *b75r*
contrast reduction factor:
 $c_R = 0.9$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
<i>r00j</i>	39.18	56.94	27.13	63.07	25	<i>m81o</i>
<i>r25j</i>	42.41	49.1	44.5	66.26	42	<i>o10y</i>
<i>r50j</i>	52.78	35.22	58.37	68.17	59	<i>o40y</i>
<i>r75j</i>	64.82	19.12	74.47	76.89	76	<i>o69y</i>
<i>j00g</i>	82.06	-3.94	97.52	97.6	92	<i>o98y</i>
<i>j25g</i>	67.26	-26.87	74.67	79.36	110	<i>y34l</i>
<i>j50g</i>	55.83	-43.45	57.11	71.76	127	<i>y69l</i>
<i>j75g</i>	47.5	-54.18	38.3	66.35	145	<i>l03c</i>
<i>g00b</i>	50.07	-44.09	14.13	46.3	162	<i>l23c</i>
<i>g25b</i>	52.21	-35.66	-6.03	36.17	190	<i>l55c</i>
<i>g50b</i>	53.9	-29.04	-21.87	36.36	217	<i>l87c</i>
<i>g75b</i>	49.44	-15.51	-32.31	35.84	244	<i>c20v</i>
<i>b00r</i>	41.36	1.15	-37.95	37.97	272	<i>c53v</i>
<i>b25r</i>	28.74	27.19	-46.77	54.1	300	<i>c87v</i>
<i>b50r</i>	33.74	61.97	-37.81	72.59	329	<i>v68m</i>
<i>b75r</i>	40.08	64.26	-3.32	64.35	357	<i>m33o</i>



%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r00j$ $u^*_d = m81o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*




FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 49 44
 $LAB^*LCH^*_{Ma}$: 42 66 42
 $lab^*rgb^*_{Ma}$: 1.0 0.25 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.1 0.0
triangle lightness t^*


%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r75j$ $u^*_d = o69y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 19 74

$LAB^*LCH^*_{Ma}$: 65 77 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j25g$ $u^*_d = y34l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -27 75

$LAB^*LCH^*_{Ma}$: 67 79 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j50g$ $u^*_d = y69l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j75g$ $u^*_d = i03c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g00b$ $u^*_d = l23c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l55c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b00r$ $u^*_d = c53v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b25r$ $u_d^* = c87v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

%Gamut



$u_{rel}^* = 88$

%Regularity

$g_{H,rel}^* = 31$


$g_{C,rel}^* = 40$

FRS09_92a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$ u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m33o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$ u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



See for similar files: <http://www.ps.bam.de/Ee37/>; www.ps.bam.de/Ee37/; www.ps.bam.de/Ee37/.PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0

BAM registration: 20081001-Ee37/10L/L37E00NP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems




Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:

u^*_e and number $no.$ = 00 .. 15
elementary hue text:
 $u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 0.9$

FRS09_92a; adapted (a) CIELAB data


u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	92
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r00j$ $u^*_d = m81o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*




FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 49 44
 $LAB^*LCH^*_{Ma}$: 42 66 42
 $lab^*rgb^*_{Ma}$: 1.0 0.25 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.1 0.0
triangle lightness t^*


% Gamut
 $u^*_{rel} = 88$
% Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r75j$ $u^*_d = o69y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 65 19 74

$\text{LAB}^*\text{LCH}^*_{Ma}$: 65 77 75

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.75 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$


$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j25g$ $u^*_d = y34l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -27 75

$LAB^*LCH^*_{Ma}$: 67 79 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g00b$ $u^*_d = l23c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l55c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*




FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22
 $LAB^*LCH^*_{Ma}$: 54 36 216
 $lab^*rgb^*_{Ma}$: 0.0 1.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.88
triangle lightness t^*

%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c20v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 29 27 -47

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 29 54 300

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.12 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 88$

%Regularity


$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = b25r$
 lab^*olv^*



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v68m$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m33o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 40 64 -3

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 40 64 357

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.0 0.66

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 88$


% Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



See for similar files: <http://www.ps.bam.de/Ee37/>; www.ps.bam.de
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0


	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*oly*	
01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
02	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:

u^*_e and number $no.$ = 00 .. 15
elementary hue text:
 $u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 0.9$

FRS09_92a; adapted (a) CIELAB data


u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	92
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m81o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 49 44

$LAB^*LCH^*_{Ma}$: 42 66 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.1 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity


$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r75j$ $u^*_d = o69y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 65 19 74

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 65 77 75

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.75 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.7 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 88$

% Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 67 -27 75

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 67 79 109

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.66 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 88$

% Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g00b$ $u^*_d = l23c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l55c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l87c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 29 27 -47

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 29 54 300

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.12 1.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 88$

% Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v68m$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m33o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



See for similar files: <http://www.ps.bam.de/Ee37/>; www.ps.bam.de/Ee.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0

BAM registration: 20081001-Ee3//10L/L3/ED0NP.PS/.PDF BAM material: code=rh4ta4
- application for evaluation and measurement of printer or monitor systems

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*rgb*						
01	0.0	0.04	0.07	0.11	0.14	0.18	0.21	0.25	0.28	0.13	0.12	0.16	0.2	0.23	0.27	0.3	0.34	0.37	0.25	0.25	0.28	0.32	0.36	0.39	0.43	0.46	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0				
	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.02	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.04	0.15	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	0.9	0.79	0.69	0.58	0.48	0.37	0.27	0.16	0.0	0.0	0.0	0.0				
	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
02	0.09	0.0	0.0	0.0	0.0	0.03	0.06	0.1	0.13	0.13	0.13	0.16	0.2	0.23	0.27	0.3	0.34	0.37	0.25	0.25	0.28	0.32	0.36	0.39	0.43	0.46	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	
	0.0	0.1	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.15	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.98	0.88	0.77	0.67	0.56	0.46	0.35	0.25	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13	
	0.13	0.13	0.1	0.06	0.01	0.0	0.0	0.0	0.0	0.11	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.08	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	
03	0.17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.23	0.21	0.13	0.13	0.13	0.13	0.15	0.19	0.22	0.25	0.25	0.25	0.29	0.32	0.36	0.39	0.43	0.46	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75
	0.0	0.01	0.2	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.23	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.95	0.85	0.75	0.65	0.54	0.44	0.33	0.23	0.12	0.25	0.25	0.25	0.25	0.25	0.25	0.25	
	0.25	0.25	0.25	0.25	0.21	0.16	0.12	0.07	0.03	0.25	0.25	0.25	0.23	0.18	0.14	0.13	0.13	0.13	0.21	0.23	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
04	0.26	0.07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.31	0.3	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.27	0.35	0.34	0.25	0.25	0.25	0.28	0.31	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63
	0.0	0.0	0.11	0.3	0.5	0.63	0.75	0.88	1.0																																			

Input and output:

Colorimetric Printer Reflective System FRS09_92a
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	92
J_{CIE}	81.26	-2.89	71.56	71.62	95
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r00j$ $u^*_d = m81o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = r00j$
 $LAB^*LAB^*_a$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*




FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 49 44
 $LAB^*LCH^*_{Ma}$: 42 66 42
 $lab^*rgb^*_{Ma}$: 1.0 0.25 0.0
 $lab^*olv^*_{Ma}$: 1.0 0.1 0.0
triangle lightness t^*


%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = r50j$
 $LAB^*LAB^*_a$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r75j$ $u^*_d = o69y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 65 19 74

$\text{LAB}^*\text{LCH}^*_{Ma}$: 65 77 75

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.75 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = r75j$
 $\text{LAB}^*\text{LAB}^*_{Ma}$

$\text{LAB}^*\text{LAB}^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$


$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 82 -4 98

$LAB^*LCH^*_Ma$: 82 98 92

$lab^*rgb^*_Ma$: 1.0 1.0 0.0

$lab^*olv^*_Ma$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 67 -27 75

$LAB^*LCH^*_Ma$: 67 79 109

$lab^*rgb^*_Ma$: 0.75 1.0 0.0

$lab^*olv^*_Ma$: 0.66 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$u^*_e = j25g$
 $LAB^*LAB^*_a$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j50g$ $u^*_d = y69l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$u^*_e = j50g$
 $LAB^*LAB^*_a$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = j75g$
 $LAB^*LAB^*_a$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o




Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$ data for any colour: **Data for maximum colour (Ma):**

*lab*tch** and *lab*icu**

Hue texts:

$$u^*_p = q25b \quad u^*_d = l55c$$

contrast reduction factor:

 $c_D = 0.9$ triangle lightness t^* 

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB*LAB* M_{c} : 52 -36 -6

LAD	LAD	Ma.	52	50	0
LAD*LCII*			52	36	100

LAB*LCH*Ma: 52 36 1

*lab*rgb*_{Ma}: 0.0 1.0 0.5

*lab*olv**Ma: 0.0 1.0 0.55

triangle lightness t^*

triangle rightness t


%Gamut

$$\mathbf{u}_{r\rho}^* = 88$$

%Regularity

$$g_{\text{H,rel}}^* = 31$$
$$g^*_{C,rel} = 40$$

FRS09_92a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*	
<i>r00j</i>	39.18	56.94	27.13	63.07	25	<i>m81a</i>	
<i>r25j</i>	42.41	49.1	44.5	66.26	42	<i>o10y</i>	
<i>r50j</i>	52.78	35.22	58.37	68.17	59	<i>o40y</i>	
<i>r75j</i>	64.82	19.12	74.47	76.89	76	<i>o69y</i>	
<i>j00g</i>	82.06	-3.94	97.52	97.6	92	<i>o98y</i>	
<i>j25g</i>	67.26	-26.87	74.67	79.36	110	<i>y34l</i>	
<i>j50g</i>	55.83	-43.45	57.11	71.76	127	<i>y69l</i>	
<i>j75g</i>	47.5	-54.18	38.3	66.35	145	<i>l03c</i>	
<i>g00b</i>	50.07	-44.09	14.13	46.3	162	<i>l23c</i>	
<i>g25b</i>	52.21	-35.66	-6.03	36.17	190	<i>l55c</i>	
<i>g50b</i>	53.9	-29.04	-21.87	36.36	217	<i>l87c</i>	
<i>g75b</i>	49.44	-15.51	-32.31	35.84	244	<i>c20v</i>	
<i>b00r</i>	41.36	1.15	-37.95	37.97	272	<i>c53v</i>	
<i>b25r</i>	28.74	27.19	-46.77	54.1	300	<i>c87v</i>	
<i>b50r</i>	33.74	61.97	-37.81	72.59	329	<i>v68m</i>	
<i>b75r</i>	40.08	64.26	-3.32	64.35	357	<i>m33o</i>	




BAM-test chart Ee37; Colorimetric systems, Page 83/198
D65: colour scales and 9 data tables for 16 hues $r00j$ to $b75r$

```
input: 000n / w / nnn0 / www set...
output: ->cmY0* setcmykcolor
```

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*




FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22
 $LAB^*LCH^*_{Ma}$: 54 36 216
 $lab^*rgb^*_{Ma}$: 0.0 1.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.88
triangle lightness t^*


%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
<i>r00j</i>	39.18	56.94		27.13	63.07	25	<i>m81o</i>
<i>r25j</i>	42.41	49.1		44.5	66.26	42	<i>o10y</i>
<i>r50j</i>	52.78	35.22		58.37	68.17	59	<i>o40y</i>
<i>r75j</i>	64.82	19.12		74.47	76.89	76	<i>o69y</i>
<i>j00g</i>	82.06	-3.94		97.52	97.6	92	<i>o98y</i>
<i>j25g</i>	67.26	-26.87		74.67	79.36	110	<i>y34l</i>
<i>j50g</i>	55.83	-43.45		57.11	71.76	127	<i>y69l</i>
<i>j75g</i>	47.5	-54.18		38.3	66.35	145	<i>l03c</i>
<i>g00b</i>	50.07	-44.09		14.13	46.3	162	<i>l23c</i>
<i>g25b</i>	52.21	-35.66		-6.03	36.17	190	<i>l55c</i>
<i>g50b</i>	53.9	-29.04		-21.87	36.36	217	<i>l87c</i>
<i>g75b</i>	49.44	-15.51		-32.31	35.84	244	<i>c20v</i>
<i>b00r</i>	41.36	1.15		-37.95	37.97	272	<i>c53v</i>
<i>b25r</i>	28.74	27.19		-46.77	54.1	300	<i>c87v</i>
<i>b50r</i>	33.74	61.97		-37.81	72.59	329	<i>v68m</i>
<i>b75r</i>	40.08	64.26		-3.32	64.35	357	<i>m33o</i>



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$u^*_e = b00r$
 $LAB^*LAB^*_{Ma}$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b25r$ $u^*_d = c87v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 29 27 -47

$\text{LAB}^*\text{LCH}^*_{Ma}$: 29 54 300

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = b25r$
 $\text{LAB}^*\text{LAB}^*_{Ma}$

$\text{LAB}^*\text{LAB}^*_{Ma}$

$i^* = 1.00$

$i^* = 0.80$


$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.913$ data for any colour: Data for maximum colour (Ma):

*lab*tch** and *lab*icu**


Hue texts:

$$u^*_e = b50r \quad u^*_d = v68m$$

contrast reduction factor:

 $c_D = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
Q_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228.8	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
R_{Ma}	39.92	58.74	27.99	65.07	25	
J_{Ma}	81.26	-2.89	71.56	71.62	92	
G_{Ma}	52.23	-42.42	13.6	44.55	162	
B_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB*LAB*_M: 34 62 -38

LAB*LCIII* 24 72 220

LAB*LCH*Ma: 34 73 3.

***lab*rgb*_{Ma}: 1.0 0.0 1.0**

lab*olv*_Ma: 0.68 0.0 1.0

triangle lightness t^*

triangle heightness t


%Gamut

$$\mathbf{u}_{\text{rel}}^* = 88$$

%Regularity

$$g^*_{H_{vol}} = 31$$
 $\sigma^*_{C_{rel}} = 40$

FRS09_92a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*	
<i>r00j</i>	39.18	56.94	27.13	63.07	25	<i>m81a</i>	
<i>r25j</i>	42.41	49.1	44.5	66.26	42	<i>o10y</i>	
<i>r50j</i>	52.78	35.22	58.37	68.17	59	<i>o40y</i>	
<i>r75j</i>	64.82	19.12	74.47	76.89	76	<i>o69y</i>	
<i>j00g</i>	82.06	-3.94	97.52	97.6	92	<i>o98y</i>	
<i>j25g</i>	67.26	-26.87	74.67	79.36	110	<i>y34l</i>	
<i>j50g</i>	55.83	-43.45	57.11	71.76	127	<i>y69l</i>	
<i>j75g</i>	47.5	-54.18	38.3	66.35	145	<i>l03c</i>	
<i>g00b</i>	50.07	-44.09	14.13	46.3	162	<i>l23c</i>	
<i>g25b</i>	52.21	-35.66	-6.03	36.17	190	<i>l55c</i>	
<i>g50b</i>	53.9	-29.04	-21.87	36.36	217	<i>l87c</i>	
<i>g75b</i>	49.44	-15.51	-32.31	35.84	244	<i>c20v</i>	
<i>b00r</i>	41.36	1.15	-37.95	37.97	272	<i>c53v</i>	
<i>b25r</i>	28.74	27.19	-46.77	54.1	300	<i>c87v</i>	
<i>b50r</i>	33.74	61.97	-37.81	72.59	329	<i>v68m</i>	
<i>b75r</i>	40.08	64.26	-3.32	64.35	357	<i>m33o</i>	



BAM-test chart Ee37; Colorimetric systems, Page 88/198
D65: colour scales and 9 data tables for 16 hues $r00j$ to $b75r$

```
input: 000n / w / nnn0 / www set...
output: -> cmy0* setcmykcolor
```

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m33o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity


$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = b75r$
 $LAB^*LAB^*_a$



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*a
01	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
02	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
03	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
04	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
05	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
06	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
07	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
08	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
09	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
10	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
11	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
12	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
13	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
14	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
15	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
16	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
17	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
18	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
19	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
20	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
21	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
22	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
23	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
24	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
25	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
26	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0
27	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0

Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m81o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 42 49 44
 $\text{LAB}^*\text{LCH}^*_{Ma}$: 42 66 42
 $\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.25 0.0
 $\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.1 0.0
triangle lightness t^*


%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = r25j$
 $\text{LAB}^*\text{LCH}^*_{Ma}$

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 53 35 58

$\text{LAB}^*\text{LCH}^*_{Ma}$: 53 68 58

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.5 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r75j$ $u^*_d = o69y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 65 19 74

$\text{LAB}^*\text{LCH}^*_{Ma}$: 65 77 75

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.75 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = r75j$
 $\text{LAB}^*\text{LCH}^*_{Ma}$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o98y$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j25g$ $u^*_d = y34l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -27 75

$LAB^*LCH^*_{Ma}$: 67 79 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = j25g$
 $LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

Black separation empty

brilliantness i^*

relative chroma c^*

$i^* = 0.00$

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = j50g$
 $LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 48 -54 38

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 48 66 144

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.03

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 88$


%Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$


FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$u^*_e = j75g$
 $\text{LAB}^*\text{LCH}^*_{\text{Ma}}$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g00b$ $u^*_d = l23c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l55c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = g50b$
 $LAB^*LCH^*_{Ma}$

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = g75b$
 $LAB^*LCH^*_{Ma}$

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = b00r$
 $LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 34 62 -38

$\text{LAB}^*\text{LCH}^*_{Ma}$: 34 73 328

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$u^*_e = b50r$
 $\text{LAB}^*\text{LCH}^*_{Ma}$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m33o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output:

Colorimetric Printer Reflective System FRS09_92a
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	92
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r00j$ $u^*_d = m81o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 42 49 44

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 42 66 42

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.1 0.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 88$

% Regularity

$g^*_{H,\text{rel}} = 31$


$g^*_{C,\text{rel}} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o69y$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 19 74

$LAB^*LCH^*_{Ma}$: 65 77 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 82 -4 98

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 82 98 92

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.99 0.0

triangle lightness t^*

% Gamut



$u^*_{\text{rel}} = 88$

% Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
<i>r00j</i>	39.18	56.94	27.13	63.07	25	<i>m81o</i>	
<i>r25j</i>	42.41	49.1	44.5	66.26	42	<i>o10y</i>	
<i>r50j</i>	52.78	35.22	58.37	68.17	59	<i>o40y</i>	
<i>r75j</i>	64.82	19.12	74.47	76.89	76	<i>o69y</i>	
<i>j00g</i>	82.06	-3.94	97.52	97.6	92	<i>o98y</i>	
<i>j25g</i>	67.26	-26.87	74.67	79.36	110	<i>y34l</i>	
<i>j50g</i>	55.83	-43.45	57.11	71.76	127	<i>y69l</i>	
<i>j75g</i>	47.5	-54.18	38.3	66.35	145	<i>i03c</i>	
<i>g00b</i>	50.07	-44.09	14.13	46.3	162	<i>i23c</i>	
<i>g25b</i>	52.21	-35.66	-6.03	36.17	190	<i>i55c</i>	
<i>g50b</i>	53.9	-29.04	-21.87	36.36	217	<i>i87c</i>	
<i>g75b</i>	49.44	-15.51	-32.31	35.84	244	<i>c20v</i>	
<i>b00r</i>	41.36	1.15	-37.95	37.97	272	<i>c53v</i>	
<i>b25r</i>	28.74	27.19	-46.77	54.1	300	<i>c87v</i>	
<i>b50r</i>	33.74	61.97	-37.81	72.59	329	<i>v68m</i>	
<i>b75r</i>	40.08	64.26	-3.32	64.35	357	<i>m33o</i>	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -27 75

$LAB^*LCH^*_{Ma}$: 67 79 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.354$ data for any colour: Data for maximum colour (Ma):

*lab*tch** and *lab*icu**


Hue texts:

$$u^*_e = j50q \quad u^*_d = y69l$$

contrast reduction factor:

 $c_p = 0.9$ triangle lightness t^*

triangle rightness &



FRS09_92a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB*LAB* M_{max} : 56 -43 57

LAB*LGII*	56	72	125
-----------	----	----	-----

LAB*LCH*Ma: 56 72 1

*lab*rgb*_Ma: 0.5 1.0 0.0*

*lab*olv**Ma: 0.3 1.0 0.0

triangle lightness t^*

triangle lightness t

%Gamut

$$\mathbf{u}_{\text{rel}}^* = 88$$

%Regularity

$$g_{\text{H,rel}}^* = 31$$
$$g^*_{C,rel} = 40$$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
<i>r00j</i>	39.18	56.94	27.13	63.07	25	<i>m81o</i>	
<i>r25j</i>	42.41	49.1	44.5	66.26	42	<i>o10y</i>	
<i>r50j</i>	52.78	35.22	58.37	68.17	59	<i>o40y</i>	
<i>r75j</i>	64.82	19.12	74.47	76.89	76	<i>o69y</i>	
<i>j00g</i>	82.06	-3.94	97.52	97.6	92	<i>o98y</i>	
<i>j25g</i>	67.26	-26.87	74.67	79.36	110	<i>y34l</i>	
<i>j50g</i>	55.83	-43.45	57.11	71.76	127	<i>y69l</i>	
<i>j75g</i>	47.5	-54.18	38.3	66.35	145	<i>l03c</i>	
<i>g00b</i>	50.07	-44.09	14.13	46.3	162	<i>l23c</i>	
<i>g25b</i>	52.21	-35.66	-6.03	36.17	190	<i>l55c</i>	
<i>g50b</i>	53.9	-29.04	-21.87	36.36	217	<i>l87c</i>	
<i>g75b</i>	49.44	-15.51	-32.31	35.84	244	<i>c20v</i>	
<i>b00r</i>	41.36	1.15	-37.95	37.97	272	<i>c53v</i>	
<i>b25r</i>	28.74	27.19	-46.77	54.1	300	<i>c87v</i>	
<i>b50r</i>	33.74	61.97	-37.81	72.59	329	<i>v68m</i>	
<i>b75r</i>	40.08	64.26	-3.32	64.35	357	<i>m33o</i>	

*lab*tch**

$$i^*=1,00$$
brilliantness i^*

BAM-test chart Ee37; Colorimetric systems, Page 116/198
D65: colour scales and 9 data tables for 16 hues $r00j$ to $b75r$

```
input: 000n / w / nnn0 / www set...
output: ->cmy0* setcmykcolor
```

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = j75g$
 lab^*tch^*



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l23c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l55c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$u^*_e = g75b$
 lab^*tch^*



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b00r$ $u^*_d = c53v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$u^*_e = b00r$
 lab^*tch^*



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$u^*_e = b50r$
 lab^*tch^*



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m33o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 40 64 -3

$\text{LAB}^*\text{LCH}^*_{Ma}$: 40 64 357

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



See for similar files: <http://www.ps.bam.de/Ee37/>; www.ps.bam.de
Technical information: <http://www.ps.bam.de> Version 2.1, io=1, ColSpX=0

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab* <i>tch*</i>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
01	0.0	0.06	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.56	0.63	0.69	0.75	0.81	0.88	0.94	1.0	1.06	1.13	1.19	1.25	1.31	1.38	1.44	1.5	1.56	1.63	1.69	1.75	1.81	1.88	1.94	2.0	2.06	2.13	2.19	2.25	2.31	2.38	2.44	2.5	2.56	2.63	2.69	2.75	2.81	2.88	2.94	3.0	3.06	3.13	3.19	3.25	3.31	3.38	3.44	3.5	3.56	3.63	3.69	3.75	3.81	3.88	3.94	4.0	4.06	4.13	4.19	4.25	4.31	4.38	4.44	4.5	4.56	4.63	4.69	4.75	4.81	4.88	4.94	5.0	5.06	5.13	5.19	5.25	5.31	5.38	5.44	5.5	5.56	5.63	5.69	5.75	5.81	5.88	5.94	6.0	6.06	6.13	6.19	6.25	6.31	6.38	6.44	6.5	6.56	6.63	6.69	6.75	6.81	6.88	6.94	7.0	7.06	7.13	7.19	7.25	7.31	7.38	7.44	7.5	7.56	7.63	7.69	7.75	7.81	7.88	7.94	8.0	8.06	8.13	8.19	8.25	8.31	8.38	8.44	8.5	8.56	8.63	8.69	8.75	8.81	8.88	8.94	9.0	9.06	9.13	9.19	9.25	9.31	9.38	9.44	9.5	9.56	9.63	9.69	9.75	9.81	9.88	9.94	10.0	10.06	10.13	10.19	10.25	10.31	10.38	10.44	10.5	10.56	10.63	10.69	10.75	10.81	10.88	10.94	11.0	11.06	11.13	11.19	11.25	11.31	11.38	11.44	11.5	11.56	11.63	11.69	11.75	11.81	11.88	11.94	12.0	12.06	12.13	12.19	12.25	12.31	12.38	12.44	12.5	12.56	12.63	12.69	12.75	12.81	12.88	12.94	13.0	13.06	13.13	13.19	13.25	13.31	13.38	13.44	13.5	13.56	13.63	13.69	13.75	13.81	13.88	13.94	14.0	14.06	14.13	14.19	14.25	14.31	14.38	14.44	14.5	14.56	14.63	14.69	14.75	14.81	14.88	14.94	15.0	15.06	15.13	15.19	15.25	15.31	15.38	15.44	15.5	15.56	15.63	15.69	15.75	15.81	15.88	15.94	16.0	16.06	16.13	16.19	16.25	16.31	16.38	16.44	16.5	16.56	16.63	16.69	16.75	16.81	16.88	16.94	17.0	17.06	17.13	17.19	17.25	17.31	17.38	17.44	17.5	17.56	17.63	17.69	17.75	17.81	17.88	17.94	18.0	18.06	18.13	18.19	18.25	18.31	18.38	18.44	18.5	18.56	18.63	18.69	18.75	18.81	18.88	18.94	19.0	19.06	19.13	19.19	19.25	19.31	19.38	19.44	19.5	19.56	19.63	19.69	19.75	19.81	19.88	19.94	20.0	20.06	20.13	20.19	20.25	20.31	20.38	20.44	20.5	20.56	20.63	20.69	20.75	20.81	20.88	20.94	21.0	21.06	21.13	21.19	21.25	21.31	21.38	21.44	21.5	21.56	21.63	21.69	21.75	21.81	21.88	21.94	22.0	22.06	22.13	22.19	22.25	22.31	22.38	22.44	22.5	22.56	22.63	22.69	22.75	22.81	22.88	22.94	23.0	23.06	23.13	23.19	23.25	23.31	23.38	23.44	23.5	23.56	23.63	23.69	23.75	23.81	23.88	23.94	24.0	24.06	24.13	24.19	24.25	24.31	24.38	24.44	24.5	24.56	24.63	24.69	24.75	24.81	24.88	24.94	25.0	25.06	25.13	25.19	25.25	25.31	25.38	25.44	25.5	25.56	25.63	25.69	25.75	25.81	25.88	25.94	26.0	26.06	26.13	26.19	26.25	26.31	26.38	26.44	26.5	26.56	26.63	26.69	26.75	26.81	26.88	26.94	27.0	27.06	27.13	27.19	27.25	27.31	27.38	27.44	27.5	27.56	27.63	27.69	27.75	27.81	27.88	27.94	28.0	28.06	28.13	28.19	28.25	28.31	28.38	28.44	28.5	28.56	28.63	28.69	28.75	28.81	28.88	28.94	29.0	29.06	29.13	29.19	29.25	29.31	29.38	29.44	29.5	29.56	29.63	29.69	29.75	29.81	29.88	29.94	30.0	30.06	30.13	30.19	30.25	30.31	30.38	30.44	30.5	30.56	30.63	30.69	30.75	30.81	30.88	30.94	31.0	31.06	31.13	31.19	31.25	31.31	31.38	31.44	31.5	31.56	31.63	31.69	31.75	31.81	31.88	31.94	32.0	32.06	32.13	32.19	32.25	32.31	32.38	32.44	32.5	32.56	32.63	32.69	32.75	32.81	32.88	32.94	33.0	33.06	33.13	33.19	33.25	33.31	33.38	33.44	33.5	33.56	33.63	33.69	33.75	33.81	33.88	33.94	34.0	34.06	34.13	34.19	34.25	34.31	34.38	34.44	34.5	34.56	34.63	34.69	34.75	34.81	34.88	34.94	35.0	35.06	35.13	35.19	35.25	35.31	35.38	35.44	35.5	35.56	35.63	35.69	35.75	35.81	35.88	35.94	36.0	36.06	36.13	36.19	36.25	36.31	36.38	36.44	36.5	36.56	36.63	36.69	36.75	36.81	36.88	36.94	37.0	37.06	37.13	37.19	37.25	37.31	37.38	37.44	37.5	37.56	37.63	37.69	37.75	37.81	37.88	37.94	38.0	38.06	38.13	38.19	38.25	38.31	38.38	38.44	38.5	38.56	38.63	38.69	38.75	38.81	38.88	38.94	39.0	39.06	39.13	39.19	39.25	39.31	39.38	39.44	39.5	39.56	39.63	39.69	39.75	39.81	39.88	39.94	40.0	40.06	40.13	40.19	40.25	40.31	40.38	40.44	40.5	40.56	40.63	40.69	40.75	40.81	40.88	40.94	41.0	41.06	41.13	41.19	41.25	41.31	41.38	41.44	41.5	41.56	41.63	41.69	41.75	41.81	41.88	41.94	42.0	42.06	42.13	42.19	42.25	42.31	42.38	42.44	42.5	42.56	42.63	42.69	42.75	42.81	42.88	42.94	43.0	43.06	43.13	43.19	43.25	43.31	43.38	43.44	43.5	43.56	43.63	43.69	43.75	43.81	43.88	43.94	44.0	44.06	44.13	44.19	44.25	44.31	44.38	44.44	44.5	44.56	44.63	44.69	44.75	44.81	44.88	44.94	45.0	45.06	45.13	45.19	45.25	45.31	45.38	45.44	45.5	45.56	45.63	45.69	45.75	45.81	45.88	45.94	46.0	46.06	46.13	46.19	46.25	46.31	46.38	46.44	46.5	46.56	46.63	46.69	46.75	46.81	46.88	46.94	47.0	47.06	47.13	47.19	47.25	47.31	47.38	47.44	47.5	47.56	47.63	47.69	47.75	47.81	47.88	47.94	48.0	48.06	48.13	48.19	48.25	48.31	48.38	48.44	48.5	48.56	48.63	48.69	48.75	48.81	48.88	48.94	49.0	49.06	49.13	49.19	49.25	49.31	49.38	49.44	49.5	49.56	49.63	49.69	49.75	49.81	49.88	49.94	50.0	50.06	50.13	50.19	50.25	50.31	50.38	50.44	50.5	50.56	50.63	50.69	50.75	50.81	50.88	50.94	51.0	51.06	51.13	51.19	51.25	51.31	51.38	51.44	51.5	51.56	51.63	51.69	51.75	51.81	51.88	51.94	52.0	52.06	52.13	52.19	52.25	52.31	52.38	52.44	52.5	52.56	52.63	52.69	52.75	52.81	52.88	52.94	53.0	53.06	53.13	53.19	53.25	53.31	53.38	53.44	53.5	53.56	53.63	53.69	53.75	53.81	53.88	53.94	54.0	54.06	54.13	54.19	54.25	54.31	54.38	54.44	54.5	54.56	54.63	54.69	54.75	54.81	54.88	54.94	55.0	55.06	55.13	55.19	55.25	55.31	55.38	55.44	55.5	55.56	55.63	55.69	55.75	55.81	55.88	55.94	56.0	56.06	56.13	56.19	56.25	56.31	56.38	56.44	56.5	56.56	56.63	56.69	56.75	56.81	56.88	56.94	57.0	57.06	57.13	57.19	57.25	57.31	57.38	57.44	57.5	57.56	57.63	57.69	57.75	57.81	57.88	57.94	58.0	58.06	58.13	58.19	58.25	58.31	58.38	58.44	58.5	58.56	58.63	58.69	58.75	58.81	58.88	58.94	59.0	59.06	59.13	59.19	59.25	59.31	59.38	59.44	59.5	59.56	59.63	59.69	59.75	59.81	59.88	59.94	60.0	60.06	60.13	60.19	60.25	60.31	60.38	60.44	60.5	60.56	60.63	60.69	60.75	60.81	60.88	60.94	61.0	61.06	61.13	61.19	61.25	61.31	61.38	61.44	61.5	61.56	61.63	61.69	61.75	61.81	61.88	61.94	62.0	62.06	62.13	62.19	62.25	62.31	62.38	62.44	62.5	62.56	62.63	62.69	62.75	62.81	62.88	62.94	63.0	63.06	63.13	63.19	63.25	63.31	63.38	63.44	63.5	63.56	63.63	63.69	63.75	63.81	63.88	63.94	64.0	64.06	64.13	64.19	64.25	64.31	64.38	64.44	64.5	64.56	64.63	64.69	64.75	64.81	64.88	64.94	65.0	65.06	65.13	65.19	65.25	65.31	65.38	65.44	65.5	65.56	65.63	65.69	65.75	65.81	65.88	65.94	66.0	66.06	66.13	66.19	66.25	66.31	66.38	66.44	66.5	66.56	66.63	66.69	66.75	66.81	66.88	66.94	67.0	67.06	67.13	67.19	67.25	67.31	67.38	67.44	67.5	67.56	67.63	67.69	67.75	67.81	67.88	67.94	68.0	68.06	68.13	68.19	68.25	68.31	68.38	68.44	68.5	68.56	68.63	68.69	68.75	68.81	68.88	68.94	69.0	69.06	69.13	69.19	69.25	69.31	69.38	69.44	69.5	69.56	69.63	69.69	69.75	69.81	69.88	69.94	70.0	70.06	70.13	70.19	70.25	70.31	70.38	70.44	70.5	70.56	70.63	70.69	70.75	70.81	70.88	70.94	71.0	71.06	71.13	71.19	71.25	71.31	71.38	71.44	71.5	71.56	71.63	71.69	71.75	71.81	71.88	71.94	72.0	72.06	72.13	72.19	72.25	72.31	72.38	72.44	72.5	72.56	72.63	72.69	72.75	72.81	72.88	72.94	73.0	73.06	73.13	73.19	73.25	73.31	73.38	73.44	73.5	73.56	73.63	73.69	73.75	73.81	73.88	73.94	74.0	74.06	74.13	74.19	74.25	74.31	74.38	74.44	74.5	74.56	74.63	74.69	74.75	74.81	74.88	74.94	75.0	75.06	75.13	75.19	75.25	75.31	75.38	75.44	75.5	75.56	75.63	75.69	75.75	75.81	75.88	75.94	76.0	76.06	76.13	76.19	76.25	76.31	76.38

Input and output:

Colorimetric Printer Reflective System FRS09_92a
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	92
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r00j$ $u^*_d = m81o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 49 44

$LAB^*LCH^*_{Ma}$: 42 66 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.1 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity


$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$lab^*icu^*_d$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$


$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r75j$ $u^*_d = o69y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 19 74

$LAB^*LCH^*_{Ma}$: 65 77 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$lab^*icu^*_d$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity


$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j25g$ $u^*_d = y34l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -27 75

$LAB^*LCH^*_{Ma}$: 67 79 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$u^*_e = j25g$
 $lab^*icu^*_d$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j50g$ $u^*_d = y69l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$lab^*icu^*_d$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g00b$ $u^*_d = l23c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l55c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = g25b$
 $lab^*icu^*_d$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = 187c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$u^*_e = g75b$
 $lab^*icu^*_d$

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b00r$ $u^*_d = c53v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$lab^*icu^*_d$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$


$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b25r$ $u^*_d = c87v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$lab^*icu^*_d$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$


$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$u^*_e = b50r$
 $lab^*icu^*_d$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b75r$ $u^*_d = m330$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$lab^*icu^*_d$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

relative chroma c^*

See for similar files: <http://www.ps.bam.de/Ee37/>; www.ps.bam.de
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=0

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*icu*d									
01	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0							
02	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0					
03	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0			
04	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0		
05	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0		
06	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	
07	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	
08	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
09	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
10	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
11	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
12	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
13	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
14	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
15	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
16	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
17	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
18	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
19	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
20	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
21	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
22	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
23	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
24	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
25	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
26	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
27	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0

BAM registration: 20081001-Ee37/10L/L37E00NP.PS/.PDF BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems

Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92; CIELAB data

Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r00j$ $u^*_d = m81o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 39 57 27

LAB^*LCH^*Ma : 39 63 25

lab^*rgb^*Ma : 1.0 0.0 0.0

lab^*olv^*Ma : 1.0 0.0 0.18

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 42 49 44

LAB^*LCH^*Ma : 42 66 42

lab^*rgb^*Ma : 1.0 0.25 0.0

lab^*olv^*Ma : 1.0 0.1 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o40y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 53 35 58

LAB^*LCH^*Ma : 53 68 58

lab^*rgb^*Ma : 1.0 0.5 0.0

lab^*olv^*Ma : 1.0 0.4 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j25g$ $u^*_d = y34l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 67 -27 75

LAB^*LCH^*Ma : 67 79 109

lab^*rgb^*Ma : 0.75 1.0 0.0

lab^*olv^*Ma : 0.66 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 56 -43 57

LAB^*LCH^*Ma : 56 72 127

lab^*rgb^*Ma : 0.5 1.0 0.0

lab^*olv^*Ma : 0.3 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 48 -54 38

LAB^*LCH^*Ma : 48 66 144

lab^*rgb^*Ma : 0.25 1.0 0.0

lab^*olv^*Ma : 0.0 1.0 0.03

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	39.18	56.94	27.13	63.07	25	m81o			
r25j	42.41	49.1	44.5	66.26	42	o10y			
r50j	52.78	35.22	58.37	68.17	59	o40y			
r75j	64.82	19.12	74.47	76.89	76	o69y			
j00g	82.06	-3.94	97.52	97.6	92	o98y			
j25g	67.26	-26.87	74.67	79.36	110	y34l			
j50g	55.83	-43.45	57.11	71.76	127	y69l			
j75g	47.5	-54.18	38.3	66.35	145	i03c			
g00b	50.07	-44.09	14.13	46.3	162	i23c			
g25b	52.21	-35.66	-6.03	36.17	190	i55c			
g50b	53.9	-29.04	-21.87	36.36	217	i87c			
g75b	49.44	-15.51	-32.31	35.84	244	c20v			
b00r	41.36	1.15	-37.95	37.97	272	c53v			
b25r	28.74	27.19	-46.77	54.1	300	c87v			
b50r	33.74	61.97	-37.81	72.59	329	v68m			
b75r	40.08	64.26	-3.32	64.35	357	m33o			



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g00b$ $u^*_d = l23c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 50 -44 14

LAB^*LCH^*Ma : 50 46 162

lab^*rgb^*Ma : 0.0 1.0 0.0

lab^*olv^*Ma : 0.0 1.0 0.23

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.13	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	39.18	56.94	27.13	63.07	25	m81o			
r25j	42.41	49.1	44.5	66.26	42	o10y			
r50j	52.78	35.22	58.37	68.17	59	o40y			
r75j	64.82	19.12	74.47	76.89	76	o69y			
j00g	82.06	-3.94	97.52	97.6	92	o98y			
j25g	67.26	-26.87	74.67	79.36	110	y34l			
j50g	55.83	-43.45	57.11	71.76	127	y69l			
j75g	47.5	-54.18	38.3	66.35	145	l03c			
g00b	50.07	-44.09	14.13	46.3	162	l23c			
g25b	52.21	-35.66	-6.03	36.17	190	l55c			
g50b	53.9	-29.04	-21.87	36.36	217	l87c			
g75b	49.44	-15.51	-32.31	35.84	244	c20v			
b00r	41.36	1.15	-37.95	37.97	272	c53v			
b25r	28.74	27.19	-46.77	54.1	300	c87v			
b50r	33.74	61.97	-37.81	72.59	329	v68m			
b75r	40.08	64.26	-3.32	64.35	357	m33o			



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92; CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 49 -16 -32

$LAB^*LCH^*_Ma$: 49 36 244

$lab^*rgb^*_Ma$: 0.0 0.5 1.0

$lab^*olv^*_Ma$: 0.0 0.8 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b00r$ $u^*_d = c53v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 41 1 -38

LAB^*LCH^*Ma : 41 38 271

lab^*rgb^*Ma : 0.0 0.0 1.0

lab^*olv^*Ma : 0.0 0.47 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b25r$ $u^*_d = c87v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 29 27 -47

LAB^*LCH^*Ma : 29 54 300

lab^*rgb^*Ma : 0.5 0.0 1.0

lab^*olv^*Ma : 0.0 0.12 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$u^*_e = b25r$
 LAB^*LAB^*



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	39.18	56.94	27.13	63.07	25	m81o			
r25j	42.41	49.1	44.5	66.26	42	o10y			
r50j	52.78	35.22	58.37	68.17	59	o40y			
r75j	64.82	19.12	74.47	76.89	76	o69y			
j00g	82.06	-3.94	97.52	97.6	92	o98y			
j25g	67.26	-26.87	74.67	79.36	110	y34l			
j50g	55.83	-43.45	57.11	71.76	127	y69l			
j75g	47.5	-54.18	38.3	66.35	145	l03c			
g00b	50.07	-44.09	14.13	46.3	162	l23c			
g25b	52.21	-35.66	-6.03	36.17	190	l55c			
g50b	53.9	-29.04	-21.87	36.36	217	l87c			
g75b	49.44	-15.51	-32.31	35.84	244	c20v			
b00r	41.36	1.15	-37.95	37.97	272	c53v			
b25r	28.74	27.19	-46.77	54.1	300	c87v			
b50r	33.74	61.97	-37.81	72.59	329	v68m			
b75r	40.08	64.26	-3.32	64.35	357	m33o			



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.992$ data for any colour: Data for maximum colour (Ma):

$u_e^* = b75r$
 LAB^*LAB^*

*lab*tch** and *lab*icu**
Hue texts:
 $u^*_e = b75r$ $u^*_d = m33o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*





FRS09_92; CIELAB data						
u_e^*	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	143	
C _M	54.62	-25.67	-33.25	42.01	233	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.29	278	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	167	
B _M	30.57	1.41	-46.47	46.49	273	

Data for maximum colour (Ma):

LAB*LAB*Ma: 40 64 -3
LAB*LCH*Ma: 40 64 357
lab*rgb*Ma: 1.0 0.0 0.5
lab*olv*Ma: 1.0 0.0 0.66
triangle lightness t^*

%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
<i>r00j</i>	39.18	56.94	27.13	63.07	25	<i>m81o</i>	
<i>r25j</i>	42.41	49.1	44.5	66.26	42	<i>o10y</i>	
<i>r50j</i>	52.78	35.22	58.37	68.17	59	<i>o40y</i>	
<i>r75j</i>	64.82	19.12	74.47	76.89	76	<i>o69y</i>	
<i>j00g</i>	82.06	-3.94	97.52	97.6	92	<i>o98y</i>	
<i>j25g</i>	67.26	-26.87	74.67	79.36	110	<i>y34l</i>	
<i>j50g</i>	55.83	-43.45	57.11	71.76	127	<i>y69l</i>	
<i>j75g</i>	47.5	-54.18	38.3	66.35	145	<i>l03c</i>	
<i>g00b</i>	50.07	-44.09	14.13	46.3	162	<i>l23c</i>	
<i>g25b</i>	52.21	-35.66	-6.03	36.17	190	<i>l55c</i>	
<i>g50b</i>	53.9	-29.04	-21.87	36.36	217	<i>l87c</i>	
<i>g75b</i>	49.44	-15.51	-32.31	35.84	244	<i>c20v</i>	
<i>b00r</i>	41.36	1.15	-37.95	37.97	272	<i>c53v</i>	
<i>b25r</i>	28.74	27.19	-46.77	54.1	300	<i>c87v</i>	
<i>b50r</i>	33.74	61.97	-37.81	72.59	329	<i>v68m</i>	
<i>b75r</i>	40.08	64.26	-3.32	64.35	357	<i>m33o</i>	



BAM-test chart Ee37; Colorimetric systems, Page 161/198
D65: colour scales and 9 data tables for 16 hues $r00j$ to $b75r$

```
input: 000n / w / nnn0 / www set...
output: ->cmY0* setcmykcolor
```

BAM registration: 20081001-Ee37/10L/L37E00NP.PS/.PDF BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee37/>; www.ps.bam.de
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0

BAM registration: 20081001-Ee37/10L/L37E00NP.PS/.PDF BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																														
0.5	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0	167.0	171.0	175.0	179.0	183.0	187.0	191.0	195.0	199.0	203.0	207.0	211.0	215.0	219.0	223.0	227.0	231.0	235.0	239.0	243.0	247.0	251.0	255.0	259.0	263.0	267.0	271.0	275.0	279.0	283.0	287.0	291.0	295.0	299.0	303.0	307.0	311.0	315.0	319.0	323.0	327.0	331.0	335.0	339.0	343.0	347.0	351.0	355.0	359.0	363.0	367.0	371.0	375.0	379.0	383.0	387.0	391.0	395.0	399.0	403.0	407.0	411.0	415.0	419.0	423.0	427.0	431.0	435.0	439.0	443.0	447.0	451.0	455.0	459.0	463.0	467.0	471.0	475.0	479.0	483.0	487.0	491.0	495.0	499.0	503.0	507.0	511.0	515.0	519.0	523.0	527.0	531.0	535.0	539.0	543.0	547.0	551.0	555.0	559.0	563.0	567.0	571.0	575.0	579.0	583.0	587.0	591.0	595.0	599.0	603.0	607.0	611.0	615.0	619.0	623.0	627.0	631.0	635.0	639.0	643.0	647.0	651.0	655.0	659.0	663.0	667.0	671.0	675.0	679.0	683.0	687.0	691.0	695.0	699.0	703.0	707.0	711.0	715.0	719.0	723.0	727.0	731.0	735.0	739.0	743.0	747.0	751.0	755.0	759.0	763.0	767.0	771.0	775.0	779.0	783.0	787.0	791.0	795.0	799.0	803.0	807.0	811.0	815.0	819.0	823.0	827.0	831.0	835.0	839.0	843.0	847.0	851.0	855.0	859.0	863.0	867.0	871.0	875.0	879.0	883.0	887.0	891.0	895.0	899.0	903.0	907.0	911.0	915.0	919.0	923.0	927.0	931.0	935.0	939.0	943.0	947.0	951.0	955.0	959.0	963.0	967.0	971.0	975.0	979.0	983.0	987.0	991.0	995.0	999.0	1003.0	1007.0	1011.0	1015.0	1019.0	1023.0	1027.0	1031.0	1035.0	1039.0	1043.0	1047.0	1051.0	1055.0	1059.0	1063.0	1067.0	1071.0	1075.0	1079.0	1083.0	1087.0	1091.0	1095.0	1099.0	1103.0	1107.0	1111.0	1115.0	1119.0	1123.0	1127.0	1131.0	1135.0	1139.0	1143.0	1147.0	1151.0	1155.0	1159.0	1163.0	1167.0	1171.0	1175.0	1179.0	1183.0	1187.0	1191.0	1195.0	1199.0	1203.0	1207.0	1211.0	1215.0	1219.0	1223.0	1227.0	1231.0	1235.0	1239.0	1243.0	1247.0	1251.0	1255.0	1259.0	1263.0	1267.0	1271.0	1275.0	1279.0	1283.0	1287.0	1291.0	1295.0	1299.0	1303.0	1307.0	1311.0	1315.0	1319.0	1323.0	1327.0	1331.0	1335.0	1339.0	1343.0	1347.0	1351.0	1355.0	1359.0	1363.0	1367.0	1371.0	1375.0	1379.0	1383.0	1387.0	1391.0	1395.0	1399.0	1403.0	1407.0	1411.0	1415.0	1419.0	1423.0	1427.0	1431.0	1435.0	1439.0	1443.0	1447.0	1451.0	1455.0	1459.0	1463.0	1467.0	1471.0	1475.0	1479.0	1483.0	1487.0	1491.0	1495.0	1499.0	1503.0	1507.0	1511.0	1515.0	1519.0	1523.0	1527.0	1531.0	1535.0	1539.0	1543.0	1547.0	1551.0	1555.0	1559.0	1563.0	1567.0	1571.0	1575.0	1579.0	1583.0	1587.0	1591.0	1595.0	1599.0	1603.0	1607.0	1611.0	1615.0	1619.0	1623.0	1627.0	1631.0	1635.0	1639.0	1643.0	1647.0	1651.0	1655.0	1659.0	1663.0	1667.0	1671.0	1675.0	1679.0	1683.0	1687.0	1691.0	1695.0	1699.0	1703.0	1707.0	1711.0	1715.0	1719.0	1723.0	1727.0	1731.0	1735.0	1739.0	1743.0	1747.0	1751.0	1755.0	1759.0	1763.0	1767.0	1771.0	1775.0	1779.0	1783.0	1787.0	1791.0	1795.0	1799.0	1803.0	1807.0	1811.0	1815.0	1819.0	1823.0	1827.0	1831.0	1835.0	1839.0	1843.0	1847.0	1851.0	1855.0	1859.0	1863.0	1867.0	1871.0	1875.0	1879.0	1883.0	1887.0	1891.0	1895.0	1899.0	1903.0	1907.0	1911.0	1915.0	1919.0	1923.0	1927.0	1931.0	1935.0	1939.0	1943.0	1947.0	1951.0	1955.0	1959.0	1963.0	1967.0	1971.0	1975.0	1979.0	1983.0	1987.0	1991.0	1995.0	1999.0	2003.0	2007.0	2011.0	2015.0	2019.0	2023.0	2027.0	2031.0	2035.0	2039.0	2043.0	2047.0	2051.0	2055.0	2059.0	2063.0	2067.0	2071.0	2075.0	2079.0	2083.0	2087.0	2091.0	2095.0	2099.0	2103.0	2107.0	2111.0	2115.0	2119.0	2123.0	2127.0	2131.0	2135.0	2139.0	2143.0	2147.0	2151.0	2155.0	2159.0	2163.0	2167.0	2171.0	2175.0	2179.0	2183.0	2187.0	2191.0	2195.0	2199.0	2203.0	2207.0	2211.0	2215.0	2219.0	2223.0	2227.0	2231.0	2235.0	2239.0	2243.0	2247.0	2251.0	2255.0	2259.0	2263.0	2267.0	2271.0	2275.0	2279.0	2283.0	2287.0	2291.0	2295.0	2299.0	2303.0	2307.0	2311.0	2315.0	2319.0	2323.0	2327.0	2331.0	2335.0	2339.0	2343.0	2347.0	2351.0	2355.0	2359.0	2363.0	2367.0	2371.0	2375.0	2379.0	2383.0	2387.0	2391.0	2395.0	2399.0	2403.0	2407.0	2411.0	2415.0	2419.0	2423.0	2427.0	2431.0	2435.0	2439.0	2443.0	2447.0	2451.0	2455.0	2459.0	2463.0	2467.0	2471.0	2475.0	2479.0	2483.0	2487.0	2491.0	2495.0	2499.0	2503.0	2507.0	2511.0	2515.0	2519.0	2523.0	2527.0	2531.0	2535.0	2539.0	2543.0	2547.0	2551.0	2555.0	2559.0	2563.0	2567.0	2571.0	2575.0	2579.0	2583.0	2587.0	2591.0	2595.0	2599.0	2603.0	2607.0	2611.0	2615.0	2619.0	2623.0	2627.0	2631.0	2635.0	2639.0	2643.0	2647.0	2651.0	2655.0	2659.0	2663.0	2667.0	2671.0	2675.0	2679.0	2683.0	2687.0	2691.0	2695.0	2699.0	2703.0	2707.0	2711.0	2715.0	2719.0	2723.0	2727.0	2731.0	2735.0	2739.0	2743.0	2747.0	2751.0	2755.0	2759.0	2763.0	2767.0	2771.0	2775.0	2779.0	2783.0	2787.0	2791.0	2795.0	2799.0	2803.0	2807.0	2811.0	2815.0	2819.0	2823.0	2827.0	2831.0	2835.0	2839.0	2843.0	2847.0	2851.0	2855.0	2859.0	2863.0	2867.0	2871.0	2875.0	2879.0	2883.0	2887.0	2891.0	2895.0	2899.0	2903.0	2907.0	2911.0	2915.0	2919.0	2923.0	2927.0	2931.0	2935.0	2939.0	2943.0	2947.0	2951.0	2955.0	2959.0	2963.0	2967.0	2971.0	2975.0	2979.0	2983.0	2987.0	2991.0	2995.0	2999.0	3003.0	3007.0	3011.0	3015.0	3019.0	3023.0	3027.0	3031.0	3035.0	3039.0	3043.0	3047.0	3051.0	3055.0	3059.0	3063.0	3067.0	3071.0	3075.0	3079.0	3083.0	3087.0	3091.0	3095.0	3099.0	3103.0	3107.0	3111.0	3115.0	3119.0	3123.0	3127.0	3131.0	3135.0	3139.0	3143.0	3147.0	3151.0	3155.0	3159.0	3163.0	3167.0	3171.0	3175.0	3179.0	3183.0	3187.0	3191.0	3195.0	3199.0	3203.0	3207.0	3211.0	3215.0	3219.0	3223.0	3227.0	3231.0	3235.0	3239.0	3243.0	3247.0	3251.0	3255.0	3259.0	3263.0	3267.0	3271.0	3275.0	3279.0	3283.0	3287.0	3291.0	3295.0	3299.0	3303.0	3307.0	3311.0	3315.0	3319.0	3323.0	3327.0	3331.0	3335.0	3339.0	3343.0	3347.0	3351.0	3355.0	3359.0	3363.0	3367.0	3371.0	3375.0	3379.0	3383.0	3387.0	3391.0	3395.0	3399.0	3403.0	3407.0	3411.0	3415.0	3419.0	3423.0	3427.0	3431.0	3435.0	3439.0	3443.0	3447.0	3451.0	3455.0	3459.0	3463.0	3467.0	3471.0	3475.0	3479.0	3483.0	3487.0	3491.0	3495.0	3499.0	3503.0	3507.0	3511.0	3515.0	3519.0	3523.0	3527.0	3531.0	3535.0	3539.0	3543.0	3547.0	3551.0	3555.0	3559.0	3563.0	3567.0	3571.0	3575.0	3579.0	3583.0	3587.0	3591.0	3595.0	3599.0	3603.0	3607.0	3611.0	3615.0	3619.0	3623.0	3627.0	3631.0	3635.0	3639.0	3643.0	3647.0	3651.0	3655.0	3659.0	3663.0	3667.0	3671.0	3675.0	3679.0	3683.0	3687.0	3691.0	3695.0	3699.0	3703.0	3707.0	3711.0	3715.0	3719.0	3723.0	3727.0	3731.0	3735.0	3739.0	3743

Input and output:

Colorimetric Printer Reflective System FRS09_92a
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; CIELAB data

Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r00j$ $u^*_d = m81o$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 57 27

$LAB^*LCH^*_{Ma}$: 39 63 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o10y$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 42 49 44

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 42 66 42

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.1 0.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 88$

% Regularity

$g^*_{H,\text{rel}} = 31$


$g^*_{C,\text{rel}} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab} \cdot h^* = h_{ab}/360 = 0.21$
data for any colour:
 $\text{lab} \cdot \text{tch}^*$ and $\text{lab} \cdot \text{icu}^*$

Hue texts:
 $u^*_e = r75j$ $u^*_d = o69y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB} \cdot \text{LAB}^*_{\text{Ma}}$: 65 19 74

$\text{LAB} \cdot \text{LCH}^*_{\text{Ma}}$: 65 77 75

$\text{lab} \cdot \text{rgb}^*_{\text{Ma}}$: 1.0 0.75 0.0

$\text{lab} \cdot \text{olv}^*_{\text{Ma}}$: 1.0 0.7 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 88$

% Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$\text{lab} \cdot \text{olv}^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o98y$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data

	u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33	
Y_M	82.58	-4.04	92.72	92.8	92	
L_M	46.95	-55.83	39.15	68.19	145	
C_M	54.62	-25.67	-33.25	42.01	232	
V_M	20.01	45.64	-56.27	72.45	309	
M_M	40.88	71.17	-34.09	78.92	334	
N_M	15.0	0.43	-3.23	3.26	278	
W_M	90.0	0.62	-5.76	5.79	276	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$	
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$	
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$	
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$	
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$	
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$	
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$	
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$	
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$	
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$	
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$	
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$	
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$	
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$	
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$	
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.305$ data for any colour: Data for maximum colour (Ma):

*lab*tch** and *lab*icu**


Hue texts:

$$u^*_e = j25g \quad u^*_d = y34l$$

contrast reduction factor:

 $c_p = 0.9$ triangle lightness t^*

↑



FRS99_02a; CIELAB data						
	u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	143	
C _M	54.62	-25.67	-33.25	42.01	233	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	278	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	163	
B _M	30.57	1.41	-46.47	46.49	277	

Data for maximum colour (Ma):

LAB*LAB*Ma: 67 -27 75

LAB*LCH*M₃: 67 79 109

***lab*rag**M₃: 0.75 1.0 0.0**

*lab*oly**_{M2}: 0.66 1.0 0.0


triangle lightness t^*

triangle rightness:

%Gamut

$$\mathbf{u}_{\text{rel}}^* = 88$$

%Regularity

$$g^*_{H,rel} = 31$$
$$g^*_{C,rel} = 40$$


*lab*oly'**

brilliantness i^*

BAM-test chart Ee37; Colorimetric systems, Page 169/198
D65: colour scales and 9 data tables for 16 hues $r00j$ to $b75r$

```
input: 000n / w / nnn0 / www set...
output: ->cmY0* setcmykcolor
```

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y69l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data						
	u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
<i>r00j</i>	39.18	56.94	27.13	63.07	25	<i>m81o</i>	
<i>r25j</i>	42.41	49.1	44.5	66.26	42	<i>o10y</i>	
<i>r50j</i>	52.78	35.22	58.37	68.17	59	<i>o40y</i>	
<i>r75j</i>	64.82	19.12	74.47	76.89	76	<i>o69y</i>	
<i>j00g</i>	82.06	-3.94	97.52	97.6	92	<i>o98y</i>	
<i>j25g</i>	67.26	-26.87	74.67	79.36	110	<i>y34l</i>	
<i>j50g</i>	55.83	-43.45	57.11	71.76	127	<i>y69l</i>	
<i>j75g</i>	47.5	-54.18	38.3	66.35	145	<i>l03c</i>	
<i>g00b</i>	50.07	-44.09	14.13	46.3	162	<i>l23c</i>	
<i>g25b</i>	52.21	-35.66	-6.03	36.17	190	<i>l55c</i>	
<i>g50b</i>	53.9	-29.04	-21.87	36.36	217	<i>l87c</i>	
<i>g75b</i>	49.44	-15.51	-32.31	35.84	244	<i>c20v</i>	
<i>b00r</i>	41.36	1.15	-37.95	37.97	272	<i>c53v</i>	
<i>b25r</i>	28.74	27.19	-46.77	54.1	300	<i>c87v</i>	
<i>b50r</i>	33.74	61.97	-37.81	72.59	329	<i>v68m</i>	
<i>b75r</i>	40.08	64.26	-3.32	64.35	357	<i>m33o</i>	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data						
	u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data									
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d		
r00j	39.18	56.94	27.13	63.07	25	m81o			
r25j	42.41	49.1	44.5	66.26	42	o10y			
r50j	52.78	35.22	58.37	68.17	59	o40y			
r75j	64.82	19.12	74.47	76.89	76	o69y			
j00g	82.06	-3.94	97.52	97.6	92	o98y			
j25g	67.26	-26.87	74.67	79.36	110	y34l			
j50g	55.83	-43.45	57.11	71.76	127	y69l			
j75g	47.5	-54.18	38.3	66.35	145	i03c			
g00b	50.07	-44.09	14.13	46.3	162	i23c			
g25b	52.21	-35.66	-6.03	36.17	190	i55c			
g50b	53.9	-29.04	-21.87	36.36	217	i87c			
g75b	49.44	-15.51	-32.31	35.84	244	c20v			
b00r	41.36	1.15	-37.95	37.97	272	c53v			
b25r	28.74	27.19	-46.77	54.1	300	c87v			
b50r	33.74	61.97	-37.81	72.59	329	v68m			
b75r	40.08	64.26	-3.32	64.35	357	m33o			



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.451$ data for any colour:

lab*tch* and lab*icu*


Hue texts:

$$u^*_e = g00b \quad u^*_d = l23c$$

contrast reduction factor:

 $c_p = 0.9$ triangle lightness t^*

↑



FRS09_92a; CIELAB data						
	u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

 $LAB*LAB*_M: 50 \quad -44 \quad 14$

LAD*LGII* 50 16 162

LAB*LCH*Ma: 50 46 1

*lab*rgb*_Ma: 0.0 1.0 0.0*

*lab*olv**Ma: 0.0 1.0 0.23

triangle lightness t^*

triangle rightness:


%Gamut

$$\mathbf{u}_{\text{rel}}^* = 88$$

%Regularity

$$g^*_{H,rel} = 31$$
$$g^*_{C,rel} = 40$$

FRS09_92a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
<i>r00j</i>	39.18	56.94	27.13	63.07	25	<i>m81n</i>	
<i>r25j</i>	42.41	49.1	44.5	66.26	42	<i>o10y</i>	
<i>r50j</i>	52.78	35.22	58.37	68.17	59	<i>o40y</i>	
<i>r75j</i>	64.82	19.12	74.47	76.89	76	<i>o69y</i>	
<i>j00g</i>	82.06	-3.94	97.52	97.6	92	<i>o98y</i>	
<i>j25g</i>	67.26	-26.87	74.67	79.36	110	<i>y34l</i>	
<i>j50g</i>	55.83	-43.45	57.11	71.76	127	<i>y69l</i>	
<i>j75g</i>	47.5	-54.18	38.3	66.35	145	<i>l03c</i>	
<i>g00b</i>	50.07	-44.09	14.13	46.3	162	<i>l23c</i>	
<i>g25b</i>	52.21	-35.66	-6.03	36.17	190	<i>l55c</i>	
<i>g50b</i>	53.9	-29.04	-21.87	36.36	217	<i>l87c</i>	
<i>g75b</i>	49.44	-15.51	-32.31	35.84	244	<i>c20v</i>	
<i>b00r</i>	41.36	1.15	-37.95	37.97	272	<i>c53v</i>	
<i>b25r</i>	28.74	27.19	-46.77	54.1	300	<i>c87v</i>	
<i>b50r</i>	33.74	61.97	-37.81	72.59	329	<i>v68m</i>	
<i>b75r</i>	40.08	64.26	-3.32	64.35	357	<i>m33o</i>	



BAM-test chart Ee37; Colorimetric systems, Page 172/198
D65: colour scales and 9 data tables for 16 hues $r00j$ to $b75r$

```
input: 000n / w / nnn0 / www set...
output: ->cmY0* setcmykcolor
```

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l55c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	39.18	56.94	27.13	63.07	25	m81o			
r25j	42.41	49.1	44.5	66.26	42	o10y			
r50j	52.78	35.22	58.37	68.17	59	o40y			
r75j	64.82	19.12	74.47	76.89	76	o69y			
j00g	82.06	-3.94	97.52	97.6	92	o98y			
j25g	67.26	-26.87	74.67	79.36	110	y34l			
j50g	55.83	-43.45	57.11	71.76	127	y69l			
j75g	47.5	-54.18	38.3	66.35	145	l03c			
g00b	50.07	-44.09	14.13	46.3	162	l23c			
g25b	52.21	-35.66	-6.03	36.17	190	l55c			
g50b	53.9	-29.04	-21.87	36.36	217	l87c			
g75b	49.44	-15.51	-32.31	35.84	244	c20v			
b00r	41.36	1.15	-37.95	37.97	272	c53v			
b25r	28.74	27.19	-46.77	54.1	300	c87v			
b50r	33.74	61.97	-37.81	72.59	329	v68m			
b75r	40.08	64.26	-3.32	64.35	357	m33o			



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l87c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = \text{lab} \cdot h^* = h_{ab}/360 = 0.679$

data for any colour:

$\text{lab} \cdot \text{tch}^*$ and $\text{lab} \cdot \text{icu}^*$


Hue texts:

$u^*_e = g75b$ $u^*_d = c20v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data

	u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB} \cdot \text{LAB}^*_{\text{Ma}}$: 49 -16 -32

$\text{LAB} \cdot \text{LCH}^*_{\text{Ma}}$: 49 36 244

$\text{lab} \cdot \text{rgb}^*_{\text{Ma}}$: 0.0 0.5 1.0

$\text{lab} \cdot \text{olv}^*_{\text{Ma}}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 88$


% Regularity

$g^*_{H,\text{rel}} = 31$

$g^*_{C,\text{rel}} = 40$

FRS09_92a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c53v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 1 -38

$LAB^*LCH^*_{Ma}$: 41 38 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.47 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = c87v$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data

u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 27 -47

$LAB^*LCH^*_{Ma}$: 29 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.12 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$u^*_e = b50r$
 lab^*olv^*



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m33o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o



See for similar files: <http://www.ps.bam.de/Ee37/>; www.ps.bam.de
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=0


	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*oly**			
01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		
02	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Input and output:
Colorimetric Printer Reflective System FRS09_92a
data for any colour:

u^*_e and number $no.$ = 00 .. 15
elementary hue text:
 $u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 0.9$

FRS09_92a; adapted (a) CIELAB data


u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS09_92a; CIELAB data

Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m81o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	38.8	54.41	35.65	65.05	33	
Y _M	82.58	-4.04	92.72	92.8	92	
L _M	46.95	-55.83	39.15	68.19	145	
C _M	54.62	-25.67	-33.25	42.01	232	
V _M	20.01	45.64	-56.27	72.45	309	
M _M	40.88	71.17	-34.09	78.92	334	
N _M	15.0	0.43	-3.23	3.26	278	
W _M	90.0	0.62	-5.76	5.79	276	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 39 57 27

LAB^*LCH^*Ma : 39 63 25

lab^*rgb^*Ma : 1.0 0.0 0.0

lab^*olv^*Ma : 1.0 0.0 0.18

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o10y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 42 49 44

LAB^*LCH^*Ma : 42 66 42

lab^*rgb^*Ma : 1.0 0.25 0.0

lab^*olv^*Ma : 1.0 0.1 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o40y$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data

u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 35 58

$LAB^*LCH^*_{Ma}$: 53 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.4 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	39.18	56.94	27.13	63.07	25	$m81o$
$r25j$	42.41	49.1	44.5	66.26	42	$o10y$
$r50j$	52.78	35.22	58.37	68.17	59	$o40y$
$r75j$	64.82	19.12	74.47	76.89	76	$o69y$
$j00g$	82.06	-3.94	97.52	97.6	92	$o98y$
$j25g$	67.26	-26.87	74.67	79.36	110	$y34l$
$j50g$	55.83	-43.45	57.11	71.76	127	$y69l$
$j75g$	47.5	-54.18	38.3	66.35	145	$l03c$
$g00b$	50.07	-44.09	14.13	46.3	162	$l23c$
$g25b$	52.21	-35.66	-6.03	36.17	190	$l55c$
$g50b$	53.9	-29.04	-21.87	36.36	217	$l87c$
$g75b$	49.44	-15.51	-32.31	35.84	244	$c20v$
$b00r$	41.36	1.15	-37.95	37.97	272	$c53v$
$b25r$	28.74	27.19	-46.77	54.1	300	$c87v$
$b50r$	33.74	61.97	-37.81	72.59	329	$v68m$
$b75r$	40.08	64.26	-3.32	64.35	357	$m33o$

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o69y$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data

u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 19 74

$LAB^*LCH^*_{Ma}$: 65 77 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.7 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	i03c
g00b	50.07	-44.09	14.13	46.3	162	i23c
g25b	52.21	-35.66	-6.03	36.17	190	i55c
g50b	53.9	-29.04	-21.87	36.36	217	i87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

$LAB^*cmy^n^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o98y$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 82 -4 98

$LAB^*LCH^*_{Ma}$: 82 98 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y34l$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -27 75

$LAB^*LCH^*_{Ma}$: 67 79 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.66 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$


$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j50g$ $u^*_d = y69l$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -43 57

$LAB^*LCH^*_{Ma}$: 56 72 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.3 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	i03c	
g00b	50.07	-44.09	14.13	46.3	162	i23c	
g25b	52.21	-35.66	-6.03	36.17	190	i55c	
g50b	53.9	-29.04	-21.87	36.36	217	i87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$LAB^*cmy^n^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = i03c$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 -54 38

$LAB^*LCH^*_{Ma}$: 48 66 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.03

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$u^*_e = j75g$
 LAB^*cmyn^*

LAB^*cmyn^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g00b$ $u^*_d = l23c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 50 -44 14

$LAB^*LCH^*_{Ma}$: 50 46 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.23

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$


$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l55c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -36 -6

$LAB^*LCH^*_{Ma}$: 52 36 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.55

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


$u^*_e = g25b$
 LAB^*cmyn^*

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l87c$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -29 -22

$LAB^*LCH^*_{Ma}$: 54 36 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.88

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

LAB^*cmyn^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c20v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 -16 -32

$LAB^*LCH^*_{Ma}$: 49 36 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.8 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*



$i^*=0.80$

$i^*=0.60$

$i^*=0.40$


$i^*=0.20$

$i^*=0.00$



Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b00r$ $u^*_d = c53v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 41 1 -38

LAB^*LCH^*Ma : 41 38 271

lab^*rgb^*Ma : 0.0 0.0 1.0

lab^*olv^*Ma : 0.0 0.47 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$


$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b25r$ $u^*_d = c87v$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 29 27 -47

LAB^*LCH^*Ma : 29 54 300

lab^*rgb^*Ma : 0.5 0.0 1.0

lab^*olv^*Ma : 0.0 0.12 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	39.18	56.94	27.13	63.07	25
r25j	42.41	49.1	44.5	66.26	42
r50j	52.78	35.22	58.37	68.17	59
r75j	64.82	19.12	74.47	76.89	76
j00g	82.06	-3.94	97.52	97.6	92
j25g	67.26	-26.87	74.67	79.36	110
j50g	55.83	-43.45	57.11	71.76	127
j75g	47.5	-54.18	38.3	66.35	145
g00b	50.07	-44.09	14.13	46.3	162
g25b	52.21	-35.66	-6.03	36.17	190
g50b	53.9	-29.04	-21.87	36.36	217
g75b	49.44	-15.51	-32.31	35.84	244
b00r	41.36	1.15	-37.95	37.97	272
b25r	28.74	27.19	-46.77	54.1	300
b50r	33.74	61.97	-37.81	72.59	329
b75r	40.08	64.26	-3.32	64.35	357

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$


$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v68m$
contrast reduction factor:
 $c_R = 0.9$
triangle lightness t^*



FRS09_92a; CIELAB data					
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 34 62 -38

$LAB^*LCH^*_{Ma}$: 34 73 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	39.18	56.94	27.13	63.07	25	m81o	
r25j	42.41	49.1	44.5	66.26	42	o10y	
r50j	52.78	35.22	58.37	68.17	59	o40y	
r75j	64.82	19.12	74.47	76.89	76	o69y	
j00g	82.06	-3.94	97.52	97.6	92	o98y	
j25g	67.26	-26.87	74.67	79.36	110	y34l	
j50g	55.83	-43.45	57.11	71.76	127	y69l	
j75g	47.5	-54.18	38.3	66.35	145	l03c	
g00b	50.07	-44.09	14.13	46.3	162	l23c	
g25b	52.21	-35.66	-6.03	36.17	190	l55c	
g50b	53.9	-29.04	-21.87	36.36	217	l87c	
g75b	49.44	-15.51	-32.31	35.84	244	c20v	
b00r	41.36	1.15	-37.95	37.97	272	c53v	
b25r	28.74	27.19	-46.77	54.1	300	c87v	
b50r	33.74	61.97	-37.81	72.59	329	v68m	
b75r	40.08	64.26	-3.32	64.35	357	m33o	

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$

0.25

0.50

0.75

1.00

0.0
0.0
0.0
0.0

0.25
0.25
0.25
0.0

0.5
0.5
0.5
0.0

0.75
0.75
0.75
0.0

1.0
1.0
1.0
0.0

0.08
0.25
0.0
0.0

0.33
0.5
0.25
0.0

0.58
0.75
0.5
0.0

0.83
1.0
0.75
0.0

0.16
0.5
0.0
0.0

0.41
0.75
0.25
0.0

0.66
1.0
0.5
0.0

0.83
1.0
0.75
0.0

0.24
0.75
0.0
0.0

0.49
1.0
0.25
0.0

0.66
1.0
0.5
0.0

0.83
1.0
0.75
0.0

0.32
1.0
0.0
0.0

0.49
1.0
0.25
0.0

0.66
1.0
0.5
0.0

0.83
1.0
0.75
0.0

0.0
0.0
0.0
0.0

0.08
0.25
0.0
0.0

0.33
0.5
0.25
0.0

0.58
0.75
0.5
0.0

0.83
1.0
0.75
0.0

1.0
1.0
1.0
0.0

0.0
0.0
0.0
0.0

0.0
0.0
0.0
0.0

Input and output: Colorimetric Printer Reflective System FRS09_92a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m33o$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS09_92a; CIELAB data

u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 64 -3

$LAB^*LCH^*_{Ma}$: 40 64 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.66

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS09_92a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	39.18	56.94	27.13	63.07	25	m81o
r25j	42.41	49.1	44.5	66.26	42	o10y
r50j	52.78	35.22	58.37	68.17	59	o40y
r75j	64.82	19.12	74.47	76.89	76	o69y
j00g	82.06	-3.94	97.52	97.6	92	o98y
j25g	67.26	-26.87	74.67	79.36	110	y34l
j50g	55.83	-43.45	57.11	71.76	127	y69l
j75g	47.5	-54.18	38.3	66.35	145	l03c
g00b	50.07	-44.09	14.13	46.3	162	l23c
g25b	52.21	-35.66	-6.03	36.17	190	l55c
g50b	53.9	-29.04	-21.87	36.36	217	l87c
g75b	49.44	-15.51	-32.31	35.84	244	c20v
b00r	41.36	1.15	-37.95	37.97	272	c53v
b25r	28.74	27.19	-46.77	54.1	300	c87v
b50r	33.74	61.97	-37.81	72.59	329	v68m
b75r	40.08	64.26	-3.32	64.35	357	m33o

LAB^*cmyn^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

