



Input and output:
Colorimetric Printer Reflective System ORS19_96a
data for any colour:
 u_e^* and number $no.$ = 00 .. 15
elementary hue text:
 $u_e^* = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$



%Gamut
 $u_{rel}^* = 89$
%Regularity
 $g_{H,rel}^* = 72$
 $g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data					
Name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.29	87.24	87.85	97
L _{Ma}	52.69	-65.44	20.75	68.65	162
C _{Ma}	59.61	-28.98	-46.22	54.56	238
V _{Ma}	28.39	23.63	-44.13	50.06	298
M _{Ma}	49.58	73.93	-9.56	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m84o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 66 32

$LAB^*LCH^*_{Ma}$: 49 74 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.15

triangle lightness t^*

%Gamut



$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$

$u^*_e = r25j$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 52 47



$LAB^*LCH^*_{Ma}$: 56 71 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

$u^*_e = r50j$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 35 58



$LAB^*LCH^*_{Ma}$: 65 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.42 0.0

triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o67y$


contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 75 18 69

$LAB^*LCH^*_{Ma}$: 75 72 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.68 0.0

triangle lightness t^*


%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = j00g$ $u_d^* = o92y$


contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 87 -3 83

$LAB^*LCH^*_{Ma}$: 87 83 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.93 0.0

triangle lightness t^*


%Gamut

$u_{rel}^* = 89$

%Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$



ORS19_96a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

$u^*_e = j25g$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y20l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 81 -25 69



$LAB^*LCH^*_{Ma}$: 81 74 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.8 1.0 0.0

triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y46l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -40 52



$LAB^*LCH^*_{Ma}$: 71 65 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.54 1.0 0.0

triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

$u^*_e = j75g$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = y72l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	48.75	65.07	39.43	76.08	31	
Y_{Ma}	90.92	-10.29	87.24	87.85	97	
L_{Ma}	52.69	-65.44	20.75	68.65	162	
C_{Ma}	59.61	-28.98	-46.22	54.56	238	
V_{Ma}	28.39	23.63	-44.13	50.06	298	
M_{Ma}	49.58	73.93	-9.56	74.55	353	
N_{Ma}	18.89	0.0	0.0	0.0	0	
W_{Ma}	96.9	0.0	0.0	0.0	0	
R_{Ma}	39.92	58.74	27.99	65.07	25	
J_{Ma}	81.26	-2.89	71.56	71.62	92	
G_{Ma}	52.23	-42.42	13.6	44.55	162	
B_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 -52 37



$LAB^*LCH^*_{Ma}$: 62 64 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.27 1.0 0.0

triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$	
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$	
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$	
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$	
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$	
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$	
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$	
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$	
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$	
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$	
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$	
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$	
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$	
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$	
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$	
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$	




$$u^*_e = g00b$$

Hue texts:

$u^*_e = g00b$ $u^*_d = y99l$

contrast reduction factor:

$$c_P = 1.0$$
triangle lightness t^* 

ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

*LAB*LAB**_{Ma}: 53 -65 21



LAB*LCH*_{Ma}: 53 69 162

lab*rqb*_Ma: 0.0 1.0 0.0

lab*olv*_Ma: 0.0 1.0 0.0

triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
<i>r00j</i>	48.88	66.47	31.67	73.63	25	<i>m84o</i>	
<i>r25j</i>	55.85	52.39	47.48	70.7	42	<i>o17y</i>	
<i>r50j</i>	65.45	35.22	58.37	68.17	59	<i>o42y</i>	
<i>r75j</i>	75.19	17.82	69.41	71.66	76	<i>o67y</i>	
<i>j00g</i>	87.03	-3.35	82.83	82.9	92	<i>o92y</i>	
<i>j25g</i>	80.72	-25.01	69.5	73.86	110	<i>y20l</i>	
<i>j50g</i>	70.64	-39.54	51.97	65.3	127	<i>y46l</i>	
<i>j75g</i>	61.93	-52.1	36.83	63.8	145	<i>y72l</i>	
<i>g00b</i>	52.8	-65.28	20.93	68.56	162	<i>y99l</i>	
<i>g25b</i>	55.7	-49.58	-8.39	50.28	190	<i>l36c</i>	
<i>g50b</i>	57.82	-38.4	-28.92	48.07	217	<i>l72c</i>	
<i>g75b</i>	55.5	-22.05	-45.95	50.97	244	<i>c11v</i>	
<i>b00r</i>	41.6	1.37	-45.01	45.03	272	<i>c56v</i>	
<i>b25r</i>	29.0	25.08	-43.13	49.89	300	<i>v04m</i>	
<i>b50r</i>	38.04	46.53	-28.39	54.51	329	<i>v55m</i>	
<i>b75r</i>	49.48	72.88	-3.76	72.98	357	<i>m11o</i>	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

$u^*_e = g25b$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l36c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	48.75	65.07	39.43	76.08	31	
Y_{Ma}	90.92	-10.29	87.24	87.85	97	
L_{Ma}	52.69	-65.44	20.75	68.65	162	
C_{Ma}	59.61	-28.98	-46.22	54.56	238	
V_{Ma}	28.39	23.63	-44.13	50.06	298	
M_{Ma}	49.58	73.93	-9.56	74.55	353	
N_{Ma}	18.89	0.0	0.0	0.0	0	
W_{Ma}	96.9	0.0	0.0	0.0	0	
R_{Ma}	39.92	58.74	27.99	65.07	25	
J_{Ma}	81.26	-2.89	71.56	71.62	92	
G_{Ma}	52.23	-42.42	13.6	44.55	162	
B_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -50 -8



$LAB^*LCH^*_{Ma}$: 56 50 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.36


triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$	
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$	
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$	
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$	
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$	
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$	
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$	
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$	
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$	
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$	
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$	
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$	
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$	
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$	
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$	
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$	




Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
 data for any colour:

lab^*tch^* and lab^*icu^*
 Hue texts:
 $u^*_e = g50b$ $u^*_d = l72c$
 contrast reduction factor:
 $c_R = 1.0$
 triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 58 -38 -29

$LAB^*LCH^*_{Ma}$: 58 48 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.72

triangle lightness t^*


%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

$u^*_e = g75b$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c11v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -22 -46



$LAB^*LCH^*_{Ma}$: 55 51 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.89 1.0

triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

$u^*_e = b00r$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c56v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	48.75	65.07	39.43	76.08	31	
Y_{Ma}	90.92	-10.29	87.24	87.85	97	
L_{Ma}	52.69	-65.44	20.75	68.65	162	
C_{Ma}	59.61	-28.98	-46.22	54.56	238	
V_{Ma}	28.39	23.63	-44.13	50.06	298	
M_{Ma}	49.58	73.93	-9.56	74.55	353	
N_{Ma}	18.89	0.0	0.0	0.0	0	
W_{Ma}	96.9	0.0	0.0	0.0	0	
R_{Ma}	39.92	58.74	27.99	65.07	25	
J_{Ma}	81.26	-2.89	71.56	71.62	92	
G_{Ma}	52.23	-42.42	13.6	44.55	162	
B_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 1 -45



$LAB^*LCH^*_{Ma}$: 42 45 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.44 1.0

triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$	
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$	
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$	
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$	
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$	
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$	
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$	
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$	
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$	
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$	
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$	
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$	
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$	
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$	
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$	
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = v04m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 25 -43


$LAB^*LCH^*_{Ma}$: 29 50 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.04 0.0 1.0

triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v55m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 47 -28

$LAB^*LCH^*_{Ma}$: 38 55 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.56 0.0 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

$u^*_e = b75r$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m11o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 73 -4



$LAB^*LCH^*_{Ma}$: 49 73 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.89

triangle lightness t^*


ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	
01																																						
02																																						
03																																						
04																																						
05																																						
06																																						
07																																						
08																																						
09																																						
10																																						
11																																						
12																																						
13																																						
14																																						
15																																						
16																																						
17																																						
18																																						
19																																						
20																																						
21																																						
22																																						
23																																						
24																																						
25																																						
26																																						
27																																						


Input and output:
Colorimetric Printer Reflective System ORS19_96a
data for any colour:
 u_e^* and number $no.$ = 00 .. 15
elementary hue text:
 $u_e^* = 16$ hues $r00j, r25j, ..., b75r$
contrast reduction factor:
 $c_R = 1.0$

ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$



%Gamut
 $u_{rel}^* = 89$
%Regularity
 $g_{H,rel}^* = 72$
 $g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data					
Name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.29	87.24	87.85	97
L _{Ma}	52.69	-65.44	20.75	68.65	162
C _{Ma}	59.61	-28.98	-46.22	54.56	238
V _{Ma}	28.39	23.63	-44.13	50.06	298
M _{Ma}	49.58	73.93	-9.56	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m84o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 66 32



$LAB^*LCH^*_{Ma}$: 49 74 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.15

triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$

$u^*_e = r25j$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 52 47

$LAB^*LCH^*_{Ma}$: 56 71 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

$u^*_e = r50j$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 35 58

$LAB^*LCH^*_{Ma}$: 65 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.42 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o67y$


contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 75 18 69

$LAB^*LCH^*_{Ma}$: 75 72 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.68 0.0

triangle lightness t^*


%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o92y$


contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 87 -3 83

$LAB^*LCH^*_{Ma}$: 87 83 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.93 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y20l$


contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 81 -25 69

$LAB^*LCH^*_{Ma}$: 81 74 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.8 1.0 0.0

triangle lightness t^*


%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y46l$


contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -40 52

$LAB^*LCH^*_{Ma}$: 71 65 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.54 1.0 0.0

triangle lightness t^*


%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = y72l$


contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 -52 37

$LAB^*LCH^*_{Ma}$: 62 64 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.27 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	




Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
 data for any colour:

lab^*tch^* and lab^*icu^*
 Hue texts:
 $u^*_e = g00b$ $u^*_d = y99l$
 contrast reduction factor:
 $c_R = 1.0$
 triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 -65 21

$LAB^*LCH^*_{Ma}$: 53 69 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

triangle lightness t^*


%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

$u^*_e = g25b$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l36c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -50 -8

$LAB^*LCH^*_{Ma}$: 56 50 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.36

triangle lightness t^*

%Gamut



$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

$u^*_e = g50b$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l72c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 58 -38 -29



$LAB^*LCH^*_{Ma}$: 58 48 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.72

triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

$u^*_e = g75b$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c11v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -22 -46



$LAB^*LCH^*_{Ma}$: 55 51 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.89 1.0


triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



$$u^*_e = b00r$$



triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08		31
Y _{Ma}	90.92	-10.29	87.24	87.85		97
L _{Ma}	52.69	-65.44	20.75	68.65		162
C _{Ma}	59.61	-28.98	-46.22	54.56		238
V _{Ma}	28.39	23.63	-44.13	50.06		298
M _{Ma}	49.58	73.93	-9.56	74.55		353
N _{Ma}	18.89	0.0	0.0	0.0		0
W _{Ma}	96.9	0.0	0.0	0.0		0
R _{Ma}	39.92	58.74	27.99	65.07		25
J _{Ma}	81.26	-2.89	71.56	71.62		92
G _{Ma}	52.23	-42.42	13.6	44.55		162
B _{Ma}	30.57	1.41	-46.47	46.49		272

0

ORS19_96a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
<i>r00j</i>	48.88	66.47	31.67	73.63	25	<i>m84o</i>	
<i>r25j</i>	55.85	52.39	47.48	70.7	42	<i>o17y</i>	
<i>r50j</i>	65.45	35.22	58.37	68.17	59	<i>o42y</i>	
<i>r75j</i>	75.19	17.82	69.41	71.66	76	<i>o67y</i>	
<i>j00g</i>	87.03	-3.35	82.83	82.9	92	<i>o92y</i>	
<i>j25g</i>	80.72	-25.01	69.5	73.86	110	<i>y20l</i>	
<i>j50g</i>	70.64	-39.54	51.97	65.3	127	<i>y46l</i>	
<i>j75g</i>	61.93	-52.1	36.83	63.8	145	<i>y72l</i>	
<i>g00b</i>	52.8	-65.28	20.93	68.56	162	<i>y99l</i>	
<i>g25b</i>	55.7	-49.58	-8.39	50.28	190	<i>l36c</i>	
<i>g50b</i>	57.82	-38.4	-28.92	48.07	217	<i>l72c</i>	
<i>g75b</i>	55.5	-22.05	-45.95	50.97	244	<i>c11v</i>	
<i>b00r</i>	41.6	1.37	-45.01	45.03	272	<i>c56v</i>	
<i>b25r</i>	29.0	25.08	-43.13	49.89	300	<i>v04m</i>	
<i>b50r</i>	38.04	46.53	-28.39	54.51	329	<i>v55m</i>	
<i>b75r</i>	49.48	72.88	-3.76	72.98	357	<i>m11o</i>	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = v04m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 25 -43

$LAB^*LCH^*_{Ma}$: 29 50 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.04 0.0 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

$u^*_e = b50r$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v55m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 47 -28



$LAB^*LCH^*_{Ma}$: 38 55 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.56 0.0 1.0

triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m11o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 73 -4

$LAB^*LCH^*_{Ma}$: 49 73 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.89

triangle lightness t^*

%Gamut



$u^*_{rel} = 89$


%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	





Input and output:
 Colorimetric Printer Reflective System ORS19_96a
 data for any colour:
 u_e^* and number *no.* = 00 .. 15
 elementary hue text:
 $u_e^* = 16$ hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 1.0$

ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
<i>r00j</i>	48.88	66.47	31.67	73.63	25	<i>m84o</i>
<i>r25j</i>	55.85	52.39	47.48	70.7	42	<i>o17y</i>
<i>r50j</i>	65.45	35.22	58.37	68.17	59	<i>o42y</i>
<i>r75j</i>	75.19	17.82	69.41	71.66	76	<i>o67y</i>
<i>j00g</i>	87.03	-3.35	82.83	82.9	92	<i>o92y</i>
<i>j25g</i>	80.72	-25.01	69.5	73.86	110	<i>y20l</i>
<i>j50g</i>	70.64	-39.54	51.97	65.3	127	<i>y46l</i>
<i>j75g</i>	61.93	-52.1	36.83	63.8	145	<i>y72l</i>
<i>g00b</i>	52.8	-65.28	20.93	68.56	162	<i>y99l</i>
<i>g25b</i>	55.7	-49.58	-8.39	50.28	190	<i>l36c</i>
<i>g50b</i>	57.82	-38.4	-28.92	48.07	217	<i>l72c</i>
<i>g75b</i>	55.5	-22.05	-45.95	50.97	244	<i>c11v</i>
<i>b00r</i>	41.6	1.37	-45.01	45.03	272	<i>c56v</i>
<i>b25r</i>	29.0	25.08	-43.13	49.89	300	<i>v04m</i>
<i>b50r</i>	38.04	46.53	-28.39	54.51	329	<i>v55m</i>
<i>b75r</i>	49.48	72.88	-3.76	72.98	357	<i>m11o</i>



%Gamut


$u_{rel}^* = 89$

%Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data					
Name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.29	87.24	87.85	97
L _{Ma}	52.69	-65.44	20.75	68.65	162
C _{Ma}	59.61	-28.98	-46.22	54.56	238
V _{Ma}	28.39	23.63	-44.13	50.06	298
M _{Ma}	49.58	73.93	-9.56	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r00j$ $u_d^* = m84o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 49 66 32

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 49 74 25

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.0 0.15

triangle lightness t^*

% Gamut

$u_{\text{rel}}^* = 89$

% Regularity

$g_{H,\text{rel}}^* = 72$

$g_{C,\text{rel}}^* = 57$

ORS19_96a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 52 47

$LAB^*LCH^*_{Ma}$: 56 71 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 65 35 58

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 65 68 58

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.5 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.42 0.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 89$

% Regularity

$g^*_{H,\text{rel}} = 72$

$g^*_{C,\text{rel}} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o67y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 75 18 69

$LAB^*LCH^*_{Ma}$: 75 72 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.68 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o92y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}: 87 -3 83$

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}: 87 83 92$

$\text{lab}^*\text{rgb}^*_{\text{Ma}}: 1.0 1.0 0.0$

$\text{lab}^*\text{olv}^*_{\text{Ma}}: 1.0 0.93 0.0$

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 89$

% Regularity

$g^*_{H,\text{rel}} = 72$

$g^*_{C,\text{rel}} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y20l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 81 -25 69

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 81 74 109

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.8 1.0 0.0

triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

$u^*_e = j25g$

lab^*olv^*

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y46l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}: 71 -40 52$

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}: 71 65 127$

$\text{lab}^*\text{rgb}^*_{\text{Ma}}: 0.5 1.0 0.0$

$\text{lab}^*\text{olv}^*_{\text{Ma}}: 0.54 1.0 0.0$

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 89$

% Regularity

$g^*_{H,\text{rel}} = 72$

$g^*_{C,\text{rel}} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = y72l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 62 -52 37

$\text{LAB}^*\text{LCH}^*_{Ma}$: 62 64 144

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.27 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = y99l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 -65 21

$LAB^*LCH^*_{Ma}$: 53 69 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l36c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -50 -8

$LAB^*LCH^*_{Ma}$: 56 50 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.36

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*olv^*

$i^*=1.00$

brilliantness i^*


$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l72c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 58 -38 -29

$\text{LAB}^*\text{LCH}^*_{Ma}$: 58 48 216

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.72

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c11v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -22 -46

$LAB^*LCH^*_{Ma}$: 55 51 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.89 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

$u^*_e = g75b$

lab^*olv^*

lab^*olv^*

$i^*=1.00$

brilliantness i^*


$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c56v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 1 -45

$LAB^*LCH^*_{Ma}$: 42 45 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.44 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = v04m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 25 -43

$LAB^*LCH^*_{Ma}$: 29 50 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.04 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*olv^*

$i^* = 1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v55m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 47 -28

$LAB^*LCH^*_{Ma}$: 38 55 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.56 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m11o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 73 -4

$LAB^*LCH^*_{Ma}$: 49 73 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.89

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	


lab^*olv^*

$i^* = 1.00$

brilliantness i^*


$i^* = 0.80$

relative chroma c^*



Input and output:
 Colorimetric Printer Reflective System ORS19_96a
 data for any colour:
 u_e^* and number *no.* = 00 .. 15
 elementary hue text:
 $u_e^* = 16$ hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 1.0$

ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
<i>r00j</i>	48.88	66.47	31.67	73.63	25	<i>m84o</i>
<i>r25j</i>	55.85	52.39	47.48	70.7	42	<i>o17y</i>
<i>r50j</i>	65.45	35.22	58.37	68.17	59	<i>o42y</i>
<i>r75j</i>	75.19	17.82	69.41	71.66	76	<i>o67y</i>
<i>j00g</i>	87.03	-3.35	82.83	82.9	92	<i>o92y</i>
<i>j25g</i>	80.72	-25.01	69.5	73.86	110	<i>y20l</i>
<i>j50g</i>	70.64	-39.54	51.97	65.3	127	<i>y46l</i>
<i>j75g</i>	61.93	-52.1	36.83	63.8	145	<i>y72l</i>
<i>g00b</i>	52.8	-65.28	20.93	68.56	162	<i>y99l</i>
<i>g25b</i>	55.7	-49.58	-8.39	50.28	190	<i>l36c</i>
<i>g50b</i>	57.82	-38.4	-28.92	48.07	217	<i>l72c</i>
<i>g75b</i>	55.5	-22.05	-45.95	50.97	244	<i>c11v</i>
<i>b00r</i>	41.6	1.37	-45.01	45.03	272	<i>c56v</i>
<i>b25r</i>	29.0	25.08	-43.13	49.89	300	<i>v04m</i>
<i>b50r</i>	38.04	46.53	-28.39	54.51	329	<i>v55m</i>
<i>b75r</i>	49.48	72.88	-3.76	72.98	357	<i>m11o</i>



%Gamut


$u_{rel}^* = 89$

%Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data					
Name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.29	87.24	87.85	97
L _{Ma}	52.69	-65.44	20.75	68.65	162
C _{Ma}	59.61	-28.98	-46.22	54.56	238
V _{Ma}	28.39	23.63	-44.13	50.06	298
M _{Ma}	49.58	73.93	-9.56	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r00j$ $u_d^* = m84o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 66 32

$LAB^*LCH^*_{Ma}$: 49 74 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.15

triangle lightness t^*

% Gamut


$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}: 56 \ 52 \ 47$

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}: 56 \ 71 \ 42$

$\text{lab}^*\text{rgb}^*_{\text{Ma}}: 1.0 \ 0.25 \ 0.0$

$\text{lab}^*\text{olv}^*_{\text{Ma}}: 1.0 \ 0.17 \ 0.0$

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 89$

% Regularity

$g^*_{H,\text{rel}} = 72$

$g^*_{C,\text{rel}} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 65 35 58

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 65 68 58

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.5 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.42 0.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 89$

% Regularity

$g^*_{H,\text{rel}} = 72$

$g^*_{C,\text{rel}} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o67y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 75 18 69

$\text{LAB}^*\text{LCH}^*_{Ma}$: 75 72 75

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.75 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.68 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o92y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 87 -3 83

$LAB^*LCH^*_{Ma}$: 87 83 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.93 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y20l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 81 -25 69

$LAB^*LCH^*_{Ma}$: 81 74 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.8 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = j50g$ $u_d^* = y46l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -40 52

$LAB^*LCH^*_{Ma}$: 71 65 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.54 1.0 0.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = y72l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 62 -52 37

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 62 64 144

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.27 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 89$

% Regularity

$g^*_{H,\text{rel}} = 72$

$g^*_{C,\text{rel}} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*rgb^*

$i^*=1.00$

brilliantness i^*


$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = y99l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 -65 21

$LAB^*LCH^*_{Ma}$: 53 69 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*rgb^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l36c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -50 -8

$LAB^*LCH^*_{Ma}$: 56 50 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.36

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*rgb^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l72c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 58 -38 -29

$LAB^*LCH^*_{Ma}$: 58 48 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.72

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$u^*_e = g75b$
 lab^*rgb^*


A diagram showing the hexagonal lattice of the graphite crystal structure. It features a central hexagon with six vertices, each marked by a colored circle (green, red, pink, purple, blue, cyan). The hexagon is oriented with one vertex pointing upwards. The horizontal axis is labeled a^*_a and the vertical axis is labeled b^*_a . A yellow arrow points from the top vertex towards the center, and a blue arrow points from the bottom vertex towards the center.

triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

triangle lightness t^*
$$g^*_{C,rel} = 57$$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
<i>r00j</i>	48.88	66.47	31.67	73.63	25	<i>m84o</i>
<i>r25j</i>	55.85	52.39	47.48	70.7	42	<i>o17y</i>
<i>r50j</i>	65.45	35.22	58.37	68.17	59	<i>o42y</i>
<i>r75j</i>	75.19	17.82	69.41	71.66	76	<i>o67y</i>
<i>j00g</i>	87.03	-3.35	82.83	82.9	92	<i>o92y</i>
<i>j25g</i>	80.72	-25.01	69.5	73.86	110	<i>y20l</i>
<i>j50g</i>	70.64	-39.54	51.97	65.3	127	<i>y46l</i>
<i>j75g</i>	61.93	-52.1	36.83	63.8	145	<i>y72l</i>
<i>g00b</i>	52.8	-65.28	20.93	68.56	162	<i>y99l</i>
<i>g25b</i>	55.7	-49.58	-8.39	50.28	190	<i>i36c</i>
<i>g50b</i>	57.82	-38.4	-28.92	48.07	217	<i>i72c</i>
<i>g75b</i>	55.5	-22.05	-45.95	50.97	244	<i>c11v</i>
<i>b00r</i>	41.6	1.37	-45.01	45.03	272	<i>c56v</i>
<i>b25r</i>	29.0	25.08	-43.13	49.89	300	<i>v04m</i>
<i>b50r</i>	38.04	46.53	-28.39	54.51	329	<i>v55m</i>
<i>b75r</i>	49.48	72.88	-3.76	72.98	357	<i>m11o</i>



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c56v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 1 -45

$LAB^*LCH^*_{Ma}$: 42 45 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.44 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$u^*_e = b00r$

lab^*rgb^*

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = v04m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 25 -43

$LAB^*LCH^*_{Ma}$: 29 50 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.04 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

$u^*_e = b25r$

lab^*rgb^*

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v55m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 47 -28

$LAB^*LCH^*_{Ma}$: 38 55 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.56 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m11o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 49 73 -4

$\text{LAB}^*\text{LCH}^*_{Ma}$: 49 73 357

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 0.89

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$


relative chroma c^*

relative chroma c^*

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*rgb*				
01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.12	0.12	0.12	0.12	0.12	0.12	0.12	0.11	0.25	0.25	0.23	0.23	0.23	0.23	0.23	0.23	0.23	0.23	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
02	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.01	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.02	0.14	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	0.89	0.77	0.66	0.54	0.43	0.31	0.2	0.09	0.0	0.0	0.0	0.0		
03	0.06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.24	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.13	0.13	0.13	0.13
04	0.0	0.08	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.14	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.95	0.88	0.76	0.65	0.53	0.42	0.3	0.19	0.08	0.13	0.13	0.13	0.13		
05	0.13	0.13	0.17	0.17	0.17	0.17	0.17	0.18	0.18	0.07	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.06	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.13	0.13	0.13	0.13		
06	0.12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.24	0.18	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.25	0.25	0.25	0.25
07	0.0	0.02	0.15	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.2	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.9	0.83	0.75	0.64	0.52	0.41	0.29	0.18	0.06	0.25	0.25	0.25	0.25		
08	0.25	0.25	0.25	0.35	0.35	0.35	0.35	0.35	0.35	0.25	0.25	0.25	0.3	0.3	0.3	0.3	0.3	0.3	0.14	0.2	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.25	0.25	0.25	0.25	
09	0.17	0.04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.29	0.24	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.38	0.36	0.31	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.38	0.38	0.38	0.38
10	0.0	0.0	0.09	0.23	0.48	0.63	0.75	0.88	1.0	0.0	0.13	0.14	0.28	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.33	0.5	0.63	0.75	0.88	1.0	0.86	0.78	0.7	0.63	0.51	0.4	0.28	0.17	0.05	0.38	0.38	0.38	0.38		
11	0.38	0.38	0.38	0.38	0.5	0.52	0.52	0.52	0.52	0.38	0.38	0.38	0.38	0.47	0.47	0.47	0.47	0.47	0.34	0.38	0.38	0.38	0.42	0.42	0.42	0.42	0.42	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.38	0.38	0.38	0.38		
12	0.23	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.35	0.3	0.17	0.13	0.13	0.13	0.13	0.13	0.13	0.47	0.42	0.37	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5
13	0.0	0.0	0.03	0.17	0.31	0.56	0.75	0.88	1.0	0.0	0.13	0.13	0.22	0.36	0.61	0.75	0.88	1.0	0.0	0.13	0.25	0.27	0.4	0.63	0.75	0.88	1.0	0.81	0.73	0.65	0.58	0.5	0.39	0.27	0.16	0.04	0.5	0.5	0.5	0.5		
14	0.5	0.5	0.5	0.5	0.5	0.63	0.69	0.69	0.69	0.5	0.5	0.5	0.5	0.5	0.63	0.64	0.64	0.65	0.5	0.5	0.5	0.5	0.6	0.6	0.6	0.6	0.6	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.5	0.5	0.5	0.5		
15	0.29	0.16	0.03	0.0	0.0	0.0	0.0	0.0	0.0	0.41	0.36	0.22	0.13	0.13	0.13	0.13	0.13	0.13	0.53	0.48	0.42	0.29	0.25	0.25	0.25	0.25	0.25	0.25	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.63	0.63	0.63	0.63
16	0.0	0.0	0.0	0.11	0.25	0.39	0.64	0.88	1.0	0.0	0.13	0.13	0.16	0.3	0.43	0.68	0.88	1.0	0.0	0.13	0.25	0.25	0.34	0.48	0.73	0.88	1.0	0.76	0.68	0.61	0.53	0.45	0.38	0.26	0.15	0.03	0.63	0.63	0.63	0.63		
17	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	
18	0.35	0.22	0.08	0.0	0.0	0.0	0.0	0.0	0.0	0.47	0.42	0.28	0.15	0.13	0.13	0.13	0.13	0.13	0.59	0.54	0.48	0.35	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
19	0.0	0.0	0.0	0.05	0.19	0.33	0.46	0.71	0.96	0.0	0.13	0.13	0.13	0.24	0.37	0.51	0.76	1.0	0.0	0.13	0.25	0.25	0.28	0.42	0.56	0.81	1.0	0.71	0.64	0.56	0.48	0.4	0.33	0.25	0.14	0.02	0.75	0.75	0.75	0.75		
20	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.88	1.0	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88
21	0.41	0.27	0.14	0.01	0.0	0.0	0.0	0.0	0.0	0.53	0.47	0.34	0.21	0.13	0.13	0.13	0.13	0.13	0.65	0.59	0.54	0.41	0.28	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
22	0.0	0.0	0.0	0.0	0.13	0.27	0.4	0.54	0.79	0.0	0.13	0.13	0.18	0.31	0.45	0.59	0.84	0.0	0.0	0.13	0.25	0.25	0.25	0.36	0.5	0.64	0.89	0.67	0.59	0.51	0.43	0.36	0.28	0.2	0.13	0.01	0.88	0.88	0.88	0.88		
23	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	
24	0.46	0.33	0.2	0.07	0.0	0.0	0.0	0.0	0.0	0.58	0.53	0.4	0.27	0.13	0.13	0.13	0.13	0.13	0.7	0.64	0.57	0.47	0.33	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25
25	0.0	0.0	0.0	0.07	0.21	0.34	0.48	0.62	0.0	0.13	0.13	0.13	0.13	0.25	0.39	0.53	0.67	0.0	0.13	0.25	0.25	0.25	0.3	0.44	0.58	0.71	0.62	0.54	0.46	0.39	0.31	0.23	0.15	0.08	0.0	1.0	1.0	1.0	1.0			
26	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0		
27	0.38	0.38	0.38	0.35	0.35	0.35	0.35	0.35	0.35	0.5	0.5	0.5	0.5	0.47	0.47	0.47	0.47	0.47	0.63	0.63	0.63	0.63	0.63	0.59	0.59	0.58	0.58	1.0	0.99	0.98	0.98	0.97	0.96	0.95	0.94	0.94	0.0	0.0	0.0	0.0		
28	0.03	0.15	0.28	0.5	0.63	0.75	0.88	1.0	0.04	0.17	0.29	0.41	0.5	0.63	0.75	0.88	1.0	0.05	0.18	0.3	0.42	0.54	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	
29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.0	0.0	0.0			
30	0.38	0.38	0.38	0.36	0.36	0.36	0.36	0.36	0.36	0.5	0.5	0.5	0.5	0.48	0.48	0.48	0.48	0.47	0.63	0.63	0.63	0.63	0.59	0.59	0.59	0.59	0.59	0.93	0.88	0.87	0.86	0.85	0.84	0.84	0.83	0.82	0.07	0.07	0.07	0.07		
31	0.0	0.15	0.27	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.16	0.28	0.4	0.5	0.63	0.75	0.88	1.0	0.0	0.17	0.29	0.41	0.54	0.63	0.75	0.88	1.0	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88		
32	0.05	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.03	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.02	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.07	0.07	0.07	0.07		
33	0.38	0.38	0.38	0.37	0.37	0.37	0.37	0.37	0.37	0.5	0.5	0.5	0.5	0.48	0.48	0.48	0.48	0.48	0.63	0.63	0.63	0.63	0.6	0.6	0.6	0.6	0.6	0.87	0.81	0.75	0.74	0.73	0.73	0.72	0.71	0.7	0.13	0.13	0.13	0.13		
34	0.0	0.13	0.26	0.38	0.5	0.63	0.75	0																																		


Input and output:
Colorimetric Printer Reflective System ORS19_96a
data for any colour:
 u^*_e and number $no.$ = 00 .. 15
elementary hue text:
 $u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$



%Gamut
 $u^*_{rel} = 89$
%Regularity
 $g^*_{H,rel} = 72$
 $g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.29	87.24	87.85	97
L _{Ma}	52.69	-65.44	20.75	68.65	162
C _{Ma}	59.61	-28.98	-46.22	54.56	238
V _{Ma}	28.39	23.63	-44.13	50.06	298
M _{Ma}	49.58	73.93	-9.56	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m84o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 66 32

$LAB^*LCH^*_{Ma}$: 49 74 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.15

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 52 47

$LAB^*LCH^*_{Ma}$: 56 71 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 35 58

$LAB^*LCH^*_{Ma}$: 65 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.42 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o67y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 75 18 69

$LAB^*LCH^*_{Ma}$: 75 72 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.68 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o92y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 87 -3 83

$LAB^*LCH^*_{Ma}$: 87 83 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.93 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y20l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 81 -25 69

$LAB^*LCH^*_{Ma}$: 81 74 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.8 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y46l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -40 52

$LAB^*LCH^*_{Ma}$: 71 65 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.54 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = y72l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 62 -52 37

$\text{LAB}^*\text{LCH}^*_{Ma}$: 62 64 144

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.27 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$\text{LAB}^*\text{LAB}^*_a$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = y99l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 -65 21

$LAB^*LCH^*_{Ma}$: 53 69 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l36c$


contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -50 -8

$LAB^*LCH^*_{Ma}$: 56 50 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.36

triangle lightness t^*


% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



$u^*_e = g25b$
 $LAB^*LAB^*_a$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LAB^*_a$

$i^* = 1.00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l72c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 58 -38 -29

$LAB^*LCH^*_{Ma}$: 58 48 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.72

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c11v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -22 -46

$LAB^*LCH^*_{Ma}$: 55 51 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.89 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c56v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 42 1 -45

$\text{LAB}^*\text{LCH}^*_{Ma}$: 42 45 271

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.44 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$\text{LAB}^*\text{LAB}^*_a$

$i^* = 1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = v04m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 25 -43

$LAB^*LCH^*_{Ma}$: 29 50 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.04 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v55m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 47 -28

$LAB^*LCH^*_{Ma}$: 38 55 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.56 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = b75r$ $u_d^* = m11o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 73 -4

$LAB^*LCH^*_{Ma}$: 49 73 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.89

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*

relative chroma c^*

1,00

0,75

0,50

0,25

0,00

$i^* = 0,00$

$i^* \pm 0,25$

$i^* = 0,50$

$i^* = 0,75$

$i^* = 1,00$

1,00

0,75

0,50

0,25

0,00

$i^*=0,00$

$i^*=0,20$

$i^*=0,40$


$i^*=0,60$

$i^*=0,80$

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*a			
01	18.9	23.1	27.3	31.6	35.8	40.0	44.2	48.5	52.7	22.6	27.9	31.5	35.8	40.1	44.4	48.6	52.9	57.2	26.4	31.2	36.9	40.1	44.2	48.4	52.7	57.0	61.3	66.9	90.9	84.9	78.8	72.8	66.8	60.8	54.8	48.7	18.9	18.9	18.9	18.9	
	9.0	-8.2	-16.4	-24.5	-32.7	-40.9	-49.1	-57.3	-65.4	-1.3	-10.3	-18.4	-26.5	-34.6	-42.7	-50.8	-58.9	16.3	7.5	-2.6	-12.3	-20.6	-28.7	-36.8	-44.9	-53.0	0.0	8.1	16.3	24.4	32.5	40.6	48.7	56.8	64.9	73.0	81.1	89.2	97.3		
02	20.1	24.0	28.3	32.6	36.9	41.2	45.5	49.7	54.0	22.7	28.6	32.9	37.1	41.3	45.5	49.8	54.0	58.2	26.5	31.3	37.6	41.3	45.6	49.9	54.1	58.4	62.7	67.0	91.0	85.0	78.9	72.9	66.9	60.9	54.9	48.8	18.9	18.9	18.9	18.9	
	3.0	-3.6	-11.1	-18.9	-26.7	-34.7	-42.6	-50.7	-58.7	0.0	-9.2	-16.4	-24.5	-32.7	-40.9	-49.1	-57.3	31.7	8.1	-1.3	-10.9	-18.4	-26.5	-34.6	-42.7	-50.8	0.0	8.1	16.3	24.4	32.5	40.6	48.7	56.8	64.9	73.0	81.1	89.2	97.3		
03	-5.5	-5.8	-4.1	-2.5	0.6	1.5	3.7	6.0	8.4	-1.2	0.0	2.6	5.2	7.8	10.4	13.0	15.6	18.2	3.7	4.9	10.9	12.5	15.2	17.9	20.6	23.2	25.9	-5.8	0.0	4.9	9.9	14.8	19.7	24.6	29.5	34.4	39.3	44.2	49.1	54.0	58.9
	23.1	25.0	29.1	33.4	37.7	42.1	46.4	50.7	55.0	23.4	29.8	33.7	38.1	42.4	46.7	51.0	55.2	59.5	26.6	32.5	38.4	42.6	46.8	51.1	55.3	59.5	63.7	87.6	82.6	77.4	71.4	65.4	59.3	53.3	47.3	41.3	38.4	38.4	38.4	38.4	
04	5.9	-0.4	-7.2	-15.0	-22.8	-30.7	-38.5	-46.3	-54.1	0.0	-3.6	-11.3	-18.9	-26.7	-34.7	-42.6	-50.7	18.5	9.2	0.0	-8.2	-16.4	-24.5	-32.7	-40.9	-49.1	-57.3	-65.4	-73.5	-81.6	-89.7	-97.8	-105.9	-114.0	-122.1	-130.2	-138.3	-146.4	-154.5		
	-11.0	-11.3	-11.6	-9.7	-8.3	-6.7	-5.0	-3.2	-1.2	-7.6	-5.5	-5.8	-4.1	-2.5	0.6	1.5	3.7	6.0	-2.4	-1.2	0.0	2.6	5.2	7.8	10.4	13.0	15.6	-11.6	-5.8	0.0	4.9	9.9	14.8	19.7	24.6	29.5	34.4	39.3	44.2	49.1	
05	-22.6	26.3	-11.9	34.2	38.4	42.8	47.1	51.5	55.8	24.5	31.0	34.8	38.8	43.1	47.5	51.8	56.1	60.4	26.9	31.3	39.6	43.5	47.8	52.1	56.4	60.7	65.0	82.9	77.8	72.7	67.6	61.6	55.6	49.6	43.6	37.6	48.1	48.1	48.1	48.1	
	8.9	2.4	-3.6	-10.9	-18.8	-26.3	-33.8	-41.4	-49.1	11.3	5.9	-0.4	-7.2	-15.0	-22.8	-30.7	-38.5	-46.3	11.0	3.0	-3.6	-11.3	-18.9	-26.7	-34.7	-42.6	10.9	-7.2	-3.6	0.0	8.1	16.3	24.4	32.5	40.6	48.7	56.8	64.9	73.0	81.1	
06	-16.5	-16.8	-17.0	-17.3	-15.2	-13.8	-12.4	-10.9	-9.3	-13.2	-11.0	-11.3	-11.6	-9.7	-8.3	-6.7	-5.0	-3.2	-9.3	-7.6	-5.5	-5.8	-4.1	-2.5	-0.6	1.5	3.7	-17.3	-11.6	-5.8	0.0	4.9	9.9	14.8	19.7	24.6	29.5	34.4	39.3	44.2	
	23.8	27.6	31.1	34.8	39.2	43.5	47.8	52.2	56.5	25.7	32.2	36.0	39.6	43.9	48.2	52.5	56.9	61.2	27.9	34.3	40.4	44.5	48.6	52.9	57.2	61.5	65.9	78.3	73.2	68.1	63.0	57.9	51.9	45.9	39.8	33.8	27.9	21.9	15.9		
07	11.8	5.2	-0.8	-7.6	-14.5	-22.5	-30.1	-37.6	-45.1	11.6	7.9	2.4	-3.6	-10.9	-18.8	-26.3	-33.8	-41.4	11.3	5.9	-0.4	-7.2	-15.0	-22.8	-30.7	-38.5	14.5	-10.9	-7.2	-3.6	0.0	8.1	16.3	24.4	32.5	40.6	48.7	56.8	64.9	73.0	81.1
	-22.1	-22.3	-22.6	-22.8	-23.1	-20.8	-19.3	-18.0	-16.6	-18.7	-16.5	-16.8	-17.0	-17.3	-15.2	-13.8	-12.4	-10.9	-15.1	-13.2	-11.0	-11.3	-11.6	-9.7	-8.3	-6.7	-5.0	-23.1	-17.3	-11.6	-5.8	0.0	4.9	9.9	14.8	19.7	24.6	29.5	34.4	39.3	
08	24.8	28.8	32.4	35.9	39.8	44.3	48.6	52.9	57.3	26.9	33.4	37.3	40.9	44.5	49.0	53.3	57.6	61.9	29.0	35.5	42.0	45.8	49.4	53.7	57.9	62.3	66.6	63.4	68.5	63.4	58.3	53.2	48.1	42.1	36.1	30.1	24.1	18.1	12.1		
	14.8	8.0	2.0	-4.0	-10.0	-18.0	-26.2	-33.8	-41.4	11.9	11.8	5.2	-0.8	-7.0	-14.5	-22.5	-30.1	-37.6	16.7	8.9	2.4	-3.6	-10.9	-18.8	-26.3	-33.8	-41.4	-14.5	-10.9	-7.2	-3.6	0.0	8.1	16.3	24.4	32.5	40.6	48.7	56.8	64.9	
09	-27.6	-27.8	-28.1	-28.3	-28.6	-28.9	-29.5	-23.5	-24.2	-22.1	-22.3	-22.6	-22.8	-23.1	-20.8	-19.3	-18.0	-16.6	-18.7	-16.5	-16.8	-17.0	-17.3	-15.2	-13.8	-12.4	-10.9	-13.2	-11.0	-11.3	-11.6	-9.7	-8.3	-6.7	-5.0	-23.1	-17.3	-11.6	-5.8		
	26.0	30.1	33.7	37.2	40.8	44.8	49.4	53.7	58.0	28.1	34.6	38.6	42.2	45.7	49.5	54.1	58.3	62.7	30.2	36.6	43.1	47.1	50.6	54.4	58.3	62.3	66.9	63.8	68.8	63.7	58.6	53.5	48.4	43.3	38.2	33.1	28.0	22.9	17.8		
10	17.7	10.9	4.8	-1.2	-7.2	-13.9	-21.7	-29.7	-37.6	12.2	14.8	8.0	2.0	-4.0	-10.0	-18.0	-26.2	-33.8	12.7	11.8	5.2	-0.8	-7.0	-14.5	-22.5	-30.1	-37.6	11.8	-14.5	-10.9	-7.2	-3.6	0.0	8.1	16.3	24.4	32.5	40.6	48.7	56.8	
	-33.1	-33.4	-33.6	-33.8	-34.1	-34.4	-34.7	-32.2	-30.5	-29.7	-27.6	-27.8	-28.1	-28.3	-28.6	-28.9	-29.5	-24.3	-26.3	-24.2	-22.1	-22.3	-22.6	-22.8	-23.1	-20.8	-19.3	-34.7	-28.9	-23.1	-17.3	-11.6	-5.8	0.0	4.9	9.9	14.8	19.7	24.6		
11	-27.2	31.3	35.0	38.5	42.1	45.8	49.8	54.5	58.7	29.3	35.8	39.8	43.5	47.9	52.6	57.5	62.4	67.3	31.3	37.8	44.3	51.9	55.5	59.3	63.8	68.1	72.9	54.1	49.0	43.9	38.8	33.7	28.6	22.6	17.5	12.4	7.3	2.2			
	29.7	13.8	7.6	1.6	-4.3	-10.6	-17.4	-25.4	-33.5	17.7	10.9	4.8	-1.2	-7.2	-13.9	-21.7	-29.7	-37.6	22.6	14.8	8.0	2.0	-4.0	-10.0	-18.0	-26.2	-33.8	-41.4	-14.5	-10.9	-7.2	-3.6	0.0	8.1	16.3	24.4	32.5	40.6	48.7		
12	-38.6	-38.9	-39.1	-39.4	-39.7	-39.9	-40.1	-40.4	-40.7	-37.9	-35.8	-33.5	-31.3	-29.1	-26.9	-24.7	-22.5	-20.3	-18.1	-15.9	-13.7	-11.5	-9.3	-7.1	-4.9	-2.7	-0.5	1.7	3.9	6.1	8.3	10.5	12.7	14.9	17.1	19.3	21.5	23.7	25.9	28.1	
	23.4	32.5	36.2	39.8	43.3	46.9	50.7	54.9	59.6	30.7	37.0	41.0	44.7	48.3	51.9	55.6	59.6	64.3	32.5	39.0	45.5	49.6	53.2	56.7	60.3	64.3	68.9	59.6	54.5	49.4	44.3	39.2	34.2	29.1	24.0	18.9	13.8	8.7			
13	32.6	16.7	10.4	4.4	-1.5	-7.6	-14.0	-21.0	-29.2	28.7	13.8	7.6	1.6	-4.3	-10.6	-17.4	-25.4	-33.5	17.7	10.9	4.8	-1.2	-7.2	-13.9	-21.7	-29.7	11.8	-14.5	-10.9	-7.2	-3.6	0.0	8.1	16.3	24.4	32.5	40.6	48.7	56.8	64.9	
	-44.1	-44.4	-44.7	-44.9	-45.1	-45.4	-45.6	-45.9	-46.2	-40.8	-38.7	-38.9	-39.1	-39.4	-39.6	-39.9	-40.4	-40.7	-37.4	-35.3	-33.4	-31.4	-29.4	-27.4	-25.4	-23.4	-21.4	-19.4	-17.4	-15.4	-13.4	-11.4	-9.4	-7.4	-5.4	-3.4	-1.4				
14	30.1	35.1	39.8	45.9	48.7	52.6	56.8	61.1	65.4	33.8	39.0	43.6	48.6	54.9	61.2	65.3	69.5	73.6	42.8	47.5	52.2	57.4	63.9	66.3	69.9	73.8	78.9	86.9	96.9	96.2	95.4	94.7	93.9	93.2	92.4	91.7	90.9	18.9			
	24.0	15.4	7.0	-3.9	-14.7	-22.7	-30.9	-39.1	-47.2	23.2	15.0	6.2	-5.1	-15.7	-24.6	-33.6	-41.4	-49.1	24.0	17.3	10.9	4.8	-1.2	-7.0	-14.5	-22.5	-30.1	-37.6	11.8	-14.5	-10.9	-7.2	-3.6	0.0	8.1	16.3	24.4	32.5			
15	14.8	20.5	25.8	32.7	32.9	34.9	37.4	40.1	42.8	19.7	25.6	30.8	36.4	43.6	43.4	45.1	47.4	49.9	24.6	30.6	35.9	41.2	47.1	54.5	64.0	55.4	57.4	0.0	10.9	21.8	32.7	43.6	54.5	65.4	76.3	87.2	98.1	109.0	119.9		
	30.2	36.1	41.0	46.9	49.8	53.9	58.2	62.5	66.8	33.9	39.8	44.9	49.6	55.7	63.8	62.4	66.6	70.8	37.7	43.6	49.7	53.4	58.3	64.7	67.0	71.0	75.0	88.3	87.1	86.4	85.7	84.9	84.2	83.4	82.7	81.9	24.1				
16	25.5	16.3	7.5	-2.6	-12.3	-20.6	-28.7	-36.8	-44.9	93.3	7.4	15.4	7.0	-3.9	-14.1	-22.7	-30.9	-39.1	39.1	32.5	15.0	6.2	-5.1	-15.7	-24.6	-33.6	0.0	-1.3	-2.6	-3.9	-5.1	-6.4	-7.7	-9.0	-10.3	-11.6	-12.9	-14.2			
	8.5	9.9	15.4	21.8	22.5	25.0	27.6	30.3	33.1	13.3	14.8	20.5	25.8	32.7	32.9	34.9	37.4	40.1	18.2	19.7	25.6	30.8	36.4	43.6	43.4	45.1	47.4	-5.5	0.0	10.9	21.8	32.7	43.6	54.5	65.4	76.3	87.2	98.1			
17	30.3	36.2	42.1	47.4	51.0	55.3	59.6	63.9	68.2	34.0	39.9	45.9	50.6	56.8	63.7	67.9	72.2	76.5	43.7	49.6	54.6	59.3	65.4	68.2	72.1	76.3	79.8	78.6	77.4	76.6	75.9	75.2	74.4	73.7	72.9	29.3	29.3	29.3			
	26.6	17.4	8.1	-1.3	-10.3	-18.4	-26.5	-34.6	-42.7	23.4	15.6	7.3	-5.8	-12.3	-20.6	-28.7	-36.8	-44.9	23.4	15.4	7.0	-3.9	-14.1	-22.7	-30.9	-39.1	0.0	-1.3	-2.6	-3.9	-5.1	-6.4	-7.7	-9.0	-10.3	-11.6	-12.9				
18	2.6	3.7	4.9	10.9	12.5	15.2	17.9	20.6	23.2	7.3	8.5																														

Input and output:
 Colorimetric Printer Reflective System ORS19_96a
 data for any colour:
 u_e^* and number *no.* = 00 .. 15
 elementary hue text:
 $u_e^* = 16$ hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 1.0$

ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
<i>r00j</i>	48.88	66.47	31.67	73.63	25	<i>m84o</i>
<i>r25j</i>	55.85	52.39	47.48	70.7	42	<i>o17y</i>
<i>r50j</i>	65.45	35.22	58.37	68.17	59	<i>o42y</i>
<i>r75j</i>	75.19	17.82	69.41	71.66	76	<i>o67y</i>
<i>j00g</i>	87.03	-3.35	82.83	82.9	92	<i>o92y</i>
<i>j25g</i>	80.72	-25.01	69.5	73.86	110	<i>y20l</i>
<i>j50g</i>	70.64	-39.54	51.97	65.3	127	<i>y46l</i>
<i>j75g</i>	61.93	-52.1	36.83	63.8	145	<i>y72l</i>
<i>g00b</i>	52.8	-65.28	20.93	68.56	162	<i>y99l</i>
<i>g25b</i>	55.7	-49.58	-8.39	50.28	190	<i>l36c</i>
<i>g50b</i>	57.82	-38.4	-28.92	48.07	217	<i>l72c</i>
<i>g75b</i>	55.5	-22.05	-45.95	50.97	244	<i>c11v</i>
<i>b00r</i>	41.6	1.37	-45.01	45.03	272	<i>c56v</i>
<i>b25r</i>	29.0	25.08	-43.13	49.89	300	<i>v04m</i>
<i>b50r</i>	38.04	46.53	-28.39	54.51	329	<i>v55m</i>
<i>b75r</i>	49.48	72.88	-3.76	72.98	357	<i>m11o</i>



%Gamut


$u_{rel}^* = 89$

%Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data					
Name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.29	87.24	87.85	97
L _{Ma}	52.69	-65.44	20.75	68.65	162
C _{Ma}	59.61	-28.98	-46.22	54.56	238
V _{Ma}	28.39	23.63	-44.13	50.06	298
M _{Ma}	49.58	73.93	-9.56	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.071$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m84o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}: 49 \ 66 \ 32$

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}: 49 \ 74 \ 25$

$\text{lab}^*\text{rgb}^*_{\text{Ma}}: 1.0 \ 0.0 \ 0.0$

$\text{lab}^*\text{olv}^*_{\text{Ma}}: 1.0 \ 0.0 \ 0.15$

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 89$

% Regularity

$g^*_{H,\text{rel}} = 72$

$g^*_{C,\text{rel}} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 52 47

$LAB^*LCH^*_{Ma}$: 56 71 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LCH^*_{a}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$

$i^* = 0.50$

$i^* = 0.75$

$i^* = 1.00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 35 58

$LAB^*LCH^*_{Ma}$: 65 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.42 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LCH^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.21$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o67y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 75 18 69

$\text{LAB}^*\text{LCH}^*_{Ma}$: 75 72 75

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.75 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.68 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$\text{LAB}^*\text{LCH}^*_{a}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$
0.25

$i^* = 0.50$

$i^* = 0.75$

$i^* = 1.00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o92y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 87 -3 83

$LAB^*LCH^*_{Ma}$: 87 83 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.93 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y20l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 81 -25 69

$LAB^*LCH^*_{Ma}$: 81 74 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.8 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LCH^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y46l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -40 52

$LAB^*LCH^*_{Ma}$: 71 65 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.54 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = y72l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 -52 37

$LAB^*LCH^*_{Ma}$: 62 64 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.27 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = y99l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 -65 21

$LAB^*LCH^*_{Ma}$: 53 69 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LCH^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$
0.25

$i^* = 0.50$

$i^* = 0.75$

$i^* = 1.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l36c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -50 -8

$LAB^*LCH^*_{Ma}$: 56 50 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.36

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$


$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LCH^*_a$

$i^*=1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l72c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 58 -38 -29

$LAB^*LCH^*_{Ma}$: 58 48 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.72

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$u^*_e = g50b$
 $LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c11v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -22 -46

$LAB^*LCH^*_{Ma}$: 55 51 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.89 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LCH^*_a$

$i^* = 1.00$

brilliantness i^*

relative chroma c^*



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c56v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 1 -45

$LAB^*LCH^*_{Ma}$: 42 45 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.44 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = v04m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 25 -43

$LAB^*LCH^*_{Ma}$: 29 50 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.04 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v55m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 38 47 -28

$\text{LAB}^*\text{LCH}^*_{Ma}$: 38 55 328

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.56 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$u^*_e = b50r$

$\text{LAB}^*\text{LCH}^*_a$

$\text{LAB}^*\text{LCH}^*_a$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m11o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 73 -4

$LAB^*LCH^*_{Ma}$: 49 73 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.89

triangle lightness t^*

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$LAB^*LCH^*_{a}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*


relative chroma c^*

$i^* = 0.00$

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LCH*a				
01	18.9	23.1	27.3	31.6	35.8	40.0	44.2	48.5	52.7	22.6	27.9	31.5	35.8	40.1	44.4	48.6	52.9	57.2	26.4	31.2	36.9	40.1	44.2	48.4	52.7	57.0	61.3	66.9	60.9	84.9	78.8	72.8	66.8	60.8	54.8	48.7	18.9	18.9	18.9	18.9		
02	9.0	8.6	17.2	25.7	34.3	42.9	51.5	60.1	68.6	9.5	11.0	16.2	23.9	32.0	40.2	48.5	57.1	65.5	19.0	17.1	22.0	25.7	32.4	39.9	47.7	55.8	63.9	0.0	0.0	19.0	28.5	38.0	47.6	57.1	66.6	76.1	0.0	0.0	0.0	0.0		
03	29.1	24.0	28.3	32.6	36.9	41.2	45.5	49.7	54.0	22.7	28.6	32.9	37.1	41.4	45.7	49.9	54.0	58.2	26.5	32.4	37.6	41.3	45.6	49.9	54.1	58.4	62.7	67.2	87.1	81.1	75.1	69.1	63.1	57.1	51.0	45.0	28.6	28.6	28.6	28.6		
04	6.3	6.8	12.0	19.1	26.8	34.7	42.8	51.9	59.3	9.3	0.0	8.6	16.2	16.2	16.2	16.2	16.2	16.2	12.3	31.7	37.6	43.5	49.4	55.3	61.2	67.1	73.0	78.9	0.0	0.0	19.0	28.5	38.0	47.6	57.1	66.6	76.1	0.0	0.0	0.0	0.0	
05	21.3	25.0	29.1	33.4	37.7	42.1	46.4	50.7	55.0	23.4	29.8	33.7	38.1	42.4	46.7	51.0	55.2	59.5	26.6	32.5	38.4	42.6	46.8	51.1	55.3	59.5	63.7	67.9	82.5	77.4	71.4	65.4	59.3	53.3	47.3	41.3	38.4	38.4	38.4	38.4		
06	12.5	11.3	13.6	17.9	24.0	30.9	38.2	45.8	53.5	13.3	6.3	6.8	12.0	19.1	26.8	34.7	42.8	51.0	18.6	9.3	0.0	8.6	17.2	25.7	34.3	42.9	51.5	60.1	68.6	8.2	0.0	9.5	19.0	28.5	38.0	47.6	57.1	0.0	0.0	0.0	0.0	
07	29.8	26.8	23.8	21.3	20.0	19.3	18.8	18.4	18.1	32.5	29.8	23.8	20.0	18.8	18.1	17.8	17.5	17.3	35.3	35.3	0.0	0.0	16.2	16.2	16.2	16.2	16.2	16.2	16.2	16.2	16.2	16.2	16.2	16.2	16.2	16.2	16.2	16.2	16.2	16.2	16.2	
08	22.5	26.3	29.9	32.4	38.4	42.8	47.1	51.5	55.8	24.5	31.0	34.8	38.8	43.1	47.5	51.8	56.1	60.4	26.9	33.1	39.6	43.5	47.8	52.1	56.4	60.7	65.0	69.3	73.6	77.9	82.2	86.5	90.8	95.1	99.4	103.7	108.0	112.3	116.6	120.9		
09	18.8	17.0	17.4	20.5	24.2	29.7	36.1	42.8	50.0	19.1	12.5	11.3	13.6	17.9	24.0	30.9	38.2	45.8	21.5	13.3	6.3	6.8	12.0	19.1	26.8	34.7	42.8	51.5	60.1	68.6	8.2	0.0	9.5	19.0	28.5	38.0	47.6	0.0	0.0	0.0	0.0	
10	23.6	27.6	31.1	34.8	39.2	43.5	47.8	52.2	56.5	25.7	32.2	36.0	39.6	43.9	48.2	52.5	56.9	61.2	27.9	34.3	40.8	44.5	48.6	52.9	57.2	61.6	65.9	70.3	73.2	68.1	63.0	57.9	51.9	45.9	39.8	33.8	27.9	27.9	27.9	27.9		
11	25.0	22.9	22.6	24.9	27.3	30.7	35.8	41.7	48.1	25.1	18.8	17.0	17.0	24.5	24.2	29.7	36.1	42.8	26.6	19.0	12.5	11.3	13.6	17.9	24.0	30.9	38.2	45.8	53.5	61.2	68.9	76.6	84.3	92.0	99.7	107.4	115.1	122.8	130.5	138.2		
12	28.3	26.8	25.3	23.8	22.3	21.3	20.6	20.0	31.2	29.8	27.8	25.8	23.8	21.9	20.0	18.8	17.5	16.2	32.5	31.6	29.8	28.3	26.8	25.3	23.8	22.3	20.8	19.3	17.8	16.3	14.8	13.3	11.8	10.3	8.8	7.3	5.8	4.3	2.8	1.3		
13	24.8	28.8	32.4	35.9	39.8	44.3	48.6	52.9	57.3	26.9	33.4	37.3	40.9	44.5	49.0	53.3	57.6	61.9	29.0	35.5	42.0	45.8	49.4	53.3	57.9	62.3	66.6	70.9	75.2	79.5	83.8	88.1	92.4	96.7	101.0	105.3	109.6	113.9	118.2	122.5		
14	31.3	29.0	28.2	26.8	30.4	34.1	37.2	42.0	47.6	31.2	25.0	22.9	22.9	26.6	23.9	27.3	30.7	35.8	32.3	25.1	18.8	17.0	17.4	20.5	24.2	29.7	36.1	42.8	51.5	60.1	68.6	8.2	0.0	9.5	19.0	28.5	38.0	47.6	0.0	0.0	0.0	0.0
15	28.6	27.4	26.2	25.0	23.8	22.5	21.6	21.0	30.9	29.8	28.3	26.8	25.3	23.8	22.3	20.8	19.3	17.8	32.0	31.2	29.8	28.3	26.8	25.3	23.8	22.3	20.8	19.3	17.8	16.3	14.8	13.3	11.8	10.3	8.8	7.3	5.8	4.3	2.8	1.3		
16	26.0	30.1	33.7	37.2	40.8	44.8	49.4	53.7	58.0	28.1	34.6	38.6	42.2	45.7	49.5	54.1	58.3	62.7	30.2	36.6	43.1	47.1	50.6	54.6	58.3	62.3	66.3	70.3	74.3	78.3	82.3	86.3	90.3	94.3	98.3	102.3	106.3	110.3	114.3	118.3		
17	37.5	35.1	33.9	33.9	34.9	37.1	40.9	43.9	48.4	37.4	31.3	29.0	28.2	28.6	30.4	34.1	37.2	42.0	38.1	31.2	25.0	22.9	22.6	23.9	27.3	30.7	35.8	40.9	46.0	51.1	56.2	61.3	66.4	71.5	76.6	81.7	86.8	91.9	97.0	102.1	107.2	
18	29.8	28.8	27.8	26.8	25.8	24.8	23.8	22.7	21.9	30.7	29.8	28.6	27.4	26.2	25.0	23.8	22.5	21.6	31.6	30.9	29.8	28.3	26.8	25.3	23.8	22.3	21.3	20.3	19.3	18.3	17.3	16.3	15.3	14.3	13.3	12.3	11.3	10.3	9.3	8.3		
19	27.2	31.3	35.0	38.5	42.1	45.8	49.8	54.5	58.7	29.3	35.8	39.8	43.5	47.0	50.6	54.5	59.2	63.4	31.3	37.8	44.3	48.3	51.9	55.5	59.3	63.8	68.1	72.4	76.7	81.0	85.3	89.6	93.9	98.2	102.5	106.8	111.1	115.4	119.7	124.0		
20	43.8	41.3	39.9	39.9	41.4	43.8	47.7	50.6	54.5	43.5	37.5	35.1	33.9	33.9	34.9	37.1	40.9	43.9	44.1	37.4	31.3	29.0	28.2	28.6	30.4	34.1	37.2	40.9	44.8	48.7	52.6	56.5	60.4	64.3	68.2	72.1	76.0	80.0	83.9	87.8		
21	28.4	28.8	29.0	28.8	27.8	26.8	25.8	24.8	23.8	22.8	21.8	20.8	19.8	18.8	17.8	16.8	15.8	14.8	32.8	31.8	30.8	29.8	28.8	27.8	26.8	25.8	24.8	23.8	22.8	21.8	20.8	19.8	18.8	17.8	16.8	15.8	14.8	13.8	12.8	11.8		
22	25.1	29.1	32.9	36.3	39.8	43.3	46.9	50.7	54.9	30.6	37.0	41.0	44.7	48.3	51.9	55.5	59.6	63.3	32.5	39.0	45.5	49.6	53.2	56.7	60.3	63.9	67.5	71.1	74.7	78.3	81.9	85.5	89.1	92.7	96.3	99.9	103.5	107.1	110.7	114.3		
23	51.1	47.4	45.8	45.1	45.2	46.9	47.7	50.5	54.6	49.8	43.8	41.4	39.9	39.4	39.8	41.2	43.8	47.7	50.2	43.5	37.5	35.1	33.9	33.9	34.9	37.1	40.9	44.8	48.7	52.6	56.5	60.4	64.3	68.2	72.1	76.0	80.0	83.9	87.8	91.7	95.6	
24	29.8	29.1	28.3	27.6	26.8	26.1	25.3	24.5	23.8	30.5	29.8	29.0	28.1	27.2	26.4	25.5	24.7	23.8	31.2	30.6	29.8	28.8	27.8	26.8	25.8	24.8	23.8	22.8	21.8	20.8	19.8	18.8	17.8	16.8	15.8	14.8	13.8	12.8	11.8	10.8		
25	31.1	35.1	39.8	45.9	48.7	52.6	56.8	61.1	65.4	33.8	39.0	43.6	48.6	54.9	61.5	62.1	65.3	69.5	37.6	42.8	47.5	52.2	57.4	63.9	66.3	69.9	73.8	78.9	84.0	89.1	94.2	99.3	104.4	109.5	114.6	119.7	124.8	129.9	135.0	140.1		
26	28.5	25.6	24.2	23.9	35.8	41.6	48.6	56.0	63.7	38.0	34.6	34.3	36.9	43.9	51.4	51.4	57.7	64.6	47.6	43.2	38.8	34.4	30.0	25.6	21.2	16.8	12.4	8.0	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
27	31.3	53	75	97	113	123	130	134	138	31	48	64	80	97	110	119	125	130	31	44	57	71	84	97	108	115	121	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
28	32.1	36.1	41.0	46.6	49.8	53.9	58.2	62.5	66.8	33.9	39.8	44.9	49.6	55.7	60.8	65.4	66.6	70.8	37.7	43.6	48.7	53.4	58.3	64.7	67.3	71.0	75.0	78.8	82.6	86.4	90.2	94.0	97.8	101.6	105.4	109.2	113.0	116.8	120.6	124.4		
29	26.9	19.0	17.1	22.0	25.7	32.4	39.9	47.7	55.8	36.2	28.5	25.6	26.8	32.9	35.8	41.6	48.6	56.0	45.6	38.0	34.6	34.3	36.9	43.9	51.1	51.4	57.7	64.6	71.5	78.4	85.3	92.2	99.1	106.0	112.9	119.8	126.7	133.6	140.5	147.4		
30	26.7	17.8	8.9	11.0	16.2	23.9	32.0	40.2	48.5	48.6	35.5	26.9	19.0	10.7	12.0	25.7	32.4	39.9	47.7	44.6	36.2	28.5	25.6	26.8	32.9	35.8	41.6	48.6	56.0	63.7	71.4	79.1	86.8	94.5	102.2	109.9	117.6	125.3	133.0	140.7		
31	5	12	31	97	130	141	146	149	151	12	18	31	64	97	119	130	136	141	16	22	31	53	75	97	113	123	130	136	141	146	149	151	153	155	157	159	161	163	165	167		
32	30.4	36.3	42.2	48.1	52.4	56.6	60.8	65.0	69.3	34.1	40.0	46.0	51.9	57.1	60.8	65.1	69.4	73.6	37.9	43.8	49.7	55.6	60.6	66.2	69.3	73.4	77.7	81.9	86.2	90.4	94.7	98.9	103.2	107.4	111.7	115.9	120.2	124.4	128.7			
33	28.0	18.6	9.3	0.0	8.6	17.2	25.7	34.3	42.9	42.9	35.9	26.7	17.8	9.1	5.1	11.0	16.2	23.9	32.0	40.2	48.5	48.5	35.5	26.9	19.0	10.7	12.0	25.7	32.4	39.9	47.7											

Input and output:
 Colorimetric Printer Reflective System ORS19_96a
 data for any colour:
 u^*_e and number *no.* = 00 .. 15
 elementary hue text:
 $u^*_e = 16$ hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 1.0$

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
<i>r00j</i>	48.88	66.47	31.67	73.63	25	<i>m84o</i>
<i>r25j</i>	55.85	52.39	47.48	70.7	42	<i>o17y</i>
<i>r50j</i>	65.45	35.22	58.37	68.17	59	<i>o42y</i>
<i>r75j</i>	75.19	17.82	69.41	71.66	76	<i>o67y</i>
<i>j00g</i>	87.03	-3.35	82.83	82.9	92	<i>o92y</i>
<i>j25g</i>	80.72	-25.01	69.5	73.86	110	<i>y20l</i>
<i>j50g</i>	70.64	-39.54	51.97	65.3	127	<i>y46l</i>
<i>j75g</i>	61.93	-52.1	36.83	63.8	145	<i>y72l</i>
<i>g00b</i>	52.8	-65.28	20.93	68.56	162	<i>y99l</i>
<i>g25b</i>	55.7	-49.58	-8.39	50.28	190	<i>l36c</i>
<i>g50b</i>	57.82	-38.4	-28.92	48.07	217	<i>l72c</i>
<i>g75b</i>	55.5	-22.05	-45.95	50.97	244	<i>c11v</i>
<i>b00r</i>	41.6	1.37	-45.01	45.03	272	<i>c56v</i>
<i>b25r</i>	29.0	25.08	-43.13	49.89	300	<i>v04m</i>
<i>b50r</i>	38.04	46.53	-28.39	54.51	329	<i>v55m</i>
<i>b75r</i>	49.48	72.88	-3.76	72.98	357	<i>m11o</i>



%Gamut


$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.29	87.24	87.85	97
L _{Ma}	52.69	-65.44	20.75	68.65	162
C _{Ma}	59.61	-28.98	-46.22	54.56	238
V _{Ma}	28.39	23.63	-44.13	50.06	298
M _{Ma}	49.58	73.93	-9.56	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m84o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 66 32

$LAB^*LCH^*_{Ma}$: 49 74 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.15

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r25j$ $u_d^* = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 56 52 47

$\text{LAB}^*\text{LCH}^*_{Ma}$: 56 71 42

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

% Gamut


$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 35 58

$LAB^*LCH^*_{Ma}$: 65 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.42 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o67y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 75 18 69

$LAB^*LCH^*_{Ma}$: 75 72 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.68 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

lab^*tch^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = j00g$ $u_d^* = o92y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}: 87 -3 83$

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}: 87 83 92$

$\text{lab}^*\text{rgb}^*_{\text{Ma}}: 1.0 1.0 0.0$

$\text{lab}^*\text{olv}^*_{\text{Ma}}: 1.0 0.93 0.0$

triangle lightness t^*

% Gamut


$u_{\text{rel}}^* = 89$

% Regularity

$g_{H,\text{rel}}^* = 72$

$g_{C,\text{rel}}^* = 57$

ORS19_96a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y20l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 81 -25 69

$LAB^*LCH^*_{Ma}$: 81 74 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.8 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = j50g$ $u_d^* = y46l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 71 -40 52

$\text{LAB}^*\text{LCH}^*_{Ma}$: 71 65 127

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.54 1.0 0.0

triangle lightness t^*

% Gamut


$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = y72l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 -52 37

$LAB^*LCH^*_{Ma}$: 62 64 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.27 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*tch^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = y99l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}: 53 -65 21$

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}: 53 69 162$

$\text{lab}^*\text{rgb}^*_{\text{Ma}}: 0.0 1.0 0.0$

$\text{lab}^*\text{olv}^*_{\text{Ma}}: 0.0 1.0 0.0$

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 89$

% Regularity

$g^*_{H,\text{rel}} = 72$

$g^*_{C,\text{rel}} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = g25b$ $u_d^* = l36c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 56 -50 -8

$\text{LAB}^*\text{LCH}^*_{Ma}$: 56 50 189

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.36

triangle lightness t^*

% Gamut


$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l72c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 58 -38 -29

$\text{LAB}^*\text{LCH}^*_{Ma}$: 58 48 216

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.72

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*tch^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = g75b$ $u_d^* = c11v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 55 -22 -46

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 55 51 244

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.89 1.0

triangle lightness t^*

% Gamut


$u_{\text{rel}}^* = 89$

% Regularity

$g_{H,\text{rel}}^* = 72$

$g_{C,\text{rel}}^* = 57$

ORS19_96a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c56v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 42 1 -45

$\text{LAB}^*\text{LCH}^*_{Ma}$: 42 45 271


$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.44 1.0

triangle lightness t^*

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

$u^*_e = b00r$
 lab^*tch^*



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = v04m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 25 -43

$LAB^*LCH^*_{Ma}$: 29 50 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.04 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = b50r$ $u_d^* = v55m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 38 47 -28

$\text{LAB}^*\text{LCH}^*_{Ma}$: 38 55 328

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.56 0.0 1.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m11o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 73 -4

$LAB^*LCH^*_{Ma}$: 49 73 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.89

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

lab^*tch^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$


relative chroma c^*

relative chroma c^*

$i^*=0.00$


Input and output:
 Colorimetric Printer Reflective System ORS19_96a
 data for any colour:
 u_e^* and number *no.* = 00 .. 15
 elementary hue text:
 $u_e^* = 16$ hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 1.0$

ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
<i>r00j</i>	48.88	66.47	31.67	73.63	25	<i>m84o</i>
<i>r25j</i>	55.85	52.39	47.48	70.7	42	<i>o17y</i>
<i>r50j</i>	65.45	35.22	58.37	68.17	59	<i>o42y</i>
<i>r75j</i>	75.19	17.82	69.41	71.66	76	<i>o67y</i>
<i>j00g</i>	87.03	-3.35	82.83	82.9	92	<i>o92y</i>
<i>j25g</i>	80.72	-25.01	69.5	73.86	110	<i>y20l</i>
<i>j50g</i>	70.64	-39.54	51.97	65.3	127	<i>y46l</i>
<i>j75g</i>	61.93	-52.1	36.83	63.8	145	<i>y72l</i>
<i>g00b</i>	52.8	-65.28	20.93	68.56	162	<i>y99l</i>
<i>g25b</i>	55.7	-49.58	-8.39	50.28	190	<i>l36c</i>
<i>g50b</i>	57.82	-38.4	-28.92	48.07	217	<i>l72c</i>
<i>g75b</i>	55.5	-22.05	-45.95	50.97	244	<i>c11v</i>
<i>b00r</i>	41.6	1.37	-45.01	45.03	272	<i>c56v</i>
<i>b25r</i>	29.0	25.08	-43.13	49.89	300	<i>v04m</i>
<i>b50r</i>	38.04	46.53	-28.39	54.51	329	<i>v55m</i>
<i>b75r</i>	49.48	72.88	-3.76	72.98	357	<i>m11o</i>



%Gamut
 $u_{rel}^* = 89$
 %Regularity
 $g_{H,rel}^* = 72$
 $g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data					
Name	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	48.75	65.07	39.43	76.08	31
Y _{Ma}	90.92	-10.29	87.24	87.85	97
L _{Ma}	52.69	-65.44	20.75	68.65	162
C _{Ma}	59.61	-28.98	-46.22	54.56	238
V _{Ma}	28.39	23.63	-44.13	50.06	298
M _{Ma}	49.58	73.93	-9.56	74.55	353
N _{Ma}	18.89	0.0	0.0	0.0	0
W _{Ma}	96.9	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.071$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m84o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 49 66 32

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 49 74 25

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.0 0.15

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 89$

% Regularity

$g^*_{H,\text{rel}} = 72$

$g^*_{C,\text{rel}} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 52 47

$LAB^*LCH^*_{Ma}$: 56 71 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 35 58

$LAB^*LCH^*_{Ma}$: 65 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.42 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o67y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 75 18 69

$LAB^*LCH^*_{Ma}$: 75 72 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.68 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o92y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 87 -3 83

$LAB^*LCH^*_{Ma}$: 87 83 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.93 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y20l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 81 -25 69

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 81 74 109

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.8 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 89$

% Regularity

$g^*_{H,\text{rel}} = 72$

$g^*_{C,\text{rel}} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y46l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 71 -40 52

$\text{LAB}^*\text{LCH}^*_{Ma}$: 71 65 127

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.54 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = y72l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	48.75	65.07	39.43	76.08	31	m84o
Y _{Ma}	90.92	-10.29	87.24	87.85	97	o17y
L _{Ma}	52.69	-65.44	20.75	68.65	162	o42y
C _{Ma}	59.61	-28.98	-46.22	54.56	238	o67y
V _{Ma}	28.39	23.63	-44.13	50.06	298	o92y
M _{Ma}	49.58	73.93	-9.56	74.55	353	y20l
N _{Ma}	18.89	0.0	0.0	0.0	0	y46l
W _{Ma}	96.9	0.0	0.0	0.0	0	y72l
R _{Ma}	39.92	58.74	27.99	65.07	25	y99l
J _{Ma}	81.26	-2.89	71.56	71.62	92	l36c
G _{Ma}	52.23	-42.42	13.6	44.55	162	l72c
B _{Ma}	30.57	1.41	-46.47	46.49	272	c11v

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 62 -52 37

$\text{LAB}^*\text{LCH}^*_{Ma}$: 62 64 144

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.27 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = y99l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 53 -65 21

$LAB^*LCH^*_{Ma}$: 53 69 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l36c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -50 -8

$LAB^*LCH^*_{Ma}$: 56 50 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.36

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l72c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 58 -38 -29

$LAB^*LCH^*_{Ma}$: 58 48 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.72

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$lab^*icu^*_d$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c11v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 55 -22 -46

$\text{LAB}^*\text{LCH}^*_{Ma}$: 55 51 244

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.89 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

$\text{lab}^*icu^*_d$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c56v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 1 -45

$LAB^*LCH^*_{Ma}$: 42 45 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.44 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m11o	

$lab^*icu^*_d$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.834$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u_e^* = b25r$ $u_d^* = v04m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 29 25 -43

$LAB \cdot LCH \cdot Ma$: 29 50 300

$lab \cdot rgb \cdot Ma$: 0.5 0.0 1.0

$lab \cdot olv \cdot Ma$: 0.04 0.0 1.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$


$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$lab \cdot icu^* \cdot d$

$i^* = 1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v55m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 47 -28

$LAB^*LCH^*_{Ma}$: 38 55 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.56 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	48.88	66.47	31.67	73.63	25	m84o
r25j	55.85	52.39	47.48	70.7	42	o17y
r50j	65.45	35.22	58.37	68.17	59	o42y
r75j	75.19	17.82	69.41	71.66	76	o67y
j00g	87.03	-3.35	82.83	82.9	92	o92y
j25g	80.72	-25.01	69.5	73.86	110	y20l
j50g	70.64	-39.54	51.97	65.3	127	y46l
j75g	61.93	-52.1	36.83	63.8	145	y72l
g00b	52.8	-65.28	20.93	68.56	162	y99l
g25b	55.7	-49.58	-8.39	50.28	190	l36c
g50b	57.82	-38.4	-28.92	48.07	217	l72c
g75b	55.5	-22.05	-45.95	50.97	244	c11v
b00r	41.6	1.37	-45.01	45.03	272	c56v
b25r	29.0	25.08	-43.13	49.89	300	v04m
b50r	38.04	46.53	-28.39	54.51	329	v55m
b75r	49.48	72.88	-3.76	72.98	357	m11o

$lab^*icu^*_d$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m110$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	48.75	65.07	39.43	76.08	31	
Y _{Ma}	90.92	-10.29	87.24	87.85	97	
L _{Ma}	52.69	-65.44	20.75	68.65	162	
C _{Ma}	59.61	-28.98	-46.22	54.56	238	
V _{Ma}	28.39	23.63	-44.13	50.06	298	
M _{Ma}	49.58	73.93	-9.56	74.55	353	
N _{Ma}	18.89	0.0	0.0	0.0	0	
W _{Ma}	96.9	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 49 73 -4

$\text{LAB}^*\text{LCH}^*_{Ma}$: 49 73 357

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 0.89

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	48.88	66.47	31.67	73.63	25	m84o	
r25j	55.85	52.39	47.48	70.7	42	o17y	
r50j	65.45	35.22	58.37	68.17	59	o42y	
r75j	75.19	17.82	69.41	71.66	76	o67y	
j00g	87.03	-3.35	82.83	82.9	92	o92y	
j25g	80.72	-25.01	69.5	73.86	110	y20l	
j50g	70.64	-39.54	51.97	65.3	127	y46l	
j75g	61.93	-52.1	36.83	63.8	145	y72l	
g00b	52.8	-65.28	20.93	68.56	162	y99l	
g25b	55.7	-49.58	-8.39	50.28	190	l36c	
g50b	57.82	-38.4	-28.92	48.07	217	l72c	
g75b	55.5	-22.05	-45.95	50.97	244	c11v	
b00r	41.6	1.37	-45.01	45.03	272	c56v	
b25r	29.0	25.08	-43.13	49.89	300	v04m	
b50r	38.04	46.53	-28.39	54.51	329	v55m	
b75r	49.48	72.88	-3.76	72.98	357	m110	

$\text{lab}^*icu^*_d$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*


relative chroma c^*

$i^* = 0.00$

Ee380-7A, Page 144/198

Input and output:
 Colorimetric Printer Reflective System ORS19_96a
 data for any colour:
 u_e^* and number *no.* = 00 .. 15
 elementary hue text:
 $u_e^* = 16$ hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 1.0$

ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
<i>r00j</i>	48.88	66.47	31.67	73.63	25	<i>m84o</i>
<i>r25j</i>	55.85	52.39	47.48	70.7	42	<i>o17y</i>
<i>r50j</i>	65.45	35.22	58.37	68.17	59	<i>o42y</i>
<i>r75j</i>	75.19	17.82	69.41	71.66	76	<i>o67y</i>
<i>j00g</i>	87.03	-3.35	82.83	82.9	92	<i>o92y</i>
<i>j25g</i>	80.72	-25.01	69.5	73.86	110	<i>y20l</i>
<i>j50g</i>	70.64	-39.54	51.97	65.3	127	<i>y46l</i>
<i>j75g</i>	61.93	-52.1	36.83	63.8	145	<i>y72l</i>
<i>g00b</i>	52.8	-65.28	20.93	68.56	162	<i>y99l</i>
<i>g25b</i>	55.7	-49.58	-8.39	50.28	190	<i>l36c</i>
<i>g50b</i>	57.82	-38.4	-28.92	48.07	217	<i>l72c</i>
<i>g75b</i>	55.5	-22.05	-45.95	50.97	244	<i>c11v</i>
<i>b00r</i>	41.6	1.37	-45.01	45.03	272	<i>c56v</i>
<i>b25r</i>	29.0	25.08	-43.13	49.89	300	<i>v04m</i>
<i>b50r</i>	38.04	46.53	-28.39	54.51	329	<i>v55m</i>
<i>b75r</i>	49.48	72.88	-3.76	72.98	357	<i>m11o</i>



%Gamut


$u_{rel}^* = 89$

%Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96; CIELAB data					
Name	$L^*=L^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O _M	48.75	65.16	40.76	76.86	32
Y _M	90.92	-10.78	89.36	90.01	97
L _M	52.69	-65.4	22.15	69.05	161
C _M	59.61	-29.04	-44.69	53.3	237
V _M	28.39	24.0	-43.18	49.4	299
M _M	49.58	74.01	-8.22	74.47	354
N _M	18.89	0.5	0.77	0.92	57
W _M	96.9	-0.57	2.23	2.3	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m84o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 49\ 66\ 32$

$LAB^*LCH^*_Ma: 49\ 74\ 25$

$lab^*rgb^*_Ma: 1.0\ 0.0\ 0.0$

$lab^*olv^*_Ma: 1.0\ 0.0\ 0.15$

triangle lightness t^*

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tc^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 56 52 47

$LAB^*LCH^*_Ma$: 56 71 42

$lab^*rgb^*_Ma$: 1.0 0.25 0.0

$lab^*olv^*_Ma$: 1.0 0.17 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$	
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$	
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$	
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$	
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$	
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$	
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$	
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$	
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$	
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$	
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$	
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$	
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$	
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$	
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$	
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$	

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$

$i^* = 0.50$

$i^* = 0.75$

$i^* = 1.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 65 35 58

$LAB^*LCH^*_Ma$: 65 68 58

$lab^*rgb^*_Ma$: 1.0 0.5 0.0

$lab^*olv^*_Ma$: 1.0 0.42 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o67y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 75 \ 18 \ 69$

$LAB^*LCH^*_Ma: 75 \ 72 \ 75$

$lab^*rgb^*_Ma: 1.0 \ 0.75 \ 0.0$

$lab^*olv^*_Ma: 1.0 \ 0.68 \ 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o92y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 87 -3 83$

$LAB^*LCH^*_Ma: 87 83 92$

$lab^*rgb^*_Ma: 1.0 1.0 0.0$

$lab^*olv^*_Ma: 1.0 0.93 0.0$

triangle lightness t^*

% Gamut


$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y20l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 81 -25 69

$\text{LAB}^*\text{LCH}^*_{Ma}$: 81 74 109

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.8 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

$u^*_e = j25g$
 LAB^*LAB^*

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

1,00

0,75

0,50

0,25

0,00

$r00j$
96.9
-0.6
2

$r00j$
77.4
-0.3
2

$r00j$
57.9
0.0
2

$r00j$
38.4
0.2
1

$r00j$
18.9
0.5
1

$j25g$
92.9
-6.8
20

$j25g$
73.4
-6.5
19

$j25g$
53.8
-6.2
19

$j25g$
34.3
-6.0
18

$j25g$
88.8
-13.0
37

$j25g$
69.3
-12.7
36

$j25g$
49.8
-12.4
36

$j25g$
84.8
-19.2
54

$j25g$
65.3
-18.9
54

$i^* = 1.00$

brilliantness i^*

relative chroma c^*

1,00

0,75

0,50

0,25

0,00

$r00j$
96.9
-0.6
2

$r00j$
77.4
-0.3
2

$r00j$
57.9
0.0
2

$r00j$
38.4
0.2
1

$r00j$
18.9
0.5
1

$j25g$
92.9
-6.8
20

$j25g$
73.4
-6.5
19

$j25g$
53.8
-6.2
19

$j25g$
34.3
-6.0
18

$j25g$
88.8
-13.0
37

$j25g$
69.3
-12.7
36

$j25g$
49.8
-12.4
36

$j25g$
84.8
-19.2
54

$j25g$
65.3
-18.9
54

$j25g$
80.7
-25.4
71

$j25g$
65.3
-18.9
54

$j25g$
49.8
-12.4
36

$j25g$
34.3
-6.0
18

$j25g$
84.8
-19.2
54

$j25g$
65.3
-18.9
54

$j25g$
49.8
-12.4
36

$j25g$
34.3
-6.0
18

$j25g$
80.7
-25.4
71

$j25g$
65.3
-18.9
54

$j25g$
49.8
-12.4
36

$j25g$
34.3
-6.0
18

$j25g$
84.8
-19.2
54

$j25g$
65.3
-18.9
54

$j25g$
49.8
-12.4
36

$j25g$
34.3
-6.0
18

$j25g$
80.7
-25.4
71

$j25g$
65.3
-18.9
54

$j25g$
49.8
-12.4
36

$j25g$
34.3
-6.0
18

$j25g$
84.8
-19.2
54

$j25g$
65.3
-18.9
54

$j25g$
49.8
-12.4
36

$j25g$
34.3
-6.0
18

$j25g$
80.7
-25.4
71

$j25g$
65.3
-18.9
54

$j25g$
49.8
-12.4
36

$j25g$
34.3
-6.0
18

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y46l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 71 -40 52$

$LAB^*LCH^*_Ma: 71 65 127$

$lab^*rgb^*_Ma: 0.5 1.0 0.0$

$lab^*olv^*_Ma: 0.54 1.0 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25		$m84o$
$r25j$	55.85	52.39	47.48	70.7	42		$o17y$
$r50j$	65.45	35.22	58.37	68.17	59		$o42y$
$r75j$	75.19	17.82	69.41	71.66	76		$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92		$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110		$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127		$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145		$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162		$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190		$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217		$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244		$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272		$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300		$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329		$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357		$m11o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = y72l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 62 -52 37$

$LAB^*LCH^*_Ma: 62 64 144$

$lab^*rgb^*_Ma: 0.25 1.0 0.0$

$lab^*olv^*_Ma: 0.27 1.0 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = y99l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 53 -65 21$

$LAB^*LCH^*_Ma: 53 69 162$

$lab^*rgb^*_Ma: 0.0 1.0 0.0$

$lab^*olv^*_Ma: 0.0 1.0 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l36c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 56 -50 -8$

$LAB^*LCH^*_Ma: 56 50 189$

$lab^*rgb^*_Ma: 0.0 1.0 0.5$

$lab^*olv^*_Ma: 0.0 1.0 0.36$

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25		$m84o$
$r25j$	55.85	52.39	47.48	70.7	42		$o17y$
$r50j$	65.45	35.22	58.37	68.17	59		$o42y$
$r75j$	75.19	17.82	69.41	71.66	76		$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92		$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110		$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127		$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145		$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162		$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190		$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217		$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244		$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272		$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300		$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329		$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357		$m11o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$

$i^* = 0.50$

$i^* = 0.75$

$i^* = 1.00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l72c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 58 -38 -29

$LAB^*LCH^*_{Ma}$: 58 48 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.72

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c11v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 55 -22 -46

$LAB^*LCH^*_Ma$: 55 51 244

$lab^*rgb^*_Ma$: 0.0 0.5 1.0

$lab^*olv^*_Ma$: 0.0 0.89 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

relative chroma c^*

1,00

0,75

0,50

0,25

0,00

$i^* = 0,00$

$i^* \pm 0,25$
0,25

0,50

relative chroma c^*

1,00

1,00

0,75

0,50

0,25

0,00

$i^*=0,00$

0,20

0,40

0,60

0,80

1,00

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c56v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 42 \ 1 \ -45$

$LAB^*LCH^*_Ma: 42 \ 45 \ 271$

$lab^*rgb^*_Ma: 0.0 \ 0.0 \ 1.0$

$lab^*olv^*_Ma: 0.0 \ 0.44 \ 1.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = v04m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 29 \ 25 \ -43$

$LAB^*LCH^*_Ma: 29 \ 50 \ 300$

$lab^*rgb^*_Ma: 0.5 \ 0.0 \ 1.0$

$lab^*olv^*_Ma: 0.04 \ 0.0 \ 1.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v55m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 38 47 -28

$LAB^*LCH^*_Ma$: 38 55 328

$lab^*rgb^*_Ma$: 1.0 0.0 1.0

$lab^*olv^*_Ma$: 0.56 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$	
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$	
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$	
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$	
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$	
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$	
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$	
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$	
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$	
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$	
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$	
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$	
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$	
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$	
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$	
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$	

$u^*_e = b50r$

LAB^*LAB^*

LAB^*LAB^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m11o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 49\ 73\ -4$

$LAB^*LCH^*_Ma: 49\ 73\ 357$

$lab^*rgb^*_Ma: 1.0\ 0.0\ 0.5$

$lab^*olv^*_Ma: 1.0\ 0.0\ 0.89$

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*LAB^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*


relative chroma c^*

$i^* = 0.00$

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
01	18.9	23.1	27.3	31.6	35.8	40.0	44.2	48.5	52.7	56.9	61.1	65.3	69.5	73.7	77.9	82.1	86.3	90.5	94.7	98.9	103.1	107.3	111.5	115.7	119.9	124.1	128.3	132.5	136.7	140.9	145.1	149.3	153.5	157.7	161.9	166.1	170.3	174.5	178.7	182.9	187.1	191.3	195.5	199.7	203.9	208.1	212.3	216.5	220.7	224.9	229.1	233.3	237.5	241.7	245.9	250.1	254.3	258.5	262.7	266.9	271.1	275.3	279.5	283.7	287.9	292.1	296.3	300.5	304.7	308.9	313.1	317.3	321.5	325.7	329.9	334.1	338.3	342.5	346.7	350.9	355.1	359.3	363.5	367.7	371.9	376.1	380.3	384.5	388.7	392.9	397.1	401.3	405.5	409.7	413.9	418.1	422.3	426.5	430.7	434.9	439.1	443.3	447.5	451.7	455.9	460.1	464.3	468.5	472.7	476.9	481.1	485.3	489.5	493.7	497.9	502.1	506.3	510.5	514.7	518.9	523.1	527.3	531.5	535.7	539.9	544.1	548.3	552.5	556.7	560.9	565.1	569.3	573.5	577.7	581.9	586.1	590.3	594.5	598.7	602.9	607.1	611.3	615.5	619.7	623.9	628.1	632.3	636.5	640.7	644.9	649.1	653.3	657.5	661.7	665.9	670.1	674.3	678.5	682.7	686.9	691.1	695.3	699.5	703.7	707.9	712.1	716.3	720.5	724.7	728.9	733.1	737.3	741.5	745.7	749.9	754.1	758.3	762.5	766.7	770.9	775.1	779.3	783.5	787.7	791.9	796.1	800.3	804.5	808.7	812.9	817.1	821.3	825.5	829.7	833.9	838.1	842.3	846.5	850.7	854.9	859.1	863.3	867.5	871.7	875.9	880.1	884.3	888.5	892.7	896.9	901.1	905.3	909.5	913.7	917.9	922.1	926.3	930.5	934.7	938.9	943.1	947.3	951.5	955.7	959.9	964.1	968.3	972.5	976.7	980.9	985.1	989.3	993.5	997.7	1001.9	1006.1	1010.3	1014.5	1018.7	1022.9	1027.1	1031.3	1035.5	1039.7	1043.9	1048.1	1052.3	1056.5	1060.7	1064.9	1069.1	1073.3	1077.5	1081.7	1085.9	1090.1	1094.3	1098.5	1102.7	1106.9	1111.1	1115.3	1119.5	1123.7	1127.9	1132.1	1136.3	1140.5	1144.7	1148.9	1153.1	1157.3	1161.5	1165.7	1169.9	1174.1	1178.3	1182.5	1186.7	1190.9	1195.1	1199.3	1203.5	1207.7	1211.9	1216.1	1220.3	1224.5	1228.7	1232.9	1237.1	1241.3	1245.5	1249.7	1253.9	1258.1	1262.3	1266.5	1270.7	1274.9	1279.1	1283.3	1287.5	1291.7	1295.9	1300.1	1304.3	1308.5	1312.7	1316.9	1321.1	1325.3	1329.5	1333.7	1337.9	1342.1	1346.3	1350.5	1354.7	1358.9	1363.1	1367.3	1371.5	1375.7	1379.9	1384.1	1388.3	1392.5	1396.7	1400.9	1405.1	1409.3	1413.5	1417.7	1421.9	1426.1	1430.3	1434.5	1438.7	1442.9	1447.1	1451.3	1455.5	1459.7	1463.9	1468.1	1472.3	1476.5	1480.7	1484.9	1489.1	1493.3	1497.5	1501.7	1505.9	1510.1	1514.3	1518.5	1522.7	1526.9	1531.1	1535.3	1539.5	1543.7	1547.9	1552.1	1556.3	1560.5	1564.7	1568.9	1573.1	1577.3	1581.5	1585.7	1589.9	1594.1	1598.3	1602.5	1606.7	1610.9	1615.1	1619.3	1623.5	1627.7	1631.9	1636.1	1640.3	1644.5	1648.7	1652.9	1657.1	1661.3	1665.5	1669.7	1673.9	1678.1	1682.3	1686.5	1690.7	1694.9	1699.1	1703.3	1707.5	1711.7	1715.9	1720.1	1724.3	1728.5	1732.7	1736.9	1741.1	1745.3	1749.5	1753.7	1757.9	1762.1	1766.3	1770.5	1774.7	1778.9	1783.1	1787.3	1791.5	1795.7	1799.9	1804.1	1808.3	1812.5	1816.7	1820.9	1825.1	1829.3	1833.5	1837.7	1841.9	1846.1	1850.3	1854.5	1858.7	1862.9	1867.1	1871.3	1875.5	1879.7	1883.9	1888.1	1892.3	1896.5	1900.7	1904.9	1909.1	1913.3	1917.5	1921.7	1925.9	1930.1	1934.3	1938.5	1942.7	1946.9	1951.1	1955.3	1959.5	1963.7	1967.9	1972.1	1976.3	1980.5	1984.7	1988.9	1993.1	1997.3	2001.5	2005.7	2009.9	2014.1	2018.3	2022.5	2026.7	2030.9	2035.1	2039.3	2043.5	2047.7	2051.9	2056.1	2060.3	2064.5	2068.7	2072.9	2077.1	2081.3	2085.5	2089.7	2093.9	2098.1	2102.3	2106.5	2110.7	2114.9	2119.1	2123.3	2127.5	2131.7	2135.9	2140.1	2144.3	2148.5	2152.7	2156.9	2161.1	2165.3	2169.5	2173.7	2177.9	2182.1	2186.3	2190.5	2194.7	2198.9	2203.1	2207.3	2211.5	2215.7	2219.9	2224.1	2228.3	2232.5	2236.7	2240.9	2245.1	2249.3	2253.5	2257.7	2261.9	2266.1	2270.3	2274.5	2278.7	2282.9	2287.1	2291.3	2295.5	2299.7	2303.9	2308.1	2312.3	2316.5	2320.7	2324.9	2329.1	2333.3	2337.5	2341.7	2345.9	2350.1	2354.3	2358.5	2362.7	2366.9	2371.1	2375.3	2379.5	2383.7	2387.9	2392.1	2396.3	2400.5	2404.7	2408.9	2413.1	2417.3	2421.5	2425.7	2429.9	2434.1	2438.3	2442.5	2446.7	2450.9	2455.1	2459.3	2463.5	2467.7	2471.9	2476.1	2480.3	2484.5	2488.7	2492.9	2497.1	2501.3	2505.5	2509.7	2513.9	2518.1	2522.3	2526.5	2530.7	2534.9	2539.1	2543.3	2547.5	2551.7	2555.9	2560.1	2564.3	2568.5	2572.7	2576.9	2581.1	2585.3	2589.5	2593.7	2597.9	2602.1	2606.3	2610.5	2614.7	2618.9	2623.1	2627.3	2631.5	2635.7	2639.9	2644.1	2648.3	2652.5	2656.7	2660.9	2665.1	2669.3	2673.5	2677.7	2681.9	2686.1	2690.3	2694.5	2698.7	2702.9	2707.1	2711.3	2715.5	2719.7	2723.9	2728.1	2732.3	2736.5	2740.7	2744.9	2749.1	2753.3	2757.5	2761.7	2765.9	2770.1	2774.3	2778.5	2782.7	2786.9	2791.1	2795.3	2799.5	2803.7	2807.9	2812.1	2816.3	2820.5	2824.7	2828.9	2833.1	2837.3	2841.5	2845.7	2849.9	2854.1	2858.3	2862.5	2866.7	2870.9	2875.1	2879.3	2883.5	2887.7	2891.9	2896.1	2900.3	2904.5	2908.7	2912.9	2917.1	2921.3	2925.5	2929.7	2933.9	2938.1	2942.3	2946.5	2950.7	2954.9	2959.1	2963.3	2967.5	2971.7	2975.9	2980.1	2984.3	2988.5	2992.7	2996.9	3001.1	3005.3	3009.5	3013.7	3017.9	3022.1	3026.3	3030.5	3034.7	3038.9	3043.1	3047.3	3051.5	3055.7	3059.9	3064.1	3068.3	3072.5	3076.7	3080.9	3085.1	3089.3	3093.5	3097.7	3101.9	3106.1	3110.3	3114.5	3118.7	3122.9	3127.1	3131.3	3135.5	3139.7	3143.9	3148.1	3152.3	3156.5	3160.7	3164.9	3169.1	3173.3	3177.5	3181.7	3185.9	3190.1	3194.3	3198.5	3202.7	3206.9	3211.1	3215.3	3219.5	3223.7	3227.9	3232.1	3236.3	3240.5	3244.7	3248.9	3253.1	3257.3	3261.5	3265.7	3269.9	3274.1	3278.3	3282.5	3286.7	3290.9	3295.1	3299.3	3303.5	3307.7	3311.9	3316.1	3320.3	3324.5	3328.7	3332.9	3337.1	3341.3	3345.5	3349.7	3353.9	3358.1	3362.3	3366.5	3370.7	3374.9	3379.1	3383.3	3387.5	3391.7	3395.9	3400.1	3404.3	3408.5	3412.7	3416.9	3421.1	3425.3	3429.5	3433.7	3437.9	3442.1	3446.3	3450.5	3454.7	3458.9	3463.1	3467.3	3471.5	3475.7	3479.9	3484.1	3488.3	3492.5	3496.7	3500.9	3505.1	3509.3	3513.5	3517.7	3521.9	3526.1	3530.3	3534.5	3538.7	3542.9	3547.1	3551.3	3555.5	3559.7	3563.9	3568.1	3572.3	3576.5	3580.7	3584.9	3589.1	3593.3	3597.5	3601.7	3605.9	3610.1	3614.3	3618.5	3622.7	3626.9	3631.1	3635.3	3639.5	3643.7	3647.9	3652.1	3656.3	3660.5	3664.7	3668.9	3673.1	3677.3	3681.5	3685.7	3689.9	3694.1	3698.3	3702.5	3706.7	3710.9	3715.1	3719.3	3723.5	3727.7	3731.9	3736.1	3740.3	3744.5	3748.7	3752.9	3757.1	3761.3	3765.5	3769.7	3773.9	3778.1	3782.3	3786.5	3790.7	3794.9	3799.1	3803.3	3807.5	3811.7	3815.9	3820.1	3824.3	3828.5	3832.7	3836.9	3841.1	3845.3	3849.5	3853.7	3857.9	3862.1	3866.3	3870.5	3874.7	3878.9	3883.1	3887.3	3891.5	3895.7	3899.9	3904.1	3908.3	3912.5	3916.7	3920.9	3925.1	3929.3	3933.5	3937.7	3941.9	3946.1	3950.3	3954.5	3958.7	3962.9	3967.1	3971.3	3975.5	3979.7	3983.9	3988.1	3992.3	3996.5	4000.7	4004.9	4009.1	4013.3	4017.5	4021.7	4025.9	4030.1	4034.3	4038.5	4042.7	4046.9	4051.1	4055.3	4059.5	4063.7	4067.9	4072.1	4076.3	4080.5	4084.7	4088.9	4093.1	4097.3	4101.5	4105.7	4109.9	4114.1	4118.3	4122.5	4126.7	4130.9	4135.1	4139.3	4143.5	4147.7	4151.9	4156.1	4160.3	4164.5	4168.7	4172.9	4177.1	4181.3	4185.5	4189.7	4193.9	4198.1	4202.3	4206.5	4210.7	4214.9	4219.1	4223.3	4227.5	4231.7	4235.9	4240.1	4244.3	4248.5	4252.7	4256.9	4261.1	4265.3	4269.5	4273.7	4277.9	4282.1	4286.3	4290.5	4294.7	4298.9	4303.1	4307.3	4311.5	4315.7	4319.9	4324.1	4328.3	4332.5	4336.7	4340.9	4345.1	4349.3	4353.5	4357.7	4361.9	4366.1	4370.3	4374.5	4378.7	4382.9	4387.1	4391.3	4395.5	4399.7	4403.9	4408.1	4412.3	4416.5	4420.7	4424.9	4429.1	4433.3	4437.5	4441.7	4445.9	4450.1	4454.3	4458.5	4462.7	4466.9	4471.1	4475.3	4479.5	4483.7	4487.9	4492.1	4496.3	4500.5	4504.7	4508.9	4513.1	4517.3	4521.5	4525.7	4529.9	4534.1	4538.3	4542.5	4546.7	4550.9	4555.1	4559.3	4563.5	4567.7	4571.9	4576.1	4580.3	4584.5	4588.7	4592.9	4597.1	4601.3	4605.5	4609.7	4613.9	4618.1	4622.3	4626.5	4630.7	4634.9	4639.1	4643.3	4647.5	4651.7	4655.9	4660.1	4664.3	4668.5	4672.7	4676.9	4681.1	4685.3	4689.5	4693.7	4697.9	4702.1	4706.3	4710.5	4714.7	4718.9	4723.1	4727.3	4731.5	4735.7	4739.9	4744.1	4748.3

Input and output:
 Colorimetric Printer Reflective System ORS19_96a
 data for any colour:
 u^*_e and number *no.* = 00 .. 15
 elementary hue text:
 u^*_e = 16 hues *r00j*, *r25j*, ..., *b75r*
 contrast reduction factor:
 $c_R = 1.0$

ORS19_96a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
<i>r00j</i>	48.88	66.47	31.67	73.63	25	<i>m84o</i>
<i>r25j</i>	55.85	52.39	47.48	70.7	42	<i>o17y</i>
<i>r50j</i>	65.45	35.22	58.37	68.17	59	<i>o42y</i>
<i>r75j</i>	75.19	17.82	69.41	71.66	76	<i>o67y</i>
<i>j00g</i>	87.03	-3.35	82.83	82.9	92	<i>o92y</i>
<i>j25g</i>	80.72	-25.01	69.5	73.86	110	<i>y20l</i>
<i>j50g</i>	70.64	-39.54	51.97	65.3	127	<i>y46l</i>
<i>j75g</i>	61.93	-52.1	36.83	63.8	145	<i>y72l</i>
<i>g00b</i>	52.8	-65.28	20.93	68.56	162	<i>y99l</i>
<i>g25b</i>	55.7	-49.58	-8.39	50.28	190	<i>l36c</i>
<i>g50b</i>	57.82	-38.4	-28.92	48.07	217	<i>l72c</i>
<i>g75b</i>	55.5	-22.05	-45.95	50.97	244	<i>c11v</i>
<i>b00r</i>	41.6	1.37	-45.01	45.03	272	<i>c56v</i>
<i>b25r</i>	29.0	25.08	-43.13	49.89	300	<i>v04m</i>
<i>b50r</i>	38.04	46.53	-28.39	54.51	329	<i>v55m</i>
<i>b75r</i>	49.48	72.88	-3.76	72.98	357	<i>m11o</i>



%Gamut


$u^*_{rel} = 89$

%Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; CIELAB data					
Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	48.75	65.16	40.76	76.86	32
Y _M	90.92	-10.78	89.36	90.01	97
L _M	52.69	-65.4	22.15	69.05	161
C _M	59.61	-29.04	-44.69	53.3	237
V _M	28.39	24.0	-43.18	49.4	299
M _M	49.58	74.01	-8.22	74.47	354
N _M	18.89	0.5	0.77	0.92	57
W _M	96.9	-0.57	2.23	2.3	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r00j$ $u_d^* = m84o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 66 32

$LAB^*LCH^*_{Ma}$: 49 74 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.15

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r25j$ $u_d^* = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 56 52 47

$\text{LAB}^*\text{LCH}^*_{Ma}$: 56 71 42

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 65 35 58

$LAB^*LCH^*_{Ma}$: 65 68 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.42 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o67y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 75 18 69

$LAB^*LCH^*_{Ma}$: 75 72 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.68 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o92y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 87 -3 83$

$LAB^*LCH^*_{Ma}: 87 83 92$

$lab^*rgb^*_{Ma}: 1.0 1.0 0.0$

$lab^*olv^*_{Ma}: 1.0 0.93 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y20l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 81 -25 69$

$\text{LAB}^*\text{LCH}^*_{Ma}: 81 74 109$

$\text{lab}^*\text{rgb}^*_{Ma}: 0.75 1.0 0.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.8 1.0 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

$u^*_e = j25g$

lab^*olv^*

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = j50g$ $u_d^* = y46l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 71 -40 52$

$\text{LAB}^*\text{LCH}^*_{Ma}: 71 65 127$

$\text{lab}^*\text{rgb}^*_{Ma}: 0.5 1.0 0.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.54 1.0 0.0$

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

$u_e^* = j50g$

lab^*olv^*

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = j75g$ $u_d^* = y72l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

	u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 62 -52 37

$\text{LAB}^*\text{LCH}^*_{Ma}$: 62 64 144

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.27 1.0 0.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data

	u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25		$m84o$
$r25j$	55.85	52.39	47.48	70.7	42		$o17y$
$r50j$	65.45	35.22	58.37	68.17	59		$o42y$
$r75j$	75.19	17.82	69.41	71.66	76		$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92		$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110		$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127		$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145		$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162		$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190		$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217		$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244		$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272		$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300		$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329		$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357		$m11o$

$u_e^* = j75g$

lab^*olv^*

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = y99l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 53 -65 21$

$LAB^*LCH^*_{Ma}: 53 69 162$

$lab^*rgb^*_{Ma}: 0.0 1.0 0.0$

$lab^*olv^*_{Ma}: 0.0 1.0 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25		$m84o$
$r25j$	55.85	52.39	47.48	70.7	42		$o17y$
$r50j$	65.45	35.22	58.37	68.17	59		$o42y$
$r75j$	75.19	17.82	69.41	71.66	76		$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92		$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110		$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127		$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145		$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162		$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190		$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217		$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244		$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272		$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300		$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329		$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357		$m11o$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = g25b$ $u_d^* = l36c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

	u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -50 -8

$LAB^*LCH^*_{Ma}$: 56 50 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.36

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data

	u_e^*	$L^*=L_a^*$	a^*	b^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25		$m84o$
$r25j$	55.85	52.39	47.48	70.7	42		$o17y$
$r50j$	65.45	35.22	58.37	68.17	59		$o42y$
$r75j$	75.19	17.82	69.41	71.66	76		$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92		$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110		$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127		$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145		$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162		$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190		$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217		$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244		$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272		$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300		$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329		$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357		$m11o$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

brilliantness i^*

$i^*=0.75$

$i^*=0.50$

$i^*=0.25$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l72c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 58 -38 -29$

$LAB^*LCH^*_{Ma}: 58 48 216$

$lab^*rgb^*_{Ma}: 0.0 1.0 1.0$

$lab^*olv^*_{Ma}: 0.0 1.0 0.72$

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

$u^*_e = g50b$

lab^*olv^*

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c11v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -22 -46

$LAB^*LCH^*_{Ma}$: 55 51 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.89 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25		$m84o$
$r25j$	55.85	52.39	47.48	70.7	42		$o17y$
$r50j$	65.45	35.22	58.37	68.17	59		$o42y$
$r75j$	75.19	17.82	69.41	71.66	76		$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92		$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110		$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127		$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145		$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162		$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190		$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217		$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244		$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272		$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300		$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329		$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357		$m11o$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c56v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 1 -45

$LAB^*LCH^*_{Ma}$: 42 45 271

$lab^*rgb^*_{Ma}$: 0.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.0 0.44 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25		$m84o$
$r25j$	55.85	52.39	47.48	70.7	42		$o17y$
$r50j$	65.45	35.22	58.37	68.17	59		$o42y$
$r75j$	75.19	17.82	69.41	71.66	76		$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92		$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110		$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127		$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145		$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162		$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190		$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217		$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244		$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272		$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300		$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329		$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357		$m11o$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = v04m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 29 \ 25 \ -43$

$LAB^*LCH^*_{Ma}: 29 \ 50 \ 300$

$lab^*rgb^*_{Ma}: 0.5 \ 0.0 \ 1.0$

$lab^*olv^*_{Ma}: 0.04 \ 0.0 \ 1.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$	
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$	
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$	
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$	
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$	
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$	
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$	
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$	
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$	
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$	
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$	
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$	
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$	
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$	
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$	
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$	

$u^*_e = b25r$

lab^*olv^*

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v55m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32	
Y_M	90.92	-10.78	89.36	90.01	97	
L_M	52.69	-65.4	22.15	69.05	161	
C_M	59.61	-29.04	-44.69	53.3	237	
V_M	28.39	24.0	-43.18	49.4	299	
M_M	49.58	74.01	-8.22	74.47	354	
N_M	18.89	0.5	0.77	0.92	57	
W_M	96.9	-0.57	2.23	2.3	104	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 38 47 -28

$LAB^*LCH^*_{Ma}$: 38 55 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.56 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25		$m84o$
$r25j$	55.85	52.39	47.48	70.7	42		$o17y$
$r50j$	65.45	35.22	58.37	68.17	59		$o42y$
$r75j$	75.19	17.82	69.41	71.66	76		$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92		$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110		$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127		$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145		$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162		$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190		$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217		$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244		$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272		$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300		$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329		$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357		$m11o$

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = b75r$ $u_d^* = m11o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u_e^*	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 49 \ 73 \ -4$

$\text{LAB}^*\text{LCH}^*_{Ma}: 49 \ 73 \ 357$

$\text{lab}^*\text{rgb}^*_{Ma}: 1.0 \ 0.0 \ 0.5$

$\text{lab}^*\text{olv}^*_{Ma}: 1.0 \ 0.0 \ 0.89$

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u_e^*	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

$u_e^* = b75r$

lab^*olv^*

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*


relative chroma c^*

$i^* = 0.00$

Ee380-7A, Page 180/198


Input and output:
Colorimetric Printer Reflective System ORS19_96a
data for any colour:
 u_e^* and number $no.$ = 00 .. 15
elementary hue text:
 $u_e^* = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

ORS19_96a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$



%Gamut
 $u_{rel}^* = 89$
%Regularity
 $g_{H,rel}^* = 72$
 $g_{C,rel}^* = 57$

ORS19_96a; CIELAB data					
Name	$L^*=L^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O _M	48.75	65.16	40.76	76.86	32
Y _M	90.92	-10.78	89.36	90.01	97
L _M	52.69	-65.4	22.15	69.05	161
C _M	59.61	-29.04	-44.69	53.3	237
V _M	28.39	24.0	-43.18	49.4	299
M _M	49.58	74.01	-8.22	74.47	354
N _M	18.89	0.5	0.77	0.92	57
W _M	96.9	-0.57	2.23	2.3	104
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.89	71.56	71.62	92
G _{CIE}	52.23	-42.42	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r00j$ $u_d^* = m84o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 49 66 32

$LAB^*LCH^*_{Ma}$: 49 74 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.15

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$


ORS19_96a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*cmyn^*

$i^* = 1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 52 47

$LAB^*LCH^*_{Ma}$: 56 71 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*cmyn^*

$i^*=1.00$

$i^*=0.80$

brilliantness i^*

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 65 \ 35 \ 58$

$\text{LAB}^*\text{LCH}^*_{Ma}: 65 \ 68 \ 58$

$\text{lab}^*\text{rgb}^*_{Ma}: 1.0 \ 0.5 \ 0.0$

$\text{lab}^*\text{olv}^*_{Ma}: 1.0 \ 0.42 \ 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

$\text{LAB}^*\text{cmyn}^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r75j$ $u_d^* = o67y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 75 18 69

$LAB^*LCH^*_{Ma}$: 75 72 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.68 0.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

$LAB^*cmy^n^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = j00g$ $u_d^* = o92y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 87 -3 83

$LAB^*LCH^*_{Ma}$: 87 83 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.93 0.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = j25g$ $u_d^* = y20l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 81 -25 69

$LAB^*LCH^*_{Ma}$: 81 74 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.8 1.0 0.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = j50g$ $u_d^* = y46l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 71 -40 52$

$\text{LAB}^*\text{LCH}^*_{Ma}: 71 65 127$

$\text{lab}^*\text{rgb}^*_{Ma}: 0.5 1.0 0.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.54 1.0 0.0$

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

$\text{LAB}^*\text{cmyn}^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = y72l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 -52 37

$LAB^*LCH^*_{Ma}$: 62 64 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.27 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*cmyn^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.451$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = y99l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 53 -65 21$

$\text{LAB}^*\text{LCH}^*_{Ma}: 53 69 162$

$\text{lab}^*\text{rgb}^*_{Ma}: 0.0 1.0 0.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.0 1.0 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

$\text{LAB}^*\text{cmyn}^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.527$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l36c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 56 -50 -8$

$\text{LAB}^*\text{LCH}^*_{Ma}: 56 50 189$

$\text{lab}^*\text{rgb}^*_{Ma}: 0.0 1.0 0.5$

$\text{lab}^*\text{olv}^*_{Ma}: 0.0 1.0 0.36$

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

$\text{LAB}^*\text{cmyn}^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l72c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 58 -38 -29

$LAB^*LCH^*_{Ma}$: 58 48 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.72

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c11v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -22 -46

$LAB^*LCH^*_{Ma}$: 55 51 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.89 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c56v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 42 \ 1 \ -45$

$\text{LAB}^*\text{LCH}^*_{Ma}: 42 \ 45 \ 271$

$\text{lab}^*\text{rgb}^*_{Ma}: 0.0 \ 0.0 \ 1.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.0 \ 0.44 \ 1.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

$\text{LAB}^*\text{cmyn}^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = b25r$ $u_d^* = v04m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 29 25 -43

$LAB^*LCH^*_{Ma}$: 29 50 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.04 0.0 1.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = b50r$ $u_d^* = v55m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u_e^*	$L^*=L_a^*$	a^*	b^*	C_{ab}^*	h_{ab}^*
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 38 \ 47 \ -28$

$\text{LAB}^*\text{LCH}^*_{Ma}: 38 \ 55 \ 328$

$\text{lab}^*\text{rgb}^*_{Ma}: 1.0 \ 0.0 \ 1.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.56 \ 0.0 \ 1.0$

triangle lightness t^*

% Gamut

$u_{rel}^* = 89$

% Regularity

$g_{H,rel}^* = 72$

$g_{C,rel}^* = 57$

ORS19_96a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a^*_a	b^*_a	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

$\text{LAB}^*\text{cmyn}^*$

$i^*=1.00$

$i^*=0.80$

brilliantness i^*

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS19_96a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m11o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS19_96a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	48.75	65.16	40.76	76.86	32
Y_M	90.92	-10.78	89.36	90.01	97
L_M	52.69	-65.4	22.15	69.05	161
C_M	59.61	-29.04	-44.69	53.3	237
V_M	28.39	24.0	-43.18	49.4	299
M_M	49.58	74.01	-8.22	74.47	354
N_M	18.89	0.5	0.77	0.92	57
W_M	96.9	-0.57	2.23	2.3	104
R_M	39.92	58.74	27.99	65.07	25
J_M	81.26	-2.89	71.56	71.62	92
G_M	52.23	-42.42	13.6	44.55	162
B_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 49 \ 73 \ -4$

$LAB^*LCH^*_{Ma}: 49 \ 73 \ 357$

$lab^*rgb^*_{Ma}: 1.0 \ 0.0 \ 0.5$

$lab^*olv^*_{Ma}: 1.0 \ 0.0 \ 0.89$

triangle lightness t^*

% Gamut

$u^*_{rel} = 89$

% Regularity

$g^*_{H,rel} = 72$

$g^*_{C,rel} = 57$

ORS19_96a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	48.88	66.47	31.67	73.63	25	$m84o$
$r25j$	55.85	52.39	47.48	70.7	42	$o17y$
$r50j$	65.45	35.22	58.37	68.17	59	$o42y$
$r75j$	75.19	17.82	69.41	71.66	76	$o67y$
$j00g$	87.03	-3.35	82.83	82.9	92	$o92y$
$j25g$	80.72	-25.01	69.5	73.86	110	$y20l$
$j50g$	70.64	-39.54	51.97	65.3	127	$y46l$
$j75g$	61.93	-52.1	36.83	63.8	145	$y72l$
$g00b$	52.8	-65.28	20.93	68.56	162	$y99l$
$g25b$	55.7	-49.58	-8.39	50.28	190	$l36c$
$g50b$	57.82	-38.4	-28.92	48.07	217	$l72c$
$g75b$	55.5	-22.05	-45.95	50.97	244	$c11v$
$b00r$	41.6	1.37	-45.01	45.03	272	$c56v$
$b25r$	29.0	25.08	-43.13	49.89	300	$v04m$
$b50r$	38.04	46.53	-28.39	54.51	329	$v55m$
$b75r$	49.48	72.88	-3.76	72.98	357	$m11o$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

[illegible]