

Input and output:
Colorimetric Printer Reflective System ORS20_95a
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 1.0$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$
$j50g$	68.25	-42.61	56.0	70.37	127	$y55l$
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$



%Gamut

$u^*_{rel} = 87$



%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$


ORS20_95a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	46.89	66.19	40.28	77.48	31
Y_{Ma}	88.66	-9.62	88.21	88.73	96
L_{Ma}	54.22	-65.29	33.87	73.56	153
C_{Ma}	61.43	-30.53	-42.04	51.96	234
V_{Ma}	25.93	25.95	-47.37	54.01	299
M_{Ma}	47.92	73.53	-9.02	74.08	353
N_{Ma}	20.41	0.0	0.0	0.0	0
W_{Ma}	94.64	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = r00j$ $u_d^* = m84o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 47 67 32

LAB^*LCH^*Ma : 47 75 25

lab^*rgb^*Ma : 1.0 0.0 0.0

lab^*olv^*Ma : 1.0 0.0 0.15

triangle lightness t^*

%Gamut



$u_{rel}^* = 87$

%Regularity

$g_{H,rel}^* = 67$

$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 53 48

$LAB^*LCH^*_{Ma}$: 54 72 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r50j$ $u_d^* = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 36 59

$LAB^*LCH^*_{Ma}$: 64 69 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.42 0.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 87$



% Regularity

$g_{H,rel}^* = 67$

$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r75j$ $u_d^* = o68y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 73 18 71

$LAB^*LCH^*_{Ma}$: 73 73 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.68 0.0

triangle lightness t^*

%Gamut

$u_{rel}^* = 87$



%Regularity

$g_{H,rel}^* = 67$

$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o93y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 85 -3 84

$LAB^*LCH^*_{Ma}$: 85 84 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.94 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 87$

% Regularity



$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$u^*_e = j00g$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y24l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 79 -26 72

$LAB^*LCH^*_{Ma}$: 79 77 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.76 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity



$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$u^*_e = j25g$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y55l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 68 -43 56

$LAB^*LCH^*_{Ma}$: 68 70 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.45 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity



$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$u^*_e = j50g$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = y85l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 59 -58 41

$LAB^*LCH^*_{Ma}$: 59 71 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.14 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$



%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l12c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -58 19

$LAB^*LCH^*_{Ma}$: 56 61 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.12

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$



%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l45c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 58 -46 -8

$LAB^*LCH^*_{Ma}$: 58 47 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.45

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$



%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$


ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l78c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*





ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 60 -37 -28
 $LAB^*LCH^*_{Ma}$: 60 46 216
 $lab^*rgb^*_{Ma}$: 0.0 1.0 1.0
 $lab^*olv^*_{Ma}$: 0.0 1.0 0.79
triangle lightness t^*

%Gamut
 $u^*_{rel} = 87$
%Regularity
 $g^*_{H,rel} = 67$
 $g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c16v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -21 -43

$LAB^*LCH^*_{Ma}$: 55 48 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.84 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity



$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$u^*_e = g75b$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.755$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = b00r$ $u_d^* = c58v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*\text{Ma}$: 41 1 -45

$\text{LAB}^*\text{LCH}^*\text{Ma}$: 41 45 271

$\text{lab}^*\text{rgb}^*\text{Ma}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*\text{Ma}$: 0.0 0.42 1.0

triangle lightness t^*

%Gamut

$u_{rel}^* = 87$

%Regularity


$g_{H,rel}^* = 67$

$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$u_e^* = b00r$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = b25r$ $u_d^* = v03m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 26 27 -46

LAB^*LCH^*Ma : 26 54 300

lab^*rgb^*Ma : 0.5 0.0 1.0

lab^*olv^*Ma : 0.03 0.0 1.0

triangle lightness t^*

%Gamut

$u_{rel}^* = 87$

%Regularity


$g_{H,rel}^* = 67$

$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data


u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$u_e^* = b25r$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b50r$ $u_d^* = v54m$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 48 -29

$LAB^*LCH^*_{Ma}$: 36 56 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.55 0.0 1.0

triangle lightness t^*

%Gamut


$u_{rel}^* = 87$

%Regularity

$g_{H,rel}^* = 67$

$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m10o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 73 -4

$LAB^*LCH^*_{Ma}$: 48 73 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.89

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity


$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$


ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$u^*_e = b75r$



See for similar files: <http://www.ps.bam.de/Ee39/>; www.ps.bam.de/Ee39/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1



Input and output:
Colorimetric Printer Reflective System ORS20_95a
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 1.0$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$
$j50g$	68.25	-42.61	56.0	70.37	127	$y55l$
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$



%Gamut

$u^*_{rel} = 87$



%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data


Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	46.89	66.19	40.28	77.48	31
Y_{Ma}	88.66	-9.62	88.21	88.73	96
L_{Ma}	54.22	-65.29	33.87	73.56	153
C_{Ma}	61.43	-30.53	-42.04	51.96	234
V_{Ma}	25.93	25.95	-47.37	54.01	299
M_{Ma}	47.92	73.53	-9.02	74.08	353
N_{Ma}	20.41	0.0	0.0	0.0	0
W_{Ma}	94.64	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u_e^* = r00j$ $u_d^* = m84o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 67 32

$LAB^*LCH^*_{Ma}$: 47 75 25

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.0 0.15

triangle lightness t^*

% Gamut



$u_{rel}^* = 87$

% Regularity

$g_{H,rel}^* = 67$


$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = r25j$ $u_d^* = o17y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 53 48

$LAB^*LCH^*_{Ma}$: 54 72 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

%Gamut



$u_{rel}^* = 87$

%Regularity

$g_{H,rel}^* = 67$


$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = r50j$ $u_d^* = o42y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 36 59

$LAB^*LCH^*_{Ma}$: 64 69 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.42 0.0

triangle lightness t^*

%Gamut


$u_{rel}^* = 87$

%Regularity

$g_{H,rel}^* = 67$


$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = r75j$ $u_d^* = o68y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 73 18 71

$LAB^*LCH^*_{Ma}$: 73 73 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.68 0.0

triangle lightness t^*

% Gamut



$u_{rel}^* = 87$

% Regularity

$g_{H,rel}^* = 67$


$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = j00g$ $u_d^* = o93y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 85 -3 84

$LAB^*LCH^*_{Ma}$: 85 84 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.94 0.0

triangle lightness t^*

%Gamut



$u_{rel}^* = 87$

%Regularity

$g_{H,rel}^* = 67$


$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data					
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = j25g$ $u_d^* = y24l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 79 -26 72

$LAB^*LCH^*_{Ma}$: 79 77 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.76 1.0 0.0

triangle lightness t^*

%Gamut



$u_{rel}^* = 87$

%Regularity

$g_{H,rel}^* = 67$


$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data					
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = j50g$ $u_d^* = y55l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 68 -43 56

$LAB^*LCH^*_{Ma}$: 68 70 127

$lab^*rgb^*_{Ma}$: 0.5 1.0 0.0

$lab^*olv^*_{Ma}$: 0.45 1.0 0.0

triangle lightness t^*

%Gamut



$u_{rel}^* = 87$

%Regularity

$g_{H,rel}^* = 67$

$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = y85l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 59 -58 41

$LAB^*LCH^*_{Ma}$: 59 71 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.14 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$



%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$


ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = g00b$ $u_d^* = l12c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -58 19

$LAB^*LCH^*_{Ma}$: 56 61 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.12

triangle lightness t^*

%Gamut



$u_{rel}^* = 87$

%Regularity

$g_{H,rel}^* = 67$


$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data					
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l45c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 58 -46 -8

$LAB^*LCH^*_{Ma}$: 58 47 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.45

triangle lightness t^*

% Gamut



$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 67$


$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = g50b$ $u_d^* = l78c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 60 -37 -28

$LAB^*LCH^*_{Ma}$: 60 46 216

$lab^*rgb^*_{Ma}$: 0.0 1.0 1.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.79

triangle lightness t^*

%Gamut


$u_{rel}^* = 87$

%Regularity

$g_{H,rel}^* = 67$


$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = g75b$ $u_d^* = c16v$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -21 -43

$LAB^*LCH^*_{Ma}$: 55 48 244

$lab^*rgb^*_{Ma}$: 0.0 0.5 1.0

$lab^*olv^*_{Ma}$: 0.0 0.84 1.0

triangle lightness t^*

%Gamut


$u_{rel}^* = 87$

%Regularity

$g_{H,rel}^* = 67$


$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b00r$ $u_d^* = c58v$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 41 1 -45

LAB^*LCH^*Ma : 41 45 271

lab^*rgb^*Ma : 0.0 0.0 1.0

lab^*olv^*Ma : 0.0 0.42 1.0

triangle lightness t^*

%Gamut



$u_{rel}^* = 87$

%Regularity

$g_{H,rel}^* = 67$


$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b25r$ $u_d^* = v03m$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 26 27 -46

$LAB^*LCH^*_{Ma}$: 26 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.03 0.0 1.0

triangle lightness t^*

% Gamut



$u_{rel}^* = 87$

% Regularity

$g_{H,rel}^* = 67$

$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = b50r$ $u_d^* = v54m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 48 -29

$LAB^*LCH^*_{Ma}$: 36 56 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.55 0.0 1.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 87$



% Regularity

$g_{H,rel}^* = 67$

$g_{C,rel}^* = 59$


ORS20_95a; adapted (a) CIELAB data

u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b75r$ $u_d^* = m10o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 48 73 -4

$LAB^*LCH^*_{Ma}$: 48 73 357

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.5

$lab^*olv^*_{Ma}$: 1.0 0.0 0.89

triangle lightness t^*

% Gamut



$u_{rel}^* = 87$


% Regularity

$g_{H,rel}^* = 67$

$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o





See for similar files: <http://www.ps.bam.de/Ee39/>; www.ps.bam.de/Ee39/10L/L39E00NA.PS/.TXT
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

Input and output:

Colorimetric Printer Reflective System ORS20_95a
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 1.0$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$
$j50g$	68.25	-42.61	56.0	70.37	127	$y55l$
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$



%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data


Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	46.89	66.19	40.28	77.48	31
Y_{Ma}	88.66	-9.62	88.21	88.73	96
L_{Ma}	54.22	-65.29	33.87	73.56	153
C_{Ma}	61.43	-30.53	-42.04	51.96	234
V_{Ma}	25.93	25.95	-47.37	54.01	299
M_{Ma}	47.92	73.53	-9.02	74.08	353
N_{Ma}	20.41	0.0	0.0	0.0	0
W_{Ma}	94.64	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = r00j$ $u^*_d = m84o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 47 67 32

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 47 75 25

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.0 0.15

triangle lightness t^*

% Gamut



$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$


ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 54 53 48

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 54 72 42

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.17 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 64 36 59

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 64 69 58

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.5 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.42 0.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o68y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 73 18 71

$\text{LAB}^*\text{LCH}^*_{Ma}$: 73 73 75

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.75 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.68 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 87$

% Regularity


$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o93y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 85 -3 84

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 85 84 92

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.94 0.0

triangle lightness t^*

% Gamut



$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$


$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = j25g$ $u_d^* = y24l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_{a,a}^*$	$a_{a,a}^*$	$b_{a,a}^*$	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 79 -26 72

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 79 77 109

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.76 1.0 0.0

triangle lightness t^*

% Gamut


$u_{\text{rel}}^* = 87$

% Regularity

$g_{H,\text{rel}}^* = 67$


$g_{C,\text{rel}}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_{a,a}^*$	$a_{a,a}^*$	$b_{a,a}^*$	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = j50g$ $u_d^* = y55l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*\text{Ma}$: 68 -43 56

$\text{LAB}^*\text{LCH}^*\text{Ma}$: 68 70 127

$\text{lab}^*\text{rgb}^*\text{Ma}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*\text{Ma}$: 0.45 1.0 0.0

triangle lightness t^*

% Gamut


$u_{rel}^* = 87$

% Regularity

$g_{H,rel}^* = 67$


$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.402$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = j75g$ $u_d^* = y85l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 59 -58 41

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 59 71 144

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.14 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$


% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data					
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357

$u_e^* = j75g$
 lab^*olv^*



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l12c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 56 -58 19

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 56 61 162

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.12

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$


$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = g25b$ $u_d^* = l45c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*\text{Ma}$: 58 -46 -8

$\text{LAB}^*\text{LCH}^*\text{Ma}$: 58 47 189

$\text{lab}^*\text{rgb}^*\text{Ma}$: 0.0 1.0 0.5

$\text{lab}^*\text{olv}^*\text{Ma}$: 0.0 1.0 0.45

triangle lightness t^*

% Gamut


$u_{rel}^* = 87$

% Regularity

$g_{H,rel}^* = 67$

$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l78c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 60 -37 -28

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 60 46 216

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.79

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$


$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = g75b$ $u_d^* = c16v$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 55 -21 -43

$\text{LAB}^*\text{LCH}^*_{Ma}$: 55 48 244

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.84 1.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c58v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$

O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 41 1 -45

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 41 45 271

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.42 1.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$ u^*_d

r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = v03m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 26 27 -46

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 26 54 300

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.03 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v54m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 36 48 -29

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 36 56 328

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.55 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m10o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 48 73 -4

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 48 73 357

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.0 0.89

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*oly*	
01	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
02	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
03	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
09	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
10	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
11	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

Input and output:
Colorimetric Printer Reflective System ORS20_95a
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 1.0$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$
$j50g$	68.25	-42.61	56.0	70.37	127	$y55l$
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$



%Gamut

$u^*_{rel} = 87$



%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$


ORS20_95a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	46.89	66.19	40.28	77.48	31
Y_{Ma}	88.66	-9.62	88.21	88.73	96
L_{Ma}	54.22	-65.29	33.87	73.56	153
C_{Ma}	61.43	-30.53	-42.04	51.96	234
V_{Ma}	25.93	25.95	-47.37	54.01	299
M_{Ma}	47.92	73.53	-9.02	74.08	353
N_{Ma}	20.41	0.0	0.0	0.0	0
W_{Ma}	94.64	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	92
J_{CIE}	81.26	-2.89	71.56	71.62	25
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r00j$ $u^*_d = m84o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 47 67 32

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 47 75 25

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.0 0.15

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity


$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

See for similar files: <http://www.ps.bam.de/Ee39/>; www.ps.bam.de/Ee39/; www.ps.bam.de/Ee39/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM registration: 20081001-Ee39/10L/L39E00NA.PS/.TXT BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 54 53 48

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 54 72 42

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.17 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$


relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 64 36 59

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 64 69 58

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.5 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.42 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$


$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r75j$ $u^*_d = o68y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 73 18 71

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 73 73 75

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.75 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.68 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.256$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o93y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_{a^*}$	$a^*_{a^*}$	$b^*_{a^*}$	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 85 -3 84

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 85 84 92

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.94 0.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$


$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_{a^*}$	$a^*_{a^*}$	$b^*_{a^*}$	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = j25g$ $u_d^* = y24l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*\text{Ma}$: 79 -26 72

$\text{LAB}^*\text{LCH}^*\text{Ma}$: 79 77 109

$\text{lab}^*\text{rgb}^*\text{Ma}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*\text{Ma}$: 0.76 1.0 0.0

triangle lightness t^*

% Gamut

$u_{rel}^* = 87$

% Regularity

$g_{H,rel}^* = 67$

$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data					
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y55l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 68 -43 56

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 68 70 127

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.45 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity


$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

See for similar files: <http://www.ps.bam.de/Ee39/>; www.ps.bam.de/Ee39/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Ee39/10L/L39E00NA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.402$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = y85l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 59 -58 41

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 59 71 144

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.14 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l12c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 56 -58 19

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 56 61 162

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.12

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = g25b$ $u_d^* = l45c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 58 -46 -8

$\text{LAB}^*\text{LCH}^*_{Ma}$: 58 47 189

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.45

triangle lightness t^*

% Gamut



$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l78c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 60 -37 -28

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 60 46 216

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.79

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$


$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = g75b$ $u_d^* = c16v$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 55 -21 -43

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 55 48 244

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.84 1.0

triangle lightness t^*

% Gamut



$u_{\text{rel}}^* = 87$

% Regularity

$g_{H,\text{rel}}^* = 67$

$g_{C,\text{rel}}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c58v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 41 1 -45

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 41 45 271

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.42 1.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = b25r$ $u_d^* = v03m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 26 27 -46

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 26 54 300

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.03 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v54m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 48 -29

$LAB^*LCH^*_{Ma}$: 36 56 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.55 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m10o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 48 73 -4

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 48 73 357

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.0 0.89

triangle lightness t^*

% Gamut



$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output:

Colorimetric Printer Reflective System ORS20_95a
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 1.0$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$
$j50g$	68.25	-42.61	56.0	70.37	127	$y55l$
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$



%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	46.89	66.19	40.28	77.48	31
Y_{Ma}	88.66	-9.62	88.21	88.73	96
L_{Ma}	54.22	-65.29	33.87	73.56	153
C_{Ma}	61.43	-30.53	-42.04	51.96	234
V_{Ma}	25.93	25.95	-47.37	54.01	299
M_{Ma}	47.92	73.53	-9.02	74.08	353
N_{Ma}	20.41	0.0	0.0	0.0	0
W_{Ma}	94.64	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	92
J_{CIE}	81.26	-2.89	71.56	71.62	25
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m84o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 47 67 32

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 47 75 25

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.0 0.15

triangle lightness t^*

%Gamut


$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 54 53 48

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 54 72 42

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.17 0.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.164$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$

O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 64 36 59

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 64 69 58

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.5 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.42 0.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity


$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$ u^*_d

r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o


$u^*_e = r50j$
 $\text{LAB}^*\text{LAB}^*_{\text{a}}$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = r75j$ $u^*_d = o68y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 73 18 71

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 73 73 75

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.75 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.68 0.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$\text{LAB}^*\text{LAB}^*_a$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o93y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 85 -3 84

$\text{LAB}^*\text{LCH}^*_{Ma}$: 85 84 92

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.94 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$u^*_e = j00g$
 $\text{LAB}^*\text{LAB}^*_{Ma}$

$\text{LAB}^*\text{LAB}^*_{Ma}$

brilliantness i^*

$i^* = 1.00$

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.305$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j25g$ $u^*_d = y24l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 79 -26 72

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 79 77 109

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.76 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$


$i^*=0.20$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = j50g$ $u^*_d = y55l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 68 -43 56

$\text{LAB}^*\text{LCH}^*_{Ma}$: 68 70 127

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.45 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

$\text{LAB}^*\text{LAB}^*_{a}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = y85l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 59 -58 41

$LAB^*LCH^*_{Ma}$: 59 71 144

$lab^*rgb^*_{Ma}$: 0.25 1.0 0.0

$lab^*olv^*_{Ma}$: 0.14 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

$u^*_e = j75g$
 $LAB^*LAB^*_{Ma}$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l12c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 56 -58 19

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 56 61 162

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.12

triangle lightness t^*

%Gamut


$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l45c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$

O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 58 -46 -8

$\text{LAB}^*\text{LCH}^*_{Ma}$: 58 47 189

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.45

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$ u^*_d

r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l78c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$

O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 60 -37 -28

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 60 46 216

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.79

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$


%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$ u^*_d

r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.679$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c16v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 55 -21 -43

$LAB^*LCH^*_Ma$: 55 48 244

$lab^*rgb^*_Ma$: 0.0 0.5 1.0

$lab^*olv^*_Ma$: 0.0 0.84 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$LAB^*LAB^*_a$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.755$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c58v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$

O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 41 1 -45

$\text{LAB}^*\text{LCH}^*_{Ma}$: 41 45 271

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.42 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$ u^*_d

r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o


$u^*_e = b00r$
 $\text{LAB}^*\text{LAB}^*_{Ma}$

$\text{LAB}^*\text{LAB}^*_{Ma}$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b25r$ $u_d^* = v03m$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 26 27 -46

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 26 54 300

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.03 0.0 1.0

triangle lightness t^*

%Gamut

$u_{\text{rel}}^* = 87$


%Regularity

$g_{H,\text{rel}}^* = 67$

$g_{C,\text{rel}}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$u_e^* = b25r$
 $\text{LAB}^*\text{LAB}^*_{\text{a}}$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v54m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 36 48 -29

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 36 56 328

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.55 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$\text{LAB}^*\text{LAB}^*_{\text{a}}$

$i^* = 1.00$

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m10o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 48 73 -4

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 48 73 357

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.0 0.89

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$


%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357

$u^*_e = b75r$
 $\text{LAB}^*\text{LAB}^*_{\text{a}}$



See for similar files: <http://www.ps.bam.de/Ee39/>; www.ps.bam.de
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1


	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*a																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
01	28.4	24.6	28.9	33.1	37.3	41.5	45.8	50.0	54.2	58.3	62.4	66.5	70.6	74.7	78.8	82.9	87.0	91.1	95.2	99.3	103.4	107.5	111.6	115.7	119.8	123.9	128.0	132.1	136.2	140.3	144.4	148.5	152.6	156.7	160.8	164.9	169.0	173.1	177.2	181.3	185.4	189.5	193.6	197.7	201.8	205.9	210.0	214.1	218.2	222.3	226.4	230.5	234.6	238.7	242.8	246.9	251.0	255.1	259.2	263.3	267.4	271.5	275.6	279.7	283.8	287.9	292.0	296.1	300.2	304.3	308.4	312.5	316.6	320.7	324.8	328.9	333.0	337.1	341.2	345.3	349.4	353.5	357.6	361.7	365.8	369.9	374.0	378.1	382.2	386.3	390.4	394.5	398.6	402.7	406.8	410.9	415.0	419.1	423.2	427.3	431.4	435.5	439.6	443.7	447.8	451.9	456.0	460.1	464.2	468.3	472.4	476.5	480.6	484.7	488.8	492.9	497.0	501.1	505.2	509.3	513.4	517.5	521.6	525.7	529.8	533.9	538.0	542.1	546.2	550.3	554.4	558.5	562.6	566.7	570.8	574.9	579.0	583.1	587.2	591.3	595.4	599.5	603.6	607.7	611.8	615.9	620.0	624.1	628.2	632.3	636.4	640.5	644.6	648.7	652.8	656.9	661.0	665.1	669.2	673.3	677.4	681.5	685.6	689.7	693.8	697.9	702.0	706.1	710.2	714.3	718.4	722.5	726.6	730.7	734.8	738.9	743.0	747.1	751.2	755.3	759.4	763.5	767.6	771.7	775.8	779.9	784.0	788.1	792.2	796.3	800.4	804.5	808.6	812.7	816.8	820.9	825.0	829.1	833.2	837.3	841.4	845.5	849.6	853.7	857.8	861.9	866.0	870.1	874.2	878.3	882.4	886.5	890.6	894.7	898.8	902.9	907.0	911.1	915.2	919.3	923.4	927.5	931.6	935.7	939.8	943.9	948.0	952.1	956.2	960.3	964.4	968.5	972.6	976.7	980.8	984.9	989.0	993.1	997.2	1001.3	1005.4	1009.5	1013.6	1017.7	1021.8	1025.9	1030.0	1034.1	1038.2	1042.3	1046.4	1050.5	1054.6	1058.7	1062.8	1066.9	1071.0	1075.1	1079.2	1083.3	1087.4	1091.5	1095.6	1099.7	1103.8	1107.9	1112.0	1116.1	1120.2	1124.3	1128.4	1132.5	1136.6	1140.7	1144.8	1148.9	1153.0	1157.1	1161.2	1165.3	1169.4	1173.5	1177.6	1181.7	1185.8	1189.9	1194.0	1198.1	1202.2	1206.3	1210.4	1214.5	1218.6	1222.7	1226.8	1230.9	1235.0	1239.1	1243.2	1247.3	1251.4	1255.5	1259.6	1263.7	1267.8	1271.9	1276.0	1280.1	1284.2	1288.3	1292.4	1296.5	1300.6	1304.7	1308.8	1312.9	1317.0	1321.1	1325.2	1329.3	1333.4	1337.5	1341.6	1345.7	1349.8	1353.9	1358.0	1362.1	1366.2	1370.3	1374.4	1378.5	1382.6	1386.7	1390.8	1394.9	1399.0	1403.1	1407.2	1411.3	1415.4	1419.5	1423.6	1427.7	1431.8	1435.9	1440.0	1444.1	1448.2	1452.3	1456.4	1460.5	1464.6	1468.7	1472.8	1476.9	1481.0	1485.1	1489.2	1493.3	1497.4	1501.5	1505.6	1509.7	1513.8	1517.9	1522.0	1526.1	1530.2	1534.3	1538.4	1542.5	1546.6	1550.7	1554.8	1558.9	1563.0	1567.1	1571.2	1575.3	1579.4	1583.5	1587.6	1591.7	1595.8	1599.9	1604.0	1608.1	1612.2	1616.3	1620.4	1624.5	1628.6	1632.7	1636.8	1640.9	1645.0	1649.1	1653.2	1657.3	1661.4	1665.5	1669.6	1673.7	1677.8	1681.9	1686.0	1690.1	1694.2	1698.3	1702.4	1706.5	1710.6	1714.7	1718.8	1722.9	1727.0	1731.1	1735.2	1739.3	1743.4	1747.5	1751.6	1755.7	1759.8	1763.9	1768.0	1772.1	1776.2	1780.3	1784.4	1788.5	1792.6	1796.7	1800.8	1804.9	1809.0	1813.1	1817.2	1821.3	1825.4	1829.5	1833.6	1837.7	1841.8	1845.9	1850.0	1854.1	1858.2	1862.3	1866.4	1870.5	1874.6	1878.7	1882.8	1886.9	1891.0	1895.1	1899.2	1903.3	1907.4	1911.5	1915.6	1919.7	1923.8	1927.9	1932.0	1936.1	1940.2	1944.3	1948.4	1952.5	1956.6	1960.7	1964.8	1968.9	1973.0	1977.1	1981.2	1985.3	1989.4	1993.5	1997.6	2001.7	2005.8	2009.9	2014.0	2018.1	2022.2	2026.3	2030.4	2034.5	2038.6	2042.7	2046.8	2050.9	2055.0	2059.1	2063.2	2067.3	2071.4	2075.5	2079.6	2083.7	2087.8	2091.9	2096.0	2100.1	2104.2	2108.3	2112.4	2116.5	2120.6	2124.7	2128.8	2132.9	2137.0	2141.1	2145.2	2149.3	2153.4	2157.5	2161.6	2165.7	2169.8	2173.9	2178.0	2182.1	2186.2	2190.3	2194.4	2198.5	2202.6	2206.7	2210.8	2214.9	2219.0	2223.1	2227.2	2231.3	2235.4	2239.5	2243.6	2247.7	2251.8	2255.9	2260.0	2264.1	2268.2	2272.3	2276.4	2280.5	2284.6	2288.7	2292.8	2296.9	2301.0	2305.1	2309.2	2313.3	2317.4	2321.5	2325.6	2329.7	2333.8	2337.9	2342.0	2346.1	2350.2	2354.3	2358.4	2362.5	2366.6	2370.7	2374.8	2378.9	2383.0	2387.1	2391.2	2395.3	2399.4	2403.5	2407.6	2411.7	2415.8	2419.9	2424.0	2428.1	2432.2	2436.3	2440.4	2444.5	2448.6	2452.7	2456.8	2460.9	2465.0	2469.1	2473.2	2477.3	2481.4	2485.5	2489.6	2493.7	2497.8	2501.9	2506.0	2510.1	2514.2	2518.3	2522.4	2526.5	2530.6	2534.7	2538.8	2542.9	2547.0	2551.1	2555.2	2559.3	2563.4	2567.5	2571.6	2575.7	2579.8	2583.9	2588.0	2592.1	2596.2	2600.3	2604.4	2608.5	2612.6	2616.7	2620.8	2624.9	2629.0	2633.1	2637.2	2641.3	2645.4	2649.5	2653.6	2657.7	2661.8	2665.9	2670.0	2674.1	2678.2	2682.3	2686.4	2690.5	2694.6	2698.7	2702.8	2706.9	2711.0	2715.1	2719.2	2723.3	2727.4	2731.5	2735.6	2739.7	2743.8	2747.9	2752.0	2756.1	2760.2	2764.3	2768.4	2772.5	2776.6	2780.7	2784.8	2788.9	2793.0	2797.1	2801.2	2805.3	2809.4	2813.5	2817.6	2821.7	2825.8	2829.9	2834.0	2838.1	2842.2	2846.3	2850.4	2854.5	2858.6	2862.7	2866.8	2870.9	2875.0	2879.1	2883.2	2887.3	2891.4	2895.5	2899.6	2903.7	2907.8	2911.9	2916.0	2920.1	2924.2	2928.3	2932.4	2936.5	2940.6	2944.7	2948.8	2952.9	2957.0	2961.1	2965.2	2969.3	2973.4	2977.5	2981.6	2985.7	2989.8	2993.9	2998.0	3002.1	3006.2	3010.3	3014.4	3018.5	3022.6	3026.7	3030.8	3034.9	3039.0	3043.1	3047.2	3051.3	3055.4	3059.5	3063.6	3067.7	3071.8	3075.9	3080.0	3084.1	3088.2	3092.3	3096.4	3100.5	3104.6	3108.7	3112.8	3116.9	3121.0	3125.1	3129.2	3133.3	3137.4	3141.5	3145.6	3149.7	3153.8	3157.9	3162.0	3166.1	3170.2	3174.3	3178.4	3182.5	3186.6	3190.7	3194.8	3198.9	3203.0	3207.1	3211.2	3215.3	3219.4	3223.5	3227.6	3231.7	3235.8	3239.9	3244.0	3248.1	3252.2	3256.3	3260.4	3264.5	3268.6	3272.7	3276.8	3280.9	3285.0	3289.1	3293.2	3297.3	3301.4	3305.5	3309.6	3313.7	3317.8	3321.9	3326.0	3330.1	3334.2	3338.3	3342.4	3346.5	3350.6	3354.7	3358.8	3362.9	3367.0	3371.1	3375.2	3379.3	3383.4	3387.5	3391.6	3395.7	3399.8	3403.9	3408.0	3412.1	3416.2	3420.3	3424.4	3428.5	3432.6	3436.7	3440.8	3444.9	3449.0	3453.1	3457.2	3461.3	3465.4	3469.5	3473.6	3477.7	3481.8	3485.9	3490.0	3494.1	3498.2	3502.3	3506.4	3510.5	3514.6	3518.7	3522.8	3526.9	3531.0	3535.1	3539.2	3543.3	3547.4	3551.5	3555.6	3559.7	3563.8	3567.9	3572.0	3576.1	3580.2	3584.3	3588.4	3592.5	3596.6	3600.7	3604.8	3608.9	3613.0	3617.1	3621.2	3625.3	3629.4	3633.5	3637.6	3641.7	3645.8	3649.9	3654.0	3658.1	3662.2	3666.3	3670.4	3674.5	3678.6	3682.7	3686.8	3690.9	3695.0	3699.1	3703.2	3707.3	3711.4	3715.5	3719.6	3723.7	3727.8	3731.9	3736.0	3740.1	3744.2	3748.3	3752.4	3756.5	3760.6	3764.7	3768.8	3772.9	3777.0	3781.1	3785.2	3789.3	3793.4	3797.5	3801.6	3805.7	3809.8	3813.9	3818.0	3822.1	3826.2	3830.3	3834.4	3838.5	3842.6	3846.7	3850.8	3854.9	3859.0	3863.1	3867.2	3871.3	3875.4	3879.5	3883.6	3887.7	3891.8	3895.9	3900.0	3904.1	3908.2	3912.3	3916.4	3920.5	3924.6	3928.7	3932.8	3936.9	3941.0	3945.1	3949.2	3953.3	3957.4	3961.5	3965.6	3969.7	3973.8	3977.9	3982.0	3986.1	3990.2	3994.3	3998.4	4002.5	4006.6	4010.7	4014.8	4018.9	4023.0	4027.1	4031.2	4035.3	4039.4	4043.5	4047.6	4051.7	4055.8	4059.9	4064.0	4068.1	4072.2	4076.3	4080.4	4084.5	4088.6	4092.7	4096.8	4100.9	4105.0	4109.1	4113.2	4117.3	4121.4	4125.5	4129.6	4133.7	4137.8	4141.9	4146.0	4150.1	4154.2	4158.3	4162.4	4166.5	4170.6	4174.7	4178.8	4182.9	4187.0	4191.1	4195.2	4199.3	4203.4	4207.5	4211.6	4215.7	4219.8	4223.9	4228.0	4232.1	4236.2	4240.3	4244.4	4248.5	4252.6	4256.7	4260.8	4264.9	4269.0	4273.1	4277.2	4281.3	4285.4	4289.5	4293.6	4297.7	4301.8	4305.9	4310.0	4314.1	4318.2	4322.3	4326.4	4330.5	4334.6	4338.7	4342.8	4346.9	4351.0	4355.1	4359.2	4363.3	4367.4	4371.5	4375.6	4379.7	4383.8	4387.9	4392.0	4396.1	4400.2	4404.3	4408.4	4412.5	4416.6	4420.7	4424.8	4428.9	4433.0	4437.1	4441.2	4445.3	4449.4	4453.5	4457.6	4461.7	4465.8	4469.9	4474.0	4478.1	4482.2	4486.3	4490.4	4494.5	4498.6	4502.7	4506.8	4510.9	4515.0	4519.1	4523.2	4527.3	4531.4	4535.5	4539.6	4543.7	4547.8	4551.9	4556.0</

Input and output:
Colorimetric Printer Reflective System ORS20_95a
data for any colour:

u^*_e and number $no.$ = 00 .. 15
elementary hue text:
 $u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$
$j50g$	68.25	-42.61	56.0	70.37	127	$y55l$
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$



%Gamut

$u^*_{rel} = 87$



%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data


Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	46.89	66.19	40.28	77.48	31
Y_{Ma}	88.66	-9.62	88.21	88.73	96
L_{Ma}	54.22	-65.29	33.87	73.56	153
C_{Ma}	61.43	-30.53	-42.04	51.96	234
V_{Ma}	25.93	25.95	-47.37	54.01	299
M_{Ma}	47.92	73.53	-9.02	74.08	353
N_{Ma}	20.41	0.0	0.0	0.0	0
W_{Ma}	94.64	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = r00j$ $u^*_d = m84o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 47 67 32

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 47 75 25

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.0 0.15

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.117$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 54 53 48

$\text{LAB}^*\text{LCH}^*_{Ma}$: 54 72 42

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.164$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$

O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 64 36 59

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 64 69 58

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.5 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.42 0.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$ u^*_d

r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$u^*_e = r50j$
 $\text{LAB}^*\text{LCH}^*_{\text{a}}$

$\text{LAB}^*\text{LCH}^*_{\text{a}}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.21$ data for any colour: Data for maximum colour (Ma):

$u_e^* = r75j$
 $LAB^*LCH^*_a$


Hue texts:

$$u^*_e = r75j \quad u^*_d = o68y$$

contrast reduction factor:

 $c_D = 1.0$ triangle lightness t^*

triangle lightness t



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	
Q_{Ma}	46.89	66.19	40.28	77.48	31	
Y_{Ma}	88.66	-9.62	88.21	88.73	96	
L_{Ma}	54.22	-65.29	33.87	73.56	153	
C_{Ma}	61.43	-30.53	-42.04	51.96	234	
V_{Ma}	25.93	25.95	-47.37	54.01	299	
M_{Ma}	47.92	73.53	-9.02	74.08	353	
N_{Ma}	20.41	0.0	0.0	0.0	0	
W_{Ma}	94.64	0.0	0.0	0.0	0	
R_{Ma}	39.92	58.74	27.99	65.07	25	
J_{Ma}	81.26	-2.89	71.56	71.62	92	
G_{Ma}	52.23	-42.42	13.6	44.55	162	
B_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB*LAB* M_{c} : 73 18 71

LAB*LGII* 53 53 55

LAB*LCH*Ma: 73 73 75

*lab*rgb*_{Ma}: 1.0 0.75 0.0

lab*olv*_Ma: 1.0 0.68 0.0

triangle lightness t^*

triangle rightness t

%Gamut

$$\mathbf{u}_{\text{rel}}^* = 87$$

%Regularity

$$g^*_{H\text{rel}} = 67$$
$$g^*_{C,rel} = 59$$

ORS20_95a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
<i>r00j</i>	47.06	67.41	32.12	74.67	25	<i>m84a</i>	
<i>r25j</i>	53.95	53.38	48.38	72.04	42	<i>o17y</i>	
<i>r50j</i>	63.6	35.87	59.45	69.43	59	<i>o42y</i>	
<i>r75j</i>	73.37	18.14	70.66	72.95	76	<i>o68y</i>	
<i>j00g</i>	85.24	-3.4	84.28	84.35	92	<i>o93y</i>	
<i>j25g</i>	78.53	-25.99	72.23	76.76	110	<i>y24l</i>	
<i>j50g</i>	68.25	-42.61	56.0	70.37	127	<i>y55l</i>	
<i>j75g</i>	58.73	-57.99	40.99	71.02	145	<i>y85l</i>	
<i>g00b</i>	55.66	-58.35	18.71	61.27	162	<i>l12c</i>	
<i>g25b</i>	58.18	-46.2	-7.82	46.86	190	<i>l45c</i>	
<i>g50b</i>	60.08	-37.02	-27.87	46.34	217	<i>l78c</i>	
<i>g75b</i>	55.21	-20.63	-42.98	47.67	244	<i>c16v</i>	
<i>b00r</i>	41.38	1.37	-45.05	45.07	272	<i>c58v</i>	
<i>b25r</i>	26.43	27.03	-46.5	53.78	300	<i>v03m</i>	
<i>b50r</i>	36.22	48.22	-29.42	56.48	329	<i>v54m</i>	
<i>b75r</i>	47.81	72.75	-3.76	72.85	357	<i>m10a</i>	

*LAB*LCH**_a

 $i^* = 1,00$

brilliantness i*

relative chroma c^*
$$i^*=0,00$$
relative chroma c^*

BAM-test chart Ee39; Colorimetric systems, Page 95/198
D65: colour scales and 9 data tables for 16 hues *r00j* to *b75r*

```
input: 000n / w / nnn0 / www set...
output: ->cmy6* setcmykcolor
```


BAM registration: 20081001-Ee39/10/L39E00NA.PS/.TXT BAM material: code=rha4ta
 application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Ee39/>; www.ps.bam.de/Ee.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

Version 2.1, io=1,1, ColSpx=1

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o93y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 85 -3 84

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 85 84 92

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.94 0.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357

$u^*_e = j00g$
 $\text{LAB}^*\text{LCH}^*_{\text{Ma}}$

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$


$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = j25g$ $u^*_d = y24l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 79 -26 72

$LAB^*LCH^*_{Ma}$: 79 77 109

$lab^*rgb^*_{Ma}$: 0.75 1.0 0.0

$lab^*olv^*_{Ma}$: 0.76 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357


$u^*_e = j25g$
 $LAB^*LCH^*_{Ma}$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = j50g$ $u^*_d = y55l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 68 -43 56

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 68 70 127

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.45 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$


%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357

$u^*_e = j50g$
 $\text{LAB}^*\text{LCH}^*_{\text{a}}$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.402$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j75g$ $u^*_d = y85l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$

O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 59 -58 41

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 59 71 144

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.14 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity


$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$ u^*_d

r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$u^*_e = j75g$
 $\text{LAB}^*\text{LCH}^*_{\text{a}}$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l12c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 56 -58 19

$LAB^*LCH^*_{Ma}$: 56 61 162

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.0

$lab^*olv^*_{Ma}$: 0.0 1.0 0.12

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$LAB^*LCH^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$


$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l45c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 58 -46 -8

$LAB^*LCH^*_{Ma}$: 58 47 189

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.5

$lab^*olv^*_{Ma}$: 0.0 1.0 0.45

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$


ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$LAB^*LCH^*_{Ma}$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l78c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 60 -37 -28

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 60 46 216

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.79

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$


%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357

$u^*_e = g50b$
 $\text{LAB}^*\text{LCH}^*_{\text{Ma}}$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.679$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c16v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 55 -21 -43

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 55 48 244

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.84 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$


%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357

$u^*_e = g75b$
 $\text{LAB}^*\text{LCH}^*_{\text{Ma}}$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c58v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 41 1 -45

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 41 45 271

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.42 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data							
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$


relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = b25r$ $u^*_d = v03m$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 26 27 -46

$LAB^*LCH^*_{Ma}$: 26 54 300

$lab^*rgb^*_{Ma}$: 0.5 0.0 1.0

$lab^*olv^*_{Ma}$: 0.03 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357

$u^*_e = b25r$
 $LAB^*LCH^*_{Ma}$



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v54m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$

O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 36 48 -29

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 36 56 328

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.55 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data
 u^*_e $L^*=L^*_a$ a^*_a b^*_a $C^*_{ab,a}$ $h^*_{ab,a}$ u^*_d

r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$u^*_e = b50r$
 $\text{LAB}^*\text{LCH}^*_{\text{a}}$

$\text{LAB}^*\text{LCH}^*_{\text{a}}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.992$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m10o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 48 73 -4

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 48 73 357

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.0 0.89

triangle lightness t^*

%Gamut


$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



See for similar files: <http://www.ps.bam.de/Ee39/>; www.ps.bam.de/Ee39/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LCH*a																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
01	28.4	24.6	28.9	33.1	37.3	41.5	45.8	50.0	54.2	58.4	62.6	66.8	71.0	75.2	79.4	83.6	87.8	92.0	96.2	100.4	104.6	108.8	113.0	117.2	121.4	125.6	129.8	134.0	138.2	142.4	146.6	150.8	155.0	159.2	163.4	167.6	171.8	176.0	180.2	184.4	188.6	192.8	197.0	201.2	205.4	209.6	213.8	218.0	222.2	226.4	230.6	234.8	239.0	243.2	247.4	251.6	255.8	260.0	264.2	268.4	272.6	276.8	281.0	285.2	289.4	293.6	297.8	302.0	306.2	310.4	314.6	318.8	323.0	327.2	331.4	335.6	339.8	344.0	348.2	352.4	356.6	360.8	365.0	369.2	373.4	377.6	381.8	386.0	390.2	394.4	398.6	402.8	407.0	411.2	415.4	419.6	423.8	428.0	432.2	436.4	440.6	444.8	449.0	453.2	457.4	461.6	465.8	470.0	474.2	478.4	482.6	486.8	491.0	495.2	499.4	503.6	507.8	512.0	516.2	520.4	524.6	528.8	533.0	537.2	541.4	545.6	549.8	554.0	558.2	562.4	566.6	570.8	575.0	579.2	583.4	587.6	591.8	596.0	600.2	604.4	608.6	612.8	617.0	621.2	625.4	629.6	633.8	638.0	642.2	646.4	650.6	654.8	659.0	663.2	667.4	671.6	675.8	680.0	684.2	688.4	692.6	696.8	701.0	705.2	709.4	713.6	717.8	722.0	726.2	730.4	734.6	738.8	743.0	747.2	751.4	755.6	759.8	764.0	768.2	772.4	776.6	780.8	785.0	789.2	793.4	797.6	801.8	806.0	810.2	814.4	818.6	822.8	827.0	831.2	835.4	839.6	843.8	848.0	852.2	856.4	860.6	864.8	869.0	873.2	877.4	881.6	885.8	890.0	894.2	898.4	902.6	906.8	911.0	915.2	919.4	923.6	927.8	932.0	936.2	940.4	944.6	948.8	953.0	957.2	961.4	965.6	969.8	974.0	978.2	982.4	986.6	990.8	995.0	999.2	1003.4	1007.6	1011.8	1016.0	1020.2	1024.4	1028.6	1032.8	1037.0	1041.2	1045.4	1049.6	1053.8	1058.0	1062.2	1066.4	1070.6	1074.8	1079.0	1083.2	1087.4	1091.6	1095.8	1100.0	1104.2	1108.4	1112.6	1116.8	1121.0	1125.2	1129.4	1133.6	1137.8	1142.0	1146.2	1150.4	1154.6	1158.8	1163.0	1167.2	1171.4	1175.6	1179.8	1184.0	1188.2	1192.4	1196.6	1200.8	1205.0	1209.2	1213.4	1217.6	1221.8	1226.0	1230.2	1234.4	1238.6	1242.8	1247.0	1251.2	1255.4	1259.6	1263.8	1268.0	1272.2	1276.4	1280.6	1284.8	1289.0	1293.2	1297.4	1301.6	1305.8	1310.0	1314.2	1318.4	1322.6	1326.8	1331.0	1335.2	1339.4	1343.6	1347.8	1352.0	1356.2	1360.4	1364.6	1368.8	1373.0	1377.2	1381.4	1385.6	1389.8	1394.0	1398.2	1402.4	1406.6	1410.8	1415.0	1419.2	1423.4	1427.6	1431.8	1436.0	1440.2	1444.4	1448.6	1452.8	1457.0	1461.2	1465.4	1469.6	1473.8	1478.0	1482.2	1486.4	1490.6	1494.8	1499.0	1503.2	1507.4	1511.6	1515.8	1520.0	1524.2	1528.4	1532.6	1536.8	1541.0	1545.2	1549.4	1553.6	1557.8	1562.0	1566.2	1570.4	1574.6	1578.8	1583.0	1587.2	1591.4	1595.6	1600.0	1604.2	1608.4	1612.6	1616.8	1621.0	1625.2	1629.4	1633.6	1637.8	1642.0	1646.2	1650.4	1654.6	1658.8	1663.0	1667.2	1671.4	1675.6	1679.8	1684.0	1688.2	1692.4	1696.6	1700.8	1705.0	1709.2	1713.4	1717.6	1721.8	1726.0	1730.2	1734.4	1738.6	1742.8	1747.0	1751.2	1755.4	1759.6	1763.8	1768.0	1772.2	1776.4	1780.6	1784.8	1789.0	1793.2	1797.4	1801.6	1805.8	1810.0	1814.2	1818.4	1822.6	1826.8	1831.0	1835.2	1839.4	1843.6	1847.8	1852.0	1856.2	1860.4	1864.6	1868.8	1873.0	1877.2	1881.4	1885.6	1889.8	1894.0	1898.2	1902.4	1906.6	1910.8	1915.0	1919.2	1923.4	1927.6	1931.8	1936.0	1940.2	1944.4	1948.6	1952.8	1957.0	1961.2	1965.4	1969.6	1973.8	1978.0	1982.2	1986.4	1990.6	1994.8	1999.0	2003.2	2007.4	2011.6	2015.8	2020.0	2024.2	2028.4	2032.6	2036.8	2041.0	2045.2	2049.4	2053.6	2057.8	2062.0	2066.2	2070.4	2074.6	2078.8	2083.0	2087.2	2091.4	2095.6	2100.0	2104.2	2108.4	2112.6	2116.8	2121.0	2125.2	2129.4	2133.6	2137.8	2142.0	2146.2	2150.4	2154.6	2158.8	2163.0	2167.2	2171.4	2175.6	2179.8	2184.0	2188.2	2192.4	2196.6	2200.8	2205.0	2209.2	2213.4	2217.6	2221.8	2226.0	2230.2	2234.4	2238.6	2242.8	2247.0	2251.2	2255.4	2259.6	2263.8	2268.0	2272.2	2276.4	2280.6	2284.8	2289.0	2293.2	2297.4	2301.6	2305.8	2310.0	2314.2	2318.4	2322.6	2326.8	2331.0	2335.2	2339.4	2343.6	2347.8	2352.0	2356.2	2360.4	2364.6	2368.8	2373.0	2377.2	2381.4	2385.6	2389.8	2394.0	2398.2	2402.4	2406.6	2410.8	2415.0	2419.2	2423.4	2427.6	2431.8	2436.0	2440.2	2444.4	2448.6	2452.8	2457.0	2461.2	2465.4	2469.6	2473.8	2478.0	2482.2	2486.4	2490.6	2494.8	2499.0	2503.2	2507.4	2511.6	2515.8	2520.0	2524.2	2528.4	2532.6	2536.8	2541.0	2545.2	2549.4	2553.6	2557.8	2562.0	2566.2	2570.4	2574.6	2578.8	2583.0	2587.2	2591.4	2595.6	2600.0	2604.2	2608.4	2612.6	2616.8	2621.0	2625.2	2629.4	2633.6	2637.8	2642.0	2646.2	2650.4	2654.6	2658.8	2663.0	2667.2	2671.4	2675.6	2679.8	2684.0	2688.2	2692.4	2696.6	2700.8	2705.0	2709.2	2713.4	2717.6	2721.8	2726.0	2730.2	2734.4	2738.6	2742.8	2747.0	2751.2	2755.4	2759.6	2763.8	2768.0	2772.2	2776.4	2780.6	2784.8	2789.0	2793.2	2797.4	2801.6	2805.8	2810.0	2814.2	2818.4	2822.6	2826.8	2831.0	2835.2	2839.4	2843.6	2847.8	2852.0	2856.2	2860.4	2864.6	2868.8	2873.0	2877.2	2881.4	2885.6	2889.8	2894.0	2898.2	2902.4	2906.6	2910.8	2915.0	2919.2	2923.4	2927.6	2931.8	2936.0	2940.2	2944.4	2948.6	2952.8	2957.0	2961.2	2965.4	2969.6	2973.8	2978.0	2982.2	2986.4	2990.6	2994.8	2999.0	3003.2	3007.4	3011.6	3015.8	3020.0	3024.2	3028.4	3032.6	3036.8	3041.0	3045.2	3049.4	3053.6	3057.8	3062.0	3066.2	3070.4	3074.6	3078.8	3083.0	3087.2	3091.4	3095.6	3100.0	3104.2	3108.4	3112.6	3116.8	3121.0	3125.2	3129.4	3133.6	3137.8	3142.0	3146.2	3150.4	3154.6	3158.8	3163.0	3167.2	3171.4	3175.6	3179.8	3184.0	3188.2	3192.4	3196.6	3200.8	3205.0	3209.2	3213.4	3217.6	3221.8	3226.0	3230.2	3234.4	3238.6	3242.8	3247.0	3251.2	3255.4	3259.6	3263.8	3268.0	3272.2	3276.4	3280.6	3284.8	3289.0	3293.2	3297.4	3301.6	3305.8	3310.0	3314.2	3318.4	3322.6	3326.8	3331.0	3335.2	3339.4	3343.6	3347.8	3352.0	3356.2	3360.4	3364.6	3368.8	3373.0	3377.2	3381.4	3385.6	3389.8	3394.0	3398.2	3402.4	3406.6	3410.8	3415.0	3419.2	3423.4	3427.6	3431.8	3436.0	3440.2	3444.4	3448.6	3452.8	3457.0	3461.2	3465.4	3469.6	3473.8	3478.0	3482.2	3486.4	3490.6	3494.8	3499.0	3503.2	3507.4	3511.6	3515.8	3520.0	3524.2	3528.4	3532.6	3536.8	3541.0	3545.2	3549.4	3553.6	3557.8	3562.0	3566.2	3570.4	3574.6	3578.8	3583.0	3587.2	3591.4	3595.6	3600.0	3604.2	3608.4	3612.6	3616.8	3621.0	3625.2	3629.4	3633.6	3637.8	3642.0	3646.2	3650.4	3654.6	3658.8	3663.0	3667.2	3671.4	3675.6	3679.8	3684.0	3688.2	3692.4	3696.6	3700.8	3705.0	3709.2	3713.4	3717.6	3721.8	3726.0	3730.2	3734.4	3738.6	3742.8	3747.0	3751.2	3755.4	3759.6	3763.8	3768.0	3772.2	3776.4	3780.6	3784.8	3789.0	3793.2	3797.4	3801.6	3805.8	3810.0	3814.2	3818.4	3822.6	3826.8	3831.0	3835.2	3839.4	3843.6	3847.8	3852.0	3856.2	3860.4	3864.6	3868.8	3873.0	3877.2	3881.4	3885.6	3889.8	3894.0	3898.2	3902.4	3906.6	3910.8	3915.0	3919.2	3923.4	3927.6	3931.8	3936.0	3940.2	3944.4	3948.6	3952.8	3957.0	3961.2	3965.4	3969.6	3973.8	3978.0	3982.2	3986.4	3990.6	3994.8	3999.0	4003.2	4007.4	4011.6	4015.8	4020.0	4024.2	4028.4	4032.6	4036.8	4041.0	4045.2	4049.4	4053.6	4057.8	4062.0	4066.2	4070.4	4074.6	4078.8	4083.0	4087.2	4091.4	4095.6	4100.0	4104.2	4108.4	4112.6	4116.8	4121.0	4125.2	4129.4	4133.6	4137.8	4142.0	4146.2	4150.4	4154.6	4158.8	4163.0	4167.2	4171.4	4175.6	4179.8	4184.0	4188.2	4192.4	4196.6	4200.8	4205.0	4209.2	4213.4	4217.6	4221.8	4226.0	4230.2	4234.4	4238.6	4242.8	4247.0	4251.2	4255.4	4259.6	4263.8	4268.0	4272.2	4276.4	4280.6	4284.8	4289.0	4293.2	4297.4	4301.6	4305.8	4310.0	4314.2	4318.4	4322.6	4326.8	4331.0	4335.2	4339.4	4343.6	4347.8	4352.0	4356.2	4360.4	4364.6	4368.8	4373.0	4377.2	4381.4	4385.6	4389.8	4394.0	4398.2	4402.4	4406.6	4410.8	4415.0	4419.2	4423.4	4427.6	4431.8	4436.0	4440.2	4444.4	4448.6	4452.8	4457.0	4461.2	4465.4	4469.6	4473.8	4478.0	4482.2	4486.4	4490.6	4494.8	4499.0	4503.2	4507.4	4511.6	4515.8	4520.0	4524.2	4528.4	4532.6	4536.8	4541.0	4545.2	4549.4	4553.6	4557.8	4562.0	4566.2	4570.4	4574.6	4578.8	4583.0	4587.2	4591.4	4595.6	4600.0	4604.2	4608.4	4612.6	4616.8	4621.0	4625.2	4629.4	4633.6	4637.8	4642.0	4646.2	4650.4	4654.6	4658.8	466

Input and output:

Colorimetric Printer Reflective System ORS20_95a
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 1.0$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$
$j50g$	68.25	-42.61	56.0	70.37	127	$y55l$
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$



%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	46.89	66.19	40.28	77.48	31
Y_{Ma}	88.66	-9.62	88.21	88.73	96
L_{Ma}	54.22	-65.29	33.87	73.56	153
C_{Ma}	61.43	-30.53	-42.04	51.96	234
V_{Ma}	25.93	25.95	-47.37	54.01	299
M_{Ma}	47.92	73.53	-9.02	74.08	353
N_{Ma}	20.41	0.0	0.0	0.0	0
W_{Ma}	94.64	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m84o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 47 67 32

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 47 75 25

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.0 0.15

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$


$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = r25j$ $u_d^* = o17y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_{a,a}^*$	$a_{a,a}^*$	$b_{a,a}^*$	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*\text{Ma}$: 54 53 48

$\text{LAB}^*\text{LCH}^*\text{Ma}$: 54 72 42

$\text{lab}^*\text{rgb}^*\text{Ma}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*\text{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

% Gamut



$u_{rel}^* = 87$

% Regularity

$g_{H,rel}^* = 67$

$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_{a,a}^*$	$a_{a,a}^*$	$b_{a,a}^*$	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.164$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r50j$ $u_d^* = o42y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 64 36 59

$\text{LAB}^*\text{LCH}^*_{Ma}$: 64 69 58

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.5 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.42 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o68y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 73 18 71

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 73 73 75

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.75 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.68 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$


$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j00g$ $u^*_d = o93y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 85 -3 84

$LAB^*LCH^*_{Ma}$: 85 84 92

$lab^*rgb^*_{Ma}$: 1.0 1.0 0.0

$lab^*olv^*_{Ma}$: 1.0 0.94 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$


$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = j25g$ $u_d^* = y24l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 79 -26 72

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 79 77 109

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.76 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data					
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j50g$ $u^*_d = y55l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 68 -43 56

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 68 70 127

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.45 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$


$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.402$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = j75g$ $u_d^* = y85l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 59 -58 41

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 59 71 144

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.14 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = g00b$ $u_d^* = l12c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*\text{Ma}$: 56 -58 19

$\text{LAB}^*\text{LCH}^*\text{Ma}$: 56 61 162

$\text{lab}^*\text{rgb}^*\text{Ma}$: 0.0 1.0 0.0

$\text{lab}^*\text{olv}^*\text{Ma}$: 0.0 1.0 0.12

triangle lightness t^*

% Gamut

$u_{rel}^* = 87$

% Regularity

$g_{H,rel}^* = 67$

$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data					
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = g25b$ $u_d^* = l45c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*\text{Ma}$: 58 -46 -8

$\text{LAB}^*\text{LCH}^*\text{Ma}$: 58 47 189

$\text{lab}^*\text{rgb}^*\text{Ma}$: 0.0 1.0 0.5

$\text{lab}^*\text{olv}^*\text{Ma}$: 0.0 1.0 0.45

triangle lightness t^*

% Gamut


$u_{rel}^* = 87$

% Regularity

$g_{H,rel}^* = 67$


$g_{C,rel}^* = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	$h_{ab,a}^*$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = g50b$ $u_d^* = l78c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 60 -37 -28

$\text{LAB}^*\text{LCH}^*_{Ma}$: 60 46 216

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.79

triangle lightness t^*

% Gamut

$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = g75b$ $u_d^* = c16v$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 55 -21 -43

$\text{LAB}^*\text{LCH}^*_{Ma}$: 55 48 244

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.84 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$


$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b00r$ $u_d^* = c58v$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 41 1 -45

$\text{LAB}^*\text{LCH}^*_{Ma}$: 41 45 271

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 0.42 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
	u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = b25r$ $u_d^* = v03m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 26 27 -46

$\text{LAB}^*\text{LCH}^*_{Ma}$: 26 54 300

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.03 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a_a^*	b_a^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v54m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 36 48 -29

$\text{LAB}^*\text{LCH}^*_{Ma}$: 36 56 328

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.55 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = b75r$ $u_d^* = m10o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 48 73 -4

$\text{LAB}^*\text{LCH}^*_{Ma}$: 48 73 357

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 0.89

triangle lightness t^*

% Gamut


$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
u_e^*	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



See for similar files: <http://www.ps.bam.de/Ee39/>; www.ps.bam.de/Ee.HTM
 Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20081001-Ee39/10L/L39E00NA.PS/.TXT BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*tch*			
01	0.0	0.06	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.06	0.06	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.13	0.13	0.13	0.19	0.25	0.31	0.38	0.44	0.5	1.0	0.94	0.88	0.81	0.75	0.69	0.63	0.56	0.5	0.0	0.0	0.0		
	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.0	0.0		
	0.0	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.09	0.27	0.35	0.37	0.38	0.39	0.4	0.4	0.4	0.09	0.18	0.27	0.32	0.35	0.36	0.37	0.38	0.38	0.0	0.0	0.09	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.0	0.0	
02	0.06	0.06	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.06	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.56	0.13	0.19	0.19	0.25	0.31	0.38	0.44	0.5	0.56	0.94	0.88	0.81	0.75	0.69	0.63	0.56	0.5	0.44	0.13	0.13	0.13	0.13	
	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	0.25	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	0.13	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.0	0.0	
	0.83	0.65	0.54	0.5	0.48	0.47	0.46	0.46	0.45	0.98	0.0	0.42	0.42	0.42	0.42	0.42	0.42	0.42	0.93	0.09	0.27	0.35	0.37	0.38	0.39	0.4	0.4	0.65	0.0	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.0	0.0	0.0	
03	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.19	0.19	0.25	0.31	0.38	0.44	0.5	0.56	0.13	0.19	0.25	0.31	0.38	0.44	0.5	0.56	0.63	0.88	0.81	0.75	0.69	0.63	0.56	0.5	0.44	0.38	0.25	0.25	0.25	0.25	
	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.25	0.13	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.0	0.0
	0.83	0.74	0.65	0.57	0.54	0.51	0.5	0.49	0.48	0.91	0.83	0.65	0.54	0.5	0.48	0.47	0.46	0.46	0.98	0.98	0.0	0.42	0.42	0.42	0.42	0.42	0.42	0.65	0.0	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.09	0.0	0.0	0.0	
04	0.19	0.19	0.19	0.19	0.25	0.31	0.38	0.44	0.5	0.19	0.25	0.25	0.25	0.31	0.38	0.44	0.5	0.56	0.19	0.25	0.31	0.31	0.38	0.44	0.5	0.56	0.63	0.81	0.75	0.69	0.63	0.56	0.5	0.44	0.38	0.31	0.38	0.38	0.38	0.38	
	0.38	0.38	0.38	0.38	0.5	0.63	0.75	0.88	1.0	0.38	0.25	0.25	0.25	0.38	0.5	0.63	0.75	0.88	0.38	0.5	0.5	0.5	0.5	0.5	0.5	0.56	0.63	0.75	0.38	0.25	0.13	0.13									

Input and output:

Colorimetric Printer Reflective System ORS20_95a
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 1.0$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$
$j50g$	68.25	-42.61	56.0	70.37	127	$y55l$
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$



%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data

Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	46.89	66.19	40.28	77.48	31
Y_{Ma}	88.66	-9.62	88.21	88.73	96
L_{Ma}	54.22	-65.29	33.87	73.56	153
C_{Ma}	61.43	-30.53	-42.04	51.96	234
V_{Ma}	25.93	25.95	-47.37	54.01	299
M_{Ma}	47.92	73.53	-9.02	74.08	353
N_{Ma}	20.41	0.0	0.0	0.0	0
W_{Ma}	94.64	0.0	0.0	0.0	0
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.071$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r00j$ $u^*_d = m84o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data

	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*\text{Ma}$: 47 67 32

$\text{LAB}^*\text{LCH}^*\text{Ma}$: 47 75 25

$\text{lab}^*\text{rgb}^*\text{Ma}$: 1.0 0.0 0.0

$\text{lab}^*\text{olv}^*\text{Ma}$: 1.0 0.0 0.15

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$


% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data


	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 54 53 48

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 54 72 42

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.17 0.0

triangle lightness t^*

%Gamut


$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$


ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = r50j$ $u^*_d = o42y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 64 36 59

$LAB^*LCH^*_{Ma}$: 64 69 58

$lab^*rgb^*_{Ma}$: 1.0 0.5 0.0

$lab^*olv^*_{Ma}$: 1.0 0.42 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity


$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r75j$ $u^*_d = o68y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 73 18 71

$LAB^*LCH^*_{Ma}$: 73 73 75

$lab^*rgb^*_{Ma}$: 1.0 0.75 0.0

$lab^*olv^*_{Ma}$: 1.0 0.68 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$lab^*icu^*_d$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$


relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = j00g$ $u^*_d = o93y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 85 -3 84

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 85 84 92

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.94 0.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity


$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j25g$ $u^*_d = y24l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 79 -26 72

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 79 77 109

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.76 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$


$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = j50g$ $u^*_d = y55l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 68 -43 56

$\text{LAB}^*\text{LCH}^*_{Ma}$: 68 70 127

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.45 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity


$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.402$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j75g$ $u^*_d = y85l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 59 -58 41

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 59 71 144

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.14 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$\text{lab}^*icu^*_d$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$


$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = g00b$ $u^*_d = l12c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 56 -58 19

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 56 61 162

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.12

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity


$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l78c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 60 -37 -28

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 60 46 216

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.79

triangle lightness t^*

%Gamut


$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$


$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c16v$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 55 -21 -43

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 55 48 244

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.84 1.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

$\text{lab}^*icu^*_d$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$


$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b00r$ $u^*_d = c58v$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 41 1 -45

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 41 45 271

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.42 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o


$\text{lab}^*icu^*_d$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = b25r$ $u^*_d = v03m$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 26 27 -46

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 26 54 300

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.03 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$


ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$\text{lab}^*icu^*_d$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = b50r$ $u^*_d = v54m$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31
Y _{Ma}	88.66	-9.62	88.21	88.73	96
L _{Ma}	54.22	-65.29	33.87	73.56	153
C _{Ma}	61.43	-30.53	-42.04	51.96	234
V _{Ma}	25.93	25.95	-47.37	54.01	299
M _{Ma}	47.92	73.53	-9.02	74.08	353
N _{Ma}	20.41	0.0	0.0	0.0	0
W _{Ma}	94.64	0.0	0.0	0.0	0
R _{Ma}	39.92	58.74	27.99	65.07	25
J _{Ma}	81.26	-2.89	71.56	71.62	92
G _{Ma}	52.23	-42.42	13.6	44.55	162
B _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 36 48 -29

$LAB^*LCH^*_{Ma}$: 36 56 328

$lab^*rgb^*_{Ma}$: 1.0 0.0 1.0

$lab^*olv^*_{Ma}$: 0.55 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data					
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25
r25j	53.95	53.38	48.38	72.04	42
r50j	63.6	35.87	59.45	69.43	59
r75j	73.37	18.14	70.66	72.95	76
j00g	85.24	-3.4	84.28	84.35	92
j25g	78.53	-25.99	72.23	76.76	110
j50g	68.25	-42.61	56.0	70.37	127
j75g	58.73	-57.99	40.99	71.02	145
g00b	55.66	-58.35	18.71	61.27	162
g25b	58.18	-46.2	-7.82	46.86	190
g50b	60.08	-37.02	-27.87	46.34	217
g75b	55.21	-20.63	-42.98	47.67	244
b00r	41.38	1.37	-45.05	45.07	272
b25r	26.43	27.03	-46.5	53.78	300
b50r	36.22	48.22	-29.42	56.48	329
b75r	47.81	72.75	-3.76	72.85	357

$lab^*icu^*_d$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$


$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.992$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = b75r$ $u^*_d = m10o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	46.89	66.19	40.28	77.48	31	
Y _{Ma}	88.66	-9.62	88.21	88.73	96	
L _{Ma}	54.22	-65.29	33.87	73.56	153	
C _{Ma}	61.43	-30.53	-42.04	51.96	234	
V _{Ma}	25.93	25.95	-47.37	54.01	299	
M _{Ma}	47.92	73.53	-9.02	74.08	353	
N _{Ma}	20.41	0.0	0.0	0.0	0	
W _{Ma}	94.64	0.0	0.0	0.0	0	
R _{Ma}	39.92	58.74	27.99	65.07	25	
J _{Ma}	81.26	-2.89	71.56	71.62	92	
G _{Ma}	52.23	-42.42	13.6	44.55	162	
B _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 48 73 -4

$\text{LAB}^*\text{LCH}^*_{Ma}$: 48 73 357

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 0.89

triangle lightness t^*

% Gamut

$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data						
	u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$\text{lab}^*icu^*_d$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

See for similar files: <http://www.ps.bam.de/Ee39/>; www.ps.bam.de/Ee39/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1, ColSpX=1

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*icu*d		
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0
0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.13	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.25	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	1													

BAM registration: 20081001-Ee39/10L/L39E00NA.PS/.TXT BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems

Input and output:
Colorimetric Printer Reflective System ORS20_95a
data for any colour:

u^*_e and number $no.$ = 00 .. 15

elementary hue text:


$u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 1.0$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$
$j50g$	68.25	-42.61	56.0	70.37	127	$y55l$
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$



%Gamut

$u^*_{rel} = 87$



%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$


ORS20_95; CIELAB data

Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	46.89	66.08	41.48	78.02	32
Y_M	88.66	-10.34	90.28	90.87	97
L_M	54.22	-65.51	35.22	74.38	152
C_M	61.43	-30.85	-40.54	50.94	233
V_M	25.93	26.15	-46.61	53.44	299
M_M	47.92	73.41	-7.8	73.82	354
N_M	20.41	0.28	0.64	0.7	66
W_M	94.64	-0.81	2.2	2.34	110
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r00j$ $u^*_d = m84o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 47 67 32

LAB^*LCH^*Ma : 47 75 25

lab^*rgb^*Ma : 1.0 0.0 0.0

lab^*olv^*Ma : 1.0 0.0 0.15

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$


$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o17y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 54 53 48

LAB^*LCH^*Ma : 54 72 42

lab^*rgb^*Ma : 1.0 0.25 0.0

lab^*olv^*Ma : 1.0 0.17 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$


$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	47.06	67.41	32.12	74.67	25	m84o			
r25j	53.95	53.38	48.38	72.04	42	o17y			
r50j	63.6	35.87	59.45	69.43	59	o42y			
r75j	73.37	18.14	70.66	72.95	76	o68y			
j00g	85.24	-3.4	84.28	84.35	92	o93y			
j25g	78.53	-25.99	72.23	76.76	110	y24l			
j50g	68.25	-42.61	56.0	70.37	127	y55l			
j75g	58.73	-57.99	40.99	71.02	145	y85l			
g00b	55.66	-58.35	18.71	61.27	162	l12c			
g25b	58.18	-46.2	-7.82	46.86	190	l45c			
g50b	60.08	-37.02	-27.87	46.34	217	l78c			
g75b	55.21	-20.63	-42.98	47.67	244	c16v			
b00r	41.38	1.37	-45.05	45.07	272	c58v			
b25r	26.43	27.03	-46.5	53.78	300	v03m			
b50r	36.22	48.22	-29.42	56.48	329	v54m			
b75r	47.81	72.75	-3.76	72.85	357	m10o			



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o42y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O_M	46.89	66.08	41.48	78.02	32	
Y_M	88.66	-10.34	90.28	90.87	97	
L_M	54.22	-65.51	35.22	74.38	152	
C_M	61.43	-30.85	-40.54	50.94	233	
V_M	25.93	26.15	-46.61	53.44	299	
M_M	47.92	73.41	-7.8	73.82	354	
N_M	20.41	0.28	0.64	0.7	66	
W_M	94.64	-0.81	2.2	2.34	110	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 64 36 59

$LAB^*LCH^*_Ma$: 64 69 58

$lab^*rgb^*_Ma$: 1.0 0.5 0.0

$lab^*olv^*_Ma$: 1.0 0.42 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$


$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$			
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$			
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$			
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$			
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$			
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$			
$j50g$	68.25	-42.61	56.0	70.37	127	$y55l$			
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$			
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$			
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$			
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$			
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$			
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$			
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$			
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$			
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$			



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r75j$ $u^*_d = o68y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 73 18 71

LAB^*LCH^*Ma : 73 73 75

lab^*rgb^*Ma : 1.0 0.75 0.0

lab^*olv^*Ma : 1.0 0.68 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

LAB^*LAB^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$


relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = j00g$ $u^*_d = o93y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}: 85 -3 84$

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}: 85 84 92$

$\text{lab}^*\text{rgb}^*_{\text{Ma}}: 1.0 1.0 0.0$

$\text{lab}^*\text{olv}^*_{\text{Ma}}: 1.0 0.94 0.0$

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	47.06	67.41	32.12	74.67	25	m84o			
r25j	53.95	53.38	48.38	72.04	42	o17y			
r50j	63.6	35.87	59.45	69.43	59	o42y			
r75j	73.37	18.14	70.66	72.95	76	o68y			
j00g	85.24	-3.4	84.28	84.35	92	o93y			
j25g	78.53	-25.99	72.23	76.76	110	y24l			
j50g	68.25	-42.61	56.0	70.37	127	y55l			
j75g	58.73	-57.99	40.99	71.02	145	y85l			
g00b	55.66	-58.35	18.71	61.27	162	l12c			
g25b	58.18	-46.2	-7.82	46.86	190	l45c			
g50b	60.08	-37.02	-27.87	46.34	217	l78c			
g75b	55.21	-20.63	-42.98	47.67	244	c16v			
b00r	41.38	1.37	-45.05	45.07	272	c58v			
b25r	26.43	27.03	-46.5	53.78	300	v03m			
b50r	36.22	48.22	-29.42	56.48	329	v54m			
b75r	47.81	72.75	-3.76	72.85	357	m10o			


LAB^*LAB^*

$i^* = 1.00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j25g$ $u^*_d = y24l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 79 -26 72

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 79 77 109

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.76 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	47.06	67.41	32.12	74.67	25	m84o			
r25j	53.95	53.38	48.38	72.04	42	o17y			
r50j	63.6	35.87	59.45	69.43	59	o42y			
r75j	73.37	18.14	70.66	72.95	76	o68y			
j00g	85.24	-3.4	84.28	84.35	92	o93y			
j25g	78.53	-25.99	72.23	76.76	110	y24l			
j50g	68.25	-42.61	56.0	70.37	127	y55l			
j75g	58.73	-57.99	40.99	71.02	145	y85l			
g00b	55.66	-58.35	18.71	61.27	162	l12c			
g25b	58.18	-46.2	-7.82	46.86	190	l45c			
g50b	60.08	-37.02	-27.87	46.34	217	l78c			
g75b	55.21	-20.63	-42.98	47.67	244	c16v			
b00r	41.38	1.37	-45.05	45.07	272	c58v			
b25r	26.43	27.03	-46.5	53.78	300	v03m			
b50r	36.22	48.22	-29.42	56.48	329	v54m			
b75r	47.81	72.75	-3.76	72.85	357	m10o			


LAB^*LAB^*

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = j50g$ $u^*_d = y55l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 68 -43 56

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 68 70 127

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.45 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$


ORS20_95a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	47.06	67.41	32.12	74.67	25	m84o			
r25j	53.95	53.38	48.38	72.04	42	o17y			
r50j	63.6	35.87	59.45	69.43	59	o42y			
r75j	73.37	18.14	70.66	72.95	76	o68y			
j00g	85.24	-3.4	84.28	84.35	92	o93y			
j25g	78.53	-25.99	72.23	76.76	110	y24l			
j50g	68.25	-42.61	56.0	70.37	127	y55l			
j75g	58.73	-57.99	40.99	71.02	145	y85l			
g00b	55.66	-58.35	18.71	61.27	162	l12c			
g25b	58.18	-46.2	-7.82	46.86	190	l45c			
g50b	60.08	-37.02	-27.87	46.34	217	l78c			
g75b	55.21	-20.63	-42.98	47.67	244	c16v			
b00r	41.38	1.37	-45.05	45.07	272	c58v			
b25r	26.43	27.03	-46.5	53.78	300	v03m			
b50r	36.22	48.22	-29.42	56.48	329	v54m			
b75r	47.81	72.75	-3.76	72.85	357	m10o			



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.402$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = j75g$ $u^*_d = y85l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O_M	46.89	66.08	41.48	78.02	32	
Y_M	88.66	-10.34	90.28	90.87	97	
L_M	54.22	-65.51	35.22	74.38	152	
C_M	61.43	-30.85	-40.54	50.94	233	
V_M	25.93	26.15	-46.61	53.44	299	
M_M	47.92	73.41	-7.8	73.82	354	
N_M	20.41	0.28	0.64	0.7	66	
W_M	94.64	-0.81	2.2	2.34	110	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}: 59 -58 41$

$\text{LAB}^*\text{LCH}^*_{Ma}: 59 71 144$

$\text{lab}^*\text{rgb}^*_{Ma}: 0.25 1.0 0.0$

$\text{lab}^*\text{olv}^*_{Ma}: 0.14 1.0 0.0$

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$			
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$			
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$			
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$			
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$			
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$			
$j50g$	68.25	-42.61	56.0	70.37	127	$y55l$			
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$			
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$			
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$			
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$			
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$			
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$			
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$			
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$			
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$			

LAB^*LAB^*

$i^*=1.00$

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$


$i^*=0.20$

$i^*=0.00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.451$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g00b$ $u^*_d = l12c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 56 -58 19

LAB^*LCH^*Ma : 56 61 162

lab^*rgb^*Ma : 0.0 1.0 0.0

lab^*olv^*Ma : 0.0 1.0 0.12

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	47.06	67.41	32.12	74.67	25	m84o			
r25j	53.95	53.38	48.38	72.04	42	o17y			
r50j	63.6	35.87	59.45	69.43	59	o42y			
r75j	73.37	18.14	70.66	72.95	76	o68y			
j00g	85.24	-3.4	84.28	84.35	92	o93y			
j25g	78.53	-25.99	72.23	76.76	110	y24l			
j50g	68.25	-42.61	56.0	70.37	127	y55l			
j75g	58.73	-57.99	40.99	71.02	145	y85l			
g00b	55.66	-58.35	18.71	61.27	162	l12c			
g25b	58.18	-46.2	-7.82	46.86	190	l45c			
g50b	60.08	-37.02	-27.87	46.34	217	l78c			
g75b	55.21	-20.63	-42.98	47.67	244	c16v			
b00r	41.38	1.37	-45.05	45.07	272	c58v			
b25r	26.43	27.03	-46.5	53.78	300	v03m			
b50r	36.22	48.22	-29.42	56.48	329	v54m			
b75r	47.81	72.75	-3.76	72.85	357	m10o			

LAB^*LAB^*

$i^*=1.00$

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$


$i^*=0.20$

$i^*=0.00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g25b$ $u^*_d = l45c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 58 -46 -8

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 58 47 189

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 0.5

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.45

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

LAB^*LAB^*

$i^*=1.00$

$i^*=0.80$

brilliantness i^*

$i^*=0.60$


$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.603$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g50b$ $u^*_d = l78c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 60 -37 -28

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 60 46 216

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.79

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$


ORS20_95a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	47.06	67.41	32.12	74.67	25	m84o			
r25j	53.95	53.38	48.38	72.04	42	o17y			
r50j	63.6	35.87	59.45	69.43	59	o42y			
r75j	73.37	18.14	70.66	72.95	76	o68y			
j00g	85.24	-3.4	84.28	84.35	92	o93y			
j25g	78.53	-25.99	72.23	76.76	110	y24l			
j50g	68.25	-42.61	56.0	70.37	127	y55l			
j75g	58.73	-57.99	40.99	71.02	145	y85l			
g00b	55.66	-58.35	18.71	61.27	162	l12c			
g25b	58.18	-46.2	-7.82	46.86	190	l45c			
g50b	60.08	-37.02	-27.87	46.34	217	l78c			
g75b	55.21	-20.63	-42.98	47.67	244	c16v			
b00r	41.38	1.37	-45.05	45.07	272	c58v			
b25r	26.43	27.03	-46.5	53.78	300	v03m			
b50r	36.22	48.22	-29.42	56.48	329	v54m			
b75r	47.81	72.75	-3.76	72.85	357	m10o			

LAB^*LAB^*

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.679$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = g75b$ $u^*_d = c16v$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 55 -21 -43

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 55 48 244

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.84 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

LAB^*LAB^*

$i^* = 1.00$


brilliantness i^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = b00r$ $u^*_d = c58v$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 41 1 -45

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 41 45 271

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.42 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	47.06	67.41	32.12	74.67	25	m84o			
r25j	53.95	53.38	48.38	72.04	42	o17y			
r50j	63.6	35.87	59.45	69.43	59	o42y			
r75j	73.37	18.14	70.66	72.95	76	o68y			
j00g	85.24	-3.4	84.28	84.35	92	o93y			
j25g	78.53	-25.99	72.23	76.76	110	y24l			
j50g	68.25	-42.61	56.0	70.37	127	y55l			
j75g	58.73	-57.99	40.99	71.02	145	y85l			
g00b	55.66	-58.35	18.71	61.27	162	l12c			
g25b	58.18	-46.2	-7.82	46.86	190	l45c			
g50b	60.08	-37.02	-27.87	46.34	217	l78c			
g75b	55.21	-20.63	-42.98	47.67	244	c16v			
b00r	41.38	1.37	-45.05	45.07	272	c58v			
b25r	26.43	27.03	-46.5	53.78	300	v03m			
b50r	36.22	48.22	-29.42	56.48	329	v54m			
b75r	47.81	72.75	-3.76	72.85	357	m10o			

LAB^*LAB^*

$i^* = 1.00$

$i^* = 0.80$

$i^* = 0.60$


$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.834$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b25r$ $u_d^* = v03m$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u_e^*	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 26 27 -46

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 26 54 300

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.03 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data									
u_e^*	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	47.06	67.41	32.12	74.67	25	m84o			
r25j	53.95	53.38	48.38	72.04	42	o17y			
r50j	63.6	35.87	59.45	69.43	59	o42y			
r75j	73.37	18.14	70.66	72.95	76	o68y			
j00g	85.24	-3.4	84.28	84.35	92	o93y			
j25g	78.53	-25.99	72.23	76.76	110	y24l			
j50g	68.25	-42.61	56.0	70.37	127	y55l			
j75g	58.73	-57.99	40.99	71.02	145	y85l			
g00b	55.66	-58.35	18.71	61.27	162	l12c			
g25b	58.18	-46.2	-7.82	46.86	190	l45c			
g50b	60.08	-37.02	-27.87	46.34	217	l78c			
g75b	55.21	-20.63	-42.98	47.67	244	c16v			
b00r	41.38	1.37	-45.05	45.07	272	c58v			
b25r	26.43	27.03	-46.5	53.78	300	v03m			
b50r	36.22	48.22	-29.42	56.48	329	v54m			
b75r	47.81	72.75	-3.76	72.85	357	m10o			

LAB^*LAB^*


i^*	a^*	b^*	C^*	h^*
1.00	31.0	25.4	26.4	27.2
0.80	23.5	19.8	21.6	21.6
0.60	16.0	14.4	16.4	16.4
0.40	9.0	7.3	9.3	9.3
0.20	2.1	1.8	2.1	2.1

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.913$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:

$u^*_e = b50r$ $u^*_d = v54m$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}: 36 \ 48 \ -29$

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}: 36 \ 56 \ 328$

$\text{lab}^*\text{rgb}^*_{\text{Ma}}: 1.0 \ 0.0 \ 1.0$

$\text{lab}^*\text{olv}^*_{\text{Ma}}: 0.55 \ 0.0 \ 1.0$

triangle lightness t^*

%Gamut



$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$


$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	47.06	67.41	32.12	74.67	25	m84o			
r25j	53.95	53.38	48.38	72.04	42	o17y			
r50j	63.6	35.87	59.45	69.43	59	o42y			
r75j	73.37	18.14	70.66	72.95	76	o68y			
j00g	85.24	-3.4	84.28	84.35	92	o93y			
j25g	78.53	-25.99	72.23	76.76	110	y24l			
j50g	68.25	-42.61	56.0	70.37	127	y55l			
j75g	58.73	-57.99	40.99	71.02	145	y85l			
g00b	55.66	-58.35	18.71	61.27	162	l12c			
g25b	58.18	-46.2	-7.82	46.86	190	l45c			
g50b	60.08	-37.02	-27.87	46.34	217	l78c			
g75b	55.21	-20.63	-42.98	47.67	244	c16v			
b00r	41.38	1.37	-45.05	45.07	272	c58v			
b25r	26.43	27.03	-46.5	53.78	300	v03m			
b50r	36.22	48.22	-29.42	56.48	329	v54m			
b75r	47.81	72.75	-3.76	72.85	357	m10o			



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.992$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b75r$ $u_d^* = m10o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95; CIELAB data						
u_e^*	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}: 48 \ 73 \ -4$

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}: 48 \ 73 \ 357$

$\text{lab}^*\text{rgb}^*_{\text{Ma}}: 1.0 \ 0.0 \ 0.5$

$\text{lab}^*\text{olv}^*_{\text{Ma}}: 1.0 \ 0.0 \ 0.89$

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data							
u_e^*	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

See for similar files: <http://www.ps.bam.de/Ee39/>; www.ps.bam.de
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1


	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
01	24.6	28.9	33.1	37.3	41.5	45.8	50.0	54.2	58.4	62.6	66.8	71.0	75.2	79.4	83.6	87.8	92.0	96.2	100.4	104.6	108.8	113.0	117.2	121.4	125.6	129.8	134.0	138.2	142.4	146.6	150.8	155.0	159.2	163.4	167.6	171.8	176.0	180.2	184.4	188.6	192.8	197.0	201.2	205.4	209.6	213.8	218.0	222.2	226.4	230.6	234.8	239.0	243.2	247.4	251.6	255.8	260.0	264.2	268.4	272.6	276.8	281.0	285.2	289.4	293.6	297.8	302.0	306.2	310.4	314.6	318.8	323.0	327.2	331.4	335.6	339.8	344.0	348.2	352.4	356.6	360.8	365.0	369.2	373.4	377.6	381.8	386.0	390.2	394.4	398.6	402.8	407.0	411.2	415.4	419.6	423.8	428.0	432.2	436.4	440.6	444.8	449.0	453.2	457.4	461.6	465.8	470.0	474.2	478.4	482.6	486.8	491.0	495.2	499.4	503.6	507.8	512.0	516.2	520.4	524.6	528.8	533.0	537.2	541.4	545.6	549.8	554.0	558.2	562.4	566.6	570.8	575.0	579.2	583.4	587.6	591.8	596.0	600.2	604.4	608.6	612.8	617.0	621.2	625.4	629.6	633.8	638.0	642.2	646.4	650.6	654.8	659.0	663.2	667.4	671.6	675.8	680.0	684.2	688.4	692.6	696.8	701.0	705.2	709.4	713.6	717.8	722.0	726.2	730.4	734.6	738.8	743.0	747.2	751.4	755.6	759.8	764.0	768.2	772.4	776.6	780.8	785.0	789.2	793.4	797.6	801.8	806.0	810.2	814.4	818.6	822.8	827.0	831.2	835.4	839.6	843.8	848.0	852.2	856.4	860.6	864.8	869.0	873.2	877.4	881.6	885.8	890.0	894.2	898.4	902.6	906.8	911.0	915.2	919.4	923.6	927.8	932.0	936.2	940.4	944.6	948.8	953.0	957.2	961.4	965.6	969.8	974.0	978.2	982.4	986.6	990.8	995.0	999.2	1003.4	1007.6	1011.8	1016.0	1020.2	1024.4	1028.6	1032.8	1037.0	1041.2	1045.4	1049.6	1053.8	1058.0	1062.2	1066.4	1070.6	1074.8	1079.0	1083.2	1087.4	1091.6	1095.8	1100.0	1104.2	1108.4	1112.6	1116.8	1121.0	1125.2	1129.4	1133.6	1137.8	1142.0	1146.2	1150.4	1154.6	1158.8	1163.0	1167.2	1171.4	1175.6	1179.8	1184.0	1188.2	1192.4	1196.6	1200.8	1205.0	1209.2	1213.4	1217.6	1221.8	1226.0	1230.2	1234.4	1238.6	1242.8	1247.0	1251.2	1255.4	1259.6	1263.8	1268.0	1272.2	1276.4	1280.6	1284.8	1289.0	1293.2	1297.4	1301.6	1305.8	1310.0	1314.2	1318.4	1322.6	1326.8	1331.0	1335.2	1339.4	1343.6	1347.8	1352.0	1356.2	1360.4	1364.6	1368.8	1373.0	1377.2	1381.4	1385.6	1389.8	1394.0	1398.2	1402.4	1406.6	1410.8	1415.0	1419.2	1423.4	1427.6	1431.8	1436.0	1440.2	1444.4	1448.6	1452.8	1457.0	1461.2	1465.4	1469.6	1473.8	1478.0	1482.2	1486.4	1490.6	1494.8	1499.0	1503.2	1507.4	1511.6	1515.8	1520.0	1524.2	1528.4	1532.6	1536.8	1541.0	1545.2	1549.4	1553.6	1557.8	1562.0	1566.2	1570.4	1574.6	1578.8	1583.0	1587.2	1591.4	1595.6	1599.8	1604.0	1608.2	1612.4	1616.6	1620.8	1625.0	1629.2	1633.4	1637.6	1641.8	1646.0	1650.2	1654.4	1658.6	1662.8	1667.0	1671.2	1675.4	1679.6	1683.8	1688.0	1692.2	1696.4	1700.6	1704.8	1709.0	1713.2	1717.4	1721.6	1725.8	1730.0	1734.2	1738.4	1742.6	1746.8	1751.0	1755.2	1759.4	1763.6	1767.8	1772.0	1776.2	1780.4	1784.6	1788.8	1793.0	1797.2	1801.4	1805.6	1809.8	1814.0	1818.2	1822.4	1826.6	1830.8	1835.0	1839.2	1843.4	1847.6	1851.8	1856.0	1860.2	1864.4	1868.6	1872.8	1877.0	1881.2	1885.4	1889.6	1893.8	1898.0	1902.2	1906.4	1910.6	1914.8	1919.0	1923.2	1927.4	1931.6	1935.8	1940.0	1944.2	1948.4	1952.6	1956.8	1961.0	1965.2	1969.4	1973.6	1977.8	1982.0	1986.2	1990.4	1994.6	1998.8	2003.0	2007.2	2011.4	2015.6	2019.8	2024.0	2028.2	2032.4	2036.6	2040.8	2045.0	2049.2	2053.4	2057.6	2061.8	2066.0	2070.2	2074.4	2078.6	2082.8	2087.0	2091.2	2095.4	2099.6	2103.8	2108.0	2112.2	2116.4	2120.6	2124.8	2129.0	2133.2	2137.4	2141.6	2145.8	2150.0	2154.2	2158.4	2162.6	2166.8	2171.0	2175.2	2179.4	2183.6	2187.8	2192.0	2196.2	2200.4	2204.6	2208.8	2213.0	2217.2	2221.4	2225.6	2229.8	2234.0	2238.2	2242.4	2246.6	2250.8	2255.0	2259.2	2263.4	2267.6	2271.8	2276.0	2280.2	2284.4	2288.6	2292.8	2297.0	2301.2	2305.4	2309.6	2313.8	2318.0	2322.2	2326.4	2330.6	2334.8	2339.0	2343.2	2347.4	2351.6	2355.8	2360.0	2364.2	2368.4	2372.6	2376.8	2381.0	2385.2	2389.4	2393.6	2397.8	2402.0	2406.2	2410.4	2414.6	2418.8	2423.0	2427.2	2431.4	2435.6	2439.8	2444.0	2448.2	2452.4	2456.6	2460.8	2465.0	2469.2	2473.4	2477.6	2481.8	2486.0	2490.2	2494.4	2498.6	2502.8	2507.0	2511.2	2515.4	2519.6	2523.8	2528.0	2532.2	2536.4	2540.6	2544.8	2549.0	2553.2	2557.4	2561.6	2565.8	2570.0	2574.2	2578.4	2582.6	2586.8	2591.0	2595.2	2599.4	2603.6	2607.8	2612.0	2616.2	2620.4	2624.6	2628.8	2633.0	2637.2	2641.4	2645.6	2649.8	2654.0	2658.2	2662.4	2666.6	2670.8	2675.0	2679.2	2683.4	2687.6	2691.8	2696.0	2700.2	2704.4	2708.6	2712.8	2717.0	2721.2	2725.4	2729.6	2733.8	2738.0	2742.2	2746.4	2750.6	2754.8	2759.0	2763.2	2767.4	2771.6	2775.8	2780.0	2784.2	2788.4	2792.6	2796.8	2801.0	2805.2	2809.4	2813.6	2817.8	2822.0	2826.2	2830.4	2834.6	2838.8	2843.0	2847.2	2851.4	2855.6	2859.8	2864.0	2868.2	2872.4	2876.6	2880.8	2885.0	2889.2	2893.4	2897.6	2901.8	2906.0	2910.2	2914.4	2918.6	2922.8	2927.0	2931.2	2935.4	2939.6	2943.8	2948.0	2952.2	2956.4	2960.6	2964.8	2969.0	2973.2	2977.4	2981.6	2985.8	2990.0	2994.2	2998.4	3002.6	3006.8	3011.0	3015.2	3019.4	3023.6	3027.8	3032.0	3036.2	3040.4	3044.6	3048.8	3053.0	3057.2	3061.4	3065.6	3069.8	3074.0	3078.2	3082.4	3086.6	3090.8	3095.0	3099.2	3103.4	3107.6	3111.8	3116.0	3120.2	3124.4	3128.6	3132.8	3137.0	3141.2	3145.4	3149.6	3153.8	3158.0	3162.2	3166.4	3170.6	3174.8	3179.0	3183.2	3187.4	3191.6	3195.8	3200.0	3204.2	3208.4	3212.6	3216.8	3221.0	3225.2	3229.4	3233.6	3237.8	3242.0	3246.2	3250.4	3254.6	3258.8	3263.0	3267.2	3271.4	3275.6	3279.8	3284.0	3288.2	3292.4	3296.6	3300.8	3305.0	3309.2	3313.4	3317.6	3321.8	3326.0	3330.2	3334.4	3338.6	3342.8	3347.0	3351.2	3355.4	3359.6	3363.8	3368.0	3372.2	3376.4	3380.6	3384.8	3389.0	3393.2	3397.4	3401.6	3405.8	3410.0	3414.2	3418.4	3422.6	3426.8	3431.0	3435.2	3439.4	3443.6	3447.8	3452.0	3456.2	3460.4	3464.6	3468.8	3473.0	3477.2	3481.4	3485.6	3489.8	3494.0	3498.2	3502.4	3506.6	3510.8	3515.0	3519.2	3523.4	3527.6	3531.8	3536.0	3540.2	3544.4	3548.6	3552.8	3557.0	3561.2	3565.4	3569.6	3573.8	3578.0	3582.2	3586.4	3590.6	3594.8	3599.0	3603.2	3607.4	3611.6	3615.8	3620.0	3624.2	3628.4	3632.6	3636.8	3641.0	3645.2	3649.4	3653.6	3657.8	3662.0	3666.2	3670.4	3674.6	3678.8	3683.0	3687.2	3691.4	3695.6	3699.8	3704.0	3708.2	3712.4	3716.6	3720.8	3725.0	3729.2	3733.4	3737.6	3741.8	3746.0	3750.2	3754.4	3758.6	3762.8	3767.0	3771.2	3775.4	3779.6	3783.8	3788.0	3792.2	3796.4	3800.6	3804.8	3809.0	3813.2	3817.4	3821.6	3825.8	3830.0	3834.2	3838.4	3842.6	3846.8	3851.0	3855.2	3859.4	3863.6	3867.8	3872.0	3876.2	3880.4	3884.6	3888.8	3893.0	3897.2	3901.4	3905.6	3909.8	3914.0	3918.2	3922.4	3926.6	3930.8	3935.0	3939.2	3943.4	3947.6	3951.8	3956.0	3960.2	3964.4	3968.6	3972.8	3977.0	3981.2	3985.4	3989.6	3993.8	3998.0	4002.2	4006.4	4010.6	4014.8	4019.0	4023.2	4027.4	4031.6	4035.8	4040.0	4044.2	4048.4	4052.6	4056.8	4061.0	4065.2	4069.4	4073.6	4077.8	4082.0	4086.2	4090.4	4094.6	4098.8	4103.0	4107.2	4111.4	4115.6	4119.8	4124.0	4128.2	4132.4	4136.6	4140.8	4145.0	4149.2	4153.4	4157.6	4161.8	4166.0	4170.2	4174.4	4178.6	4182.8	4187.0	4191.2	4195.4	4199.6	4203.8	4208.0	4212.2	4216.4	4220.6	4224.8	4229.0	4233.2	4237.4	4241.6	4245.8	4250.0	4254.2	4258.4	4262.6	4266.8	4271.0	4275.2	4279.4	4283.6	4287.8	4292.0	4296.2	4300.4	4304.6	4308.8	4313.0	4317.2	4321.4	4325.6	4329.8	4334.0	4338.2	4342.4	4346.6	4350.8	4355.0	4359.2	4363.4	4367.6	4371.8	4376.0	4380.2	4384.4	4388.6	4392.8	4397.0	4401.2	4405.4	4409.6	4413.8	4418.0	4422.2	4426.4	4430.6	4434.8	4439.0	4443.2	4447.4	4451.6	4455.8	4460.0	4464.2	4468.4	4472.6	4476.8	4481.0	4485.2	4489.4	4493.6	4497.8	4502.0	4506.2	4510.4	4514.6	4518.8	4523.0	4527.2	4531.4	4535.6	4539.8	4544.0	4548.2	4552.4	4556.6	4560.8	4565.0	4569.2	4573.4	4577.6	4581.8	4586.0	4590.2	4594.4	4598.6	4602.8	4607.0	4611.2	4615.4	4619.6	4623.8	4628.0	4632.2	4636.4	4640.6	4644.8	4649.0	4653.2	4657.4	4661.6	4665.8	4

Input and output:
Colorimetric Printer Reflective System ORS20_95a
data for any colour:

u^*_e and number $no.$ = 00 .. 15
elementary hue text:
 $u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

ORS20_95a; adapted (a) CIELAB data



u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$
$j50g$	68.25	-42.61	56.0	70.37	127	$y55l$
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$



%Gamut
 $u^*_{rel} = 87$
%Regularity
 $g^*_{H,rel} = 67$
 $g^*_{C,rel} = 59$


ORS20_95a; CIELAB data

Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	46.89	66.08	41.48	78.02	32
Y_M	88.66	-10.34	90.28	90.87	97
L_M	54.22	-65.51	35.22	74.38	152
C_M	61.43	-30.85	-40.54	50.94	233
V_M	25.93	26.15	-46.61	53.44	299
M_M	47.92	73.41	-7.8	73.82	354
N_M	20.41	0.28	0.64	0.7	66
W_M	94.64	-0.81	2.2	2.34	110
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = r00j$ $u_d^* = m84o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; CIELAB data						
u_e^*	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 47 67 32

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 47 75 25

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.0 0.15

triangle lightness t^*

% Gamut



$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$


$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data							
u_e^*	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r25j$ $u^*_d = o17y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O_M	46.89	66.08	41.48	78.02	32	
Y_M	88.66	-10.34	90.28	90.87	97	
L_M	54.22	-65.51	35.22	74.38	152	
C_M	61.43	-30.85	-40.54	50.94	233	
V_M	25.93	26.15	-46.61	53.44	299	
M_M	47.92	73.41	-7.8	73.82	354	
N_M	20.41	0.28	0.64	0.7	66	
W_M	94.64	-0.81	2.2	2.34	110	
R_M	39.92	58.74	27.99	65.07	25	
J_M	81.26	-2.89	71.56	71.62	92	
G_M	52.23	-42.42	13.6	44.55	162	
B_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 53 48

$LAB^*LCH^*_{Ma}$: 54 72 42

$lab^*rgb^*_{Ma}$: 1.0 0.25 0.0

$lab^*olv^*_{Ma}$: 1.0 0.17 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$	
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$	
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$	
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$	
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$	
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$	
$j50g$	68.25	-42.61	56.0	70.37	127	$y55l$	
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$	
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$	
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$	
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$	
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$	
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$	
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$	
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$	
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$	



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r75j$ $u^*_d = o68y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 73 18 71

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 73 73 75

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.75 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.68 0.0

triangle lightness t^*

% Gamut



$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.256$ data for any colour: Data for maximum colour (Ma):

$$u_e^* = j00g$$

$$lab^*olv'^*$$

Hue texts:


$$u^*_e = j00q \quad u^*_d = 093y$$

contrast reduction factor:

 $c_D = 1.0$

K triangle

triangle lightness t



ORS20_95a; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
Q_M	46.89	66.08	41.48	78.02	32	17
Y_M	88.66	-10.34	90.28	90.87	97	15
L_M	54.22	-65.51	35.22	74.38	153	15
C_M	61.43	-30.85	-40.54	50.94	233	15
V_M	25.93	26.15	-46.61	53.44	299	15
M_M	47.92	73.41	-7.8	73.82	354	15
N_M	20.41	0.28	0.64	0.7	66	15
W_M	94.64	-0.81	2.2	2.34	110	15
R_M	39.92	58.74	27.99	65.07	25	15
J_M	81.26	-2.89	71.56	71.62	92	15
G_M	52.23	-42.42	13.6	44.55	167	15
B_M	30.57	1.41	-46.47	46.49	273	15

Data for maximum colour (Ma):

LAB*LAB* M_0 : 85 -3 84

LAB*LCU* .95 .94 .92

LAB'LCH*Ma: 85 84 9

*lab*rgb*_Ma: 1.0 1.0 0.0*

lab*olv*_Ma: 1.0 0.94 0.0

triangle lightness t^*

%Gamut

$$\mathbf{u}_{\text{rel}}^* = 87$$

%Regular

$$g_{\text{H,rel}}^* = 67$$
$$g^*_{C,rel} = 59$$

ORS20_95a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*	
<i>r00j</i>	47.06	67.41	32.12	74.67	25	<i>m84c</i>	
<i>r25j</i>	53.95	53.38	48.38	72.04	42	<i>o17y</i>	
<i>r50j</i>	63.6	35.87	59.45	69.43	59	<i>o42y</i>	
<i>r75j</i>	73.37	18.14	70.66	72.95	76	<i>o68y</i>	
<i>j00g</i>	85.24	-3.4	84.28	84.35	92	<i>o93y</i>	
<i>j25g</i>	78.53	-25.99	72.23	76.76	110	<i>y24l</i>	
<i>j50g</i>	68.25	-42.61	56.0	70.37	127	<i>y55l</i>	
<i>j75g</i>	58.73	-57.99	40.99	71.02	145	<i>y85l</i>	
<i>g00b</i>	55.66	-58.35	18.71	61.27	162	<i>l12c</i>	
<i>g25b</i>	58.18	-46.2	-7.82	46.86	190	<i>l45c</i>	
<i>g50b</i>	60.08	-37.02	-27.87	46.34	217	<i>l78c</i>	
<i>g75b</i>	55.21	-20.63	-42.98	47.67	244	<i>c16v</i>	
<i>b00r</i>	41.38	1.37	-45.05	45.07	272	<i>c58v</i>	
<i>b25r</i>	26.43	27.03	-46.5	53.78	300	<i>v03m</i>	
<i>b50r</i>	36.22	48.22	-29.42	56.48	329	<i>v54m</i>	
<i>b75r</i>	47.81	72.75	-3.76	72.85	357	<i>m10c</i>	

*lab*olv'**


$$i^* = 1.00$$
brilliantness *i**

BAM-test chart Ee39; Colorimetric systems, Page 168/198
D65: colour scales and 9 data tables for 16 hues $r00j$ to $b75r$

```
input: 000n / w / nnn0 / www set...
output: ->cmyn6* setcmykcolor
```

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j25g$ $u^*_d = y24l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 79 -26 72

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 79 77 109

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.76 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.354$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = j50g$ $u_d^* = y55l$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data

u_e^*	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	46.89	66.08	41.48	78.02	32
Y _M	88.66	-10.34	90.28	90.87	97
L _M	54.22	-65.51	35.22	74.38	152
C _M	61.43	-30.85	-40.54	50.94	233
V _M	25.93	26.15	-46.61	53.44	299
M _M	47.92	73.41	-7.8	73.82	354
N _M	20.41	0.28	0.64	0.7	66
W _M	94.64	-0.81	2.2	2.34	110
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 68 -43 56

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 68 70 127

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.45 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data

u_e^*	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$


$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.402$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = j75g$ $u_d^* = y85l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; CIELAB data						
u_e^*	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 59 -58 41

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 59 71 144

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.25 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.14 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data									
u_e^*	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	47.06	67.41	32.12	74.67	25	m84o			
r25j	53.95	53.38	48.38	72.04	42	o17y			
r50j	63.6	35.87	59.45	69.43	59	o42y			
r75j	73.37	18.14	70.66	72.95	76	o68y			
j00g	85.24	-3.4	84.28	84.35	92	o93y			
j25g	78.53	-25.99	72.23	76.76	110	y24l			
j50g	68.25	-42.61	56.0	70.37	127	y55l			
j75g	58.73	-57.99	40.99	71.02	145	y85l			
g00b	55.66	-58.35	18.71	61.27	162	l12c			
g25b	58.18	-46.2	-7.82	46.86	190	l45c			
g50b	60.08	-37.02	-27.87	46.34	217	l78c			
g75b	55.21	-20.63	-42.98	47.67	244	c16v			
b00r	41.38	1.37	-45.05	45.07	272	c58v			
b25r	26.43	27.03	-46.5	53.78	300	v03m			
b50r	36.22	48.22	-29.42	56.48	329	v54m			
b75r	47.81	72.75	-3.76	72.85	357	m10o			



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l12c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	46.89	66.08	41.48	78.02	32
Y _M	88.66	-10.34	90.28	90.87	97
L _M	54.22	-65.51	35.22	74.38	152
C _M	61.43	-30.85	-40.54	50.94	233
V _M	25.93	26.15	-46.61	53.44	299
M _M	47.92	73.41	-7.8	73.82	354
N _M	20.41	0.28	0.64	0.7	66
W _M	94.64	-0.81	2.2	2.34	110
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 56 -58 19

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 56 61 162

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.12

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$


$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o


See for similar files: <http://www.ps.bam.de/Ee39/>; www.ps.bam.de/Ee39/; www.ps.bam.de/Ee39/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSp=1

BAM registration: 20081001-Ee39/10L/L39E00NA.PS/.TXT BAM material: code=rhdata
application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.527$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = g25b$ $u_d^* = l45c$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; CIELAB data						
u_e^*	$L^*=L_a^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 58 -46 -8

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 58 47 189

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 0.5

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.45

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data									
u_e^*	$L^*=L_a^*$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	47.06	67.41	32.12	74.67	25	m84o			
r25j	53.95	53.38	48.38	72.04	42	o17y			
r50j	63.6	35.87	59.45	69.43	59	o42y			
r75j	73.37	18.14	70.66	72.95	76	o68y			
j00g	85.24	-3.4	84.28	84.35	92	o93y			
j25g	78.53	-25.99	72.23	76.76	110	y24l			
j50g	68.25	-42.61	56.0	70.37	127	y55l			
j75g	58.73	-57.99	40.99	71.02	145	y85l			
g00b	55.66	-58.35	18.71	61.27	162	l12c			
g25b	58.18	-46.2	-7.82	46.86	190	l45c			
g50b	60.08	-37.02	-27.87	46.34	217	l78c			
g75b	55.21	-20.63	-42.98	47.67	244	c16v			
b00r	41.38	1.37	-45.05	45.07	272	c58v			
b25r	26.43	27.03	-46.5	53.78	300	v03m			
b50r	36.22	48.22	-29.42	56.48	329	v54m			
b75r	47.81	72.75	-3.76	72.85	357	m10o			



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.603$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g50b$ $u^*_d = l78c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 60 -37 -28

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 60 46 216

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.79

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	47.06	67.41	32.12	74.67	25	m84o			
r25j	53.95	53.38	48.38	72.04	42	o17y			
r50j	63.6	35.87	59.45	69.43	59	o42y			
r75j	73.37	18.14	70.66	72.95	76	o68y			
j00g	85.24	-3.4	84.28	84.35	92	o93y			
j25g	78.53	-25.99	72.23	76.76	110	y24l			
j50g	68.25	-42.61	56.0	70.37	127	y55l			
j75g	58.73	-57.99	40.99	71.02	145	y85l			
g00b	55.66	-58.35	18.71	61.27	162	l12c			
g25b	58.18	-46.2	-7.82	46.86	190	l45c			
g50b	60.08	-37.02	-27.87	46.34	217	l78c			
g75b	55.21	-20.63	-42.98	47.67	244	c16v			
b00r	41.38	1.37	-45.05	45.07	272	c58v			
b25r	26.43	27.03	-46.5	53.78	300	v03m			
b50r	36.22	48.22	-29.42	56.48	329	v54m			
b75r	47.81	72.75	-3.76	72.85	357	m10o			



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c16v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	46.89	66.08	41.48	78.02	32
Y _M	88.66	-10.34	90.28	90.87	97
L _M	54.22	-65.51	35.22	74.38	152
C _M	61.43	-30.85	-40.54	50.94	233
V _M	25.93	26.15	-46.61	53.44	299
M _M	47.92	73.41	-7.8	73.82	354
N _M	20.41	0.28	0.64	0.7	66
W _M	94.64	-0.81	2.2	2.34	110
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 55 -21 -43

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 55 48 244

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.84 1.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.755$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b00r$ $u^*_d = c58v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	46.89	66.08	41.48	78.02	32
Y _M	88.66	-10.34	90.28	90.87	97
L _M	54.22	-65.51	35.22	74.38	152
C _M	61.43	-30.85	-40.54	50.94	233
V _M	25.93	26.15	-46.61	53.44	299
M _M	47.92	73.41	-7.8	73.82	354
N _M	20.41	0.28	0.64	0.7	66
W _M	94.64	-0.81	2.2	2.34	110
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 41 1 -45

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 41 45 271

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.42 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = v03m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data

u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	46.89	66.08	41.48	78.02	32
Y _M	88.66	-10.34	90.28	90.87	97
L _M	54.22	-65.51	35.22	74.38	152
C _M	61.43	-30.85	-40.54	50.94	233
V _M	25.93	26.15	-46.61	53.44	299
M _M	47.92	73.41	-7.8	73.82	354
N _M	20.41	0.28	0.64	0.7	66
W _M	94.64	-0.81	2.2	2.34	110
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 26 27 -46

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 26 54 300

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.03 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v54m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 36 48 -29

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 36 56 328

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.55 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b75r$ $u^*_d = m10o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB^*LAB^*Ma : 48 73 -4

LAB^*LCH^*Ma : 48 73 357

lab^*rgb^*Ma : 1.0 0.0 0.5

lab^*olv^*Ma : 1.0 0.0 0.89

triangle lightness t^*

%Gamut


$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	




Input and output:
Colorimetric Printer Reflective System ORS20_95a
data for any colour:

u^*_e and number $no.$ = 00 .. 15
elementary hue text:
 $u^*_e = 16$ hues $r00j$, $r25j$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
$r00j$	47.06	67.41	32.12	74.67	25	$m84o$
$r25j$	53.95	53.38	48.38	72.04	42	$o17y$
$r50j$	63.6	35.87	59.45	69.43	59	$o42y$
$r75j$	73.37	18.14	70.66	72.95	76	$o68y$
$j00g$	85.24	-3.4	84.28	84.35	92	$o93y$
$j25g$	78.53	-25.99	72.23	76.76	110	$y24l$
$j50g$	68.25	-42.61	56.0	70.37	127	$y55l$
$j75g$	58.73	-57.99	40.99	71.02	145	$y85l$
$g00b$	55.66	-58.35	18.71	61.27	162	$l12c$
$g25b$	58.18	-46.2	-7.82	46.86	190	$l45c$
$g50b$	60.08	-37.02	-27.87	46.34	217	$l78c$
$g75b$	55.21	-20.63	-42.98	47.67	244	$c16v$
$b00r$	41.38	1.37	-45.05	45.07	272	$c58v$
$b25r$	26.43	27.03	-46.5	53.78	300	$v03m$
$b50r$	36.22	48.22	-29.42	56.48	329	$v54m$
$b75r$	47.81	72.75	-3.76	72.85	357	$m10o$



%Gamut

$u^*_{rel} = 87$


%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$


ORS20_95a; CIELAB data

Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	46.89	66.08	41.48	78.02	32
Y_M	88.66	-10.34	90.28	90.87	97
L_M	54.22	-65.51	35.22	74.38	152
C_M	61.43	-30.85	-40.54	50.94	233
V_M	25.93	26.15	-46.61	53.44	299
M_M	47.92	73.41	-7.8	73.82	354
N_M	20.41	0.28	0.64	0.7	66
W_M	94.64	-0.81	2.2	2.34	110
R_{CIE}	39.92	58.74	27.99	65.07	25
J_{CIE}	81.26	-2.89	71.56	71.62	92
G_{CIE}	52.23	-42.42	13.6	44.55	162
B_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = r00j$ $u_d^* = m84o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; CIELAB data						
u_e^*	$L^*=L_a^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 47 67 32

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 47 75 25

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.0 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.0 0.15

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a^*	b^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

$\text{LAB}^*\text{cmy}n^*_{\text{rel}}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.117$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = r25j$ $u^*_d = o17y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data

u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	46.89	66.08	41.48	78.02	32
Y _M	88.66	-10.34	90.28	90.87	97
L _M	54.22	-65.51	35.22	74.38	152
C _M	61.43	-30.85	-40.54	50.94	233
V _M	25.93	26.15	-46.61	53.44	299
M _M	47.92	73.41	-7.8	73.82	354
N _M	20.41	0.28	0.64	0.7	66
W _M	94.64	-0.81	2.2	2.34	110
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 54 53 48

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 54 72 42

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.25 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.17 0.0

triangle lightness t^*

% Gamut

$u^*_{\text{rel}} = 87$

% Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$\text{LAB}^*\text{cmy}n^*_{\text{Ma}}$

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

brilliantness i^*

$i^* = 1.00$

$i^* = 0.80$

$i^* = 0.60$


$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = r50j$ $u^*_d = o42y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 64 36 59

$\text{LAB}^*\text{LCH}^*_{Ma}$: 64 69 58

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.5 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.42 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 87$

% Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

$\text{LAB}^*\text{cmy}n^*_{**}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.21$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = r75j$ $u_d^* = o68y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data

u_e^*	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	46.89	66.08	41.48	78.02	32
Y _M	88.66	-10.34	90.28	90.87	97
L _M	54.22	-65.51	35.22	74.38	152
C _M	61.43	-30.85	-40.54	50.94	233
V _M	25.93	26.15	-46.61	53.44	299
M _M	47.92	73.41	-7.8	73.82	354
N _M	20.41	0.28	0.64	0.7	66
W _M	94.64	-0.81	2.2	2.34	110
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 73 18 71

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 73 73 75

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 1.0 0.75 0.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 1.0 0.68 0.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data

u_e^*	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$\text{LAB}^*\text{cmy}n^*_{\text{Ma}}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.256$
data for any colour:
 lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = j00g$ $u^*_d = o93y$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 85 -3 84

$\text{LAB}^*\text{LCH}^*_{Ma}$: 85 84 92

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.94 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	47.06	67.41	32.12	74.67	25	m84o			
r25j	53.95	53.38	48.38	72.04	42	o17y			
r50j	63.6	35.87	59.45	69.43	59	o42y			
r75j	73.37	18.14	70.66	72.95	76	o68y			
j00g	85.24	-3.4	84.28	84.35	92	o93y			
j25g	78.53	-25.99	72.23	76.76	110	y24l			
j50g	68.25	-42.61	56.0	70.37	127	y55l			
j75g	58.73	-57.99	40.99	71.02	145	y85l			
g00b	55.66	-58.35	18.71	61.27	162	l12c			
g25b	58.18	-46.2	-7.82	46.86	190	l45c			
g50b	60.08	-37.02	-27.87	46.34	217	l78c			
g75b	55.21	-20.63	-42.98	47.67	244	c16v			
b00r	41.38	1.37	-45.05	45.07	272	c58v			
b25r	26.43	27.03	-46.5	53.78	300	v03m			
b50r	36.22	48.22	-29.42	56.48	329	v54m			
b75r	47.81	72.75	-3.76	72.85	357	m10o			

$\text{LAB}^*\text{cmy}n^*_{**}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$


$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u^*_e = j25g$ $u^*_d = y24l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 79 -26 72

$\text{LAB}^*\text{LCH}^*_{Ma}$: 79 77 109

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.75 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.76 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data									
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d			
r00j	47.06	67.41	32.12	74.67	25	m84o			
r25j	53.95	53.38	48.38	72.04	42	o17y			
r50j	63.6	35.87	59.45	69.43	59	o42y			
r75j	73.37	18.14	70.66	72.95	76	o68y			
j00g	85.24	-3.4	84.28	84.35	92	o93y			
j25g	78.53	-25.99	72.23	76.76	110	y24l			
j50g	68.25	-42.61	56.0	70.37	127	y55l			
j75g	58.73	-57.99	40.99	71.02	145	y85l			
g00b	55.66	-58.35	18.71	61.27	162	l12c			
g25b	58.18	-46.2	-7.82	46.86	190	l45c			
g50b	60.08	-37.02	-27.87	46.34	217	l78c			
g75b	55.21	-20.63	-42.98	47.67	244	c16v			
b00r	41.38	1.37	-45.05	45.07	272	c58v			
b25r	26.43	27.03	-46.5	53.78	300	v03m			
b50r	36.22	48.22	-29.42	56.48	329	v54m			
b75r	47.81	72.75	-3.76	72.85	357	m10o			

$\text{LAB}^*\text{cmy}n^*_{yn^*}$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour: Data for maximum colour (Ma):

lab*tch** and *lab*icu*


Hue texts:

$$u_e^* = j50g \quad u_d^* = y55l$$

contrast reduction factor:

$$c_B = 1.0$$
triangle lightness t^*

↑



ORS20_95a; CIELAB data						
u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	97
Y _M	88.66	-10.34	90.28	90.87	97	32
L _M	54.22	-65.51	35.22	74.38	153	32
C _M	61.43	-30.85	-40.54	50.94	233	32
V _M	25.93	26.15	-46.61	53.44	299	32
M _M	47.92	73.41	-7.8	73.82	354	32
N _M	20.41	0.28	0.64	0.7	66	162
W _M	94.64	-0.81	2.2	2.34	110	162
R _M	39.92	58.74	27.99	65.07	25	162
J _M	81.26	-2.89	71.56	71.62	92	162
G _M	52.23	-42.42	13.6	44.55	161	92
B _M	30.57	1.41	-46.47	46.49	273	92

Data for maximum colour (Ma):

LAB*LAB*_{Ma}: 68 -43 56

LAB*ICH*_M: 68 70 127

LAD LCH M_{a} . 06 70 1
L₁L₂ L₃ 0.5 1.0 0.0

*lab*rgb**Ma: 0.5 1.0 0.0


lab*olv*_{Ma}: 0.45 1.0 0.0

triangle lightness t^*

%Gamut

$$\mathbf{u}_{\text{rel}}^* = 87$$

%Regular

$$g_{\text{H,rel}}^* = 67$$
$$g^*_{C,rel} = 59$$


*LAB*cmyn'*:

 $i^* = 1.00$

brilliantness *i**


BAM-test chart Ee39; Colorimetric systems, Page 188/198
D65: colour scales and 9 data tables for 16 hues $r00j$ to $b75n$

```
input: 000n / w / nnn0 / www set...
output: ->cmyn6* setcmykcolor
```

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.402$ data for any colour:

$u_e^* = j75g$
 $LAB^*cmyn'^*$

Hue texts:
 $u^*_e = j75g$ $u^*_d = y85l$
 contrast reduction factor:
 $c_R = 1.0$
 triangle lightness t^*



ORS20_95a: CIELAB data						
u_e^*	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	15	
C _M	61.43	-30.85	-40.54	50.94	23	
V _M	25.93	26.15	-46.61	53.44	29	
M _M	47.92	73.41	-7.8	73.82	35	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	11	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	16	
B _M	30.57	1.41	-46.47	46.49	27	

Data for maximum colour (Ma):

LAB*LAB*Ma: 59 -58 41

LAB*LCH*Ma: 59 71 144

lab*rgb*Ma: 0.25 1.0 0.0


lab*oly*_M3: 0.14 1.0 0.0

triangle lightness t^*

%Gamut

Category	%Regularity
1	1.00
2	0.06
3	0.06

$u^*_{rel} = 87$
 $g^*_{H,rel} = 67$
 $g^*_{C,rel} = 59$



*LAB*cmyn'**

brilliantness i^* $i^* = 1,00$

$i^*=0,80$

brilliantness i^* [illegible]

relative chroma c^*

BAM-test chart Ee39; Colorimetric systems, Page 189/198
D65: colour scales and 9 data tables for 16 hues *r00j* to *b75n*

```
input: 000n / w / nnn0 / www set...
output: ->cmyn6* setcmykcolor
```

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.451$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g00b$ $u^*_d = l12c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 56 -58 19

$\text{LAB}^*\text{LCH}^*_{Ma}$: 56 61 162

$\text{lab}^*\text{rgb}^*_{Ma}$: 0.0 1.0 0.0

$\text{lab}^*\text{olv}^*_{Ma}$: 0.0 1.0 0.12

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

$\text{LAB}^*\text{cmy}n^*_{**}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.527$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g25b$ $u^*_d = l45c$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 58 -46 -8

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 58 47 189

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 1.0 0.5

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 1.0 0.45

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data						
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$\text{LAB}^*\text{cmy}n^*_{\text{rel}}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.679$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = g75b$ $u^*_d = c16v$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 55 -21 -43

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 55 48 244

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.5 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.84 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

ORS20_95a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

$\text{LAB}^*\text{cmy}n^*_{\text{rel}}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$


$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.755$
data for any colour:
 lab^*tch^* and lab^*icu^*

Hue texts:
 $u_e^* = b00r$ $u_d^* = c58v$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness t^*



ORS20_95a; CIELAB data						
u_e^*	$L^*=L_a^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 41 1 -45

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 41 45 271

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.0 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.0 0.42 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

$u_e^* = b00r$
 $\text{LAB}^*\text{cmy}n^*_{\text{Ma}}$

ORS20_95a; adapted (a) CIELAB data							
u_e^*	$L^*=L_a^*$	a^*	b^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u_d^*	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

$\text{LAB}^*\text{cmy}n^*_{\text{Ma}}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.834$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b25r$ $u^*_d = v03m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data

u^*_e	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	46.89	66.08	41.48	78.02	32
Y _M	88.66	-10.34	90.28	90.87	97
L _M	54.22	-65.51	35.22	74.38	152
C _M	61.43	-30.85	-40.54	50.94	233
V _M	25.93	26.15	-46.61	53.44	299
M _M	47.92	73.41	-7.8	73.82	354
N _M	20.41	0.28	0.64	0.7	66
W _M	94.64	-0.81	2.2	2.34	110
R _M	39.92	58.74	27.99	65.07	25
J _M	81.26	-2.89	71.56	71.62	92
G _M	52.23	-42.42	13.6	44.55	162
B _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{\text{Ma}}$: 26 27 -46

$\text{LAB}^*\text{LCH}^*_{\text{Ma}}$: 26 54 300

$\text{lab}^*\text{rgb}^*_{\text{Ma}}$: 0.5 0.0 1.0

$\text{lab}^*\text{olv}^*_{\text{Ma}}$: 0.03 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{\text{rel}} = 87$

%Regularity

$g^*_{H,\text{rel}} = 67$

$g^*_{C,\text{rel}} = 59$

$u^*_e = b25r$
 $\text{LAB}^*\text{cmy}n^*_{\text{Ma}}$

ORS20_95a; adapted (a) CIELAB data

u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d
r00j	47.06	67.41	32.12	74.67	25	m84o
r25j	53.95	53.38	48.38	72.04	42	o17y
r50j	63.6	35.87	59.45	69.43	59	o42y
r75j	73.37	18.14	70.66	72.95	76	o68y
j00g	85.24	-3.4	84.28	84.35	92	o93y
j25g	78.53	-25.99	72.23	76.76	110	y24l
j50g	68.25	-42.61	56.0	70.37	127	y55l
j75g	58.73	-57.99	40.99	71.02	145	y85l
g00b	55.66	-58.35	18.71	61.27	162	l12c
g25b	58.18	-46.2	-7.82	46.86	190	l45c
g50b	60.08	-37.02	-27.87	46.34	217	l78c
g75b	55.21	-20.63	-42.98	47.67	244	c16v
b00r	41.38	1.37	-45.05	45.07	272	c58v
b25r	26.43	27.03	-46.5	53.78	300	v03m
b50r	36.22	48.22	-29.42	56.48	329	v54m
b75r	47.81	72.75	-3.76	72.85	357	m10o

$\text{LAB}^*\text{cmy}n^*_{\text{Ma}}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.913$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_e = b50r$ $u^*_d = v54m$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data						
u^*_e	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 36 48 -29

$LAB^*LCH^*_Ma$: 36 56 328

$lab^*rgb^*_Ma$: 1.0 0.0 1.0

$lab^*olv^*_Ma$: 0.55 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
u^*_e	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System ORS20_95a for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.992$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u_e^* = b75r$ $u_d^* = m10o$

contrast reduction factor:

$c_R = 1.0$

triangle lightness t^*



ORS20_95a; CIELAB data						
u_e^*	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O _M	46.89	66.08	41.48	78.02	32	
Y _M	88.66	-10.34	90.28	90.87	97	
L _M	54.22	-65.51	35.22	74.38	152	
C _M	61.43	-30.85	-40.54	50.94	233	
V _M	25.93	26.15	-46.61	53.44	299	
M _M	47.92	73.41	-7.8	73.82	354	
N _M	20.41	0.28	0.64	0.7	66	
W _M	94.64	-0.81	2.2	2.34	110	
R _M	39.92	58.74	27.99	65.07	25	
J _M	81.26	-2.89	71.56	71.62	92	
G _M	52.23	-42.42	13.6	44.55	162	
B _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 48 73 -4

$\text{LAB}^*\text{LCH}^*_{Ma}$: 48 73 357

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.5

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 0.89

triangle lightness t^*

%Gamut

$u^*_{rel} = 87$

%Regularity

$g^*_{H,rel} = 67$

$g^*_{C,rel} = 59$

ORS20_95a; adapted (a) CIELAB data							
u_e^*	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	
r00j	47.06	67.41	32.12	74.67	25	m84o	
r25j	53.95	53.38	48.38	72.04	42	o17y	
r50j	63.6	35.87	59.45	69.43	59	o42y	
r75j	73.37	18.14	70.66	72.95	76	o68y	
j00g	85.24	-3.4	84.28	84.35	92	o93y	
j25g	78.53	-25.99	72.23	76.76	110	y24l	
j50g	68.25	-42.61	56.0	70.37	127	y55l	
j75g	58.73	-57.99	40.99	71.02	145	y85l	
g00b	55.66	-58.35	18.71	61.27	162	l12c	
g25b	58.18	-46.2	-7.82	46.86	190	l45c	
g50b	60.08	-37.02	-27.87	46.34	217	l78c	
g75b	55.21	-20.63	-42.98	47.67	244	c16v	
b00r	41.38	1.37	-45.05	45.07	272	c58v	
b25r	26.43	27.03	-46.5	53.78	300	v03m	
b50r	36.22	48.22	-29.42	56.48	329	v54m	
b75r	47.81	72.75	-3.76	72.85	357	m10o	

$\text{LAB}^*\text{cmy}n^*_{**}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

[illegible]