



Input and output:
Colorimetric Printer Reflective System FRS15_90a
data for any colour:
 u^*_d and number $no.$ = 00 .. 15
device hue text:
 $u^*_d = 16$ hues $o00y, o25y, ..., m50o$
contrast reduction factor:
 $c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
O_{CIE}	39.92	58.74	27.99	65.07	25
Y_{CIE}	81.26	-2.89	71.56	71.62	92
L_{CIE}	52.23	-42.42	13.6	44.55	162
V_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 54 40

$LAB^*LCH^*_{Ma}$: 39 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 42 51

$LAB^*LCH^*_{Ma}$: 47 66 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 57 30 63

$LAB^*LCH^*_{Ma}$: 57 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 16 78

$LAB^*LCH^*_{Ma}$: 67 79 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

$u^*_d = y00l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -5 98



$LAB^*LCH^*_{Ma}$: 83 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$


contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
O_{Ma}	39.92	58.74	27.99	65.07	25
Y_{Ma}	81.26	-2.89	71.56	71.62	92
L_{Ma}	52.23	-42.42	13.6	44.55	162
V_{Ma}	30.57	1.41	-46.47	46.49	272



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -22 80

$LAB^*LCH^*_{Ma}$: 71 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 -35 66

$LAB^*LCH^*_{Ma}$: 62 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -46 55



$LAB^*LCH^*_{Ma}$: 54 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

$u^*_d = 100c$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -56 43



$LAB^*LCH^*_{Ma}$: 47 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -37 -3

$LAB^*LCH^*_{Ma}$: 52 37 184

$lab^*olv^*_{Ma}$: 0.0 1.0 0.5

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.42

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -26 -29

$LAB^*LCH^*_{Ma}$: 55 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 -1 -37

$LAB^*LCH^*_{Ma}$: 42 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 20 45 -53

$LAB^*LCH^*_{Ma}$: 20 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 57 -42

$LAB^*LCH^*_{Ma}$: 30 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.91 0.0 1.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 71 -30

$LAB^*LCH^*_{Ma}$: 41 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 62 7



$LAB^*LCH^*_{Ma}$: 40 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*


FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	
01																																						
02																																						
03																																						
04																																						
05																																						
06																																						
07																																						
08																																						
09																																						
10																																						
11																																						
12																																						
13																																						
14																																						
15																																						
16																																						
17																																						
18																																						
19																																						
20																																						
21																																						
22																																						
23																																						
24																																						
25																																						
26																																						
27																																						

Input and output:
Colorimetric Printer Reflective System FRS15_90a
data for any colour:
 u^*_d and number $no.$ = 00 .. 15
device hue text:
 $u^*_d = 16$ hues $o00y, o25y, ..., m50o$
contrast reduction factor:
 $c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{CIE}	39.92	58.74	27.99	65.07	25
Y _{CIE}	81.26	-2.89	71.56	71.62	92
L _{CIE}	52.23	-42.42	13.6	44.55	162
V _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

$u^*_d = o00y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 54 40

$LAB^*LCH^*_{Ma}$: 39 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
O_{Ma}	39.92	58.74	27.99	65.07	25
Y_{Ma}	81.26	-2.89	71.56	71.62	92
L_{Ma}	52.23	-42.42	13.6	44.55	162
V_{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 42 51



$LAB^*LCH^*_{Ma}$: 47 66 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 57 30 63



$LAB^*LCH^*_{Ma}$: 57 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

$u^*_d = o75y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 16 78



$LAB^*LCH^*_{Ma}$: 67 79 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

$u^*_d = y00l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -5 98



$LAB^*LCH^*_{Ma}$: 83 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

$u^*_d = y25l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -22 80



$LAB^*LCH^*_{Ma}$: 71 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$


contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 -35 66

$LAB^*LCH^*_{Ma}$: 62 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*


%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$



FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

$u^*_d = y75l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -46 55



$LAB^*LCH^*_{Ma}$: 54 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

$u^*_d = 100c$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -56 43

$LAB^*LCH^*_{Ma}$: 47 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$


contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 52 -37 -3$

$LAB^*LCH^*_{Ma}: 52 37 184$

$lab^*olv^*_{Ma}: 0.0 1.0 0.5$

$lab^*rgb^*_{Ma}: 0.0 1.0 0.42$

triangle lightness t^*


%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$



FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

$u^*_d = c00v$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -26 -29



$LAB^*LCH^*_{Ma}$: 55 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

$u^*_d = c50v$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 -1 -37



$LAB^*LCH^*_{Ma}$: 42 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

$u^*_d = v00m$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 20 45 -53

$LAB^*LCH^*_{Ma}$: 20 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

$u^*_d = v50m$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 57 -42

$LAB^*LCH^*_{Ma}$: 30 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.91 0.0 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

$u^*_d = m00o$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 71 -30

$LAB^*LCH^*_{Ma}$: 41 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

$u^*_d = m50o$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 62 7

$LAB^*LCH^*_{Ma}$: 40 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	







Input and output:
Colorimetric Printer Reflective System FRS15_90a
data for any colour:
 u^*_d and number $no.$ = 00 .. 15
device hue text:
 u^*_d = 16 hues $o00y, o25y, ..., m50o$
contrast reduction factor:
 $c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
O_{CIE}	39.92	58.74	27.99	65.07	25
Y_{CIE}	81.26	-2.89	71.56	71.62	92
L_{CIE}	52.23	-42.42	13.6	44.55	162
V_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

$u^*_d = o00y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 54 40

$LAB^*LCH^*_{Ma}$: 39 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	38.8	53.92	39.68	66.95	36	<i>r16j</i>	
<i>o25y</i>	47.46	42.34	51.25	66.48	50	<i>r37j</i>	
<i>o50y</i>	56.54	30.2	63.39	70.22	65	<i>r58j</i>	
<i>o75y</i>	67.39	15.68	77.9	79.47	79	<i>r79j</i>	
<i>y00l</i>	82.58	-4.64	98.22	98.33	93	<i>j01g</i>	
<i>y25l</i>	70.85	-21.66	80.19	83.07	105	<i>j18g</i>	
<i>y50l</i>	61.91	-34.63	66.45	74.93	118	<i>j36g</i>	
<i>y75l</i>	54.24	-45.77	54.66	71.29	130	<i>j53g</i>	
<i>l00c</i>	46.95	-56.34	43.46	71.15	142	<i>j71g</i>	
<i>l50c</i>	51.91	-36.84	-3.21	36.98	185	<i>g21b</i>	
<i>c00v</i>	54.62	-26.2	-28.68	38.85	228	<i>g60b</i>	
<i>c50v</i>	42.22	-0.61	-37.35	37.36	269	<i>g97b</i>	
<i>v00m</i>	20.01	45.2	-52.87	69.56	311	<i>b34r</i>	
<i>v50m</i>	29.93	57.31	-42.0	71.05	324	<i>b45r</i>	
<i>m00o</i>	40.88	70.68	-29.99	76.78	337	<i>b57r</i>	
<i>m50o</i>	39.77	61.72	7.23	62.15	7	<i>b83r</i>	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$
 data for any colour:

$u^*_d = o25y$

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 42 51

$LAB^*LCH^*_{Ma}$: 47 66 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

$u^*_d = o50y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 57 30 63

$LAB^*LCH^*_{Ma}$: 57 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

$u^*_d = o75y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 16 78

$LAB^*LCH^*_{Ma}$: 67 79 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

$u^*_d = y00l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -5 98

$LAB^*LCH^*_{Ma}$: 83 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

$u^*_d = y25l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -22 80



$LAB^*LCH^*_{Ma}$: 71 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 -35 66

$LAB^*LCH^*_{Ma}$: 62 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

$u^*_d = y75l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -46 55

$LAB^*LCH^*_{Ma}$: 54 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

$u^*_d = 100c$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -56 43

$LAB^*LCH^*_{Ma}$: 47 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

$u^*_d = 150c$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 52 -37 -3$

$LAB^*LCH^*_{Ma}: 52 37 184$

$lab^*olv^*_{Ma}: 0.0 1.0 0.5$

$lab^*rgb^*_{Ma}: 0.0 1.0 0.42$

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

$u^*_d = c00v$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -26 -29

$LAB^*LCH^*_{Ma}$: 55 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

$u^*_d = c50v$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 -1 -37

$LAB^*LCH^*_{Ma}$: 42 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

$u^*_d = v00m$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 20 45 -53

$LAB^*LCH^*_{Ma}$: 20 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$


contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (M_a):

$LAB^*LAB^*_{Ma}$: 30 57 -42

$LAB^*LCH^*_{Ma}$: 30 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.91 0.0 1.0

triangle lightness t^*


%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$



FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

$u^*_d = m00o$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 71 -30

$LAB^*LCH^*_{Ma}$: 41 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

$u^*_d = m50o$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 62 7

$LAB^*LCH^*_{Ma}$: 40 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



[illegible]



Input and output:
Colorimetric Printer Reflective System FRS15_90a
data for any colour:
 u^*_d and number $no.$ = 00 .. 15
device hue text:
 u^*_d = 16 hues $o00y, o25y, ..., m50o$
contrast reduction factor:
 $c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
O_{CIE}	39.92	58.74	27.99	65.07	25
Y_{CIE}	81.26	-2.89	71.56	71.62	92
L_{CIE}	52.23	-42.42	13.6	44.55	162
V_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 54 40

$LAB^*LCH^*_{Ma}$: 39 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$


contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	



Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 42 51

$LAB^*LCH^*_{Ma}$: 47 66 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*


%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$



FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

$u^*_d = o50y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 57 30 63

$LAB^*LCH^*_{Ma}$: 57 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

$u^*_d = o75y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 16 78



$LAB^*LCH^*_{Ma}$: 67 79 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

$u^*_d = y00l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -5 98

$LAB^*LCH^*_{Ma}$: 83 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

$u^*_d = y25l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -22 80

$LAB^*LCH^*_{Ma}$: 71 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

$u^*_d = y50l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 -35 66

$LAB^*LCH^*_{Ma}$: 62 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -46 55

$LAB^*LCH^*_{Ma}$: 54 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

$u^*_d = 100c$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -56 43

$LAB^*LCH^*_{Ma}$: 47 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -37 -3

$LAB^*LCH^*_{Ma}$: 52 37 184

$lab^*olv^*_{Ma}$: 0.0 1.0 0.5

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.42

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

$u^*_d = c00v$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -26 -29

$LAB^*LCH^*_{Ma}$: 55 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

$u^*_d = c50v$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 -1 -37

$LAB^*LCH^*_{Ma}$: 42 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

$u^*_d = v00m$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 20 45 -53

$LAB^*LCH^*_{Ma}$: 20 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

$u^*_d = v50m$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 57 -42

$LAB^*LCH^*_{Ma}$: 30 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.91 0.0 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

$u^*_d = m00o$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 71 -30

$LAB^*LCH^*_{Ma}$: 41 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

$u^*_d = m50o$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 40 \ 62 \ 7$

$LAB^*LCH^*_{Ma}: 40 \ 62 \ 6$

$lab^*olv^*_{Ma}: 1.0 \ 0.0 \ 0.5$

$lab^*rgb^*_{Ma}: 1.0 \ 0.0 \ 0.33$

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k		
01																																							
02																																							
03																																							
04																																							
05																																							
06																																							
07																																							
08																																							
09																																							
10																																							
11																																							
12																																							
13																																							
14																																							
15																																							
16																																							
17																																							
18																																							
19																																							
20																																							
21																																							
22																																							
23																																							
24																																							
25																																							
26																																							
27																																							



Input and output:
Colorimetric Printer Reflective System FRS15_90a
data for any colour:
 u^*_d and number $no.$ = 00 .. 15
device hue text:
 u^*_d = 16 hues $o00y, o25y, \dots, m50o$
contrast reduction factor:
 $c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
O_{CIE}	39.92	58.74	27.99	65.07	25
Y_{CIE}	81.26	-2.89	71.56	71.62	92
L_{CIE}	52.23	-42.42	13.6	44.55	162
V_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

$u^*_d = o00y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 54 40

$LAB^*LCH^*_{Ma}$: 39 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	38.8	53.92	39.68	66.95	36	<i>r16j</i>	
<i>o25y</i>	47.46	42.34	51.25	66.48	50	<i>r37j</i>	
<i>o50y</i>	56.54	30.2	63.39	70.22	65	<i>r58j</i>	
<i>o75y</i>	67.39	15.68	77.9	79.47	79	<i>r79j</i>	
<i>y00l</i>	82.58	-4.64	98.22	98.33	93	<i>j01g</i>	
<i>y25l</i>	70.85	-21.66	80.19	83.07	105	<i>j18g</i>	
<i>y50l</i>	61.91	-34.63	66.45	74.93	118	<i>j36g</i>	
<i>y75l</i>	54.24	-45.77	54.66	71.29	130	<i>j53g</i>	
<i>l00c</i>	46.95	-56.34	43.46	71.15	142	<i>j71g</i>	
<i>l50c</i>	51.91	-36.84	-3.21	36.98	185	<i>g21b</i>	
<i>c00v</i>	54.62	-26.2	-28.68	38.85	228	<i>g60b</i>	
<i>c50v</i>	42.22	-0.61	-37.35	37.36	269	<i>g97b</i>	
<i>v00m</i>	20.01	45.2	-52.87	69.56	311	<i>b34r</i>	
<i>v50m</i>	29.93	57.31	-42.0	71.05	324	<i>b45r</i>	
<i>m00o</i>	40.88	70.68	-29.99	76.78	337	<i>b57r</i>	
<i>m50o</i>	39.77	61.72	7.23	62.15	7	<i>b83r</i>	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 42 51

$LAB^*LCH^*_{Ma}$: 47 66 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

$u^*_d = o50y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 57 30 63

$LAB^*LCH^*_{Ma}$: 57 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

$u^*_d = o75y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 16 78

$LAB^*LCH^*_{Ma}$: 67 79 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

$u^*_d = y00l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -5 98

$LAB^*LCH^*_{Ma}$: 83 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

$u^*_d = y25l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -22 80

$LAB^*LCH^*_{Ma}$: 71 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

$u^*_d = y50l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 -35 66

$LAB^*LCH^*_{Ma}$: 62 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	





$$u_d^* = y_{75l}$$
triangle lightness t^* 

FRS15_90a; adapted (a) CIELAB data						
	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	


0.4

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	38.8	53.92	39.68	66.95	36	<i>r16j</i>	
<i>o25y</i>	47.46	42.34	51.25	66.48	50	<i>r37j</i>	
<i>o50y</i>	56.54	30.2	63.39	70.22	65	<i>r58j</i>	
<i>o75y</i>	67.39	15.68	77.9	79.47	79	<i>r79j</i>	
<i>y00l</i>	82.58	-4.64	98.22	98.33	93	<i>j01g</i>	
<i>y25l</i>	70.85	-21.66	80.19	83.07	105	<i>j18g</i>	
<i>y50l</i>	61.91	-34.63	66.45	74.93	118	<i>j36g</i>	
<i>y75l</i>	54.24	-45.77	54.66	71.29	130	<i>j53g</i>	
<i>l00c</i>	46.95	-56.34	43.46	71.15	142	<i>j71g</i>	
<i>l50c</i>	51.91	-36.84	-3.21	36.98	185	<i>q21b</i>	
<i>c00v</i>	54.62	-26.2	-28.68	38.85	228	<i>g60b</i>	
<i>c50v</i>	42.22	-0.61	-37.35	37.36	269	<i>g97b</i>	
<i>v00m</i>	20.01	45.2	-52.87	69.56	311	<i>b34r</i>	
<i>v50m</i>	29.93	57.31	-42.0	71.05	324	<i>b45r</i>	
<i>m00o</i>	40.88	70.68	-29.99	76.78	337	<i>b57r</i>	
<i>m50o</i>	39.77	61.72	7.23	62.15	7	<i>b83r</i>	



$$u_d^* = 100c$$



triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	38.8	53.92	39.68	66.95	36	<i>r16j</i>	
<i>o25y</i>	47.46	42.34	51.25	66.48	50	<i>r37j</i>	
<i>o50y</i>	56.54	30.2	63.39	70.22	65	<i>r58j</i>	
<i>o75y</i>	67.39	15.68	77.9	79.47	79	<i>r79j</i>	
<i>y00l</i>	82.58	-4.64	98.22	98.33	93	<i>j01g</i>	
<i>y25l</i>	70.85	-21.66	80.19	83.07	105	<i>j18g</i>	
<i>y50l</i>	61.91	-34.63	66.45	74.93	118	<i>j36g</i>	
<i>y75l</i>	54.24	-45.77	54.66	71.29	130	<i>j53g</i>	
<i>l00c</i>	46.95	-56.34	43.46	71.15	142	<i>j71g</i>	
<i>l50c</i>	51.91	-36.84	-3.21	36.98	185	<i>g21b</i>	
<i>c00v</i>	54.62	-26.2	-28.68	38.85	228	<i>g60b</i>	
<i>c50v</i>	42.22	-0.61	-37.35	37.36	269	<i>g97b</i>	
<i>v00m</i>	20.01	45.2	-52.87	69.56	311	<i>b34r</i>	
<i>v50m</i>	29.93	57.31	-42.0	71.05	324	<i>b45r</i>	
<i>m00o</i>	40.88	70.68	-29.99	76.78	337	<i>b57r</i>	
<i>m50o</i>	39.77	61.72	7.23	62.15	7	<i>b83r</i>	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

$u^*_d = 150c$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	38.8	53.92	39.68	66.95	36	
Y_{Ma}	82.58	-4.64	98.22	98.33	93	
L_{Ma}	46.95	-56.34	43.46	71.15	142	
C_{Ma}	54.62	-26.2	-28.68	38.85	228	
V_{Ma}	20.01	45.2	-52.87	69.56	311	
M_{Ma}	40.88	70.68	-29.99	76.78	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 52 -37 -3$



$LAB^*LCH^*_{Ma}: 52 37 184$

$lab^*olv^*_{Ma}: 0.0 1.0 0.5$

$lab^*rgb^*_{Ma}: 0.0 1.0 0.42$

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

$u^*_d = c00v$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -26 -29

$LAB^*LCH^*_{Ma}$: 55 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$



%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

$u^*_d = c50v$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 -1 -37

$LAB^*LCH^*_{Ma}$: 42 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

$u^*_d = v00m$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 20 45 -53

$LAB^*LCH^*_{Ma}$: 20 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

$u^*_d = v50m$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 57 -42

$LAB^*LCH^*_{Ma}$: 30 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.91 0.0 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

$u^*_d = m00o$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 71 -30

$LAB^*LCH^*_{Ma}$: 41 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

$u^*_d = m50o$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 40 \ 62 \ 7$

$LAB^*LCH^*_{Ma}: 40 \ 62 \ 6$

$lab^*olv^*_{Ma}: 1.0 \ 0.0 \ 0.5$

$lab^*rgb^*_{Ma}: 1.0 \ 0.0 \ 0.33$

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k		
01																																							
02																																							
03																																							
04																																							
05																																							
06																																							
07																																							
08																																							
09																																							
10																																							
11																																							
12																																							
13																																							
14																																							
15																																							
16																																							
17																																							
18																																							
19																																							
20																																							
21																																							
22																																							
23																																							
24																																							
25																																							
26																																							
27																																							

Black separation empty

Black separation empty

Black separation empty

Black separation empty

Black separation empty

Black separation empty

Black separation empty

Black separation empty

Black separation empty

Black separation empty

Black separation empty

Black separation empty

Black separation empty

Black separation empty

Black separation empty


Black separation empty

Black separation empty

Black separation empty

Input and output:
 Colorimetric Printer Reflective System FRS15_90a
 data for any colour:
 u^*_d and number *no.* = 00 .. 15
 device hue text:
 $u^*_d = 16$ hues *o00y*, *o25y*, ..., *m50o*
 contrast reduction factor:
 $c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
<i>o00y</i>	38.8	53.92	39.68	66.95	36	<i>r16j</i>
<i>o25y</i>	47.46	42.34	51.25	66.48	50	<i>r37j</i>
<i>o50y</i>	56.54	30.2	63.39	70.22	65	<i>r58j</i>
<i>o75y</i>	67.39	15.68	77.9	79.47	79	<i>r79j</i>
<i>y00l</i>	82.58	-4.64	98.22	98.33	93	<i>j01g</i>
<i>y25l</i>	70.85	-21.66	80.19	83.07	105	<i>j18g</i>
<i>y50l</i>	61.91	-34.63	66.45	74.93	118	<i>j36g</i>
<i>y75l</i>	54.24	-45.77	54.66	71.29	130	<i>j53g</i>
<i>l00c</i>	46.95	-56.34	43.46	71.15	142	<i>j71g</i>
<i>l50c</i>	51.91	-36.84	-3.21	36.98	185	<i>g21b</i>
<i>c00v</i>	54.62	-26.2	-28.68	38.85	228	<i>g60b</i>
<i>c50v</i>	42.22	-0.61	-37.35	37.36	269	<i>g97b</i>
<i>v00m</i>	20.01	45.2	-52.87	69.56	311	<i>b34r</i>
<i>v50m</i>	29.93	57.31	-42.0	71.05	324	<i>b45r</i>
<i>m00o</i>	40.88	70.68	-29.99	76.78	337	<i>b57r</i>
<i>m50o</i>	39.77	61.72	7.23	62.15	7	<i>b83r</i>



%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{CIE}	39.92	58.74	27.99	65.07	25
Y _{CIE}	81.26	-2.89	71.56	71.62	92
L _{CIE}	52.23	-42.42	13.6	44.55	162
V _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.101$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 39 54 40

$LAB \cdot LCH \cdot Ma$: 39 67 36

$lab \cdot olv \cdot Ma$: 1.0 0.0 0.0

$lab \cdot rgb \cdot Ma$: 1.0 0.16 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	38.8	53.92	39.68	66.95	36	<i>r16j</i>	
<i>o25y</i>	47.46	42.34	51.25	66.48	50	<i>r37j</i>	
<i>o50y</i>	56.54	30.2	63.39	70.22	65	<i>r58j</i>	
<i>o75y</i>	67.39	15.68	77.9	79.47	79	<i>r79j</i>	
<i>y00l</i>	82.58	-4.64	98.22	98.33	93	<i>j01g</i>	
<i>y25l</i>	70.85	-21.66	80.19	83.07	105	<i>j18g</i>	
<i>y50l</i>	61.91	-34.63	66.45	74.93	118	<i>j36g</i>	
<i>y75l</i>	54.24	-45.77	54.66	71.29	130	<i>j53g</i>	
<i>l00c</i>	46.95	-56.34	43.46	71.15	142	<i>j71g</i>	
<i>l50c</i>	51.91	-36.84	-3.21	36.98	185	<i>g21b</i>	
<i>c00v</i>	54.62	-26.2	-28.68	38.85	228	<i>g60b</i>	
<i>c50v</i>	42.22	-0.61	-37.35	37.36	269	<i>g97b</i>	
<i>v00m</i>	20.01	45.2	-52.87	69.56	311	<i>b34r</i>	
<i>v50m</i>	29.93	57.31	-42.0	71.05	324	<i>b45r</i>	
<i>m00o</i>	40.88	70.68	-29.99	76.78	337	<i>b57r</i>	
<i>m50o</i>	39.77	61.72	7.23	62.15	7	<i>b83r</i>	

$lab \cdot olv^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.14$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 47 42 51

$LAB \cdot LCH \cdot Ma$: 47 66 50

$lab \cdot olv \cdot Ma$: 1.0 0.25 0.0

$lab \cdot rgb \cdot Ma$: 1.0 0.37 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
O_{Ma}	39.92	58.74	27.99	65.07	25
Y_{Ma}	81.26	-2.89	71.56	71.62	92
L_{Ma}	52.23	-42.42	13.6	44.55	162
V_{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 16 78

$LAB^*LCH^*_{Ma}$: 67 79 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
$o00y$	38.8	53.92	39.68	66.95	36
$o25y$	47.46	42.34	51.25	66.48	50
$o50y$	56.54	30.2	63.39	70.22	65
$o75y$	67.39	15.68	77.9	79.47	79
$y00l$	82.58	-4.64	98.22	98.33	93
$y25l$	70.85	-21.66	80.19	83.07	105
$y50l$	61.91	-34.63	66.45	74.93	118
$y75l$	54.24	-45.77	54.66	71.29	130
$l00c$	46.95	-56.34	43.46	71.15	142
$l50c$	51.91	-36.84	-3.21	36.98	185
$c00v$	54.62	-26.2	-28.68	38.85	228
$c50v$	42.22	-0.61	-37.35	37.36	269
$v00m$	20.01	45.2	-52.87	69.56	311
$v50m$	29.93	57.31	-42.0	71.05	324
$m00o$	40.88	70.68	-29.99	76.78	337
$m50o$	39.77	61.72	7.23	62.15	7

$u^*_d = o75y$

lab^*olv^*

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.258$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 83 \ -5 \ 98$

$LAB \cdot LCH \cdot Ma: 83 \ 98 \ 92$

$lab \cdot olv \cdot Ma: 1.0 \ 1.0 \ 0.0$

$lab \cdot rgb \cdot Ma: 0.99 \ 1.0 \ 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$lab \cdot olv^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -22 80

$LAB^*LCH^*_{Ma}$: 71 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						u^*_d	u^*_e
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_d	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.326$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 62 -35 66

$LAB \cdot LCH \cdot Ma$: 62 75 117

$lab \cdot olv \cdot Ma$: 0.5 1.0 0.0

$lab \cdot rgb \cdot Ma$: 0.64 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	

$lab \cdot olv^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -46 55

$LAB^*LCH^*_{Ma}$: 54 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = y75l$
 lab^*olv^*

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -56 43

$LAB^*LCH^*_{Ma}$: 47 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -37 -3

$LAB^*LCH^*_{Ma}$: 52 37 184

$lab^*olv^*_{Ma}$: 0.0 1.0 0.5

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.42

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -26 -29

$LAB^*LCH^*_{Ma}$: 55 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 -1 -37

$LAB^*LCH^*_{Ma}$: 42 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data								
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e		
o00y	38.8	53.92	39.68	66.95	36	r16j		
o25y	47.46	42.34	51.25	66.48	50	r37j		
o50y	56.54	30.2	63.39	70.22	65	r58j		
o75y	67.39	15.68	77.9	79.47	79	r79j		
y00l	82.58	-4.64	98.22	98.33	93	j01g		
y25l	70.85	-21.66	80.19	83.07	105	j18g		
y50l	61.91	-34.63	66.45	74.93	118	j36g		
y75l	54.24	-45.77	54.66	71.29	130	j53g		
l00c	46.95	-56.34	43.46	71.15	142	j71g		
l50c	51.91	-36.84	-3.21	36.98	185	g21b		
c00v	54.62	-26.2	-28.68	38.85	228	g60b		
c50v	42.22	-0.61	-37.35	37.36	269	g97b		
v00m	20.01	45.2	-52.87	69.56	311	b34r		
v50m	29.93	57.31	-42.0	71.05	324	b45r		
m00o	40.88	70.68	-29.99	76.78	337	b57r		
m50o	39.77	61.72	7.23	62.15	7	b83r		

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.863$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 20 45 -53

$LAB \cdot LCH \cdot Ma$: 20 70 310

$lab \cdot olv \cdot Ma$: 0.0 0.0 1.0

$lab \cdot rgb \cdot Ma$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.899$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 30 57 -42

$LAB \cdot LCH \cdot Ma$: 30 71 323

$lab \cdot olv \cdot Ma$: 0.5 0.0 1.0

$lab \cdot rgb \cdot Ma$: 0.91 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data								
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e		
o00y	38.8	53.92	39.68	66.95	36	r16j		
o25y	47.46	42.34	51.25	66.48	50	r37j		
o50y	56.54	30.2	63.39	70.22	65	r58j		
o75y	67.39	15.68	77.9	79.47	79	r79j		
y00l	82.58	-4.64	98.22	98.33	93	j01g		
y25l	70.85	-21.66	80.19	83.07	105	j18g		
y50l	61.91	-34.63	66.45	74.93	118	j36g		
y75l	54.24	-45.77	54.66	71.29	130	j53g		
l00c	46.95	-56.34	43.46	71.15	142	j71g		
l50c	51.91	-36.84	-3.21	36.98	185	g21b		
c00v	54.62	-26.2	-28.68	38.85	228	g60b		
c50v	42.22	-0.61	-37.35	37.36	269	g97b		
v00m	20.01	45.2	-52.87	69.56	311	b34r		
v50m	29.93	57.31	-42.0	71.05	324	b45r		
m00o	40.88	70.68	-29.99	76.78	337	b57r		
m50o	39.77	61.72	7.23	62.15	7	b83r		

$lab \cdot olv^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 71 -30

$LAB^*LCH^*_{Ma}$: 41 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data								
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e		
o00y	38.8	53.92	39.68	66.95	36	r16j		
o25y	47.46	42.34	51.25	66.48	50	r37j		
o50y	56.54	30.2	63.39	70.22	65	r58j		
o75y	67.39	15.68	77.9	79.47	79	r79j		
y00l	82.58	-4.64	98.22	98.33	93	j01g		
y25l	70.85	-21.66	80.19	83.07	105	j18g		
y50l	61.91	-34.63	66.45	74.93	118	j36g		
y75l	54.24	-45.77	54.66	71.29	130	j53g		
l00c	46.95	-56.34	43.46	71.15	142	j71g		
l50c	51.91	-36.84	-3.21	36.98	185	g21b		
c00v	54.62	-26.2	-28.68	38.85	228	g60b		
c50v	42.22	-0.61	-37.35	37.36	269	g97b		
v00m	20.01	45.2	-52.87	69.56	311	b34r		
v50m	29.93	57.31	-42.0	71.05	324	b45r		
m00o	40.88	70.68	-29.99	76.78	337	b57r		
m50o	39.77	61.72	7.23	62.15	7	b83r		



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 62 7

$LAB^*LCH^*_{Ma}$: 40 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS15_90a; adapted (a) CIELAB data								
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e		
o00y	38.8	53.92	39.68	66.95	36	r16j		
o25y	47.46	42.34	51.25	66.48	50	r37j		
o50y	56.54	30.2	63.39	70.22	65	r58j		
o75y	67.39	15.68	77.9	79.47	79	r79j		
y00l	82.58	-4.64	98.22	98.33	93	j01g		
y25l	70.85	-21.66	80.19	83.07	105	j18g		
y50l	61.91	-34.63	66.45	74.93	118	j36g		
y75l	54.24	-45.77	54.66	71.29	130	j53g		
l00c	46.95	-56.34	43.46	71.15	142	j71g		
l50c	51.91	-36.84	-3.21	36.98	185	g21b		
c00v	54.62	-26.2	-28.68	38.85	228	g60b		
c50v	42.22	-0.61	-37.35	37.36	269	g97b		
v00m	20.01	45.2	-52.87	69.56	311	b34r		
v50m	29.93	57.31	-42.0	71.05	324	b45r		
m00o	40.88	70.68	-29.99	76.78	337	b57r		
m50o	39.77	61.72	7.23	62.15	7	b83r		



Ee410-7A, Page 126/270


Input and output:
Colorimetric Printer Reflective System FRS15_90a
data for any colour:
 u^*_d and number $no.$ = 00 .. 15
device hue text:
 $u^*_d = 16$ hues $o00y, o25y, \dots, m50o$
contrast reduction factor:
 $c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	38.8	53.92	39.68	66.95	36
Y_{Ma}	82.58	-4.64	98.22	98.33	93
L_{Ma}	46.95	-56.34	43.46	71.15	142
C_{Ma}	54.62	-26.2	-28.68	38.85	228
V_{Ma}	20.01	45.2	-52.87	69.56	311
M_{Ma}	40.88	70.68	-29.99	76.78	337
N_{Ma}	15.0	0.0	0.0	0.0	0
W_{Ma}	90.0	0.0	0.0	0.0	0
O_{CIE}	39.92	58.74	27.99	65.07	25
Y_{CIE}	81.26	-2.89	71.56	71.62	92
L_{CIE}	52.23	-42.42	13.6	44.55	162
V_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 54 40

$LAB^*LCH^*_{Ma}$: 39 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	38.8	53.92	39.68	66.95	36	<i>r16j</i>	
<i>o25y</i>	47.46	42.34	51.25	66.48	50	<i>r37j</i>	
<i>o50y</i>	56.54	30.2	63.39	70.22	65	<i>r58j</i>	
<i>o75y</i>	67.39	15.68	77.9	79.47	79	<i>r79j</i>	
<i>y00l</i>	82.58	-4.64	98.22	98.33	93	<i>j01g</i>	
<i>y25l</i>	70.85	-21.66	80.19	83.07	105	<i>j18g</i>	
<i>y50l</i>	61.91	-34.63	66.45	74.93	118	<i>j36g</i>	
<i>y75l</i>	54.24	-45.77	54.66	71.29	130	<i>j53g</i>	
<i>l00c</i>	46.95	-56.34	43.46	71.15	142	<i>j71g</i>	
<i>l50c</i>	51.91	-36.84	-3.21	36.98	185	<i>g21b</i>	
<i>c00v</i>	54.62	-26.2	-28.68	38.85	228	<i>g60b</i>	
<i>c50v</i>	42.22	-0.61	-37.35	37.36	269	<i>g97b</i>	
<i>v00m</i>	20.01	45.2	-52.87	69.56	311	<i>b34r</i>	
<i>v50m</i>	29.93	57.31	-42.0	71.05	324	<i>b45r</i>	
<i>m00o</i>	40.88	70.68	-29.99	76.78	337	<i>b57r</i>	
<i>m50o</i>	39.77	61.72	7.23	62.15	7	<i>b83r</i>	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 42 51

$LAB^*LCH^*_{Ma}$: 47 66 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 57 30 63

$LAB^*LCH^*_{Ma}$: 57 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

lab^*rgb^*

$i^*=1.00$

brilliantness i^*


$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 16 78

$LAB^*LCH^*_{Ma}$: 67 79 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -5 98

$LAB^*LCH^*_{Ma}$: 83 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -22 80

$LAB^*LCH^*_{Ma}$: 71 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

lab^*rgb^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 -35 66

$LAB^*LCH^*_{Ma}$: 62 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	

lab^*rgb^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -46 55

$LAB^*LCH^*_{Ma}$: 54 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

lab^*rgb^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

relative chroma c^*

1,00

0,75

0,50

0,25

0,00

o00y
1.0
1.0
1.0

y74l
0.87
1.0
0.75

y74l
0.73
1.0
0.5

y74l
0.62
0.75
0.5

y74l
0.48
0.75
0.25

y74l
0.37
0.5
0.25

y74l
0.37
0.5
0.25

y74l
0.12
0.25
0.0

$i^* = 0,00$

$i^* \pm 0,25$
0,25

$i^* = 0,50$

$i^* = 0,75$

$i^* = 1,00$

brilliantness i^*

relative chroma c^*

1,00

0,75

0,50

0,25

0,00

1.0
1.0
1.0

0.96
0.93
0.93

0.93
0.93
0.93

0.89
0.87
0.87

0.86
0.86
0.86

0.82
0.82
0.82

0.78
0.78
0.78

0.75
0.75
0.75

0.71
0.71
0.71

0.68
0.68
0.68

0.64
0.64
0.64

0.61
0.61
0.61

0.57
0.57
0.57

0.53
0.53
0.53

0.5
0.5
0.5

0.46
0.46
0.46

$i^*=0,00$

$i^*=0,20$

$i^*=0,40$

$i^*=0,60$

$i^*=0,80$

$i^*=1,00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -56 43

$LAB^*LCH^*_{Ma}$: 47 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -37 -3

$LAB^*LCH^*_{Ma}$: 52 37 184

$lab^*olv^*_{Ma}$: 0.0 1.0 0.5

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.42

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -26 -29

$LAB^*LCH^*_{Ma}$: 55 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 -1 -37

$LAB^*LCH^*_{Ma}$: 42 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

lab^*rgb^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

brilliantness i^*

$i^* = 0.75$

$i^* = 0.50$

$i^* \pm 0.25$
0.25

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 20 45 -53

$LAB^*LCH^*_{Ma}$: 20 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data								
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e		
o00y	38.8	53.92	39.68	66.95	36	r16j		
o25y	47.46	42.34	51.25	66.48	50	r37j		
o50y	56.54	30.2	63.39	70.22	65	r58j		
o75y	67.39	15.68	77.9	79.47	79	r79j		
y00l	82.58	-4.64	98.22	98.33	93	j01g		
y25l	70.85	-21.66	80.19	83.07	105	j18g		
y50l	61.91	-34.63	66.45	74.93	118	j36g		
y75l	54.24	-45.77	54.66	71.29	130	j53g		
l00c	46.95	-56.34	43.46	71.15	142	j71g		
l50c	51.91	-36.84	-3.21	36.98	185	g21b		
c00v	54.62	-26.2	-28.68	38.85	228	g60b		
c50v	42.22	-0.61	-37.35	37.36	269	g97b		
v00m	20.01	45.2	-52.87	69.56	311	b34r		
v50m	29.93	57.31	-42.0	71.05	324	b45r		
m00o	40.88	70.68	-29.99	76.78	337	b57r		
m50o	39.77	61.72	7.23	62.15	7	b83r		

$u^*_d = v00m$

lab^*rgb^*

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 57 -42

$LAB^*LCH^*_{Ma}$: 30 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.91 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 71 -30

$LAB^*LCH^*_{Ma}$: 41 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 62 7

$LAB^*LCH^*_{Ma}$: 40 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = m50o$

lab^*rgb^*

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*


relative chroma c^*

$i^* = 0.00$

Ee410-7A, Page 144/270


Input and output:
Colorimetric Printer Reflective System FRS15_90a
data for any colour:
 u^*_d and number *no.* = 00 .. 15
device hue text:
 u^*_d = 16 hues *o00y*, *o25y*, ..., *m50o*
contrast reduction factor:
 $c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
<i>o00y</i>	38.8	53.92	39.68	66.95	36	<i>r16j</i>
<i>o25y</i>	47.46	42.34	51.25	66.48	50	<i>r37j</i>
<i>o50y</i>	56.54	30.2	63.39	70.22	65	<i>r58j</i>
<i>o75y</i>	67.39	15.68	77.9	79.47	79	<i>r79j</i>
<i>y00l</i>	82.58	-4.64	98.22	98.33	93	<i>j01g</i>
<i>y25l</i>	70.85	-21.66	80.19	83.07	105	<i>j18g</i>
<i>y50l</i>	61.91	-34.63	66.45	74.93	118	<i>j36g</i>
<i>y75l</i>	54.24	-45.77	54.66	71.29	130	<i>j53g</i>
<i>l00c</i>	46.95	-56.34	43.46	71.15	142	<i>j71g</i>
<i>l50c</i>	51.91	-36.84	-3.21	36.98	185	<i>g21b</i>
<i>c00v</i>	54.62	-26.2	-28.68	38.85	228	<i>g60b</i>
<i>c50v</i>	42.22	-0.61	-37.35	37.36	269	<i>g97b</i>
<i>v00m</i>	20.01	45.2	-52.87	69.56	311	<i>b34r</i>
<i>v50m</i>	29.93	57.31	-42.0	71.05	324	<i>b45r</i>
<i>m00o</i>	40.88	70.68	-29.99	76.78	337	<i>b57r</i>
<i>m50o</i>	39.77	61.72	7.23	62.15	7	<i>b83r</i>



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{CIE}	39.92	58.74	27.99	65.07	25
Y _{CIE}	81.26	-2.89	71.56	71.62	92
L _{CIE}	52.23	-42.42	13.6	44.55	162
V _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 54 40

$LAB^*LCH^*_{Ma}$: 39 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
u^*_d	38.8	53.92	39.68	66.95	36
$o00y$	38.8	53.92	39.68	66.95	36
$o25y$	47.46	42.34	51.25	66.48	50
$o50y$	56.54	30.2	63.39	70.22	65
$o75y$	67.39	15.68	77.9	79.47	79
$y00l$	82.58	-4.64	98.22	98.33	93
$y25l$	70.85	-21.66	80.19	83.07	105
$y50l$	61.91	-34.63	66.45	74.93	118
$y75l$	54.24	-45.77	54.66	71.29	130
$l00c$	46.95	-56.34	43.46	71.15	142
$l50c$	51.91	-36.84	-3.21	36.98	185
$c00v$	54.62	-26.2	-28.68	38.85	228
$c50v$	42.22	-0.61	-37.35	37.36	269
$v00m$	20.01	45.2	-52.87	69.56	311
$v50m$	29.93	57.31	-42.0	71.05	324
$m00o$	40.88	70.68	-29.99	76.78	337
$m50o$	39.77	61.72	7.23	62.15	7

$u^*_d = o00y$

$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 42 51

$LAB^*LCH^*_{Ma}$: 47 66 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 57 30 63

$LAB^*LCH^*_{Ma}$: 57 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = o50y$

$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

1,00

0,75

0,50

0,25

0,00

1,00

0,75

0,25

0,00

0,00

0,20

0,40

0,60

0,80

1,00

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 16 78

$LAB^*LCH^*_{Ma}$: 67 79 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = o75y$

$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

1,00

0,75

0,50

0,25

0,00

1,00

0,75

0,50

0,25

0,00

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -5 98

$LAB^*LCH^*_{Ma}$: 83 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r


$u^*_d = y00l$

$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^* = 1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -22 80

$LAB^*LCH^*_{Ma}$: 71 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = y25l$
 $LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 -35 66

$LAB^*LCH^*_{Ma}$: 62 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -46 55

$LAB^*LCH^*_{Ma}$: 54 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = y75l$
 $LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^*=1,00$

$i^*=0,80$


brilliantness i^*

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -56 43

$LAB^*LCH^*_{Ma}$: 47 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = 100c$

$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

$i^* \pm 0,25$

$i^* = 0,50$

$i^* = 0,75$

$i^* = 1,00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -37 -3

$LAB^*LCH^*_{Ma}$: 52 37 184

$lab^*olv^*_{Ma}$: 0.0 1.0 0.5

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.42

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -26 -29

$LAB^*LCH^*_{Ma}$: 55 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*



$$u_d^* = c50v$$

*LAB*LAB**_a


LAB data

$$v_{ab,a}^* \quad h_{ab,a}^* \quad u_e^*$$
56.95 36 *r16j*

56.48	50	<i>r37j</i>
70.22	65	52:



70.22	65	r58j
79.47	79	r79j

98.33 93 i01a



FRS15_90a; adapted (a) CIELAB data						
	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	38.8	53.92	39.68	66.95	36	<i>r16i</i>	
<i>o25y</i>	47.46	42.34	51.25	66.48	50	<i>r37j</i>	
<i>o50y</i>	56.54	30.2	63.39	70.22	65	<i>r58j</i>	
<i>o75y</i>	67.39	15.68	77.9	79.47	79	<i>r79j</i>	
<i>y00l</i>	82.58	-4.64	98.22	98.33	93	<i>j01g</i>	
<i>y25l</i>	70.85	-21.66	80.19	83.07	105	<i>j18g</i>	
<i>y50l</i>	61.91	-34.63	66.45	74.93	118	<i>j36g</i>	
<i>y75l</i>	54.24	-45.77	54.66	71.29	130	<i>j53g</i>	
<i>l00c</i>	46.95	-56.34	43.46	71.15	142	<i>j71g</i>	
<i>l50c</i>	51.91	-36.84	-3.21	36.98	185	<i>g21b</i>	
<i>c00v</i>	54.62	-26.2	-28.68	38.85	228	<i>g60b</i>	
<i>c50v</i>	42.22	-0.61	-37.35	37.36	269	<i>g97b</i>	
<i>v00m</i>	20.01	45.2	-52.87	69.56	311	<i>b34r</i>	
<i>v50m</i>	29.93	57.31	-42.0	71.05	324	<i>b45r</i>	
<i>m00o</i>	40.88	70.68	-29.99	76.78	337	<i>b57r</i>	
<i>m50o</i>	39.77	61.72	7.23	62.15	7	<i>b83r</i>	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 20 45 -53

$LAB^*LCH^*_{Ma}$: 20 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r


$u^*_d = v00m$

$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^* = 1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 57 -42

$LAB^*LCH^*_{Ma}$: 30 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.91 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 71 -30

$LAB^*LCH^*_{Ma}$: 41 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 62 7

$LAB^*LCH^*_{Ma}$: 40 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = m50o$

$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*


relative chroma c^*

$i^* = 0.00$

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*a																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
01	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0	167.0	171.0	175.0	179.0	183.0	187.0	191.0	195.0	199.0	203.0	207.0	211.0	215.0	219.0	223.0	227.0	231.0	235.0	239.0	243.0	247.0	251.0	255.0	259.0	263.0	267.0	271.0	275.0	279.0	283.0	287.0	291.0	295.0	299.0	303.0	307.0	311.0	315.0	319.0	323.0	327.0	331.0	335.0	339.0	343.0	347.0	351.0	355.0	359.0	363.0	367.0	371.0	375.0	379.0	383.0	387.0	391.0	395.0	399.0	403.0	407.0	411.0	415.0	419.0	423.0	427.0	431.0	435.0	439.0	443.0	447.0	451.0	455.0	459.0	463.0	467.0	471.0	475.0	479.0	483.0	487.0	491.0	495.0	499.0	503.0	507.0	511.0	515.0	519.0	523.0	527.0	531.0	535.0	539.0	543.0	547.0	551.0	555.0	559.0	563.0	567.0	571.0	575.0	579.0	583.0	587.0	591.0	595.0	599.0	603.0	607.0	611.0	615.0	619.0	623.0	627.0	631.0	635.0	639.0	643.0	647.0	651.0	655.0	659.0	663.0	667.0	671.0	675.0	679.0	683.0	687.0	691.0	695.0	699.0	703.0	707.0	711.0	715.0	719.0	723.0	727.0	731.0	735.0	739.0	743.0	747.0	751.0	755.0	759.0	763.0	767.0	771.0	775.0	779.0	783.0	787.0	791.0	795.0	799.0	803.0	807.0	811.0	815.0	819.0	823.0	827.0	831.0	835.0	839.0	843.0	847.0	851.0	855.0	859.0	863.0	867.0	871.0	875.0	879.0	883.0	887.0	891.0	895.0	899.0	903.0	907.0	911.0	915.0	919.0	923.0	927.0	931.0	935.0	939.0	943.0	947.0	951.0	955.0	959.0	963.0	967.0	971.0	975.0	979.0	983.0	987.0	991.0	995.0	999.0	1003.0	1007.0	1011.0	1015.0	1019.0	1023.0	1027.0	1031.0	1035.0	1039.0	1043.0	1047.0	1051.0	1055.0	1059.0	1063.0	1067.0	1071.0	1075.0	1079.0	1083.0	1087.0	1091.0	1095.0	1099.0	1103.0	1107.0	1111.0	1115.0	1119.0	1123.0	1127.0	1131.0	1135.0	1139.0	1143.0	1147.0	1151.0	1155.0	1159.0	1163.0	1167.0	1171.0	1175.0	1179.0	1183.0	1187.0	1191.0	1195.0	1199.0	1203.0	1207.0	1211.0	1215.0	1219.0	1223.0	1227.0	1231.0	1235.0	1239.0	1243.0	1247.0	1251.0	1255.0	1259.0	1263.0	1267.0	1271.0	1275.0	1279.0	1283.0	1287.0	1291.0	1295.0	1299.0	1303.0	1307.0	1311.0	1315.0	1319.0	1323.0	1327.0	1331.0	1335.0	1339.0	1343.0	1347.0	1351.0	1355.0	1359.0	1363.0	1367.0	1371.0	1375.0	1379.0	1383.0	1387.0	1391.0	1395.0	1399.0	1403.0	1407.0	1411.0	1415.0	1419.0	1423.0	1427.0	1431.0	1435.0	1439.0	1443.0	1447.0	1451.0	1455.0	1459.0	1463.0	1467.0	1471.0	1475.0	1479.0	1483.0	1487.0	1491.0	1495.0	1499.0	1503.0	1507.0	1511.0	1515.0	1519.0	1523.0	1527.0	1531.0	1535.0	1539.0	1543.0	1547.0	1551.0	1555.0	1559.0	1563.0	1567.0	1571.0	1575.0	1579.0	1583.0	1587.0	1591.0	1595.0	1599.0	1603.0	1607.0	1611.0	1615.0	1619.0	1623.0	1627.0	1631.0	1635.0	1639.0	1643.0	1647.0	1651.0	1655.0	1659.0	1663.0	1667.0	1671.0	1675.0	1679.0	1683.0	1687.0	1691.0	1695.0	1699.0	1703.0	1707.0	1711.0	1715.0	1719.0	1723.0	1727.0	1731.0	1735.0	1739.0	1743.0	1747.0	1751.0	1755.0	1759.0	1763.0	1767.0	1771.0	1775.0	1779.0	1783.0	1787.0	1791.0	1795.0	1799.0	1803.0	1807.0	1811.0	1815.0	1819.0	1823.0	1827.0	1831.0	1835.0	1839.0	1843.0	1847.0	1851.0	1855.0	1859.0	1863.0	1867.0	1871.0	1875.0	1879.0	1883.0	1887.0	1891.0	1895.0	1899.0	1903.0	1907.0	1911.0	1915.0	1919.0	1923.0	1927.0	1931.0	1935.0	1939.0	1943.0	1947.0	1951.0	1955.0	1959.0	1963.0	1967.0	1971.0	1975.0	1979.0	1983.0	1987.0	1991.0	1995.0	1999.0	2003.0	2007.0	2011.0	2015.0	2019.0	2023.0	2027.0	2031.0	2035.0	2039.0	2043.0	2047.0	2051.0	2055.0	2059.0	2063.0	2067.0	2071.0	2075.0	2079.0	2083.0	2087.0	2091.0	2095.0	2099.0	2103.0	2107.0	2111.0	2115.0	2119.0	2123.0	2127.0	2131.0	2135.0	2139.0	2143.0	2147.0	2151.0	2155.0	2159.0	2163.0	2167.0	2171.0	2175.0	2179.0	2183.0	2187.0	2191.0	2195.0	2199.0	2203.0	2207.0	2211.0	2215.0	2219.0	2223.0	2227.0	2231.0	2235.0	2239.0	2243.0	2247.0	2251.0	2255.0	2259.0	2263.0	2267.0	2271.0	2275.0	2279.0	2283.0	2287.0	2291.0	2295.0	2299.0	2303.0	2307.0	2311.0	2315.0	2319.0	2323.0	2327.0	2331.0	2335.0	2339.0	2343.0	2347.0	2351.0	2355.0	2359.0	2363.0	2367.0	2371.0	2375.0	2379.0	2383.0	2387.0	2391.0	2395.0	2399.0	2403.0	2407.0	2411.0	2415.0	2419.0	2423.0	2427.0	2431.0	2435.0	2439.0	2443.0	2447.0	2451.0	2455.0	2459.0	2463.0	2467.0	2471.0	2475.0	2479.0	2483.0	2487.0	2491.0	2495.0	2499.0	2503.0	2507.0	2511.0	2515.0	2519.0	2523.0	2527.0	2531.0	2535.0	2539.0	2543.0	2547.0	2551.0	2555.0	2559.0	2563.0	2567.0	2571.0	2575.0	2579.0	2583.0	2587.0	2591.0	2595.0	2599.0	2603.0	2607.0	2611.0	2615.0	2619.0	2623.0	2627.0	2631.0	2635.0	2639.0	2643.0	2647.0	2651.0	2655.0	2659.0	2663.0	2667.0	2671.0	2675.0	2679.0	2683.0	2687.0	2691.0	2695.0	2699.0	2703.0	2707.0	2711.0	2715.0	2719.0	2723.0	2727.0	2731.0	2735.0	2739.0	2743.0	2747.0	2751.0	2755.0	2759.0	2763.0	2767.0	2771.0	2775.0	2779.0	2783.0	2787.0	2791.0	2795.0	2799.0	2803.0	2807.0	2811.0	2815.0	2819.0	2823.0	2827.0	2831.0	2835.0	2839.0	2843.0	2847.0	2851.0	2855.0	2859.0	2863.0	2867.0	2871.0	2875.0	2879.0	2883.0	2887.0	2891.0	2895.0	2899.0	2903.0	2907.0	2911.0	2915.0	2919.0	2923.0	2927.0	2931.0	2935.0	2939.0	2943.0	2947.0	2951.0	2955.0	2959.0	2963.0	2967.0	2971.0	2975.0	2979.0	2983.0	2987.0	2991.0	2995.0	2999.0	3003.0	3007.0	3011.0	3015.0	3019.0	3023.0	3027.0	3031.0	3035.0	3039.0	3043.0	3047.0	3051.0	3055.0	3059.0	3063.0	3067.0	3071.0	3075.0	3079.0	3083.0	3087.0	3091.0	3095.0	3099.0	3103.0	3107.0	3111.0	3115.0	3119.0	3123.0	3127.0	3131.0	3135.0	3139.0	3143.0	3147.0	3151.0	3155.0	3159.0	3163.0	3167.0	3171.0	3175.0	3179.0	3183.0	3187.0	3191.0	3195.0	3199.0	3203.0	3207.0	3211.0	3215.0	3219.0	3223.0	3227.0	3231.0	3235.0	3239.0	3243.0	3247.0	3251.0	3255.0	3259.0	3263.0	3267.0	3271.0	3275.0	3279.0	3283.0	3287.0	3291.0	3295.0	3299.0	3303.0	3307.0	3311.0	3315.0	3319.0	3323.0	3327.0	3331.0	3335.0	3339.0	3343.0	3347.0	3351.0	3355.0	3359.0	3363.0	3367.0	3371.0	3375.0	3379.0	3383.0	3387.0	3391.0	3395.0	3399.0	3403.0	3407.0	3411.0	3415.0	3419.0	3423.0	3427.0	3431.0	3435.0	3439.0	3443.0	3447.0	3451.0	3455.0	3459.0	3463.0	3467.0	3471.0	3475.0	3479.0	3483.0	3487.0	3491.0	3495.0	3499.0	3503.0	3507.0	3511.0	3515.0	3519.0	3523.0	3527.0	3531.0	3535.0	3539.0	3543.0	3547.0	3551.0	3555.0	3559.0	3563.0	3567.0	3571.0	3575.0	3579.0	3583.0	3587.0	3591.0	3595.0	3599.0	3603.0	3607.0	3611.0	3615.0	3619.0	3623.0	3627.0	3631.0	3635.0	3639.0	3643.0	3647.0	3651.0	3655.0	3659.0	3663.0	3667.0	3671.0	3675.0	3679.0	3683.0	3687.0	3691.0	3695.0	3699.0	3703.0	3707.0	3711.0	3715.0	3719.0	3723.0	3727.0	3731.0	3735.0	3739.0	3743.0	3747.0	3751.0	3755.0	3759.0	3763.0	3767.0	3771.0	3775.0	3779.0	3783.0	3787.0	3791.0	3795.0	3799.0	3803.0	3807.0	3811.0	3815.0	3819.0	3823.0	3827.0	3831.0	3835.0	3839.0	3843.0	3847.0	3851.0	3855.0	3859.0	3863.0	3867.0	3871.0	3875.0	3879.0	3883.0	3887.0	3891.0	3895.0	3899.0	3903.0	3907.0	3911.0	3915.0	3919.0	3923.0	3927.0	3931.0	3935.0	3939.0	3943.0	3947.0	3951.0	3955.0	3959.0	3963.0	3967.0	3971.0	3975.0	3979.0	3983.0	3987.0	3991.0	3995.0	3999.0	4003.0	4007.0	4011.0	4015.0	4019.0	4023.0	4027.0	4031.0	4035.0	4039.0	4043.0	4047.0	4051.0	4055.0	4059.0	4063.0	4067.0	4071.0	4075.0	4079.0	4083.0	4087.0	4091.0	4095.0	4099.0	4103.0	4107.0	4111.0	4115.0	4119.0	4123.0	4127.0	4131.0	4135.0	4139.0	4143.0	4147.0	4151.0	4155.0	4159.0	4163.0	4167.0	4171.0	4175.0	4179.0	4183.0	4187.0	4191.0	4195.0	4199.0	4203.0	4207.0	4211.0	4215.0	4219.0	4223.0	4227.0	4231.0	4235.0	4239.0	4243.0	4247.0	4251.0	4255.0	4259.0	4263.0	4267.0	4271.0	4275.0	4279.0	4283.0	4287.0	4291.0	4295.0	4299.0	4303.0	4307.0	4311.0	4315.0	4319.0	4323.0	4327.0	4331.0	4335.0	4339.0	4343.0	4347.0	4351.0	4355.0	4359.0	4363.0	4367.0	4371.0	4375.0	4379.0	4383.0	4387.0	4391.0	4395.0	4399.0	4403.0	4407.0	4411.0	4415.0	4419.0	4423.0	4427.0	4431.0	4435.0	4439.0	4443.0	4447.0	4451.0	4455.0	4459.0	4463.0	4467.0	4471.0	4475.0	4479.0	4483.0	4487.0	4491.0	4495.0	4499.0	4503.0	4507.0	4511.0	4515.0	4519.0	4523.0


Input and output:
Colorimetric Printer Reflective System FRS15_90a
data for any colour:
 u^*_d and number *no.* = 00 .. 15
device hue text:
 $u^*_d = 16$ hues *o00y, o25y, ..., m50o*
contrast reduction factor:
 $c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
<i>o00y</i>	38.8	53.92	39.68	66.95	36	<i>r16j</i>
<i>o25y</i>	47.46	42.34	51.25	66.48	50	<i>r37j</i>
<i>o50y</i>	56.54	30.2	63.39	70.22	65	<i>r58j</i>
<i>o75y</i>	67.39	15.68	77.9	79.47	79	<i>r79j</i>
<i>y00l</i>	82.58	-4.64	98.22	98.33	93	<i>j01g</i>
<i>y25l</i>	70.85	-21.66	80.19	83.07	105	<i>j18g</i>
<i>y50l</i>	61.91	-34.63	66.45	74.93	118	<i>j36g</i>
<i>y75l</i>	54.24	-45.77	54.66	71.29	130	<i>j53g</i>
<i>l00c</i>	46.95	-56.34	43.46	71.15	142	<i>j71g</i>
<i>l50c</i>	51.91	-36.84	-3.21	36.98	185	<i>g21b</i>
<i>c00v</i>	54.62	-26.2	-28.68	38.85	228	<i>g60b</i>
<i>c50v</i>	42.22	-0.61	-37.35	37.36	269	<i>g97b</i>
<i>v00m</i>	20.01	45.2	-52.87	69.56	311	<i>b34r</i>
<i>v50m</i>	29.93	57.31	-42.0	71.05	324	<i>b45r</i>
<i>m00o</i>	40.88	70.68	-29.99	76.78	337	<i>b57r</i>
<i>m50o</i>	39.77	61.72	7.23	62.15	7	<i>b83r</i>



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{CIE}	39.92	58.74	27.99	65.07	25
Y _{CIE}	81.26	-2.89	71.56	71.62	92
L _{CIE}	52.23	-42.42	13.6	44.55	162
V _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 54 40

$LAB^*LCH^*_{Ma}$: 39 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
u^*_d	38.8	53.92	39.68	66.95	36
$o00y$	38.8	53.92	39.68	66.95	36
$o25y$	47.46	42.34	51.25	66.48	50
$o50y$	56.54	30.2	63.39	70.22	65
$o75y$	67.39	15.68	77.9	79.47	79
$y00l$	82.58	-4.64	98.22	98.33	93
$y25l$	70.85	-21.66	80.19	83.07	105
$y50l$	61.91	-34.63	66.45	74.93	118
$y75l$	54.24	-45.77	54.66	71.29	130
$l00c$	46.95	-56.34	43.46	71.15	142
$l50c$	51.91	-36.84	-3.21	36.98	185
$c00v$	54.62	-26.2	-28.68	38.85	228
$c50v$	42.22	-0.61	-37.35	37.36	269
$v00m$	20.01	45.2	-52.87	69.56	311
$v50m$	29.93	57.31	-42.0	71.05	324
$m00o$	40.88	70.68	-29.99	76.78	337
$m50o$	39.77	61.72	7.23	62.15	7

$u^*_d = o00y$

$LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 42 51

$LAB^*LCH^*_{Ma}$: 47 66 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = o25y$

$LAB^*LCH^*_a$

$LAB^*LCH^*_a$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 57 30 63

$LAB^*LCH^*_{Ma}$: 57 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$LAB^*LCH^*_{a}$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 0.75y$ $u^*_e = r.79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 16 78

$LAB^*LCH^*_{Ma}$: 67 79 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$LAB^*LCH^*_{a}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -5 98

$LAB^*LCH^*_{Ma}$: 83 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = y00l$
 $LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

1,00

0,75

0,50

0,25

0,00

o00y
90.0
0.0
0

o00y
71.3
0.0
0

o00y
52.5
0.0
0

o00y
33.8
0.0
0

o00y
15.0
0.0
0

o99y
88.1
24.6
93

o99y
69.4
24.6
93

o99y
50.6
24.6
93

o99y
31.9
24.6
93

o99y
86.3
49.2
93

o99y
67.5
49.2
93

o99y
48.8
49.2
93

o99y
84.4
73.7
93

o99y
65.7
73.7
93

o99y
65.7
73.7
93

$i^* = 1.00$

$i^* = 0.75$

$i^* = 0.50$

$i^* \pm 0.25$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -22 80

$LAB^*LCH^*_{Ma}$: 71 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = y25l$

$LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 -35 66

$LAB^*LCH^*_{Ma}$: 62 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$LAB^*LCH^*_{a}$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -46 55

$LAB^*LCH^*_{Ma}$: 54 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
o00y	38.8	53.92	39.68	66.95	36
o25y	47.46	42.34	51.25	66.48	50
o50y	56.54	30.2	63.39	70.22	65
o75y	67.39	15.68	77.9	79.47	79
y00l	82.58	-4.64	98.22	98.33	93
y25l	70.85	-21.66	80.19	83.07	105
y50l	61.91	-34.63	66.45	74.93	118
y75l	54.24	-45.77	54.66	71.29	130
l00c	46.95	-56.34	43.46	71.15	142
l50c	51.91	-36.84	-3.21	36.98	185
c00v	54.62	-26.2	-28.68	38.85	228
c50v	42.22	-0.61	-37.35	37.36	269
v00m	20.01	45.2	-52.87	69.56	311
v50m	29.93	57.31	-42.0	71.05	324
m00o	40.88	70.68	-29.99	76.78	337
m50o	39.77	61.72	7.23	62.15	7

$u^*_d = y75l$
 $LAB^*LCH^*_a$

$LAB^*LCH^*_a$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -56 43

$LAB^*LCH^*_{Ma}$: 47 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = 100c$

$LAB^*LCH^*_a$

$LAB^*LCH^*_a$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -37 -3

$LAB^*LCH^*_{Ma}$: 52 37 184

$lab^*olv^*_{Ma}$: 0.0 1.0 0.5

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.42

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$LAB^*LCH^*_{a}$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -26 -29

$LAB^*LCH^*_{Ma}$: 55 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = c00v$

$LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 -1 -37

$LAB^*LCH^*_{Ma}$: 42 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = c50v$

$LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 20 45 -53

$LAB^*LCH^*_{Ma}$: 20 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = v00m$

$LAB^*LCH^*_a$

$LAB^*LCH^*_a$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 57 -42

$LAB^*LCH^*_{Ma}$: 30 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.91 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = v50m$

$LAB^*LCH^*_a$

$LAB^*LCH^*_a$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 71 -30

$LAB^*LCH^*_{Ma}$: 41 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = m00o$

$LAB^*LCH^*_a$

$LAB^*LCH^*_a$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 62 7

$LAB^*LCH^*_{Ma}$: 40 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = m50o$

$LAB^*LCH^*_a$

$LAB^*LCH^*_a$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*


relative chroma c^*

$i^* = 0.00$

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LCH*a																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
01	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0	167.0	171.0	175.0	179.0	183.0	187.0	191.0	195.0	199.0	203.0	207.0	211.0	215.0	219.0	223.0	227.0	231.0	235.0	239.0	243.0	247.0	251.0	255.0	259.0	263.0	267.0	271.0	275.0	279.0	283.0	287.0	291.0	295.0	299.0	303.0	307.0	311.0	315.0	319.0	323.0	327.0	331.0	335.0	339.0	343.0	347.0	351.0	355.0	359.0	363.0	367.0	371.0	375.0	379.0	383.0	387.0	391.0	395.0	399.0	403.0	407.0	411.0	415.0	419.0	423.0	427.0	431.0	435.0	439.0	443.0	447.0	451.0	455.0	459.0	463.0	467.0	471.0	475.0	479.0	483.0	487.0	491.0	495.0	499.0	503.0	507.0	511.0	515.0	519.0	523.0	527.0	531.0	535.0	539.0	543.0	547.0	551.0	555.0	559.0	563.0	567.0	571.0	575.0	579.0	583.0	587.0	591.0	595.0	599.0	603.0	607.0	611.0	615.0	619.0	623.0	627.0	631.0	635.0	639.0	643.0	647.0	651.0	655.0	659.0	663.0	667.0	671.0	675.0	679.0	683.0	687.0	691.0	695.0	699.0	703.0	707.0	711.0	715.0	719.0	723.0	727.0	731.0	735.0	739.0	743.0	747.0	751.0	755.0	759.0	763.0	767.0	771.0	775.0	779.0	783.0	787.0	791.0	795.0	799.0	803.0	807.0	811.0	815.0	819.0	823.0	827.0	831.0	835.0	839.0	843.0	847.0	851.0	855.0	859.0	863.0	867.0	871.0	875.0	879.0	883.0	887.0	891.0	895.0	899.0	903.0	907.0	911.0	915.0	919.0	923.0	927.0	931.0	935.0	939.0	943.0	947.0	951.0	955.0	959.0	963.0	967.0	971.0	975.0	979.0	983.0	987.0	991.0	995.0	999.0	1003.0	1007.0	1011.0	1015.0	1019.0	1023.0	1027.0	1031.0	1035.0	1039.0	1043.0	1047.0	1051.0	1055.0	1059.0	1063.0	1067.0	1071.0	1075.0	1079.0	1083.0	1087.0	1091.0	1095.0	1099.0	1103.0	1107.0	1111.0	1115.0	1119.0	1123.0	1127.0	1131.0	1135.0	1139.0	1143.0	1147.0	1151.0	1155.0	1159.0	1163.0	1167.0	1171.0	1175.0	1179.0	1183.0	1187.0	1191.0	1195.0	1199.0	1203.0	1207.0	1211.0	1215.0	1219.0	1223.0	1227.0	1231.0	1235.0	1239.0	1243.0	1247.0	1251.0	1255.0	1259.0	1263.0	1267.0	1271.0	1275.0	1279.0	1283.0	1287.0	1291.0	1295.0	1299.0	1303.0	1307.0	1311.0	1315.0	1319.0	1323.0	1327.0	1331.0	1335.0	1339.0	1343.0	1347.0	1351.0	1355.0	1359.0	1363.0	1367.0	1371.0	1375.0	1379.0	1383.0	1387.0	1391.0	1395.0	1399.0	1403.0	1407.0	1411.0	1415.0	1419.0	1423.0	1427.0	1431.0	1435.0	1439.0	1443.0	1447.0	1451.0	1455.0	1459.0	1463.0	1467.0	1471.0	1475.0	1479.0	1483.0	1487.0	1491.0	1495.0	1499.0	1503.0	1507.0	1511.0	1515.0	1519.0	1523.0	1527.0	1531.0	1535.0	1539.0	1543.0	1547.0	1551.0	1555.0	1559.0	1563.0	1567.0	1571.0	1575.0	1579.0	1583.0	1587.0	1591.0	1595.0	1599.0	1603.0	1607.0	1611.0	1615.0	1619.0	1623.0	1627.0	1631.0	1635.0	1639.0	1643.0	1647.0	1651.0	1655.0	1659.0	1663.0	1667.0	1671.0	1675.0	1679.0	1683.0	1687.0	1691.0	1695.0	1699.0	1703.0	1707.0	1711.0	1715.0	1719.0	1723.0	1727.0	1731.0	1735.0	1739.0	1743.0	1747.0	1751.0	1755.0	1759.0	1763.0	1767.0	1771.0	1775.0	1779.0	1783.0	1787.0	1791.0	1795.0	1799.0	1803.0	1807.0	1811.0	1815.0	1819.0	1823.0	1827.0	1831.0	1835.0	1839.0	1843.0	1847.0	1851.0	1855.0	1859.0	1863.0	1867.0	1871.0	1875.0	1879.0	1883.0	1887.0	1891.0	1895.0	1899.0	1903.0	1907.0	1911.0	1915.0	1919.0	1923.0	1927.0	1931.0	1935.0	1939.0	1943.0	1947.0	1951.0	1955.0	1959.0	1963.0	1967.0	1971.0	1975.0	1979.0	1983.0	1987.0	1991.0	1995.0	1999.0	2003.0	2007.0	2011.0	2015.0	2019.0	2023.0	2027.0	2031.0	2035.0	2039.0	2043.0	2047.0	2051.0	2055.0	2059.0	2063.0	2067.0	2071.0	2075.0	2079.0	2083.0	2087.0	2091.0	2095.0	2099.0	2103.0	2107.0	2111.0	2115.0	2119.0	2123.0	2127.0	2131.0	2135.0	2139.0	2143.0	2147.0	2151.0	2155.0	2159.0	2163.0	2167.0	2171.0	2175.0	2179.0	2183.0	2187.0	2191.0	2195.0	2199.0	2203.0	2207.0	2211.0	2215.0	2219.0	2223.0	2227.0	2231.0	2235.0	2239.0	2243.0	2247.0	2251.0	2255.0	2259.0	2263.0	2267.0	2271.0	2275.0	2279.0	2283.0	2287.0	2291.0	2295.0	2299.0	2303.0	2307.0	2311.0	2315.0	2319.0	2323.0	2327.0	2331.0	2335.0	2339.0	2343.0	2347.0	2351.0	2355.0	2359.0	2363.0	2367.0	2371.0	2375.0	2379.0	2383.0	2387.0	2391.0	2395.0	2399.0	2403.0	2407.0	2411.0	2415.0	2419.0	2423.0	2427.0	2431.0	2435.0	2439.0	2443.0	2447.0	2451.0	2455.0	2459.0	2463.0	2467.0	2471.0	2475.0	2479.0	2483.0	2487.0	2491.0	2495.0	2499.0	2503.0	2507.0	2511.0	2515.0	2519.0	2523.0	2527.0	2531.0	2535.0	2539.0	2543.0	2547.0	2551.0	2555.0	2559.0	2563.0	2567.0	2571.0	2575.0	2579.0	2583.0	2587.0	2591.0	2595.0	2599.0	2603.0	2607.0	2611.0	2615.0	2619.0	2623.0	2627.0	2631.0	2635.0	2639.0	2643.0	2647.0	2651.0	2655.0	2659.0	2663.0	2667.0	2671.0	2675.0	2679.0	2683.0	2687.0	2691.0	2695.0	2699.0	2703.0	2707.0	2711.0	2715.0	2719.0	2723.0	2727.0	2731.0	2735.0	2739.0	2743.0	2747.0	2751.0	2755.0	2759.0	2763.0	2767.0	2771.0	2775.0	2779.0	2783.0	2787.0	2791.0	2795.0	2799.0	2803.0	2807.0	2811.0	2815.0	2819.0	2823.0	2827.0	2831.0	2835.0	2839.0	2843.0	2847.0	2851.0	2855.0	2859.0	2863.0	2867.0	2871.0	2875.0	2879.0	2883.0	2887.0	2891.0	2895.0	2899.0	2903.0	2907.0	2911.0	2915.0	2919.0	2923.0	2927.0	2931.0	2935.0	2939.0	2943.0	2947.0	2951.0	2955.0	2959.0	2963.0	2967.0	2971.0	2975.0	2979.0	2983.0	2987.0	2991.0	2995.0	2999.0	3003.0	3007.0	3011.0	3015.0	3019.0	3023.0	3027.0	3031.0	3035.0	3039.0	3043.0	3047.0	3051.0	3055.0	3059.0	3063.0	3067.0	3071.0	3075.0	3079.0	3083.0	3087.0	3091.0	3095.0	3099.0	3103.0	3107.0	3111.0	3115.0	3119.0	3123.0	3127.0	3131.0	3135.0	3139.0	3143.0	3147.0	3151.0	3155.0	3159.0	3163.0	3167.0	3171.0	3175.0	3179.0	3183.0	3187.0	3191.0	3195.0	3199.0	3203.0	3207.0	3211.0	3215.0	3219.0	3223.0	3227.0	3231.0	3235.0	3239.0	3243.0	3247.0	3251.0	3255.0	3259.0	3263.0	3267.0	3271.0	3275.0	3279.0	3283.0	3287.0	3291.0	3295.0	3299.0	3303.0	3307.0	3311.0	3315.0	3319.0	3323.0	3327.0	3331.0	3335.0	3339.0	3343.0	3347.0	3351.0	3355.0	3359.0	3363.0	3367.0	3371.0	3375.0	3379.0	3383.0	3387.0	3391.0	3395.0	3399.0	3403.0	3407.0	3411.0	3415.0	3419.0	3423.0	3427.0	3431.0	3435.0	3439.0	3443.0	3447.0	3451.0	3455.0	3459.0	3463.0	3467.0	3471.0	3475.0	3479.0	3483.0	3487.0	3491.0	3495.0	3499.0	3503.0	3507.0	3511.0	3515.0	3519.0	3523.0	3527.0	3531.0	3535.0	3539.0	3543.0	3547.0	3551.0	3555.0	3559.0	3563.0	3567.0	3571.0	3575.0	3579.0	3583.0	3587.0	3591.0	3595.0	3599.0	3603.0	3607.0	3611.0	3615.0	3619.0	3623.0	3627.0	3631.0	3635.0	3639.0	3643.0	3647.0	3651.0	3655.0	3659.0	3663.0	3667.0	3671.0	3675.0	3679.0	3683.0	3687.0	3691.0	3695.0	3699.0	3703.0	3707.0	3711.0	3715.0	3719.0	3723.0	3727.0	3731.0	3735.0	3739.0	3743.0	3747.0	3751.0	3755.0	3759.0	3763.0	3767.0	3771.0	3775.0	3779.0	3783.0	3787.0	3791.0	3795.0	3799.0	3803.0	3807.0	3811.0	3815.0	3819.0	3823.0	3827.0	3831.0	3835.0	3839.0	3843.0	3847.0	3851.0	3855.0	3859.0	3863.0	3867.0	3871.0	3875.0	3879.0	3883.0	3887.0	3891.0	3895.0	3899.0	3903.0	3907.0	3911.0	3915.0	3919.0	3923.0	3927.0	3931.0	3935.0	3939.0	3943.0	3947.0	3951.0	3955.0	3959.0	3963.0	3967.0	3971.0	3975.0	3979.0	3983.0	3987.0	3991.0	3995.0	3999.0	4003.0	4007.0	4011.0	4015.0	4019.0	4023.0	4027.0	4031.0	4035.0	4039.0	4043.0	4047.0	4051.0	4055.0	4059.0	4063.0	4067.0	4071.0	4075.0	4079.0	4083.0	4087.0	4091.0	4095.0	4099.0	4103.0	4107.0	4111.0	4115.0	4119.0	4123.0	4127.0	4131.0	4135.0	4139.0	4143.0	4147.0	4151.0	4155.0	4159.0	4163.0	4167.0	4171.0	4175.0	4179.0	4183.0	4187.0	4191.0	4195.0	4199.0	4203.0	4207.0	4211.0	4215.0	4219.0	4223.0	4227.0	4231.0	4235.0	4239.0	4243.0	4247.0	4251.0	4255.0	4259.0	4263.0	4267.0	4271.0	4275.0	4279.0	4283.0	4287.0	4291.0	4295.0	4299.0	4303.0	4307.0	4311.0	4315.0	4319.0	4323.0	4327.0	4331.0	4335.0	4339.0	4343.0	4347.0	4351.0	4355.0	4359.0	4363.0	4367.0	4371.0	4375.0	4379.0	4383.0	4387.0	4391.0	4395.0	4399.0	4403.0	4407.0	4411.0	4415.0	4419.0	4423.0	4427.0	4431.0	4435.0	4439.0	4443.0	4447.0	4451.0	4455.0	4459.0	4463.0	4467.0	4471.0	4475.0	4479.0	4483.0	4487.0	4491.0	4495.0	4499.0	4503.0	4507.0	4511.0	4515.0	4519.0	4523.0	

Input and output:
 Colorimetric Printer Reflective System FRS15_90a
 data for any colour:
 u^*_d and number *no.* = 00 .. 15
 device hue text:
 $u^*_d = 16$ hues *o00y*, *o25y*, ..., *m50o*
 contrast reduction factor:
 $c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
<i>o00y</i>	38.8	53.92	39.68	66.95	36	<i>r16j</i>
<i>o25y</i>	47.46	42.34	51.25	66.48	50	<i>r37j</i>
<i>o50y</i>	56.54	30.2	63.39	70.22	65	<i>r58j</i>
<i>o75y</i>	67.39	15.68	77.9	79.47	79	<i>r79j</i>
<i>y00l</i>	82.58	-4.64	98.22	98.33	93	<i>j01g</i>
<i>y25l</i>	70.85	-21.66	80.19	83.07	105	<i>j18g</i>
<i>y50l</i>	61.91	-34.63	66.45	74.93	118	<i>j36g</i>
<i>y75l</i>	54.24	-45.77	54.66	71.29	130	<i>j53g</i>
<i>l00c</i>	46.95	-56.34	43.46	71.15	142	<i>j71g</i>
<i>l50c</i>	51.91	-36.84	-3.21	36.98	185	<i>g21b</i>
<i>c00v</i>	54.62	-26.2	-28.68	38.85	228	<i>g60b</i>
<i>c50v</i>	42.22	-0.61	-37.35	37.36	269	<i>g97b</i>
<i>v00m</i>	20.01	45.2	-52.87	69.56	311	<i>b34r</i>
<i>v50m</i>	29.93	57.31	-42.0	71.05	324	<i>b45r</i>
<i>m00o</i>	40.88	70.68	-29.99	76.78	337	<i>b57r</i>
<i>m50o</i>	39.77	61.72	7.23	62.15	7	<i>b83r</i>



%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{CIE}	39.92	58.74	27.99	65.07	25
Y _{CIE}	81.26	-2.89	71.56	71.62	92
L _{CIE}	52.23	-42.42	13.6	44.55	162
V _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 54 40

$LAB^*LCH^*_{Ma}$: 39 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
u^*_d	38.8	53.92	39.68	66.95	36
u^*_e	82.58	-4.64	98.22	98.33	93
u^*_f	46.95	-56.34	43.46	71.15	142
u^*_g	54.62	-26.2	-28.68	38.85	228
u^*_h	20.01	45.2	-52.87	69.56	311
u^*_i	40.88	70.68	-29.99	76.78	337
u^*_j	15.0	0.0	0.0	0.0	0
u^*_k	90.0	0.0	0.0	0.0	0
u^*_l	39.92	58.74	27.99	65.07	25
u^*_m	81.26	-2.89	71.56	71.62	92
u^*_n	52.23	-42.42	13.6	44.55	162
u^*_o	30.57	1.41	-46.47	46.49	272

$u^*_d = o00y$

lab^*tch^*

lab^*tch^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.14$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 47 42 51

$LAB \cdot LCH \cdot Ma$: 47 66 50

$lab \cdot olv \cdot Ma$: 1.0 0.25 0.0

$lab \cdot rgb \cdot Ma$: 1.0 0.37 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



$$u_d^* = 0.50y$$

*lab*tch**


LAB data

$$h^*_{ab,a}$$
56.95 36 *n*

56.48	50	<i>r</i>
70.22	65	

70.22	65	<i>r</i>
79.47	79	<i>r</i>

98.33 93 *j*



FRS15_90a; adapted (a) CIELAB data						
	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

*lab*tch**

LAB data

v	ab, a	n	ab, a
56	95	36	

56.48 50 r

70.22	65	<i>r</i>
70.47	70	<i>r</i>

98.33 93 *j*33.07 105 *j*

74.93 118 *j*


71.29 130 j 71.15 142 *j*

36.98	185	g
38.95	228	

38.85	228	g
27.36	260	g

57.30	209	<i>g</i>
59.56	311	<i>h</i>

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	38.8	53.92	39.68	66.95	36	<i>r16i</i>	
<i>o25y</i>	47.46	42.34	51.25	66.48	50	<i>r37j</i>	
<i>o50y</i>	56.54	30.2	63.39	70.22	65	<i>r58j</i>	
<i>o75y</i>	67.39	15.68	77.9	79.47	79	<i>r79j</i>	
<i>y00l</i>	82.58	-4.64	98.22	98.33	93	<i>j01g</i>	
<i>y25l</i>	70.85	-21.66	80.19	83.07	105	<i>j18g</i>	
<i>y50l</i>	61.91	-34.63	66.45	74.93	118	<i>j36g</i>	
<i>y75l</i>	54.24	-45.77	54.66	71.29	130	<i>j53g</i>	
<i>l00c</i>	46.95	-56.34	43.46	71.15	142	<i>j71g</i>	
<i>l50c</i>	51.91	-36.84	-3.21	36.98	185	<i>g21b</i>	
<i>c00v</i>	54.62	-26.2	-28.68	38.85	228	<i>g60b</i>	
<i>c50v</i>	42.22	-0.61	-37.35	37.36	269	<i>g97b</i>	
<i>v00m</i>	20.01	45.2	-52.87	69.56	311	<i>b34r</i>	
<i>v50m</i>	29.93	57.31	-42.0	71.05	324	<i>b45r</i>	
<i>m00o</i>	40.88	70.68	-29.99	76.78	337	<i>b57r</i>	
<i>m50o</i>	39.77	61.72	7.23	62.15	7	<i>b83r</i>	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.218$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 67 16 78

$LAB \cdot LCH \cdot Ma$: 67 79 78

$lab \cdot olv \cdot Ma$: 1.0 0.75 0.0

$lab \cdot rgb \cdot Ma$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -5 98

$LAB^*LCH^*_{Ma}$: 83 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.292$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 71 -22 80$

$LAB \cdot LCH \cdot Ma: 71 83 105$

$lab \cdot olv \cdot Ma: 0.75 1.0 0.0$

$lab \cdot rgb \cdot Ma: 0.82 1.0 0.0$

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.326$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 62 -35 66$

$LAB \cdot LCH \cdot Ma: 62 75 117$

$lab \cdot olv \cdot Ma: 0.5 1.0 0.0$

$lab \cdot rgb \cdot Ma: 0.64 1.0 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$lab \cdot tch^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.361$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 54 -46 55

$LAB \cdot LCH \cdot Ma$: 54 71 129

$lab \cdot olv \cdot Ma$: 0.25 1.0 0.0

$lab \cdot rgb \cdot Ma$: 0.46 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -56 43

$LAB^*LCH^*_{Ma}$: 47 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.514$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 52 -37 -3$

$LAB \cdot LCH \cdot Ma: 52 37 184$

$lab \cdot olv \cdot Ma: 0.0 1.0 0.5$

$lab \cdot rgb \cdot Ma: 0.0 1.0 0.42$

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.632$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 55 -26 -29$

$LAB \cdot LCH \cdot Ma: 55 39 227$

$lab \cdot olv \cdot Ma: 0.0 1.0 1.0$

$lab \cdot rgb \cdot Ma: 0.0 0.81 1.0$

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.747$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 42 -1 -37$

$LAB \cdot LCH \cdot Ma: 42 37 269$

$lab \cdot olv \cdot Ma: 0.0 0.5 1.0$

$lab \cdot rgb \cdot Ma: 0.0 0.05 1.0$

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.863$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 20 \ 45 \ -53$

$LAB \cdot LCH \cdot Ma: 20 \ 70 \ 310$

$lab \cdot olv \cdot Ma: 0.0 \ 0.0 \ 1.0$

$lab \cdot rgb \cdot Ma: 0.68 \ 0.0 \ 1.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	

$lab \cdot tch^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.899$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 30 \ 57 \ -42$

$LAB \cdot LCH \cdot Ma: 30 \ 71 \ 323$

$lab \cdot olv \cdot Ma: 0.5 \ 0.0 \ 1.0$

$lab \cdot rgb \cdot Ma: 0.91 \ 0.0 \ 1.0$

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.936$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 41 71 -30

$LAB \cdot LCH \cdot Ma$: 41 77 337

$lab \cdot olv \cdot Ma$: 1.0 0.0 1.0

$lab \cdot rgb \cdot Ma$: 1.0 0.0 0.85

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.019$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 40 \ 62 \ 7$

$LAB \cdot LCH \cdot Ma: 40 \ 62 \ 6$

$lab \cdot olv \cdot Ma: 1.0 \ 0.0 \ 0.5$

$lab \cdot rgb \cdot Ma: 1.0 \ 0.0 \ 0.33$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$lab \cdot tch^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*


relative chroma c^*

$i^* = 0.00$

© 2006 The Authors
Journal compilation © 2006 Blackwell Publishing Ltd


Input and output:
Colorimetric Printer Reflective System FRS15_90a
data for any colour:
 u^*_d and number $no.$ = 00 .. 15
device hue text:
 $u^*_d = 16$ hues $o00y, o25y, \dots, m50o$
contrast reduction factor:
 $c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{CIE}	39.92	58.74	27.99	65.07	25
Y _{CIE}	81.26	-2.89	71.56	71.62	92
L _{CIE}	52.23	-42.42	13.6	44.55	162
V _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 54 40

$LAB^*LCH^*_{Ma}$: 39 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	38.8	53.92	39.68	66.95	36	<i>r16j</i>	
<i>o25y</i>	47.46	42.34	51.25	66.48	50	<i>r37j</i>	
<i>o50y</i>	56.54	30.2	63.39	70.22	65	<i>r58j</i>	
<i>o75y</i>	67.39	15.68	77.9	79.47	79	<i>r79j</i>	
<i>y00l</i>	82.58	-4.64	98.22	98.33	93	<i>j01g</i>	
<i>y25l</i>	70.85	-21.66	80.19	83.07	105	<i>j18g</i>	
<i>y50l</i>	61.91	-34.63	66.45	74.93	118	<i>j36g</i>	
<i>y75l</i>	54.24	-45.77	54.66	71.29	130	<i>j53g</i>	
<i>l00c</i>	46.95	-56.34	43.46	71.15	142	<i>j71g</i>	
<i>l50c</i>	51.91	-36.84	-3.21	36.98	185	<i>g21b</i>	
<i>c00v</i>	54.62	-26.2	-28.68	38.85	228	<i>g60b</i>	
<i>c50v</i>	42.22	-0.61	-37.35	37.36	269	<i>g97b</i>	
<i>v00m</i>	20.01	45.2	-52.87	69.56	311	<i>b34r</i>	
<i>v50m</i>	29.93	57.31	-42.0	71.05	324	<i>b45r</i>	
<i>m00o</i>	40.88	70.68	-29.99	76.78	337	<i>b57r</i>	
<i>m50o</i>	39.77	61.72	7.23	62.15	7	<i>b83r</i>	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.14$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 47 42 51

$LAB \cdot LCH \cdot Ma$: 47 66 50

$lab \cdot olv \cdot Ma$: 1.0 0.25 0.0

$lab \cdot rgb \cdot Ma$: 1.0 0.37 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 57 30 63

$LAB^*LCH^*_{Ma}$: 57 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$u^*_d = o50y$

$lab^*icu^*_e$

$lab^*icu^*_e$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.218$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = 0.75y$ $u^*_e = r.79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 67 16 78

$LAB \cdot LCH \cdot Ma$: 67 79 78

$lab \cdot olv \cdot Ma$: 1.0 0.75 0.0

$lab \cdot rgb \cdot Ma$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

$lab \cdot icu^*$

$i^* = 1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.258$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 83 -5 98

$LAB \cdot LCH \cdot Ma$: 83 98 92

$lab \cdot olv \cdot Ma$: 1.0 1.0 0.0

$lab \cdot rgb \cdot Ma$: 0.99 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -22 80

$LAB^*LCH^*_{Ma}$: 71 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 -35 66

$LAB^*LCH^*_{Ma}$: 62 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



$u^*_d = y75l$
 $lab^*icu^*_e$

A diagram showing a hexagonal lattice structure. The horizontal axis is labeled a^* and the vertical axis is labeled b^* . The lattice points are represented by colored circles: green, yellow, red, magenta, blue, and cyan. A green line segment connects two points, and a black line segment connects two other points.

$$u^*_d = y75l \quad u^*_e = j53g$$
 $c_R = 0.9$ triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data						
	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

*LAB*LAB**_{Ma}: 54 -46 55


*LAB*LCH**_{Ma}: 54 71 129

*lab*olv**Ma: 0.25 1.0 0.0

*lab*rgb*_Ma*: 0.46 1.0 0.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	38.8	53.92	39.68	66.95	36	<i>r16j</i>	
<i>o25y</i>	47.46	42.34	51.25	66.48	50	<i>r37j</i>	
<i>o50y</i>	56.54	30.2	63.39	70.22	65	<i>r58j</i>	
<i>o75y</i>	67.39	15.68	77.9	79.47	79	<i>r79j</i>	
<i>y00l</i>	82.58	-4.64	98.22	98.33	93	<i>j01g</i>	
<i>y25l</i>	70.85	-21.66	80.19	83.07	105	<i>j18g</i>	
<i>y50l</i>	61.91	-34.63	66.45	74.93	118	<i>j36g</i>	
<i>y75l</i>	54.24	-45.77	54.66	71.29	130	<i>j53g</i>	
<i>l00c</i>	46.95	-56.34	43.46	71.15	142	<i>j71g</i>	
<i>l50c</i>	51.91	-36.84	-3.21	36.98	185	<i>g21b</i>	
<i>c00v</i>	54.62	-26.2	-28.68	38.85	228	<i>g60b</i>	
<i>c50v</i>	42.22	-0.61	-37.35	37.36	269	<i>g97b</i>	
<i>v00m</i>	20.01	45.2	-52.87	69.56	311	<i>b34r</i>	
<i>v50m</i>	29.93	57.31	-42.0	71.05	324	<i>b45r</i>	
<i>m00o</i>	40.88	70.68	-29.99	76.78	337	<i>b57r</i>	
<i>m50o</i>	39.77	61.72	7.23	62.15	7	<i>b83r</i>	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -56 43

$LAB^*LCH^*_{Ma}$: 47 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -37 -3

$LAB^*LCH^*_{Ma}$: 52 37 184

$lab^*olv^*_{Ma}$: 0.0 1.0 0.5

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.42

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -26 -29

$LAB^*LCH^*_{Ma}$: 55 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 -1 -37

$LAB^*LCH^*_{Ma}$: 42 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 20 45 -53

$LAB^*LCH^*_{Ma}$: 20 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 57 -42

$LAB^*LCH^*_{Ma}$: 30 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.91 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	38.8	53.92	39.68	66.95	36	
Y _{Ma}	82.58	-4.64	98.22	98.33	93	
L _{Ma}	46.95	-56.34	43.46	71.15	142	
C _{Ma}	54.62	-26.2	-28.68	38.85	228	
V _{Ma}	20.01	45.2	-52.87	69.56	311	
M _{Ma}	40.88	70.68	-29.99	76.78	337	
N _{Ma}	15.0	0.0	0.0	0.0	0	
W _{Ma}	90.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 71 -30

$LAB^*LCH^*_{Ma}$: 41 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	38.8	53.92	39.68	66.95	36	r16j	
o25y	47.46	42.34	51.25	66.48	50	r37j	
o50y	56.54	30.2	63.39	70.22	65	r58j	
o75y	67.39	15.68	77.9	79.47	79	r79j	
y00l	82.58	-4.64	98.22	98.33	93	j01g	
y25l	70.85	-21.66	80.19	83.07	105	j18g	
y50l	61.91	-34.63	66.45	74.93	118	j36g	
y75l	54.24	-45.77	54.66	71.29	130	j53g	
l00c	46.95	-56.34	43.46	71.15	142	j71g	
l50c	51.91	-36.84	-3.21	36.98	185	g21b	
c00v	54.62	-26.2	-28.68	38.85	228	g60b	
c50v	42.22	-0.61	-37.35	37.36	269	g97b	
v00m	20.01	45.2	-52.87	69.56	311	b34r	
v50m	29.93	57.31	-42.0	71.05	324	b45r	
m00o	40.88	70.68	-29.99	76.78	337	b57r	
m50o	39.77	61.72	7.23	62.15	7	b83r	

$u^*_d = m00o$

$lab^*icu^*_e$

$lab^*icu^*_e$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	38.8	53.92	39.68	66.95	36
Y _{Ma}	82.58	-4.64	98.22	98.33	93
L _{Ma}	46.95	-56.34	43.46	71.15	142
C _{Ma}	54.62	-26.2	-28.68	38.85	228
V _{Ma}	20.01	45.2	-52.87	69.56	311
M _{Ma}	40.88	70.68	-29.99	76.78	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 62 7

$LAB^*LCH^*_{Ma}$: 40 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r



[illegible]

Input and output:
 Colorimetric Printer Reflective System FRS15_90a
 data for any colour:
 u^*_d and number *no.* = 00 .. 15
 device hue text:
 $u^*_d = 16$ hues *o00y*, *o25y*, ..., *m50o*
 contrast reduction factor:
 $c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
<i>o00y</i>	38.8	53.92	39.68	66.95	36	<i>r16j</i>
<i>o25y</i>	47.46	42.34	51.25	66.48	50	<i>r37j</i>
<i>o50y</i>	56.54	30.2	63.39	70.22	65	<i>r58j</i>
<i>o75y</i>	67.39	15.68	77.9	79.47	79	<i>r79j</i>
<i>y00l</i>	82.58	-4.64	98.22	98.33	93	<i>j01g</i>
<i>y25l</i>	70.85	-21.66	80.19	83.07	105	<i>j18g</i>
<i>y50l</i>	61.91	-34.63	66.45	74.93	118	<i>j36g</i>
<i>y75l</i>	54.24	-45.77	54.66	71.29	130	<i>j53g</i>
<i>l00c</i>	46.95	-56.34	43.46	71.15	142	<i>j71g</i>
<i>l50c</i>	51.91	-36.84	-3.21	36.98	185	<i>g21b</i>
<i>c00v</i>	54.62	-26.2	-28.68	38.85	228	<i>g60b</i>
<i>c50v</i>	42.22	-0.61	-37.35	37.36	269	<i>g97b</i>
<i>v00m</i>	20.01	45.2	-52.87	69.56	311	<i>b34r</i>
<i>v50m</i>	29.93	57.31	-42.0	71.05	324	<i>b45r</i>
<i>m00o</i>	40.88	70.68	-29.99	76.78	337	<i>b57r</i>
<i>m50o</i>	39.77	61.72	7.23	62.15	7	<i>b83r</i>



%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90; CIELAB data					
Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
O _{CIE}	39.92	58.74	27.99	65.07	25
Y _{CIE}	81.26	-2.89	71.56	71.62	92
L _{CIE}	52.23	-42.42	13.6	44.55	162
V _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	38.8	54.41	35.65	65.05	33	
Y_M	82.58	-4.04	92.72	92.8	92	
L_M	46.95	-55.83	39.15	68.19	145	
C_M	54.62	-25.67	-33.25	42.01	232	
V_M	20.01	45.64	-56.27	72.45	309	
M_M	40.88	71.17	-34.09	78.92	334	
N_M	15.0	0.43	-3.23	3.26	278	
W_M	90.0	0.62	-5.76	5.79	276	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 39 54 40

$LAB^*LCH^*_Ma$: 39 67 36

$lab^*olv^*_Ma$: 1.0 0.0 0.0

$lab^*rgb^*_Ma$: 1.0 0.16 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^*=0,00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data						
	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33	
Y_M	82.58	-4.04	92.72	92.8	92	
L_M	46.95	-55.83	39.15	68.19	145	
C_M	54.62	-25.67	-33.25	42.01	232	
V_M	20.01	45.64	-56.27	72.45	309	
M_M	40.88	71.17	-34.09	78.92	334	
N_M	15.0	0.43	-3.23	3.26	278	
W_M	90.0	0.62	-5.76	5.79	276	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 42 51

$LAB^*LCH^*_{Ma}$: 47 66 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36		$r16j$
$o25y$	47.46	42.34	51.25	66.48	50		$r37j$
$o50y$	56.54	30.2	63.39	70.22	65		$r58j$
$o75y$	67.39	15.68	77.9	79.47	79		$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93		$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105		$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118		$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130		$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142		$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185		$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228		$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269		$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311		$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324		$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337		$b57r$
$m50o$	39.77	61.72	7.23	62.15	7		$b83r$

LAB^*LAB^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.179$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	38.8	54.41	35.65	65.05	33	
Y_M	82.58	-4.04	92.72	92.8	92	
L_M	46.95	-55.83	39.15	68.19	145	
C_M	54.62	-25.67	-33.25	42.01	232	
V_M	20.01	45.64	-56.27	72.45	309	
M_M	40.88	71.17	-34.09	78.92	334	
N_M	15.0	0.43	-3.23	3.26	278	
W_M	90.0	0.62	-5.76	5.79	276	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 57 30 63

$LAB \cdot LCH^*_{Ma}$: 57 70 64

$lab \cdot olv^*_{Ma}$: 1.0 0.5 0.0

$lab \cdot rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$LAB \cdot LAB^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	38.8	54.41	35.65	65.05	33	
Y_M	82.58	-4.04	92.72	92.8	92	
L_M	46.95	-55.83	39.15	68.19	145	
C_M	54.62	-25.67	-33.25	42.01	232	
V_M	20.01	45.64	-56.27	72.45	309	
M_M	40.88	71.17	-34.09	78.92	334	
N_M	15.0	0.43	-3.23	3.26	278	
W_M	90.0	0.62	-5.76	5.79	276	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 67 16 78

$LAB^*LCH^*_Ma$: 67 79 78

$lab^*olv^*_Ma$: 1.0 0.75 0.0

$lab^*rgb^*_Ma$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	38.8	54.41	35.65	65.05	33	
Y_M	82.58	-4.04	92.72	92.8	92	
L_M	46.95	-55.83	39.15	68.19	145	
C_M	54.62	-25.67	-33.25	42.01	232	
V_M	20.01	45.64	-56.27	72.45	309	
M_M	40.88	71.17	-34.09	78.92	334	
N_M	15.0	0.43	-3.23	3.26	278	
W_M	90.0	0.62	-5.76	5.79	276	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 83 -5 98

$LAB^*LCH^*_{Ma}$: 83 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33	
Y_M	82.58	-4.04	92.72	92.8	92	
L_M	46.95	-55.83	39.15	68.19	145	
C_M	54.62	-25.67	-33.25	42.01	232	
V_M	20.01	45.64	-56.27	72.45	309	
M_M	40.88	71.17	-34.09	78.92	334	
N_M	15.0	0.43	-3.23	3.26	278	
W_M	90.0	0.62	-5.76	5.79	276	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 71 -22 80$

$LAB^*LCH^*_Ma: 71 83 105$

$lab^*olv^*_Ma: 0.75 1.0 0.0$

$lab^*rgb^*_Ma: 0.82 1.0 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.326$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 62 -35 66

$LAB \cdot LCH^*_{Ma}$: 62 75 117

$lab \cdot olv^*_{Ma}$: 0.5 1.0 0.0

$lab \cdot rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$LAB \cdot LAB^*$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -46 55

$LAB^*LCH^*_{Ma}$: 54 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.395$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33	
Y_M	82.58	-4.04	92.72	92.8	92	
L_M	46.95	-55.83	39.15	68.19	145	
C_M	54.62	-25.67	-33.25	42.01	232	
V_M	20.01	45.64	-56.27	72.45	309	
M_M	40.88	71.17	-34.09	78.92	334	
N_M	15.0	0.43	-3.23	3.26	278	
W_M	90.0	0.62	-5.76	5.79	276	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 47 -56 43

$LAB \cdot LCH^*_{Ma}$: 47 71 142

$lab \cdot olv^*_{Ma}$: 0.0 1.0 0.0

$lab \cdot rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	

$LAB \cdot LAB^*$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

brilliantness i^*

$i^* = 0,75$

$i^* = 0,50$

$i^* \pm 0,25$

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 52 -37 -3$

$LAB^*LCH^*_Ma: 52 37 184$

$lab^*olv^*_Ma: 0.0 1.0 0.5$

$lab^*rgb^*_Ma: 0.0 1.0 0.42$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

brilliantness i^*

$i^* = 0.75$

$i^* = 0.50$

$i^* \pm 0.25$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33	
Y_M	82.58	-4.04	92.72	92.8	92	
L_M	46.95	-55.83	39.15	68.19	145	
C_M	54.62	-25.67	-33.25	42.01	232	
V_M	20.01	45.64	-56.27	72.45	309	
M_M	40.88	71.17	-34.09	78.92	334	
N_M	15.0	0.43	-3.23	3.26	278	
W_M	90.0	0.62	-5.76	5.79	276	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -26 -29

$LAB^*LCH^*_{Ma}$: 55 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*



$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33	
Y_M	82.58	-4.04	92.72	92.8	92	
L_M	46.95	-55.83	39.15	68.19	145	
C_M	54.62	-25.67	-33.25	42.01	232	
V_M	20.01	45.64	-56.27	72.45	309	
M_M	40.88	71.17	-34.09	78.92	334	
N_M	15.0	0.43	-3.23	3.26	278	
W_M	90.0	0.62	-5.76	5.79	276	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 42 -1 -37$

$LAB^*LCH^*_Ma: 42 37 269$

$lab^*olv^*_Ma: 0.0 0.5 1.0$

$lab^*rgb^*_Ma: 0.0 0.05 1.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.863$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB^*_Ma$: 20 45 -53

$LAB \cdot LCH^*_Ma$: 20 70 310

$lab \cdot olv^*_Ma$: 0.0 0.0 1.0

$lab \cdot rgb^*_Ma$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$LAB \cdot LAB^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 30 57 -42

$LAB^*LCH^*_{Ma}$: 30 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.91 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$u^*_d = v50m$

LAB^*LAB^*

LAB^*LAB^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	38.8	54.41	35.65	65.05	33	
Y_M	82.58	-4.04	92.72	92.8	92	
L_M	46.95	-55.83	39.15	68.19	145	
C_M	54.62	-25.67	-33.25	42.01	232	
V_M	20.01	45.64	-56.27	72.45	309	
M_M	40.88	71.17	-34.09	78.92	334	
N_M	15.0	0.43	-3.23	3.26	278	
W_M	90.0	0.62	-5.76	5.79	276	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 41 71 -30

$LAB^*LCH^*_{Ma}$: 41 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 62 7

$LAB^*LCH^*_{Ma}$: 40 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*LAB^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*


relative chroma c^*

$i^* = 0.00$

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
01	15.0	19.0	23.0	27.0	31.0	35.0	39.0	43.0	47.0	51.0	55.0	59.0	63.0	67.0	71.0	75.0	79.0	83.0	87.0	91.0	95.0	99.0	103.0	107.0	111.0	115.0	119.0	123.0	127.0	131.0	135.0	139.0	143.0	147.0	151.0	155.0	159.0	163.0	167.0	171.0	175.0	179.0	183.0	187.0	191.0	195.0	199.0	203.0	207.0	211.0	215.0	219.0	223.0	227.0	231.0	235.0	239.0	243.0	247.0	251.0	255.0	259.0	263.0	267.0	271.0	275.0	279.0	283.0	287.0	291.0	295.0	299.0	303.0	307.0	311.0	315.0	319.0	323.0	327.0	331.0	335.0	339.0	343.0	347.0	351.0	355.0	359.0	363.0	367.0	371.0	375.0	379.0	383.0	387.0	391.0	395.0	399.0	403.0	407.0	411.0	415.0	419.0	423.0	427.0	431.0	435.0	439.0	443.0	447.0	451.0	455.0	459.0	463.0	467.0	471.0	475.0	479.0	483.0	487.0	491.0	495.0	499.0	503.0	507.0	511.0	515.0	519.0	523.0	527.0	531.0	535.0	539.0	543.0	547.0	551.0	555.0	559.0	563.0	567.0	571.0	575.0	579.0	583.0	587.0	591.0	595.0	599.0	603.0	607.0	611.0	615.0	619.0	623.0	627.0	631.0	635.0	639.0	643.0	647.0	651.0	655.0	659.0	663.0	667.0	671.0	675.0	679.0	683.0	687.0	691.0	695.0	699.0	703.0	707.0	711.0	715.0	719.0	723.0	727.0	731.0	735.0	739.0	743.0	747.0	751.0	755.0	759.0	763.0	767.0	771.0	775.0	779.0	783.0	787.0	791.0	795.0	799.0	803.0	807.0	811.0	815.0	819.0	823.0	827.0	831.0	835.0	839.0	843.0	847.0	851.0	855.0	859.0	863.0	867.0	871.0	875.0	879.0	883.0	887.0	891.0	895.0	899.0	903.0	907.0	911.0	915.0	919.0	923.0	927.0	931.0	935.0	939.0	943.0	947.0	951.0	955.0	959.0	963.0	967.0	971.0	975.0	979.0	983.0	987.0	991.0	995.0	999.0	1003.0	1007.0	1011.0	1015.0	1019.0	1023.0	1027.0	1031.0	1035.0	1039.0	1043.0	1047.0	1051.0	1055.0	1059.0	1063.0	1067.0	1071.0	1075.0	1079.0	1083.0	1087.0	1091.0	1095.0	1099.0	1103.0	1107.0	1111.0	1115.0	1119.0	1123.0	1127.0	1131.0	1135.0	1139.0	1143.0	1147.0	1151.0	1155.0	1159.0	1163.0	1167.0	1171.0	1175.0	1179.0	1183.0	1187.0	1191.0	1195.0	1199.0	1203.0	1207.0	1211.0	1215.0	1219.0	1223.0	1227.0	1231.0	1235.0	1239.0	1243.0	1247.0	1251.0	1255.0	1259.0	1263.0	1267.0	1271.0	1275.0	1279.0	1283.0	1287.0	1291.0	1295.0	1299.0	1303.0	1307.0	1311.0	1315.0	1319.0	1323.0	1327.0	1331.0	1335.0	1339.0	1343.0	1347.0	1351.0	1355.0	1359.0	1363.0	1367.0	1371.0	1375.0	1379.0	1383.0	1387.0	1391.0	1395.0	1399.0	1403.0	1407.0	1411.0	1415.0	1419.0	1423.0	1427.0	1431.0	1435.0	1439.0	1443.0	1447.0	1451.0	1455.0	1459.0	1463.0	1467.0	1471.0	1475.0	1479.0	1483.0	1487.0	1491.0	1495.0	1499.0	1503.0	1507.0	1511.0	1515.0	1519.0	1523.0	1527.0	1531.0	1535.0	1539.0	1543.0	1547.0	1551.0	1555.0	1559.0	1563.0	1567.0	1571.0	1575.0	1579.0	1583.0	1587.0	1591.0	1595.0	1599.0	1603.0	1607.0	1611.0	1615.0	1619.0	1623.0	1627.0	1631.0	1635.0	1639.0	1643.0	1647.0	1651.0	1655.0	1659.0	1663.0	1667.0	1671.0	1675.0	1679.0	1683.0	1687.0	1691.0	1695.0	1699.0	1703.0	1707.0	1711.0	1715.0	1719.0	1723.0	1727.0	1731.0	1735.0	1739.0	1743.0	1747.0	1751.0	1755.0	1759.0	1763.0	1767.0	1771.0	1775.0	1779.0	1783.0	1787.0	1791.0	1795.0	1799.0	1803.0	1807.0	1811.0	1815.0	1819.0	1823.0	1827.0	1831.0	1835.0	1839.0	1843.0	1847.0	1851.0	1855.0	1859.0	1863.0	1867.0	1871.0	1875.0	1879.0	1883.0	1887.0	1891.0	1895.0	1899.0	1903.0	1907.0	1911.0	1915.0	1919.0	1923.0	1927.0	1931.0	1935.0	1939.0	1943.0	1947.0	1951.0	1955.0	1959.0	1963.0	1967.0	1971.0	1975.0	1979.0	1983.0	1987.0	1991.0	1995.0	1999.0	2003.0	2007.0	2011.0	2015.0	2019.0	2023.0	2027.0	2031.0	2035.0	2039.0	2043.0	2047.0	2051.0	2055.0	2059.0	2063.0	2067.0	2071.0	2075.0	2079.0	2083.0	2087.0	2091.0	2095.0	2099.0	2103.0	2107.0	2111.0	2115.0	2119.0	2123.0	2127.0	2131.0	2135.0	2139.0	2143.0	2147.0	2151.0	2155.0	2159.0	2163.0	2167.0	2171.0	2175.0	2179.0	2183.0	2187.0	2191.0	2195.0	2199.0	2203.0	2207.0	2211.0	2215.0	2219.0	2223.0	2227.0	2231.0	2235.0	2239.0	2243.0	2247.0	2251.0	2255.0	2259.0	2263.0	2267.0	2271.0	2275.0	2279.0	2283.0	2287.0	2291.0	2295.0	2299.0	2303.0	2307.0	2311.0	2315.0	2319.0	2323.0	2327.0	2331.0	2335.0	2339.0	2343.0	2347.0	2351.0	2355.0	2359.0	2363.0	2367.0	2371.0	2375.0	2379.0	2383.0	2387.0	2391.0	2395.0	2399.0	2403.0	2407.0	2411.0	2415.0	2419.0	2423.0	2427.0	2431.0	2435.0	2439.0	2443.0	2447.0	2451.0	2455.0	2459.0	2463.0	2467.0	2471.0	2475.0	2479.0	2483.0	2487.0	2491.0	2495.0	2499.0	2503.0	2507.0	2511.0	2515.0	2519.0	2523.0	2527.0	2531.0	2535.0	2539.0	2543.0	2547.0	2551.0	2555.0	2559.0	2563.0	2567.0	2571.0	2575.0	2579.0	2583.0	2587.0	2591.0	2595.0	2599.0	2603.0	2607.0	2611.0	2615.0	2619.0	2623.0	2627.0	2631.0	2635.0	2639.0	2643.0	2647.0	2651.0	2655.0	2659.0	2663.0	2667.0	2671.0	2675.0	2679.0	2683.0	2687.0	2691.0	2695.0	2699.0	2703.0	2707.0	2711.0	2715.0	2719.0	2723.0	2727.0	2731.0	2735.0	2739.0	2743.0	2747.0	2751.0	2755.0	2759.0	2763.0	2767.0	2771.0	2775.0	2779.0	2783.0	2787.0	2791.0	2795.0	2799.0	2803.0	2807.0	2811.0	2815.0	2819.0	2823.0	2827.0	2831.0	2835.0	2839.0	2843.0	2847.0	2851.0	2855.0	2859.0	2863.0	2867.0	2871.0	2875.0	2879.0	2883.0	2887.0	2891.0	2895.0	2899.0	2903.0	2907.0	2911.0	2915.0	2919.0	2923.0	2927.0	2931.0	2935.0	2939.0	2943.0	2947.0	2951.0	2955.0	2959.0	2963.0	2967.0	2971.0	2975.0	2979.0	2983.0	2987.0	2991.0	2995.0	2999.0	3003.0	3007.0	3011.0	3015.0	3019.0	3023.0	3027.0	3031.0	3035.0	3039.0	3043.0	3047.0	3051.0	3055.0	3059.0	3063.0	3067.0	3071.0	3075.0	3079.0	3083.0	3087.0	3091.0	3095.0	3099.0	3103.0	3107.0	3111.0	3115.0	3119.0	3123.0	3127.0	3131.0	3135.0	3139.0	3143.0	3147.0	3151.0	3155.0	3159.0	3163.0	3167.0	3171.0	3175.0	3179.0	3183.0	3187.0	3191.0	3195.0	3199.0	3203.0	3207.0	3211.0	3215.0	3219.0	3223.0	3227.0	3231.0	3235.0	3239.0	3243.0	3247.0	3251.0	3255.0	3259.0	3263.0	3267.0	3271.0	3275.0	3279.0	3283.0	3287.0	3291.0	3295.0	3299.0	3303.0	3307.0	3311.0	3315.0	3319.0	3323.0	3327.0	3331.0	3335.0	3339.0	3343.0	3347.0	3351.0	3355.0	3359.0	3363.0	3367.0	3371.0	3375.0	3379.0	3383.0	3387.0	3391.0	3395.0	3399.0	3403.0	3407.0	3411.0	3415.0	3419.0	3423.0	3427.0	3431.0	3435.0	3439.0	3443.0	3447.0	3451.0	3455.0	3459.0	3463.0	3467.0	3471.0	3475.0	3479.0	3483.0	3487.0	3491.0	3495.0	3499.0	3503.0	3507.0	3511.0	3515.0	3519.0	3523.0	3527.0	3531.0	3535.0	3539.0	3543.0	3547.0	3551.0	3555.0	3559.0	3563.0	3567.0	3571.0	3575.0	3579.0	3583.0	3587.0	3591.0	3595.0	3599.0	3603.0	3607.0	3611.0	3615.0	3619.0	3623.0	3627.0	3631.0	3635.0	3639.0	3643.0	3647.0	3651.0	3655.0	3659.0	3663.0	3667.0	3671.0	3675.0	3679.0	3683.0	3687.0	3691.0	3695.0	3699.0	3703.0	3707.0	3711.0	3715.0	3719.0	3723.0	3727.0	3731.0	3735.0	3739.0	3743.0	3747.0	3751.0	3755.0	3759.0	3763.0	3767.0	3771.0	3775.0	3779.0	3783.0	3787.0	3791.0	3795.0	3799.0	3803.0	3807.0	3811.0	3815.0	3819.0	3823.0	3827.0	3831.0	3835.0	3839.0	3843.0	3847.0	3851.0	3855.0	3859.0	3863.0	3867.0	3871.0	3875.0	3879.0	3883.0	3887.0	3891.0	3895.0	3899.0	3903.0	3907.0	3911.0	3915.0	3919.0	3923.0	3927.0	3931.0	3935.0	3939.0	3943.0	3947.0	3951.0	3955.0	3959.0	3963.0	3967.0	3971.0	3975.0	3979.0	3983.0	3987.0	3991.0	3995.0	3999.0	4003.0	4007.0	4011.0	4015.0	4019.0	4023.0	4027.0	4031.0	4035.0	4039.0	4043.0	4047.0	4051.0	4055.0	4059.0	4063.0	4067.0	4071.0	4075.0	4079.0	4083.0	4087.0	4091.0	4095.0	4099.0	4103.0	4107.0	4111.0	4115.0	4119.0	4123.0	4127.0	4131.0	4135.0	4139.0	4143.0	4147.0	4151.0	4155.0	4159.0	4163.0	4167.0	4171.0	4175.0	4179.0	4183.0	4187.0	4191.0	4195.0	4199.0	4203.0	4207.0	4211.0	4215.0	4219.0	4223.0	4227.0	4231.0	4235.0	4239.0	4243.0	4247.0	4251.0	4255.0	4259.0	4263.0	4267.0	4271.0	4275.0	4279.0	4283.0	4287.0	4291.0	4295.0	4299.0	4303.0	4307.0	4311.0	4315.0	4319.0	4323.0	4327.0	4331.0	4335.0	4339.0	4343.0	4347.0	4351.0	4355.0	4359.0	4363.0	4367.0	4371.0	4375.0	4379.0	4383.0	4387.0	4391.0	4395.0	4399.0	4403.0	4407.0	4411.0	4415.0	4419.0	4423.0	4427.0	4431.0	4435.0	4439.0	4443.0	4447.0	4451.0	4455.0	4459.0	4463.0	4467.0	4471.0	4475.0	4479.0	4483.0	4487.0	4491.0	4495.0	4499.0	4503.0	4507.0	4511.0	4515.0	4519.0	4523.0	4


Input and output:
Colorimetric Printer Reflective System FRS15_90a
data for any colour:
 u^*_d and number $no.$ = 00 .. 15
device hue text:
 $u^*_d = 16$ hues $o00y, o25y, \dots, m50o$
contrast reduction factor:
 $c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS15_90a; CIELAB data					
Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_{CIE}	39.92	58.74	27.99	65.07	25
Y_{CIE}	81.26	-2.89	71.56	71.62	92
L_{CIE}	52.23	-42.42	13.6	44.55	162
V_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 54 40

$LAB^*LCH^*_{Ma}$: 39 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*	b^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$

$i^* = 0.50$

$i^* = 0.75$

$i^* = 1.00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.14$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 47 42 51

$LAB \cdot LCH \cdot Ma$: 47 66 50

$lab \cdot olv \cdot Ma$: 1.0 0.25 0.0

$lab \cdot rgb \cdot Ma$: 1.0 0.37 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$lab \cdot olv \cdot Ma$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 57 \ 30 \ 63$

$LAB^*LCH^*_{Ma}: 57 \ 70 \ 64$

$lab^*olv^*_{Ma}: 1.0 \ 0.5 \ 0.0$

$lab^*rgb^*_{Ma}: 1.0 \ 0.58 \ 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 16 78

$LAB^*LCH^*_{Ma}$: 67 79 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.258$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 83 -5 98

$LAB \cdot LCH^*_{Ma}$: 83 98 92

$lab \cdot olv^*_{Ma}$: 1.0 1.0 0.0

$lab \cdot rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$lab \cdot olv^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -22 80

$LAB^*LCH^*_{Ma}$: 71 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$u^*_d = y25l$
 lab^*olv^*

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.326$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma$: 62 -35 66

$LAB \cdot LCH \cdot Ma$: 62 75 117

$lab \cdot olv \cdot Ma$: 0.5 1.0 0.0

$lab \cdot rgb \cdot Ma$: 0.64 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$lab \cdot olv \cdot Ma$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

brilliantness i^*

$i^* = 0.50$

$i^* = 0.75$

$i^* = 1.00$

$i^* \pm 0.25$

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -46 55

$LAB^*LCH^*_{Ma}$: 54 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -56 43

$LAB^*LCH^*_{Ma}$: 47 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.514$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}: 52 -37 -3$

$LAB \cdot LCH^*_{Ma}: 52 37 184$

$lab \cdot olv^*_{Ma}: 0.0 1.0 0.5$

$lab \cdot rgb^*_{Ma}: 0.0 1.0 0.42$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$lab \cdot olv^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -26 -29

$LAB^*LCH^*_{Ma}$: 55 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 -1 -37

$LAB^*LCH^*_{Ma}$: 42 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$lab^*olv^*_{Ma}$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.863$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 20 45 -53

$LAB \cdot LCH^*_{Ma}$: 20 70 310

$lab \cdot olv^*_{Ma}$: 0.0 0.0 1.0

$lab \cdot rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$u^*_d = v00m$

$lab \cdot olv^*$

$lab \cdot olv^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.899$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 30 \ 57 \ -42$

$LAB \cdot LCH \cdot Ma: 30 \ 71 \ 323$

$lab \cdot olv \cdot Ma: 0.5 \ 0.0 \ 1.0$

$lab \cdot rgb \cdot Ma: 0.91 \ 0.0 \ 1.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$u^*_d = v50m$

$lab \cdot olv \cdot v^*$

$lab \cdot olv \cdot v^*$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 0.936$

data for any colour:

$lab \cdot tch^*$ and $lab \cdot icu^*$


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB \cdot Ma: 41 \ 71 \ -30$

$LAB \cdot LCH \cdot Ma: 41 \ 77 \ 337$

$lab \cdot olv \cdot Ma: 1.0 \ 0.0 \ 1.0$

$lab \cdot rgb \cdot Ma: 1.0 \ 0.0 \ 0.85$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$u^*_d = m00o$

$lab \cdot olv \cdot Ma$

$lab \cdot olv \cdot Ma$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 40 \ 62 \ 7$

$LAB^*LCH^*_{Ma}: 40 \ 62 \ 6$

$lab^*olv^*_{Ma}: 1.0 \ 0.0 \ 0.5$

$lab^*rgb^*_{Ma}: 1.0 \ 0.0 \ 0.33$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$u^*_d = m50o$

lab^*olv^*

lab^*olv^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*


relative chroma c^*

$i^* = 0.00$

Ee410-7A, Page 252/270


Input and output:
Colorimetric Printer Reflective System FRS15_90a
data for any colour:
 u^*_d and number $no.$ = 00 .. 15
device hue text:
 $u^*_d = 16$ hues $o00y, o25y, \dots, m50o$
contrast reduction factor:
 $c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$	
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$	
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$	
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$	
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$	
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$	
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$	
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$	
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$	
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$	
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$	
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$	
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$	
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$	
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$	
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$	



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 40$

FRS15_90a; CIELAB data					
Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_{CIE}	39.92	58.74	27.99	65.07	25
Y_{CIE}	81.26	-2.89	71.56	71.62	92
L_{CIE}	52.23	-42.42	13.6	44.55	162
V_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 39 54 40

$LAB^*LCH^*_{Ma}$: 39 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$u^*_d = o00y$

LAB^*cmyn^*

LAB^*cmyn^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 42 51

$LAB^*LCH^*_{Ma}$: 47 66 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 57 30 63

$LAB^*LCH^*_{Ma}$: 57 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 16 78

$LAB^*LCH^*_{Ma}$: 67 79 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 83 -5 98$

$LAB^*LCH^*_{Ma}: 83 98 92$

$lab^*olv^*_{Ma}: 1.0 1.0 0.0$

$lab^*rgb^*_{Ma}: 0.99 1.0 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$

0.50

0.75

1.00

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 71 -22 80

$LAB^*LCH^*_{Ma}$: 71 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 -35 66

$LAB^*LCH^*_{Ma}$: 62 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$
0.25

$i^* = 0.50$

$i^* = 0.75$

$i^* = 1.00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 54 -46 55

$LAB^*LCH^*_{Ma}$: 54 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -56 43

$LAB^*LCH^*_{Ma}$: 47 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	38.8	54.41	35.65	65.05	33
Y _M	82.58	-4.04	92.72	92.8	92
L _M	46.95	-55.83	39.15	68.19	145
C _M	54.62	-25.67	-33.25	42.01	232
V _M	20.01	45.64	-56.27	72.45	309
M _M	40.88	71.17	-34.09	78.92	334
N _M	15.0	0.43	-3.23	3.26	278
W _M	90.0	0.62	-5.76	5.79	276
O _M	39.92	58.74	27.99	65.07	25
Y _M	81.26	-2.89	71.56	71.62	92
L _M	52.23	-42.42	13.6	44.55	162
V _M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -37 -3

$LAB^*LCH^*_{Ma}$: 52 37 184

$lab^*olv^*_{Ma}$: 0.0 1.0 0.5

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.42

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	38.8	53.92	39.68	66.95	36	r16j
o25y	47.46	42.34	51.25	66.48	50	r37j
o50y	56.54	30.2	63.39	70.22	65	r58j
o75y	67.39	15.68	77.9	79.47	79	r79j
y00l	82.58	-4.64	98.22	98.33	93	j01g
y25l	70.85	-21.66	80.19	83.07	105	j18g
y50l	61.91	-34.63	66.45	74.93	118	j36g
y75l	54.24	-45.77	54.66	71.29	130	j53g
l00c	46.95	-56.34	43.46	71.15	142	j71g
l50c	51.91	-36.84	-3.21	36.98	185	g21b
c00v	54.62	-26.2	-28.68	38.85	228	g60b
c50v	42.22	-0.61	-37.35	37.36	269	g97b
v00m	20.01	45.2	-52.87	69.56	311	b34r
v50m	29.93	57.31	-42.0	71.05	324	b45r
m00o	40.88	70.68	-29.99	76.78	337	b57r
m50o	39.77	61.72	7.23	62.15	7	b83r

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 55 -26 -29

$LAB^*LCH^*_{Ma}$: 55 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*cmyn^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

brilliantness i^*

$i^*=0,75$

$i^*=0,50$

$i^* \pm 0,25$

$i^*=0,00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 42 -1 -37

$LAB^*LCH^*_{Ma}$: 42 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*cmyn^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

1,00

0,75

0,50

0,25

0,00

0.0
0.0
0.0
0.0

0.25
0.13
0.0
0.0

0.5
0.25
0.0
0.0

0.75
0.38
0.0
0.0

1.0
0.5
0.0
0.0

$i^* = 0,75$

1.0
0.88
0.75
0.0

$i^* \pm 0,25$
0,25

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 20 45 -53

$LAB^*LCH^*_{Ma}$: 20 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

$i^* \pm 0.25$

0.50

0.75

1.00

0.00

0.20

0.40

0.60

0.80

1.00

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33	
Y_M	82.58	-4.04	92.72	92.8	92	
L_M	46.95	-55.83	39.15	68.19	145	
C_M	54.62	-25.67	-33.25	42.01	232	
V_M	20.01	45.64	-56.27	72.45	309	
M_M	40.88	71.17	-34.09	78.92	334	
N_M	15.0	0.43	-3.23	3.26	278	
W_M	90.0	0.62	-5.76	5.79	276	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 30 \ 57 \ -42$

$LAB^*LCH^*_{Ma}: 30 \ 71 \ 323$

$lab^*olv^*_{Ma}: 0.5 \ 0.0 \ 1.0$

$lab^*rgb^*_{Ma}: 0.91 \ 0.0 \ 1.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$


FRS15_90a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36		$r16j$
$o25y$	47.46	42.34	51.25	66.48	50		$r37j$
$o50y$	56.54	30.2	63.39	70.22	65		$r58j$
$o75y$	67.39	15.68	77.9	79.47	79		$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93		$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105		$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118		$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130		$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142		$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185		$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228		$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269		$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311		$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324		$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337		$b57r$
$m50o$	39.77	61.72	7.23	62.15	7		$b83r$

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 41 \ 71 \ -30$

$LAB^*LCH^*_{Ma}: 41 \ 77 \ 337$

$lab^*olv^*_{Ma}: 1.0 \ 0.0 \ 1.0$

$lab^*rgb^*_{Ma}: 1.0 \ 0.0 \ 0.85$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	38.8	54.41	35.65	65.05	33
Y_M	82.58	-4.04	92.72	92.8	92
L_M	46.95	-55.83	39.15	68.19	145
C_M	54.62	-25.67	-33.25	42.01	232
V_M	20.01	45.64	-56.27	72.45	309
M_M	40.88	71.17	-34.09	78.92	334
N_M	15.0	0.43	-3.23	3.26	278
W_M	90.0	0.62	-5.76	5.79	276
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 40 62 7

$LAB^*LCH^*_{Ma}$: 40 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	38.8	53.92	39.68	66.95	36	$r16j$
$o25y$	47.46	42.34	51.25	66.48	50	$r37j$
$o50y$	56.54	30.2	63.39	70.22	65	$r58j$
$o75y$	67.39	15.68	77.9	79.47	79	$r79j$
$y00l$	82.58	-4.64	98.22	98.33	93	$j01g$
$y25l$	70.85	-21.66	80.19	83.07	105	$j18g$
$y50l$	61.91	-34.63	66.45	74.93	118	$j36g$
$y75l$	54.24	-45.77	54.66	71.29	130	$j53g$
$l00c$	46.95	-56.34	43.46	71.15	142	$j71g$
$l50c$	51.91	-36.84	-3.21	36.98	185	$g21b$
$c00v$	54.62	-26.2	-28.68	38.85	228	$g60b$
$c50v$	42.22	-0.61	-37.35	37.36	269	$g97b$
$v00m$	20.01	45.2	-52.87	69.56	311	$b34r$
$v50m$	29.93	57.31	-42.0	71.05	324	$b45r$
$m00o$	40.88	70.68	-29.99	76.78	337	$b57r$
$m50o$	39.77	61.72	7.23	62.15	7	$b83r$

LAB^*cmyn^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*cmyn**
01	000																																					