

Input and output:
Colorimetric Printer Reflective System FRS15_90a
data for any colour:

u^*_d and number $no.$ = 00 .. 15


device hue text:

u^*_d = 16 hues 000y, 025y, ..., m50o

contrast reduction factor:

$c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data									
u^*_d	$L^*=L^*_{a,a}$	$a^*_{a,a}$	$b^*_{a,a}$	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	r	g	b
000y	38.8	53.92	39.68	66.95	36	r16j			
025y	47.46	42.34	51.25	66.48	50	r37j			
050y	56.54	30.2	63.39	70.22	65	r58j			
075y	67.39	15.68	77.9	79.47	79	r79j			
100c	82.58	-4.64	98.22	98.33	93	j01g			
y25l	70.85	-21.66	80.19	83.07	105	j18g			
y50l	61.91	-34.63	66.45	74.93	118	j36g			
y75l	54.24	-45.77	54.66	71.29	130	j53g			
100c	46.95	-56.34	43.46	71.15	142	j71g			
l50c	51.91	-36.84	-3.21	36.98	185	g21b			
c00v	54.62	-26.2	-28.68	38.85	228	g60b			
c50v	42.22	-0.61	-37.35	37.36	269	g97b			
v00m	20.01	45.2	-52.87	69.56	311	b34r			
v50m	29.93	57.31	-42.0	71.05	324	b45r			
m00o	40.88	70.68	-29.99	76.78	337	b57r			
m50o	39.77	61.72	7.23	62.15	7	b83r			



% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data									
Name	$L^*=L^*_{a,a}$	$a^*_{a,a}$	$b^*_{a,a}$	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	r	g	b
0Ma	38.8	53.92	39.68	66.95	36				
YMa	82.58	-4.64	98.22	98.33	93				
LMa	46.95	-56.34	43.46	71.15	142				
CMa	54.62	-26.2	-28.68	38.85	228				
VMa	20.01	45.2	-52.87	69.56	311				
MMa	40.88	70.68	-29.99	76.78	337				
NMa	15.0	0.0	0.0	0.0	0				
WMa	90.0	0.0	0.0	0.0	0				
OCie	39.92	58.74	27.99	65.07	25				
YCie	81.26	-2.89	71.56	71.62	92				
LCie	52.23	-42.42	13.6	44.55	162				
VCie	30.57	1.41	-46.47	46.49	272				

