





See for similar files: <http://www.ps.bam.de/Ee46/>; www.ps.bam.de/Version2.1,io=1,1,Colspx=0



BAM registration: 20080901-Ee46/10L/L46E00NA.PS/.TXT
application for evaluation and measurement of printer or monitor systems



www.ps.bam.de/Ee46/10L/L46E00NA.PS/.TXT; FRS09_92aM; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)



BAM-test chart Ee46; Colorimetric systems, Page 1/5
D65: colour scales and 3 separations for 16 hues $o00y$ to $y75l$

input: 000n / w / nnn0 / www set..
output: no change compared to input

BAM material: code=rha4ta




```
input: 000n / w / nnn0 / www set...
output: ->cmy0* setcmykcolor
```

See for similar files: <http://www.ps.bam.de/Ee46/>; www.ps.bam.de/Ee46/Version_2.1_io=1.1_ColSpx=0

www.ps.bam.de/Ee46/10L/L46E00NA.PS/.TXT; FRS09_92aM; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: cmy

BAM registration: 20080901-Ee46/10L/L46E00NA.PS/.TXT
application for evaluation and measurement of printer or monitor systems
BAM material: code=rh4ta

Input and output:
Colorimetric Printer Reflective System FRS09_92aM
data for any colour:
u* = 000, v* = 000, w* = 000
device hue test:
u* = 16 hues 000y, 025y, ..., m50b
contrast reduction factor:
c₀ = 1.0

FRS09_92aM, aligned (a) CIE LAB data
Data for maximum colour (Ma):
LAB*/LAB*Ma: 55 74 36
LAB*/CH*/Ma: 1.0 0.5 0.0
triangle lightness *
triangle chroma *
triangle hue *
%Gamut
%Regularity
%Density
%Contrast

FRS09_92aM, aligned (a) CIE LAB data
Data for maximum colour (Ma):
LAB*/LAB*Ma: 55 74 36
LAB*/CH*/Ma: 1.0 0.5 0.0
triangle lightness *
triangle chroma *
triangle hue *
%Gamut
%Regularity
%Density
%Contrast

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIE LAB hue h* = lab*/h* = h₀₀/360 = 0.101
data for any colour:
lab*/h* and lab*/c*
contrast reduction factor:
c₀ = 1.0
triangle lightness *
triangle chroma *
triangle hue *



























FRS09_92aM, aligned (a) CIE LAB data
Data for maximum colour (Ma):
LAB*/LAB*Ma: 55 74 36
LAB*/CH*/Ma: 1.0 0.5 0.0
triangle lightness *
triangle chroma *
triangle hue *
%Gamut
%Regularity
%Density
%Contrast

FRS09_92aM, aligned (a) CIE LAB data
Data for maximum colour (Ma):
LAB*/LAB*Ma: 55 74 36
LAB*/CH*/Ma: 1.0 0.5 0.0
triangle lightness *
triangle chroma *
triangle hue *
%Gamut
%Regularity
%Density
%Contrast

Input and output: Colorimetric Printer Reflective System FRS09_92aM for relative CIE LAB hue h* = lab*/h* = h₀₀/360 = 0.14
data for any colour:
lab*/h* and lab*/c*
contrast reduction factor:
c₀ = 1.0
triangle lightness *
triangle chroma *
triangle hue *

FRS09_92aM, aligned (a) CIE LAB data
Data for maximum colour (Ma):
LAB*/LAB*Ma: 55 74 36
LAB*/CH*/Ma: 1.0 0.5 0.0
triangle lightness *
triangle chroma *
triangle hue *
%Gamut
%Regularity
%Density
%Contrast

FRS09_92aM, aligned (a) CIE LAB data
Data for maximum colour (Ma):
LAB*/LAB*Ma: 55 74 36
LAB*/CH*/Ma: 1.0 0.5 0.0
triangle lightness *
triangle chroma *
triangle hue *
%Gamut
%Regularity
%Density
%Contrast



BAM-test chart Ee46; Colorimetric systems, Page 5/5
D65: colour scales and 3 separations for 16 hues 000y to y75l

input: 000n / w / nnn0 / www set...
output: ->cmy0* setcmykcolor