

Input and output:
Colorimetric Printer Reflective System FR509_92a
data for any colour:
 $u^*_0 = 000$ $v^*_0 = 000$ $w^*_0 = 100$
device hue text:
 $u^*_0 = 16$ hues u^*_0 to $u^*_0 = 15$
contrast reduction factor:
 $c_R = 1.0$

FR509_92a; adapted (a) CIE LAB data

L^*	a^*	b^*	C_{90}	H_{90}	M_{90}
35.06	60.0	44.0	74.4	36	110
40.0	48.0	47.0	78.0	50	107
45.0	35.0	50.0	74.0	64	104
50.0	22.0	53.0	70.0	78	101
55.0	10.0	56.0	66.0	92	98
60.0	-0.0	58.0	62.0	106	95
65.0	-10.0	59.0	58.0	120	92
70.0	-20.0	59.0	54.0	134	89
75.0	-30.0	58.0	50.0	148	86
80.0	-40.0	56.0	46.0	162	83
85.0	-50.0	53.0	42.0	176	80
90.0	-60.0	49.0	38.0	190	77
95.0	-70.0	45.0	34.0	204	74
100.0	-80.0	41.0	30.0	218	71
105.0	-90.0	37.0	26.0	232	68
110.0	-100.0	33.0	22.0	246	65
115.0	-110.0	29.0	18.0	260	62
120.0	-120.0	25.0	14.0	274	59
125.0	-130.0	21.0	10.0	288	56
130.0	-140.0	17.0	6.0	302	53
135.0	-150.0	13.0	2.0	316	50
140.0	-160.0	9.0	-2.0	330	47
145.0	-170.0	5.0	-6.0	344	44
150.0	-180.0	1.0	-10.0	358	41

FR509_92a; adapted (a) CIE LAB data

L^*	a^*	b^*	C_{90}	H_{90}	M_{90}
35.06	60.0	44.0	74.4	36	110
40.0	48.0	47.0	78.0	50	107
45.0	35.0	50.0	74.0	64	104
50.0	22.0	53.0	70.0	78	101
55.0	10.0	56.0	66.0	92	98
60.0	-0.0	58.0	62.0	106	95
65.0	-10.0	59.0	58.0	120	92
70.0	-20.0	59.0	54.0	134	89
75.0	-30.0	58.0	50.0	148	86
80.0	-40.0	56.0	46.0	162	83
85.0	-50.0	53.0	42.0	176	80
90.0	-60.0	49.0	38.0	190	77
95.0	-70.0	45.0	34.0	204	74
100.0	-80.0	41.0	30.0	218	71
105.0	-90.0	37.0	26.0	232	68
110.0	-100.0	33.0	22.0	246	65
115.0	-110.0	29.0	18.0	260	62
120.0	-120.0	25.0	14.0	274	59
125.0	-130.0	21.0	10.0	288	56
130.0	-140.0	17.0	6.0	302	53
135.0	-150.0	13.0	2.0	316	50
140.0	-160.0	9.0	-2.0	330	47
145.0	-170.0	5.0	-6.0	344	44
150.0	-180.0	1.0	-10.0	358	41

Input and output:
Colorimetric Printer Reflective System FR509_92a for relative CIE LAB hue $h^* = \text{lab}^*h^*$ $h^*/360 = 0.101$
data for any colour:
 $u^*_0 = 000$ $v^*_0 = 000$ $w^*_0 = 100$
device hue text:
 $u^*_0 = 16$ hues u^*_0 to $u^*_0 = 15$
contrast reduction factor:
 $c_R = 1.0$

FR509_92a; adapted (a) CIE LAB data

L^*	a^*	b^*	C_{90}	H_{90}	M_{90}
35.06	60.0	44.0	74.4	36	110
40.0	48.0	47.0	78.0	50	107
45.0	35.0	50.0	74.0	64	104
50.0	22.0	53.0	70.0	78	101
55.0	10.0	56.0	66.0	92	98
60.0	-0.0	58.0	62.0	106	95
65.0	-10.0	59.0	58.0	120	92
70.0	-20.0	59.0	54.0	134	89
75.0	-30.0	58.0	50.0	148	86
80.0	-40.0	56.0	46.0	162	83
85.0	-50.0	53.0	42.0	176	80
90.0	-60.0	49.0	38.0	190	77
95.0	-70.0	45.0	34.0	204	74
100.0	-80.0	41.0	30.0	218	71
105.0	-90.0	37.0	26.0	232	68
110.0	-100.0	33.0	22.0	246	65
115.0	-110.0	29.0	18.0	260	62
120.0	-120.0	25.0	14.0	274	59
125.0	-130.0	21.0	10.0	288	56
130.0	-140.0	17.0	6.0	302	53
135.0	-150.0	13.0	2.0	316	50
140.0	-160.0	9.0	-2.0	330	47
145.0	-170.0	5.0	-6.0	344	44
150.0	-180.0	1.0	-10.0	358	41

FR509_92a; adapted (a) CIE LAB data

L^*	a^*	b^*	C_{90}	H_{90}	M_{90}
35.06	60.0	44.0	74.4	36	110
40.0	48.0	47.0	78.0	50	107
45.0	35.0	50.0	74.0	64	104
50.0	22.0	53.0	70.0	78	101
55.0	10.0	56.0	66.0	92	98
60.0	-0.0	58.0	62.0	106	95
65.0	-10.0	59.0	58.0	120	92
70.0	-20.0	59.0	54.0	134	89
75.0	-30.0	58.0	50.0	148	86
80.0	-40.0	56.0	46.0	162	83
85.0	-50.0	53.0	42.0	176	80
90.0	-60.0	49.0	38.0	190	77
95.0	-70.0	45.0	34.0	204	74
100.0	-80.0	41.0	30.0	218	71
105.0	-90.0	37.0	26.0	232	68
110.0	-100.0	33.0	22.0	246	65
115.0	-110.0	29.0	18.0	260	62
120.0	-120.0	25.0	14.0	274	59
125.0	-130.0	21.0	10.0	288	56
130.0	-140.0	17.0	6.0	302	53
135.0	-150.0	13.0	2.0	316	50
140.0	-160.0	9.0	-2.0	330	47
145.0	-170.0	5.0	-6.0	344	44
150.0	-180.0	1.0	-10.0	358	41

FR509_92a; adapted (a) CIE LAB data

L^*	a^*	b^*	C_{90}	H_{90}	M_{90}
35.06	60.0	44.0	74.4	36	110
40.0	48.0	47.0	78.0	50	107
45.0	35.0	50.0	74.0	64	104
50.0	22.0	53.0	70.0	78	101
55.0	10.0	56.0	66.0	92	98
60.0	-0.0	58.0	62.0	106	95
65.0	-10.0	59.0	58.0	120	92
70.0	-20.0	59.0	54.0	134	89
75.0	-30.0	58.0	50.0	148	86
80.0	-40.0	56.0	46.0	162	83
85.0	-50.0	53.0	42.0	176	80
90.0	-60.0	49.0	38.0	190	77
95.0	-70.0	45.0	34.0	204	74
100.0	-80.0	41.0	30.0	218	71
105.0	-90.0	37.0	26.0	232	68
110.0	-100.0	33.0	22.0	246	65
115.0	-110.0	29.0	18.0	260	62
120.0	-120.0	25.0	14.0	274	59
125.0	-130.0	21.0	10.0	288	56
130.0	-140.0	17.0	6.0	302	53
135.0	-150.0	13.0	2.0	316	50
140.0	-160.0	9.0	-2.0	330	47
145.0	-170.0	5.0	-6.0	344	44
150.0	-180.0	1.0	-10.0	358	41

FR509_92a; adapted (a) CIE LAB data

L^*	a^*	b^*	C_{90}	H_{90}	M_{90}
35.06	60.0	44.0	74.4	36	110
40.0	48.0	47.0	78.0	50	107
45.0	35.0	50.0	74.0	64	104
50.0	22.0	53.0	70.0	78	101
55.0	10.0	56.0	66.0	92	98
60.0	-0.0	58.0	62.0	106	95
65.0	-10.0	59.0	58.0	120	92
70.0	-20.0	59.0	54.0	134	89
75.0	-30.0	58.0	50.0	148	86
80.0	-40.0	56.0	46.0	162	83
85.0	-50.0	53.0	42.0	176	80
90.0	-60.0	49.0	38.0	190	77
95.0	-70.0	45.0	34.0	204	74
100.0	-80.0	41.0	30.0	218	71
105.0	-90.0	37.0	26.0	232	68
110.0	-100.0	33.0	22.0	246	65
115.0	-110.0	29.0	18.0	260	62
120.0	-120.0	25.0	14.0	274	59
125.0	-130.0	21.0	10.0	288	56
130.0	-140.0	17.0	6.0	302	53
135.0	-150.0	13.0	2.0	316	50
140.0	-160.0	9.0	-2.0	330	47
145.0	-170.0	5.0	-6.0	344	44
150.0	-180.0	1.0	-10.0	358	41




FR509_92a; adapted (a) CIE LAB data

L^*	a^*	b^*	C_{90}	H_{90}	M_{90}
35.06	60.0	44.0	74.4	36	110
40.0	48.0	47.0	78.0	50	107
45.0	35.0	50.0	74.0	64	104
50.0	22.0	53.0	70.0	78	101
55.0	10.0	56.0	66.0	92	98
60.0	-0.0	58.0	62.0	106	95
65.0	-10.0	59.0	58.0	120	92
70.0	-20.0	59.0	54.0	134	89
75.0	-30.0	58.0	50.0	148	86
80.0	-40.0	56.0	46.0	162	83
85.0	-50.0	53.0	42.0	176	80
90.0	-60.0	49.0	38.0	190	77
95.0	-70.0	45.0	34.0	204	74
100.0	-80.0	41.0	30.0	218	71
105.0	-90.0	37.0	26.0	232	68
110.0	-100.0	33.0	22.0	246	65
115.0	-110.0	29.0	18.0	260	62
120.0	-120.0	25.0	14.0	274	59
125.0	-130.0	21.0	10.0	288	56
130.0	-140.0	17.0	6.0	302	53
135.0	-150.0	13.0	2.0	316	50
140.0	-160.0	9.0	-2.0	330	47
145.0	-170.0	5.0	-6.0	344	44
150.0	-180.0	1.0	-10.0	358	41







FR509_92a; adapted (a) CIE LAB data

L^*	a^*	b^*	C_{90}	H_{90}	M_{90}
35.06	60.0	44.0	74.4	36	110
40.0	48.0	47.0	78.0	50	107
45.0	35.0	50.0	74.0	64	104
50.0	22.0	53.0	70.0	78	101
55.0	10.0	56.0	66.0	92	98
60.0	-0.0	58.0	62.0	106	95
65.0	-10.0	59.0	58.0	120	92
70.0	-20.0	59.0	54.0	134	89
75.0	-30.0	58.0	50.0	148	86
80.0	-40.0	56.0	46.0	162	83
85.0	-50.0	53.0	42.0	176	80
90.0	-60.0	49.0	38.0	190	77
95.0	-70.0	45.0	34.0	204	74
100.0	-80.0	41.0	30.0	218	71
105.0	-90.0	37.0	26.0	232	68
110.0	-100.0	33.0	22.0	246	65
115.0	-110.0	29.0	18.0	260	62
120.0	-120.0	25.0	14.0	274	59
125.0	-130.0	21.0	10.0	288	56
130.0	-140.0	17.0	6.0	302	53
135.0	-150.0	13.0	2.0	316	50
140.0	-160.0	9.0	-2.0	330	47
145.0	-170.0	5.0	-6.0	344	44
150.0	-180.0	1.0	-10.0	358	41

FR509_92a; adapted (a) CIE





c





m





y

