

# BAM registration: 20080901-Ee55/10L/L55E00FP.PS/.PDF application for evaluation and measurement of printer or monitor systems


BAM material: code=rha4ta

www.ps.bam.de/Ee55/10L/L55E00FP.PS/.PDF, Page 1/5; start output  
F: linearized output Ee55/10L/L55E00FP.DAT in File (F)

BAM-test chart Ee55; Colorimetric systems, Page 1/5  
D65: colour scales and 3 separations for 16 hues 100c to m50o

input: 000n / w / nnn0 / www set...  
output: no change compared to input

See for similar files: <http://www.ps.bam.de/Ee55/>; [www.ps.bam.de](http://www.ps.bam.de) Version 2.1, io=1,1, CIELAB, ColSp=1



# BAM registration: 20080901-Ee55/10L/L55E00FP.PS/.PDF application for evaluation and measurement of printer or monitor systems




See for similar files: <http://www.ps.bam.de/Ee55/>; www.ps.bam.de Version 2.1, io=1,1, CIELAB, ColSp=1




www.ps.bam.de/Ee55/10L/L55E00FP.PS/.PDF, Page 2/5; linearized output F: linearized output Ee55/10L/L55E00FP.DAT in File (F)





BAM-test chart Ee55; Colorimetric systems, Page 2/5  
D65: colour scales and 3 separations for 16 hues 100c to m50o

input: 000n / w / nnn0 / www set...  
output: ->LAB\*->cmy0\* setcmyk



c





m

