

Input and output:
Colorimetric Printer Reflective System FRS15_90a
data for any colour:

$lab*_{tch*}$ and $lab*_{icu*}$


elementary hue text:

$u^* = 16$ hues $r00j$, $r25j$, ..., $b75r$

contrast reduction factor:

$c_R = 0.9$

FRS15_90a; adapted (a) CIELAB data					
$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	35.47	56.92	27.12	63.05	25
r25j	39.12	49.04	44.45	66.19	42
r50j	50.64	35.19	58.33	68.13	59
r75j	64.01	19.11	74.45	76.87	76
j00g	83.18	-3.93	97.56	97.64	92
j25g	66.73	-26.86	74.66	79.35	110
j50g	54.03	-43.42	57.07	71.71	127
j75g	44.73	-54.21	38.33	66.4	145
g00b	47.59	-44.11	14.14	46.33	162
g25b	49.97	-35.68	-6.03	36.19	190
g50b	51.85	-29.05	-21.88	36.38	217
g75b	46.92	-15.53	-32.37	35.92	244
b00r	37.91	1.15	-38.05	38.08	272
b25r	23.81	27.31	-46.96	54.33	300
b50r	29.52	62.07	-37.87	72.72	329
b75r	36.48	64.24	-3.31	64.33	357



%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	53.93	39.55	66.88	36
Y _{Ma}	83.77	-4.63	98.26	98.37	93
L _{Ma}	44.13	-56.32	43.36	71.09	142
C _{Ma}	52.66	-26.18	-28.74	38.89	228
V _{Ma}	14.15	45.22	-53.06	69.72	310
M _{Ma}	37.37	70.69	-30.1	76.83	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 25/360 = 0.071$

data for any colour:


$lab \cdot tch^*$ and $lab \cdot icu^*$
elementary hue text:

$u^* = r00j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	53.93	39.55	66.88	36
Y _{Ma}	83.77	-4.63	98.26	98.37	93
L _{Ma}	44.13	-56.32	43.36	71.09	142
C _{Ma}	52.66	-26.18	-28.74	38.89	228
V _{Ma}	14.15	45.22	-53.06	69.72	310
M _{Ma}	37.37	70.69	-30.1	76.83	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 35 57 27

$LAB \cdot LCH^*_{Ma}$: 35 63 25

$lab \cdot rgb^*_{Ma}$: 1.0 0.0 0.0

$lab \cdot olv^*_{Ma}$: 1.0 0.0 0.18

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	56.92	27.12	63.05	25
r25j	39.12	49.04	44.45	66.19	42
r50j	50.64	35.19	58.33	68.13	59
r75j	64.01	19.11	74.45	76.87	76
j00g	83.18	-3.93	97.56	97.64	92
j25g	66.73	-26.86	74.66	79.35	110
j50g	54.03	-43.42	57.07	71.71	127
j75g	44.73	-54.21	38.33	66.4	145
g00b	47.59	-44.11	14.14	46.33	162
g25b	49.97	-35.68	-6.03	36.19	190
g50b	51.85	-29.05	-21.88	36.38	217
g75b	46.92	-15.53	-32.37	35.92	244
b00r	37.91	1.15	-38.05	38.08	272
b25r	23.81	27.31	-46.96	54.33	300
b50r	29.52	62.07	-37.87	72.72	329
b75r	36.48	64.24	-3.31	64.33	357



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 42/360 = 0.117$

data for any colour:


$lab \cdot tch^*$ and $lab \cdot icu^*$
elementary hue text:

$u^* = r25j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	53.93	39.55	66.88	36
Y _{Ma}	83.77	-4.63	98.26	98.37	93
L _{Ma}	44.13	-56.32	43.36	71.09	142
C _{Ma}	52.66	-26.18	-28.74	38.89	228
V _{Ma}	14.15	45.22	-53.06	69.72	310
M _{Ma}	37.37	70.69	-30.1	76.83	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 39 49 44

$LAB \cdot LCH^*_{Ma}$: 39 66 42

$lab \cdot rgb^*_{Ma}$: 1.0 0.25 0.0

$lab \cdot olv^*_{Ma}$: 1.0 0.08 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	56.92	27.12	63.05	25
r25j	39.12	49.04	44.45	66.19	42
r50j	50.64	35.19	58.33	68.13	59
r75j	64.01	19.11	74.45	76.87	76
j00g	83.18	-3.93	97.56	97.64	92
j25g	66.73	-26.86	74.66	79.35	110
j50g	54.03	-43.42	57.07	71.71	127
j75g	44.73	-54.21	38.33	66.4	145
g00b	47.59	-44.11	14.14	46.33	162
g25b	49.97	-35.68	-6.03	36.19	190
g50b	51.85	-29.05	-21.88	36.38	217
g75b	46.92	-15.53	-32.37	35.92	244
b00r	37.91	1.15	-38.05	38.08	272
b25r	23.81	27.31	-46.96	54.33	300
b50r	29.52	62.07	-37.87	72.72	329
b75r	36.48	64.24	-3.31	64.33	357



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 59/360 = 0.164$

data for any colour:


$lab \cdot tch^*$ and $lab \cdot icu^*$
elementary hue text:

$u^* = r50j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	53.93	39.55	66.88	36
Y _{Ma}	83.77	-4.63	98.26	98.37	93
L _{Ma}	44.13	-56.32	43.36	71.09	142
C _{Ma}	52.66	-26.18	-28.74	38.89	228
V _{Ma}	14.15	45.22	-53.06	69.72	310
M _{Ma}	37.37	70.69	-30.1	76.83	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 51 35 58

$LAB \cdot LCH^*_{Ma}$: 51 68 59

$lab \cdot rgb^*_{Ma}$: 1.0 0.5 0.0

$lab \cdot olv^*_{Ma}$: 1.0 0.32 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	35.47	56.92	27.12	63.05	25
r25j	39.12	49.04	44.45	66.19	42
r50j	50.64	35.19	58.33	68.13	59
r75j	64.01	19.11	74.45	76.87	76
j00g	83.18	-3.93	97.56	97.64	92
j25g	66.73	-26.86	74.66	79.35	110
j50g	54.03	-43.42	57.07	71.71	127
j75g	44.73	-54.21	38.33	66.4	145
g00b	47.59	-44.11	14.14	46.33	162
g25b	49.97	-35.68	-6.03	36.19	190
g50b	51.85	-29.05	-21.88	36.38	217
g75b	46.92	-15.53	-32.37	35.92	244
b00r	37.91	1.15	-38.05	38.08	272
b25r	23.81	27.31	-46.96	54.33	300
b50r	29.52	62.07	-37.87	72.72	329
b75r	36.48	64.24	-3.31	64.33	357



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 76/360 = 0.21$

data for any colour:


$lab \cdot tch^*$ and $lab \cdot icu^*$
elementary hue text:

$u^* = r75j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	53.93	39.55	66.88	36
Y _{Ma}	83.77	-4.63	98.26	98.37	93
L _{Ma}	44.13	-56.32	43.36	71.09	142
C _{Ma}	52.66	-26.18	-28.74	38.89	228
V _{Ma}	14.15	45.22	-53.06	69.72	310
M _{Ma}	37.37	70.69	-30.1	76.83	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 64 19 74

$LAB \cdot LCH^*_{Ma}$: 64 77 76

$lab \cdot rgb^*_{Ma}$: 1.0 0.75 0.0

$lab \cdot olv^*_{Ma}$: 1.0 0.59 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	56.92	27.12	63.05	25
r25j	39.12	49.04	44.45	66.19	42
r50j	50.64	35.19	58.33	68.13	59
r75j	64.01	19.11	74.45	76.87	76
j00g	83.18	-3.93	97.56	97.64	92
j25g	66.73	-26.86	74.66	79.35	110
j50g	54.03	-43.42	57.07	71.71	127
j75g	44.73	-54.21	38.33	66.4	145
g00b	47.59	-44.11	14.14	46.33	162
g25b	49.97	-35.68	-6.03	36.19	190
g50b	51.85	-29.05	-21.88	36.38	217
g75b	46.92	-15.53	-32.37	35.92	244
b00r	37.91	1.15	-38.05	38.08	272
b25r	23.81	27.31	-46.96	54.33	300
b50r	29.52	62.07	-37.87	72.72	329
b75r	36.48	64.24	-3.31	64.33	357



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 92/360 = 0.256$

data for any colour:


$lab \cdot tch^*$ and $lab \cdot icu^*$
elementary hue text:

$u^* = j00g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data						
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	35.06	53.93	39.55	66.88	36	
Y_{Ma}	83.77	-4.63	98.26	98.37	93	
L_{Ma}	44.13	-56.32	43.36	71.09	142	
C_{Ma}	52.66	-26.18	-28.74	38.89	228	
V_{Ma}	14.15	45.22	-53.06	69.72	310	
M_{Ma}	37.37	70.69	-30.1	76.83	337	
N_{Ma}	15.0	0.0	0.0	0.0	0	
W_{Ma}	90.0	0.0	0.0	0.0	0	
R_{CIE}	39.92	58.74	27.99	65.07	25	
J_{CIE}	81.26	-2.88	71.56	71.62	92	
G_{CIE}	52.23	-42.41	13.6	44.55	162	
B_{CIE}	30.57	1.41	-46.46	46.49	272	

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 83 -3 98

$LAB \cdot LCH^*_{Ma}$: 83 98 92

$lab \cdot rgb^*_{Ma}$: 1.0 1.0 0.0

$lab \cdot olv^*_{Ma}$: 1.0 0.99 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data						
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	35.47	56.92	27.12	63.05	25	
r25j	39.12	49.04	44.45	66.19	42	
r50j	50.64	35.19	58.33	68.13	59	
r75j	64.01	19.11	74.45	76.87	76	
j00g	83.18	-3.93	97.56	97.64	92	
j25g	66.73	-26.86	74.66	79.35	110	
j50g	54.03	-43.42	57.07	71.71	127	
j75g	44.73	-54.21	38.33	66.4	145	
g00b	47.59	-44.11	14.14	46.33	162	
g25b	49.97	-35.68	-6.03	36.19	190	
g50b	51.85	-29.05	-21.88	36.38	217	
g75b	46.92	-15.53	-32.37	35.92	244	
b00r	37.91	1.15	-38.05	38.08	272	
b25r	23.81	27.31	-46.96	54.33	300	
b50r	29.52	62.07	-37.87	72.72	329	
b75r	36.48	64.24	-3.31	64.33	357	



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 110/360 = 0.305$

data for any colour:


$lab \cdot tch^*$ and $lab \cdot icu^*$
elementary hue text:

$u^* = j25g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	53.93	39.55	66.88	36
Y _{Ma}	83.77	-4.63	98.26	98.37	93
L _{Ma}	44.13	-56.32	43.36	71.09	142
C _{Ma}	52.66	-26.18	-28.74	38.89	228
V _{Ma}	14.15	45.22	-53.06	69.72	310
M _{Ma}	37.37	70.69	-30.1	76.83	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 67 -26 75

$LAB \cdot LCH^*_{Ma}$: 67 79 110

$lab \cdot rgb^*_{Ma}$: 0.75 1.0 0.0

$lab \cdot olv^*_{Ma}$: 0.57 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	35.47	56.92	27.12	63.05	25
r25j	39.12	49.04	44.45	66.19	42
r50j	50.64	35.19	58.33	68.13	59
r75j	64.01	19.11	74.45	76.87	76
j00g	83.18	-3.93	97.56	97.64	92
j25g	66.73	-26.86	74.66	79.35	110
j50g	54.03	-43.42	57.07	71.71	127
j75g	44.73	-54.21	38.33	66.4	145
g00b	47.59	-44.11	14.14	46.33	162
g25b	49.97	-35.68	-6.03	36.19	190
g50b	51.85	-29.05	-21.88	36.38	217
g75b	46.92	-15.53	-32.37	35.92	244
b00r	37.91	1.15	-38.05	38.08	272
b25r	23.81	27.31	-46.96	54.33	300
b50r	29.52	62.07	-37.87	72.72	329
b75r	36.48	64.24	-3.31	64.33	357



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 127/360 = 0.354$

data for any colour:


$lab \cdot tch^*$ and $lab \cdot icu^*$
elementary hue text:

$u^* = j50g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	53.93	39.55	66.88	36
Y _{Ma}	83.77	-4.63	98.26	98.37	93
L _{Ma}	44.13	-56.32	43.36	71.09	142
C _{Ma}	52.66	-26.18	-28.74	38.89	228
V _{Ma}	14.15	45.22	-53.06	69.72	310
M _{Ma}	37.37	70.69	-30.1	76.83	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 54 -42 57

$LAB \cdot LCH^*_{Ma}$: 54 72 127

$lab \cdot rgb^*_{Ma}$: 0.5 1.0 0.0

$lab \cdot olv^*_{Ma}$: 0.25 1.0 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	56.92	27.12	63.05	25
r25j	39.12	49.04	44.45	66.19	42
r50j	50.64	35.19	58.33	68.13	59
r75j	64.01	19.11	74.45	76.87	76
j00g	83.18	-3.93	97.56	97.64	92
j25g	66.73	-26.86	74.66	79.35	110
j50g	54.03	-43.42	57.07	71.71	127
j75g	44.73	-54.21	38.33	66.4	145
g00b	47.59	-44.11	14.14	46.33	162
g25b	49.97	-35.68	-6.03	36.19	190
g50b	51.85	-29.05	-21.88	36.38	217
g75b	46.92	-15.53	-32.37	35.92	244
b00r	37.91	1.15	-38.05	38.08	272
b25r	23.81	27.31	-46.96	54.33	300
b50r	29.52	62.07	-37.87	72.72	329
b75r	36.48	64.24	-3.31	64.33	357



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 145/360 = 0.402$

data for any colour:


$lab \cdot tch^*$ and $lab \cdot icu^*$
elementary hue text:

$u^* = j75g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	35.06	53.93	39.55	66.88	36
Y _{Ma}	83.77	-4.63	98.26	98.37	93
L _{Ma}	44.13	-56.32	43.36	71.09	142
C _{Ma}	52.66	-26.18	-28.74	38.89	228
V _{Ma}	14.15	45.22	-53.06	69.72	310
M _{Ma}	37.37	70.69	-30.1	76.83	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 45 -53 38

$LAB \cdot LCH^*_{Ma}$: 45 66 145

$lab \cdot rgb^*_{Ma}$: 0.25 1.0 0.0

$lab \cdot olv^*_{Ma}$: 0.0 1.0 0.07

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
r00j	35.47	56.92	27.12	63.05	25
r25j	39.12	49.04	44.45	66.19	42
r50j	50.64	35.19	58.33	68.13	59
r75j	64.01	19.11	74.45	76.87	76
j00g	83.18	-3.93	97.56	97.64	92
j25g	66.73	-26.86	74.66	79.35	110
j50g	54.03	-43.42	57.07	71.71	127
j75g	44.73	-54.21	38.33	66.4	145
g00b	47.59	-44.11	14.14	46.33	162
g25b	49.97	-35.68	-6.03	36.19	190
g50b	51.85	-29.05	-21.88	36.38	217
g75b	46.92	-15.53	-32.37	35.92	244
b00r	37.91	1.15	-38.05	38.08	272
b25r	23.81	27.31	-46.96	54.33	300
b50r	29.52	62.07	-37.87	72.72	329
b75r	36.48	64.24	-3.31	64.33	357



Input and output: Colorimetric Printer Reflective System FRS15_90a for relative CIELAB hue $h^* = lab \cdot h^* = h_{ab}/360 = 162/360 = 0.451$

data for any colour:


$lab \cdot tch^*$ and $lab \cdot icu^*$
elementary hue text:

$u^* = g00b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS15_90a; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	35.06	53.93	39.55	66.88	36
Y _{Ma}	83.77	-4.63	98.26	98.37	93
L _{Ma}	44.13	-56.32	43.36	71.09	142
C _{Ma}	52.66	-26.18	-28.74	38.89	228
V _{Ma}	14.15	45.22	-53.06	69.72	310
M _{Ma}	37.37	70.69	-30.1	76.83	337
N _{Ma}	15.0	0.0	0.0	0.0	0
W _{Ma}	90.0	0.0	0.0	0.0	0
R _{CIE}	39.92	58.74	27.99	65.07	25
J _{CIE}	81.26	-2.88	71.56	71.62	92
G _{CIE}	52.23	-42.41	13.6	44.55	162
B _{CIE}	30.57	1.41	-46.46	46.49	272

Data for maximum colour (Ma):

$LAB \cdot LAB^*_{Ma}$: 48 -43 14

$LAB \cdot LCH^*_{Ma}$: 48 46 162

$lab \cdot rgb^*_{Ma}$: 0.0 1.0 0.0

$lab \cdot olv^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 40$

FRS15_90a; adapted (a) CIELAB data					
	$L^* = L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
r00j	35.47	56.92	27.12	63.05	25
r25j	39.12	49.04	44.45	66.19	42
r50j	50.64	35.19	58.33	68.13	59
r75j	64.01	19.11	74.45	76.87	76
j00g	83.18	-3.93	97.56	97.64	92
j25g	66.73	-26.86	74.66	79.35	110
j50g	54.03	-43.42	57.07	71.71	127
j75g	44.73	-54.21	38.33	66.4	145
g00b	47.59	-44.11	14.14	46.33	162
g25b	49.97	-35.68	-6.03	36.19	190
g50b	51.85	-29.05	-21.88	36.38	217
g75b	46.92	-15.53	-32.37	35.92	244
b00r	37.91	1.15	-38.05	38.08	272
b25r	23.81	27.31	-46.96	54.33	300
b50r	29.52	62.07	-37.87	72.72	329
b75r	36.48	64.24	-3.31	64.33	357

