









See for similar files: <http://www.ps.bam.de/Fe03/>;  
Technical information: <http://www.ps.bam.de>


Version 2.1, io=1,1, ColSp=1

BAM registration: 20080901-Fe03/10L/L03E00NP.PS/ .PDF  
application for evaluation and measurement of printer or monitor systems  
BAM material: code=rh4ta



See for similar files: <http://www.ps.bam.de/Fe03/>; [www.ps.bam.de/Fe03/](http://www.ps.bam.de/Fe03/)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM registration: 20080901-Fe03/10L/L03E00NP.PS/ .PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems



Fe030-1, Picture D4N: 16 equidistant steps N-O, N-L, N-V, W-N; PS operator olv\* setrgbcolor



Fe030-3, Picture D5N: Script and Landolt-rings W, O, L, V, Z; PS operator olv\* setrgbcolor




Fe030-5, Picture D6N: Landolt-rings N-O, N-L; PS operator olv\* setrgbcolor




Fe030-7, Picture D7N: Landolt-rings N-V, W-N; PS operator olv\* setrgbcolor


Fe03; Test chart of ISO/IEC 15775 and ISO/IEC TR 24705  
Fig. D4 to D7 similar ISO/IEC-test chart 4, olv\* interpretation




Fe031-1, Picture D4Z: 16 equidistant steps Z-O, Z-L, Z-V, W-N; PS operator olv\* setrgbcolor



Fe031-3, Picture D5Z: Script and Landolt-rings N, O, L, V, W; PS operator olv\* setrgbcolor















Fe031-5, Picture D6Z: Landolt-rings Z-O, Z-L; PS operator olv\* setrgbcolor



Fe031-7, Picture D7Z: Landolt-rings Z-V, W-N; PS operator olv\* setrgbcolor

input: rgb->olv\* setrgbcolor  
output: olv\*->cmyn6\* setcmk





oooooooo

ccccccccc



ccccccccc

ccccccccc

ccccccccc

ccccccccc

ccccccccc



oooooooo

ccccccccc





ccccccccc




ccccccccc

ccccccccc

ccccccccc

ccccccccc





0000000000  
0000000000

0000000000  
0000000000

0000000000  
0000000000



0000000000  
0000000000

0000000000  
0000000000

0000000000  
0000000000

0000000000  
0000000000



0000000000  
0000000000



www.ps.bam.de/Fe03/10L/L03E00NP.PS/.PDF, Page 5/6; ORS20\_95a; transfer and output  
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: **cmyn**

Fe03; Test chart of ISO/IEC 15775 and ISO/IEC TR 24705  
Fig. D4 to D7 similar ISO/IEC-test chart 4, *olv\** interpretation

input: *rgb*->*olv\** *setrgbcolor*  
output: *olv\**->*cmyn6\** *setcmynk*



See for similar files: <http://www.ps.bam.de/Fe03/>; [www.ps.bam.de/Fe03/](http://www.ps.bam.de/Fe03/)  
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSp=1

BAM registration: 20080901-Fe03/10L/L03E00NP.PS/ .PDF BAM material: code=rh4ta  
application for evaluation and measurement of printer or monitor systems

