



See for similar files: <http://www.ps.bam.de/Fe07/>; www.ps.bam.de/Fe07/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM registration: 20080901-Fe07/10L/L07E00NP.PS/.PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems




Ee070-1, Picture D4N: 16 equidistant steps N-O, N-L, N-V, W-N; PS operator olv* setrgbcolor



Ee070-3, Picture D5N: Script and Landolt-rings W, O, L, V, Z; PS operator olv* setrgbcolor




Ee070-5, Picture D6N: Landolt-rings N-O, N-L; PS operator olv* setrgbcolor




Ee070-7, Picture D7N: Landolt-rings N-V, W-N; PS operator olv* setrgbcolor


Fe07; Test chart of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-test chart 4, olv* interpretation




Ee071-1, Picture D4Z: 16 equidistant steps Z-O, Z-L, Z-V, W-N; PS operator olv* setrgbcolor



Ee071-3, Picture D5Z: Script and Landolt-rings N, O, L, V, W; PS operator olv* setrgbcolor



Ee071-5, Picture D6Z: Landolt-rings Z-O, Z-L; PS operator olv* setrgbcolor




Ee071-7, Picture D7Z: Landolt-rings Z-V, W-N; PS operator olv* setrgbcolor

input: rgb->olv* setrgbcolor

output: no change compared to input


See for similar files: <http://www.ps.bam.de/Fe07/>; www.ps.bam.de/Fe07/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1




Ee070-1, Picture D4N: 16 equidistant steps N-R, N-G, N-B, W-N; PS operator *rgb* setrgbcolor*



Ee070-3, Picture D5N: Script and Landolt-rings W, R, G, B, Z; PS operator *rgb* setrgbcolor*




Ee070-5, Picture D6N: Landolt-rings N-R, N-G; PS operator *rgb* setrgbcolor*




Ee070-7, Picture D7N: Landolt-rings N-B, W-N; PS operator *rgb* setrgbcolor*


Fe07; Test chart of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-test chart 4, *rgb** interpretation




Ee071-1, Picture D4Z: 16 equidistant steps Z-R, Z-G, Z-B, W-N; PS operator *rgb* setrgbcolor*



Ee071-3, Picture D5Z: Script and Landolt-rings N, R, G, B, W; PS operator *rgb* setrgbcolor*











Ee071-5, Picture D6Z: Landolt-rings Z-R, Z-G; PS operator *rgb* setrgbcolor*



Ee071-7, Picture D7Z: Landolt-rings Z-B, W-N; PS operator *rgb* setrgbcolor*



input: *rgb*->*rgb* setrgbcolor*
output: *rgb**->*cmyn6* setcmyk*

BAM registration: 20080901-Fe07/10L/L07E00NP.PS/ .PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems



www.ps.bam.de/Fe07/10L/L07E00NP.PS/.PDF, Page 3/6; ORS20_95a; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: **cmyn**

See for similar files: <http://www.ps.bam.de/Fe07/>; www.ps.bam.de/Fe07/.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1



Fe07; Test chart of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-test chart 4, **rgb*** interpretation

input: **rgb**->**rgb*** **setrgbcolor**
output: **rgb***->**cmyn6*** **setcmyk**



00000000
00000000

000000000
000000000



000000000
000000000

000000000
000000000

000000000
000000000

000000000
000000000

000000000
000000000



000000000
000000000




000000000
000000000




000000000
000000000

000000000
000000000

000000000
000000000

000000000
000000000





0000000000
0000000000

0000000000
0000000000

0000000000
0000000000



0000000000
0000000000

0000000000
0000000000

0000000000
0000000000



0000000000
0000000000

0000000000
0000000000




Fe07; Test chart of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-test chart 4, *rgb** interpretation

input: *rgb*->*rgb** *setrgbcolor*
output: *rgb**->*cmyn6** *setcmyk*




See for similar files: <http://www.ps.bam.de/Fe07/>; www.ps.bam.de/Fe07/.HTM
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM registration: 20080901-Fe07/10L/L07E00NP.PS/ .PDF BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems




Ee070-1, Picture D4N: 16 equidistant steps **N-R, N-G, N-B, W-N**; PS operator **rgb* setrgbcolor**



Ee070-3, Picture D5N: Script and Landolt-rings **W, R, G, B, Z**; PS operator **rgb* setrgbcolor**




Ee070-5, Picture D6N: Landolt-rings **N-R, N-G**; PS operator **rgb* setrgbcolor**




Ee070-7, Picture D7N: Landolt-rings **N-B, W-N**; PS operator **rgb* setrgbcolor**


Fe07; Test chart of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-test chart 4, **rgb*** interpretation




Ee071-1, Picture D4Z: 16 equidistant steps **Z-R, Z-G, Z-B, W-N**; PS operator **rgb* setrgbcolor**



Ee071-3, Picture D5Z: Script and Landolt-rings **N, R, G, B, W**; PS operator **rgb* setrgbcolor**



Ee071-5, Picture D6Z: Landolt-rings **Z-R, Z-G**; PS operator **rgb* setrgbcolor**



Ee071-7, Picture D7Z: Landolt-rings **Z-B, W-N**; PS operator **rgb* setrgbcolor**

input: **rgb**->**rgb* setrgbcolor**
output: **rgb***->**cmyn6* setcmyk**