


BAM registration: 20080901-Fe18/10L/L18e00FP.PDF/.PS, Page 1/6; ORS19_96, L*=19_96; start output
F: linearized outputFe18/10L/L18e00FP.DAT in File (F)


BAM material:

code=rha4ta



input: 000n / w / nnn0 / www set...
output: no change compared to input

www.ps.bam.de/Fe18/10L/L18e00FP.PDF/.PS, Page 1/6; ORS19_96, L*=19_96; start output
F: linearized outputFe18/10L/L18e00FP.DAT in File (F)




C

M

Y

O


V




BAM registration: 20080901-Fe18/10L/L18e00FP.PDF/.PS, Page 2/6; ORS19_96, L*=19_96; linearized output F: linearized outputFe18/10L/L18e00FP.DAT in File (F)

BAM registration: application for evaluation and measurement of printer or monitor systems


BAM material: code=rha4ta



input: 000n / w / nnn0 / www set...
output: ->LAB*->cmyn6* setcmyk




BAM-test chart Fe18; Colorimetric systems
D65: colour scales and 4 separations for 16 hues r00j to j75g




See for similar files: <http://www.ps.bam.de/Fe18/>; www.ps.bam.de

Technical information: <http://www.ps.bam.de/Fe18/>; Version 2.1, io=11, CIELAB, ColSpx=1

cm





m

c y

