





See for similar files: <http://www.ps.bam.de/Fe19/>; www.ps.bam.de/Fe19/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20080901-Fe19/10L/L19e00NP.PDF/ .PS
application for evaluation and measurement of printer or monitor systems
BAM material: code=rhadt4











See for similar files: <http://www.ps.bam.de/Fe19/>; [www.ps.bam.de/Fe19/](http://www.ps.bam.de/Fe19/Version%202.1%2C%20io%3D1%2C%20ColSpx%3D1); [www.ps.bam.de/Fe19/](http://www.ps.bam.de/Fe19/Version%202.1%2C%20io%3D1%2C%20ColSpx%3D1)
Technical information: [http://www.ps.bam.de/Fe19/](http://www.ps.bam.de/Fe19/Version%202.1%2C%20io%3D1%2C%20ColSpx%3D1) Version 2.1, io=1,1, ColSpx=1



See for similar files: <http://www.ps.barn.de/Fe19/>; www.ps.barn.de/Fe.HTM
 Technical information: <http://www.ps.barn.de> Version 2.1, io=1,1, ColSpx=1

BAM registration: 20080901-Fe19/10L/L19e00NP.PDF/.PS BAM material: code=rh4ta
application for evaluation and measurement of printer or monitor systems



BAM-test chart Fe19; Colorimetric systems
D65: colour scales and 4 separations for 16 hues $q00b$ to $b75r$

```
input: 000n / w / nnn0 / www set...
output: ->cmyn6* setcmykcolor
```