


See for similar files: <http://www.ps.bam.de/Fe21/>; [www.ps.bam.de/Version 2.1, io=1,1, ColsPx=0](http://www.ps.bam.de/Version2.1,io=1,1,ColsPx=0)



BAM-test chart Fe21; Colorimetric systems D65: colour scales and 3 separations for 16 hues 100c to m50o input: 000n/w/nnn0/www set... output: no change compared to input

BAM registration: 20080901-Fe21/10L/L21e00NA.TXT/ .PS BAM material: code=rhadata application for evaluation and measurement of printer or monitor systems

See for similar files: <http://www.ps.bam.de/Fe21/>; [www.ps.bam.de/Version 2.1, io=1,1, Colspx=0](http://www.ps.bam.de/Version2.1,io=1,1,Colspx=0)




BAM-test chart Fe21; Colorimetric systems D65: colour scales and 3 separations for 16 hues $100c$ to $m50c$

input: $000n/w/nnn0/www\ set...$
output: $\rightarrow cmy0^* \ setcmykcolor$


BAM registration: 20080901-Fe21/10L/L21e00NA.TXT/ .PS
application for evaluation and measurement of printer or monitor systems
BAM material: code=rhadt4

See for similar files: <http://www.ps.bam.de/Fe21/>; www.ps.bam.de/Version 2.1, io=1,1, ColSPX=0

BAM registration: 20080901-Fe21/10L/L21e00NA.TXT/ .PS
application for evaluation and measurement of printer or monitor systems
BAM material: code=rhadata



See for similar files: <http://www.ps.bam.de/Fe21/>; www.ps.bam.de/Version 2.1, io=1,1, ColSPX=0



BAM-test chart Fe21; Colormetric systems D65: colour scales and 3 separations for 16 hues 100c to m50o

input: 000n / w / nnn0 / www set...
output: ->cmy0* setcmykcolor

BAM registration: 20080901-Fe21/10L/L21e00NA.TXT/ .PS
application for evaluation and measurement of printer or monitor systems
BAM material: code=rhadata