

BAM registration: 20080901-Fe22/10L/L22E00FP.PS/.PDF; ORS18; start output

BAM material: code=rha4ta



input: 000n / w / nnn0 / www set...
output: no change compared to input

BAM-test chart Fe22; Colorimetric systems, Page 1/6
D65: colour scales and 4 separations for 16 hues o00y to m75o

C

M

Y

L

V

C







www.ps.bam.de/Fe22/10L/L22E00FP.PS/.PDF; ORS18; start output
F: linearized outputFe22/10L/L22E00FP.DAT in File (F)




See for similar files: <http://www.ps.bam.de/Fe22/>


Technical information: <http://www.ps.bam.de>

Version 2.1, io=11, CIELAB, ColSpx=1















c




m



y



BAM registration: 20080901-Fe22/10L/L22E00FP.PS/.PDF; ORS18; linearized output application for evaluation and measurement of printer or monitor systems



input: 000n / w / nnn0 / www set...
output: ->LAB*->cmyn6* setcmyk

www.ps.bam.de/Fe22/10L/L22E00FP.PS/.PDF; ORS18; linearized output
F: linearized outputFe22/10L/L22E00FP.DAT in File (F); Separation: n*

BAM-test chart Fe22; Colorimetric systems, Page 6/6
D65: colour scales and 4 separations for 16 hues o00y to m75o

See for similar files: <http://www.ps.bam.de/Fe22/>; www.ps.bam.de

Technical information: <http://www.ps.bam.de> Version 2.1, io=11, CIELAB, ColSpx=1

