

BAM registration: 20080901-Fe23/10L/L23e00NA.TXT/.PS, Page 1/6; ORS19_96, L*=19_96; start output

BAM material: code=rha4ta

application for evaluation and measurement of printer or monitor systems

BAM-test chart Fe23; Colorimetric systems
D65: colour scales and 4 separations for 16 hues l00c to m500

input: 000n / w / nnn0 / www set...
output: no change compared to input

www.ps.bam.de/Fe23/10L/L23e00NA.TXT/.PS, Page 1/6; ORS19_96, L*=19_96; start output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)





C


M

Y


O

V







BAM registration: 20080901-Fe23/10L/L23e00NA.TXT/.PS BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems



BAM-test chart Fe23; Colorimetric systems
D65: colour scales and 4 separations for 16 hues l00c to m50o

input: 000n / w / nnn0 / www set...
output: ->cmyn6* setcmykcolor

BAM registration: 20080901-Fe23/10L/L23e00NA.TXT/.PS BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems



C
M
Y

C
M
Y

C
M
Y

C
M
Y


C
M
Y

C
M
Y



C
M
Y

BAM-test chart Fe23; Colorimetric systems
D65: colour scales and 4 separations for 16 hues l00c to m50o



input: 000n / w / nnn0 / www set...
output: ->cmyn6* setcmykcolor







BAM registration: 20080901-Fe23/10L/L23e00NA.TXT/.PS BAM material: code=rha4ta
application for evaluation and measurement of printer or monitor systems



See for similar files: <http://www.ps.bam.de/Fe23/>; www.ps.bam.de/Fe.HTML
Technical information: <http://www.ps.bam.de> Version 2.1, io=1.1, ColSpx=1



C
M
Y
O
L
V
v
L
Y
M
C
v
L
Y
M
C



BAM-test chart Fe23; Colorimetric systems
D65: colour scales and 4 separations for 16 hues l00c to m50o


input: 000n / w / nnn0 / www set...
output: ->cmyn6* setcmykcolor

BAM registration: 20080901-Fe23/10L/L23e00NA.TXT/.PS, Page 6/6; ORS19_96, L*=19_96; transfer and output

N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: cmyn

C M Y L V

BAM registration: application for evaluation and measurement of printer or monitor systems



Input and output: Colorimetric Printer Reflective System ORS19_96, L*=19_96 for relative CIELAB hue b^* = $lab^{b*}b^*$ = $h_{gb}/360 = 0.745$ $n^*q = 50c$



Input and output: Colorimetric Printer Reflective System ORS19_96, L*=19_96 for relative CIELAB hue b^* = $lab^{b*}b^*$ = $h_{gb}/360 = 0.033$ $n^*q = 50m$



input: 000n / w / nnn0 / www set...
output: ->cmyn6* setcmykcolor

www.ps.bam.de/Fe23/10L/L23e00NA.TXT/.PS, Page 6/6; ORS19_96, L*=19_96; transfer and output
N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D); Separation: cmyn

BAM-test chart Fe23; Colorimetric systems D65: colour scales and 4 separations for 16 hues l00c to m500



See for similar files: <http://www.ps.bam.de/Fe23/>; www.ps.bam.de
Technical information: <http://www.ps.bam.de/Fe23/>; Version 2.1, io=11, ColSpx=1

