

Input and output: Colorimetric Printer Reflective System FRS22_96a
data for any colour:
 u^*_R and number $n_o = 00 \dots 15$
hue text:
 $u^*_R = 16$ hues $r00$, $r25$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

FRS22_96a adapted (a) CIELAB data

L^*	a^*	b^*	C_{90}	h^*	u^*_R
40.0	48.66	67.41	32.12	74.67	25 m04a
25	55.55	53.38	48.38	72.04	42 o17y
9	65.2	35.87	59.45	69.43	59 o42y
75	74.97	18.14	70.66	72.95	76 o69y
100	86.84	-3.4	84.28	84.35	92 o89y
25	80.13	-25.59	72.23	76.76	110 y24l
50	69.85	-42.61	56.0	70.37	127 y55l
75	60.33	-57.59	40.99	71.02	145 y85l
90	57.36	-58.35	38.71	61.27	162 l12c
95	59.78	-46.2	7.82	46.86	190 l45c
96	61.08	-37.02	-27.87	46.34	217 l78c
97	56.81	-20.63	-42.98	47.67	244 c16v
98	42.98	1.37	-45.05	45.07	272 c58v
99	28.03	27.03	-46.5	53.78	300 v03m
100	37.82	48.22	-29.42	56.48	329 v54m
101	49.41	72.75	-3.76	72.85	357 m10b


%Gamut $u^*_R = 87$
%Regularity $g^*_{min} = 67$
 $g^*_{max} = 59$

FRS22_96a adapted (a) CIELAB data

L^*	a^*	b^*	C_{90}	h^*	u^*_R
40.0	48.66	67.41	32.12	74.67	25 m04a
25	55.55	53.38	48.38	72.04	42 o17y
9	65.2	35.87	59.45	69.43	59 o42y
75	74.97	18.14	70.66	72.95	76 o69y
100	86.84	-3.4	84.28	84.35	92 o89y
25	80.13	-25.59	72.23	76.76	110 y24l
50	69.85	-42.61	56.0	70.37	127 y55l
75	60.33	-57.59	40.99	71.02	145 y85l
90	57.36	-58.35	38.71	61.27	162 l12c
95	59.78	-46.2	7.82	46.86	190 l45c
96	61.08	-37.02	-27.87	46.34	217 l78c
97	56.81	-20.63	-42.98	47.67	244 c16v
98	42.98	1.37	-45.05	45.07	272 c58v
99	28.03	27.03	-46.5	53.78	300 v03m
100	37.82	48.22	-29.42	56.48	329 v54m
101	49.41	72.75	-3.76	72.85	357 m10b

%Gamut $u^*_R = 87$
%Regularity $g^*_{min} = 67$
 $g^*_{max} = 59$

Input and output: Colorimetric Printer Reflective System FRS22_96, L*=22.96 for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*ch^* and lab^*cu^*
Hue text:
 $u^*_R = r00$ $u^*_R = m84o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*



FRS22_96a adapted (a) CIELAB data

L^*	a^*	b^*	C_{90}	h^*	u^*_R
40.0	48.66	67.41	32.12	74.67	25 m04a
25	55.55	53.38	48.38	72.04	42 o17y
9	65.2	35.87	59.45	69.43	59 o42y
75	74.97	18.14	70.66	72.95	76 o69y
100	86.84	-3.4	84.28	84.35	92 o89y
25	80.13	-25.59	72.23	76.76	110 y24l
50	69.85	-42.61	56.0	70.37	127 y55l
75	60.33	-57.59	40.99	71.02	145 y85l
90	57.36	-58.35	38.71	61.27	162 l12c
95	59.78	-46.2	7.82	46.86	190 l45c
96	61.08	-37.02	-27.87	46.34	217 l78c
97	56.81	-20.63	-42.98	47.67	244 c16v
98	42.98	1.37	-45.05	45.07	272 c58v
99	28.03	27.03	-46.5	53.78	300 v03m
100	37.82	48.22	-29.42	56.48	329 v54m
101	49.41	72.75	-3.76	72.85	357 m10b

%Gamut $u^*_R = 87$
%Regularity $g^*_{min} = 67$
 $g^*_{max} = 59$

FRS22_96a adapted (a) CIELAB data

L^*	a^*	b^*	C_{90}	h^*	u^*_R
40.0	48.66	67.41	32.12	74.67	25 m04a
25	55.55	53.38	48.38	72.04	42 o17y
9	65.2	35.87	59.45	69.43	59 o42y
75	74.97	18.14	70.66	72.95	76 o69y
100	86.84	-3.4	84.28	84.35	92 o89y
25	80.13	-25.59	72.23	76.76	110 y24l
50	69.85	-42.61	56.0	70.37	127 y55l
75	60.33	-57.59	40.99	71.02	145 y85l
90	57.36	-58.35	38.71	61.27	162 l12c
95	59.78	-46.2	7.82	46.86	190 l45c
96	61.08	-37.02	-27.87	46.34	217 l78c
97	56.81	-20.63	-42.98	47.67	244 c16v
98	42.98	1.37	-45.05	45.07	272 c58v
99	28.03	27.03	-46.5	53.78	300 v03m
100	37.82	48.22	-29.42	56.48	329 v54m
101	49.41	72.75	-3.76	72.85	357 m10b


%Gamut $u^*_R = 87$
%Regularity $g^*_{min} = 67$
 $g^*_{max} = 59$

FRS22_96a adapted (a) CIELAB data

L^*	a^*	b^*	C_{90}	h^*	u^*_R
40.0	48.66	67.41	32.12	74.67	25 m04a
25	55.55	53.38	48.38	72.04	42 o17y
9	65.2	35.87	59.45	69.43	59 o42y
75	74.97	18.14	70.66	72.95	76 o69y
100	86.84	-3.4	84.28	84.35	92 o89y
25	80.13	-25.59	72.23	76.76	110 y24l
50	69.85	-42.61	56.0	70.37	127 y55l
75	60.33	-57.59	40.99	71.02	145 y85l
90	57.36	-58.35	38.71	61.27	162 l12c
95	59.78	-46.2	7.82	46.86	190 l45c
96	61.08	-37.02	-27.87	46.34	217 l78c
97	56.81	-20.63	-42.98	47.67	244 c16v
98	42.98	1.37	-45.05	45.07	272 c58v
99	28.03	27.03	-46.5	53.78	300 v03m
100	37.82	48.22	-29.42	56.48	329 v54m
101	49.41	72.75	-3.76	72.85	357 m10b

%Gamut $u^*_R = 87$
%Regularity $g^*_{min} = 67$
 $g^*_{max} = 59$

Input and output: Colorimetric Printer Reflective System FRS22_96, L*=22.96 for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*ch^* and lab^*cu^*
Hue text:
 $u^*_R = r25$ $u^*_R = o17y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*



FRS22_96a adapted (a) CIELAB data

L^*	a^*	b^*	C_{90}	h^*	u^*_R
40.0	48.66	67.41	32.12	74.67	25 m04a
25	55.55	53.38	48.38	72.04	42 o17y
9	65.2	35.87	59.45	69.43	59 o42y
75	74.97	18.14	70.66	72.95	76 o69y
100	86.84	-3.4	84.28	84.35	92 o89y
25	80.13	-25.59	72.23	76.76	110 y24l
50	69.85	-42.61	56.0	70.37	127 y55l
75	60.33	-57.59	40.99	71.02	145 y85l
90	57.36	-58.35	38.71	61.27	162 l12c
95	59.78	-46.2	7.82	46.86	190 l45c
96	61.08	-37.02	-27.87	46.34	217 l78c
97	56.81	-20.63	-42.98	47.67	244 c16v
98	42.98	1.37	-45.05	45.07	272 c58v
99	28.03	27.03	-46.5	53.78	300 v03m
100	37.82	48.22	-29.42	56.48	329 v54m
101	49.41	72.75	-3.76	72.85	357 m10b

%Gamut $u^*_R = 87$
%Regularity $g^*_{min} = 67$
 $g^*_{max} = 59$

FRS22_96a adapted (a) CIELAB data

L^*	a^*	b^*	C_{90}	h^*	u^*_R
40.0	48.66	67.41	32.12	74.67	25 m04a
25	55.55	53.38	48.38	72.04	42 o17y
9	65.2	35.87	59.45	69.43	59 o42y
75	74.97	18.14	70.66	72.95	76 o69y
100	86.84	-3.4	84.28	84.35	92 o89y
25	80.13	-25.59	72.23	76.76	110 y24l
50	69.85	-42.61	56.0	70.37	127 y55l
75	60.33	-57.59	40.99	71.02	145 y85l
90	57.36	-58.35	38.71	61.27	162 l12c
95	59.78	-46.2	7.82	46.86	190 l45c
96	61.08	-37.02	-27.87	46.34	217 l78c
97	56.81	-20.63	-42.98	47.67	244 c16v
98	42.98	1.37	-45.05	45.07	272 c58v
99	28.03	27.03	-46.5	53.78	300 v03m
100	37.82	48.22	-29.42	56.48	329 v54m
101	49.41	72.75	-3.76	72.85	357 m10b


%Gamut $u^*_R = 87$
%Regularity $g^*_{min} = 67$
 $g^*_{max} = 59$

FRS22_96a adapted (a) CIELAB data

L^*	a^*	b^*	C_{90}	h^*	u^*_R
40.0	48.66	67.41	32.12	74.67	25 m04a
25	55.55	53.38	48.38	72.04	42 o17y
9	65.2	35.87	59.45	69.43	59 o42y
75	74.97	18.14	70.66	72.95	76 o69y
100	86.84	-3.4	84.28	84.35	92 o89y
25	80.13	-25.59	72.23	76.76	110 y24l
50	69.85	-42.61	56.0	70.37	127 y55l
75	60.33	-57.59	40.99	71.02	145 y85l
90	57.36	-58.35	38.71	61.27	162 l12c
95	59.78	-46.2	7.82	46.86	190 l45c
96	61.08	-37.02	-27.87	46.34	217 l78c
97	56.81	-20.63	-42.98	47.67	244 c16v
98	42.98	1.37	-45.05	45.07	272 c58v
99	28.03	27.03	-46.5	53.78	300 v03m
100	37.82	48.22	-29.42	56.48	329 v54m
101	49.41	72.75	-3.76	72.85	357 m10b

%Gamut $u^*_R = 87$
%Regularity $g^*_{min} = 67$
 $g^*_{max} = 59$

Input and output: Colorimetric Printer Reflective System FRS22_96, L*=22.96 for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*ch^* and lab^*cu^*
Hue text:
 $u^*_R = r50$ $u^*_R = o42y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*








FRS22_96a adapted (a) CIELAB data





L^*	a^*	b^*	C_{90}	h^*	u^*_R
40.0	48.66	67.41	32.12	74.67	25 m04a
25	55.55	53.38	48.38	72.04	42 o17y
9	65.2	35.87	59.45	69.43	59 o42y
75	74.97	18.14	70.66	72.95	76 o69y
100	86.84	-3.4	84.28	84.35	92 o89y
25	80.13	-25.59	72.23	76.76	110 y24l
50	69.85	-42.61	56.0	70.37	127 y55l
75	60.33	-57.59	40.99	71.02	145 y85l
90	57.36	-58.35	38.71	61.27	162 l12c
95	59.78	-46.2	7.82	46.86	190 l45c
96	61.08	-37.02	-27.87	46.34	217 l78c
97	56.81	-20.63	-42.98	47.67	244 c16v
98	42.98	1.37	-45.05	45.07	272 c58v
99	28.03	27.03	-46.5	53.78	300 v03m
100	37.82	48.22	-29.42	56.48	329 v54m
101	49.41	72.75	-3.76	72.85	357 m10b


%Gamut $u^*_R = 87$
%Regularity $g^*_{min} = 67$
 $g^*_{max} = 59$


















FRS22_96a adapted (a) CIELAB data

L^*	a^*	b^*	C_{90}	h
-------	-------	-------	----------	-----









Input and output: Colorimetric Printer Reflective System FRS22_96a
data for any colour:
 u^*_p and number, no. = 00...15
hue text:
 $u^*_p = 16$ hues $r00$, $r25$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*


FRS22_96a, adapted (a) CIE LAB data

u^*_p	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_p
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b



FRS22_96a, adapted (a) CIE LAB data



u^*_p	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_p
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b



Input and output: Colorimetric Printer Reflective System FRS22_96, L*=22.96 for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*ch^* and lab^*cu^*
Hue text:
 $u^*_p = r50l$ $u^*_g = o42y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*

FRS22_96a, adapted (a) CIE LAB data



u^*_p	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_p
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b



Input and output: Colorimetric Printer Reflective System FRS22_96, L*=22.96 for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*ch^* and lab^*cu^*
Hue text:
 $u^*_p = j25g$ $u^*_g = y24l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*

FRS22_96a, adapted (a) CIE LAB data



u^*_p	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_p
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b



Input and output: Colorimetric Printer Reflective System FRS22_96, L*=22.96 for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.871$
data for any colour:
 lab^*ch^* and lab^*cu^*
Hue text:
 $u^*_p = r00l$ $u^*_g = m84o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*

FRS22_96a, adapted (a) CIE LAB data



u^*_p	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_p
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b



Input and output: Colorimetric Printer Reflective System FRS22_96, L*=22.96 for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*ch^* and lab^*cu^*
Hue text:
 $u^*_p = r75g$ $u^*_g = o69y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*

FRS22_96a, adapted (a) CIE LAB data



u^*_p	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_p
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b



Input and output: Colorimetric Printer Reflective System FRS22_96, L*=22.96 for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.354$
data for any colour:
 lab^*ch^* and lab^*cu^*
Hue text:
 $u^*_p = j50g$ $u^*_g = y55l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*

FRS22_96a, adapted (a) CIE LAB data

u^*_p	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_p
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b



Input and output: Colorimetric Printer Reflective System FRS22_96, L*=22.96 for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.117$
data for any colour:
 lab^*ch^* and lab^*cu^*
Hue text:
 $u^*_p = j25g$ $u^*_g = o17y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*

FRS22_96a, adapted (a) CIE LAB data

u^*_p	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_p
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b