














































Input and output: Colorimetric Printer Reflective System FR522_96a
data for any colour:
 u^*_R and number, $n = 00 \dots 15$
elementary hue test:
 $u^*_R = 16$ hues $r00$, $r25$, ..., $b75r$
contrast reduction factor:
 $c_R = 1.0$

FR522_96a, adapted (a) CIE LAB data

u^*_R	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_R
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b

FR522_96a, adapted (a) CIE LAB data

u^*_R	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_R
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b




Input and output: Colorimetric Printer Reflective System FR522_96, L*=22.96 for relative CIE LAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.164$
data for any colour:
 lab^*ch^* and lab^*cu^*
Hue tests:
 $u^*_R = r50l$ $u^*_R = o42y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*

FR522_96a, adapted (a) CIE LAB data

u^*_R	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_R
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b

FR522_96a, adapted (a) CIE LAB data

u^*_R	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_R
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b




Input and output: Colorimetric Printer Reflective System FR522_96, L*=22.96 for relative CIE LAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.305$
data for any colour:
 lab^*ch^* and lab^*cu^*
Hue tests:
 $u^*_R = j25g$ $u^*_R = y24l$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*

FR522_96a, adapted (a) CIE LAB data

u^*_R	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_R
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b

FR522_96a, adapted (a) CIE LAB data

u^*_R	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_R
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b




Input and output: Colorimetric Printer Reflective System FR522_96, L*=22.96 for relative CIE LAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.071$
data for any colour:
 lab^*ch^* and lab^*cu^*
Hue tests:
 $u^*_R = r00l$ $u^*_R = m84o$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*

FR522_96a, adapted (a) CIE LAB data

u^*_R	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_R
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b

FR522_96a, adapted (a) CIE LAB data

u^*_R	L^*	a^*	b^*	C_{90}	h^*_{90}	u^*_R
000	48.66	67.41	32.12	74.67	25	m00a
250	55.55	53.38	48.38	72.04	42	o17y
500	65.2	35.87	59.45	69.43	59	o42y
750	74.97	18.14	70.66	72.95	76	o69y
1000	86.84	-3.4	84.28	84.35	92	o90y
1250	80.13	-25.99	72.23	76.76	110	y24l
1500	69.85	-42.61	56.0	70.37	127	y52l
1750	60.33	-57.99	40.99	71.02	145	y85l
2000	57.36	-58.35	18.71	61.27	162	l12c
2250	59.78	-46.2	-7.82	46.86	190	l45c
2500	61.08	-37.02	-27.87	46.34	217	l78c
2750	56.81	-20.63	-42.98	47.67	244	c16v
3000	42.98	1.37	-45.05	45.07	272	c58v
3250	28.03	27.03	-46.5	53.78	300	v03m
3500	37.82	48.22	-29.42	56.48	329	v54m
3750	49.41	72.75	-3.76	72.85	357	m10b



Input and output: Colorimetric Printer Reflective System FR522_96, L*=22.96 for relative CIE LAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.21$
data for any colour:
 lab^*ch^* and lab^*cu^*
Hue tests:
 $u^*_R = r75l$ $u^*_R = o69y$
contrast reduction factor:
 $c_R = 1.0$
triangle lightness l^*

FR522_96a; adapted (a) CIE LAB data						
	u^*_R	L^*	a^*	b^*	C_{90}	h^*_{90}
000	48.49	66.19	40.28	77.48	31	
Y _{data}	90.26	-9.62	88.21	88.73	96	
017	55.52	-65.29	33.87	75.36	153	
C _{data}	63.03	-30.53	-42.04	51.96	234	
M _{data}	27.53	75.95	-47.37	54.01	279	
042	49.52	-23.53	-9.02	74.08	353	
N _{data}	22.01	0.0	0.0	0.0	0	
M _{data}	96.24	0.0	0.0	0.0	0	
R _{CIE}	39.29	58.74	27.99	65.07	25	
J _{CIE}	56.26	-2.89	71.56	71.62	92	
C _{CIE}	81.23	-23.42	13.56	41.45	162	
R _{CIE}	30.57	14.1	-46.47	46.99	299	1.00