



See for similar files: <http://www.ps.bam.de/Fe48/>; www.ps.bam.de/Fe48/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1




Fe481-5, Picture B2: Radial gratings W-C, W-M, W-Y, W-N, W-Z; PS operator olv* setrgbcolor




Fe481-5, Picture B3: 16 CIE-test colours and 2 + 16 grey steps; Use of PS operator olv* setrgbcolor

Fe48-1; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, olv* interpretation



Fe481-1, Picture B4: 16 equidistant steps W-C, W-M, W-Y, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture B5: Script and Landolt-rings N, C, M, Y, Z; PS operator olv* setrgbcolor



Fe481-5, Picture B6: Landolt-rings W-C, W-M; PS operator olv* setrgbcolor





Fe481-7, Picture B7: Landolt-rings W-Y, W-N; PS operator olv* setrgbcolor


input: rgb->olv* setrgbcolor
output: no change compared to input

BAM registration: 20081001-Fe48/10Y/Y10100NP.PS. /PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta


See for similar files: <http://www.ps.bam.de/Fe48/>; [http://www.ps.bam.de/Fe48/Version 2.1, io=1, ColSp=1](http://www.ps.bam.de/Fe48/Version%202.1%2Cio%3D1%2Ccol%3Dsp%3D1)




BAM registration: 20081001-Fe48/10Y/Y10100NP.PS. /PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta




Fe481-1, Picture D4: 16 equidistant steps W-O, W-L, W-V, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture D5: Script and Landolt-rings N, O, L, V, Z; PS operator olv* setrgbcolor




Fe481-5, Picture D2: Radial gratings W-O, W-L, W-V, W-N, W-Z; PS operator olv* setrgbcolor



Fe481-5, Picture D6: Landolt-rings W-O, W-L; PS operator olv* setrgbcolor





Fe481-7, Picture D7: CIE-test colours and 2 + 16 grey steps; Use of PS operator olv* setrgbcolor




Fe481-7, Picture D7: Landolt-rings W-V, W-N; PS operator olv* setrgbcolor

Fe48-3; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, olv* interpretation

input: rgb->olv* setrgbcolor
output: no change compared to input




N: No Output Linearization (OL) data in File (F), Startup (S) or Device (D)




Fe480-1, Picture D4N: 16 equidistant steps N-O, N-L, N-V, W-N; PS operator olv* setrgbcolor



Fe480-3, Picture D5N: Script and Landolt-rings W, O, L, V, Z; PS operator olv* setrgbcolor




Fe480-5, Picture D6N: Landolt-rings N-O, N-L; PS operator olv* setrgbcolor




Fe480-4, Picture D7S4: Landolt-rings N-V, W-N; PS operator olv* setrgbcolor

Fe48-4; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705


Fig. D4 to D7 similar ISO/IEC-Test chart 4, olv* interpretation




Fe481-1, Picture D4Z: 16 equidistant steps Z-O, Z-L, Z-V, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture D5Z: Script and Landolt-rings N, O, L, V, W; PS operator olv* setrgbcolor



Fe481-5, Picture D6Z: Landolt-rings Z-O, Z-L; PS operator olv* setrgbcolor



Fe481-7, Picture D7Z: Landolt-rings Z-V, W-N; PS operator olv* setrgbcolor


input: rgb->olv* setrgbcolor

output: no change compared to input


See for similar files: <http://www.ps.bam.de/Fe48/>; [http://www.ps.bam.de/Fe48/Version 2.1, io=1, ColSpx=1](http://www.ps.bam.de/Fe48/Version%202.1%20io%3D1%20ColSpx%3D1)Technical information: <http://www.ps.bam.de>

BAM registration: 20081001-Fe48/10Y/Y10100NP.PS. /PDF application for evaluation and measurement of printer or monitor systems

BAM material: code=th4ta




Fe481-7, Picture B7: Landolt-rings W-Y, W-N; PS operator *olv** *setrgbcolor*




Fe480-1, Picture B4N: 16 equidistant steps N-C, N-M, N-Y, W-N; PS operator olv* setrgbcolor



Fe480-3, Picture B5N: Script and Landolt-rings W, C, M, Y, Z; PS operator olv* setrgbcolor




Fe480-5, Picture B6N: Landolt-rings N-C, N-M; PS operator olv* setrgbcolor




Fe480-7, Picture B7N: Landolt-rings N-Y, W-N; PS operator olv* setrgbcolor


Fe48-7; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-Test chart 2, olv* interpretation




Fe481-1, Picture B4Z: 16 equidistant steps Z-C, Z-M, Z-Y, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture B5Z: Script and Landolt-rings N, C, M, Y, W; PS operator olv* setrgbcolor





Fe481-5, Picture B6Z: Landolt-rings Z-C, Z-M; PS operator olv* setrgbcolor




Fe481-7, Picture B7Z: Landolt-rings Z-Y, W-N; PS operator olv* setrgbcolor

input: rgb->olv* setrgbcolor
output: no change compared to input


See for similar files: <http://www.ps.bam.de/Fe48/>; [http://www.ps.bam.de/Fe48/Version 2.1, io=1, ColSp=1](http://www.ps.bam.de/Fe48/Version%202.1%2Cio%3D1%2Ccol%3Dsp%3D1)




BAM registration: 20081001-Fe48/10Y/Y10100NP.PS. /PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta




Fe481-1, Picture D4: 16 equidistant steps W-O, W-L, W-V, W-N; PS operator olv* setrgbcolor




Fe481-3, Picture D5: Script and Landolt-rings N, O, L, V, Z; PS operator olv* setrgbcolor




Fe481-5, Picture D2: Radial gratings W-O, W-L, W-V, W-N, W-Z; PS operator olv* setrgbcolor



Fe481-5, Picture D6: Landolt-rings W-O, W-L; PS operator olv* setrgbcolor





Fe481-7, Picture D7: CIE-test colours and 2 + 16 grey steps; Use of PS operator olv* setrgbcolor



Fe481-7, Picture D7: Landolt-rings W-V, W-N; PS operator olv* setrgbcolor

Fe48-8; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, olv* interpretation


input: rgb->olv* setrgbcolor
output: no change compared to input



See for similar files: <http://www.ps.bam.de/Fe48/>;
Technical information: <http://www.ps.bam.de>

Version 2.1, io=1,1, ColSpx=1


Fe48-9, olv*




Fe480-1, Picture D4N: 16 equidistant steps N-O, N-L, N-V, W-N; PS operator olv* setrgbcolor



Fe480-3, Picture D5N: Script and Landolt-rings W, O, L, V, Z; PS operator olv* setrgbcolor




Fe480-5, Picture D6N: Landolt-rings N-O, N-L; PS operator olv* setrgbcolor




Fe480-9, Picture D7S4: Landolt-rings N-V, W-N; PS operator olv* setrgbcolor


Fe48-9; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-Test chart 4, olv* interpretation




Fe481-1, Picture D4Z: 16 equidistant steps Z-O, Z-L, Z-V, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture D5Z: Script and Landolt-rings N, O, L, V, W; PS operator olv* setrgbcolor




Fe481-5, Picture D6Z: Landolt-rings Z-O, Z-L; PS operator olv* setrgbcolor






Fe481-7, Picture D7Z: Landolt-rings Z-V, W-N; PS operator olv* setrgbcolor

input: rgb->olv* setrgbcolor
output: no change compared to input



BAM registration: 20081001-Fe48/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta




BAM material: code=rha4ta




```
input: rgb->olv* setrgbcolor
output: olv*->cmyn6* setcmyk
```




Fe481-3, Picture B5: Script and Landolt-rings N, C, M, Y, Z; PS operator *olv* setrgbcolor*



Fe481-5, Picture B6: Landolt-rings *W-C*, *W-M*; PS operator *olv** *setrgbcolor*



Landolt-rings W-Y	Code	Landolt-
Fe481-7, Picture B7: Landolt-rings W-Y, W-N; PS operator <i>olv* setrgbcolor</i>		




Fe480-1, Picture B4N: 16 equidistant steps N-C, N-M, N-Y, W-N; PS operator olv* setrgbcolor



Fe480-3, Picture B5N: Script and Landolt-rings W, C, M, Y, Z; PS operator olv* setrgbcolor




Fe480-5, Picture B6N: Landolt-rings N-C, N-M; PS operator olv* setrgbcolor




Fe480-7, Picture B7N: Landolt-rings N-Y, W-N; PS operator olv* setrgbcolor


Fe48-2; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-Test chart 2, olv* interpretation



Fe481-1, Picture B4Z: 16 equidistant steps Z-C, Z-M, Z-Y, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture B5Z: Script and Landolt-rings N, C, M, Y, W; PS operator olv* setrgbcolor




Fe481-5, Picture B6Z: Landolt-rings Z-C, Z-M; PS operator olv* setrgbcolor




Fe481-7, Picture B7Z: Landolt-rings Z-Y, W-N; PS operator olv* setrgbcolor

input: rgb->olv* setrgbcolor
output: olv*->cmyn6* setcmyk




See for similar files: <http://www.ps.bam.de/Fe48/>; www.ps.bam.de/Fe48/
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpx=1


BAM registration: 20081001-Fe48/10Y/Y10100NP.PS. /PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta




Fe481-1, Picture D4: 16 equidistant steps W-O, W-L, W-V, W-N; PS operator olv* setrgbcolor




Fe481-3, Picture D5: Script and Landolt-rings N, O, L, V, Z; PS operator olv* setrgbcolor




Fe481-5, Picture D2: Radial gratings W-O, W-L, W-V, W-N, W-Z; PS operator olv* setrgbcolor



Fe481-5, Picture D6: Landolt-rings W-O, W-L; PS operator olv* setrgbcolor




Fe481-7, Picture D7: Landolt-rings W-V, W-N; PS operator olv* setrgbcolor




Fe481-7, Picture D7: Landolt-rings W-V, W-N; PS operator olv* setrgbcolor

Fe48-3; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, olv* interpretation

input: rgb->olv* setrgbcolor
output: olv*->cmyn6* setcmyk







Fe480-1, Picture D4N: 16 equidistant steps N-O, N-L, N-V, W-N; PS operator olv* setrgbcolor



Fe480-3, Picture D5N: Script and Landolt-rings W, O, L, V, Z; PS operator olv* setrgbcolor




Fe480-5, Picture D6N: Landolt-rings N-O, N-L; PS operator olv* setrgbcolor




Fe480-7, Picture D7N: Landolt-rings N-V, W-N; PS operator olv* setrgbcolor


Fe48-4; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-Test chart 4, olv* interpretation




Fe481-1, Picture D4Z: 16 equidistant steps Z-O, Z-L, Z-V, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture D5Z: Script and Landolt-rings N, O, L, V, W; PS operator olv* setrgbcolor



Fe481-5, Picture D6Z: Landolt-rings Z-O, Z-L; PS operator olv* setrgbcolor




Fe481-7, Picture D7Z: Landolt-rings Z-V, W-N; PS operator olv* setrgbcolor

input: rgb->olv* setrgbcolor
output: olv*->cmyn6* setcmyk

See for similar files: <http://www.ps.bam.de/Fe48/>;
Technical information: <http://www.ps.bam.de>

Version 2.1, io=1, ColSp=1

BAM registration: 20081001-Fe48/10Y/Y10100NP.PS. /PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta




Fe48-5, olv* ColSpx=1 colorm=0 xcharti=1 xcharts=4 DEintp=0, (A-a, k-n), DEintp=1, (b-j)


See for similar files: <http://www.ps.bam.de/Fe48/>; [http://www.ps.bam.de/Fe48/Version 2.1, io=1, ColSp=1](http://www.ps.bam.de/Fe48/Version%202.1%2Cio%3D1%2CcolSp%3D1)




BAM registration: 20081001-Fe48/10Y/Y10100NP.PS. /PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta



Fe481-1, Picture B4: 16 equidistant steps W-C', W-M', W-J, W-N; PS operator *rgb* setrgbcolor*




Fe481-3, Picture D5: Script and Landolt-rings N, R, G, B, Z; PS operator *rgb* setrgbcolor*




Fe481-5, Picture B2: Radial gratings W-C', W-M', W-J, W-N, W-Z; PS operator *rgb* setrgbcolor*



Fe481-6, Picture B3: CIE-test colours and 2 + 16 grey steps; Use of PS operator *olv* setrgbcolor*




Fe481-5, Picture B6: Landolt-rings W-C', W-M'; PS operator *rgb* setrgbcolor*




Fe481-7, Picture B7: Landolt-rings W-J, W-N; PS operator *rgb* setrgbcolor*

Fe48-6; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, *rgb** interpretation

input: *rgb* -> *rgb* setrgbcolor*
output: *rgb** -> *cmyn6* setcmyk*





Fe480-1, Picture B4N: 16 equidistant steps $N-C'$, $N-M'$, $N-J$, $W-N$; PS operator $rgb^* setrgbcolor$



Fe480-3, Picture B5N: Script and Landolt-rings W, C', M', J, Z ; PS operator $rgb^* setrgbcolor$




Fe480-5, Picture B6N: Landolt-rings $N-C'$, $N-M'$; PS operator $rgb^* setrgbcolor$




Fe480-7, Picture B7N: Landolt-rings $N-J, W-N$; PS operator $rgb^* setrgbcolor$


Fe48-7; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-Test chart 2, rgb^* interpretation



Fe481-1, Picture B4Z: 16 equidistant steps $Z-C'$, $Z-M'$, $Z-J, W-N$; PS operator $rgb^* setrgbcolor$



Fe481-3, Picture B5Z: Script and Landolt-rings N, C', M', J, W ; PS operator $rgb^* setrgbcolor$




Fe481-5, Picture B6Z: Landolt-rings $Z-C'$, $Z-M'$; PS operator $rgb^* setrgbcolor$




Fe481-7, Picture B7Z: Landolt-rings $Z-J, W-N$; PS operator $rgb^* setrgbcolor$

input: $rgb^* \rightarrow rgb^* setrgbcolor$
output: $rgb^* \rightarrow cmy6^* setcmyk$


See for similar files: <http://www.ps.bam.de/Fe48/>; www.ps.bam.de/Fe48/10Y/Y10100NP.PS. /PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1




BAM registration: 20081001-Fe48/10Y/Y10100NP.PS. /PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta




Fe481-1, Picture D4: 16 equidistant steps W-R, W-G, W-B, W-N; PS operator *rgb* setrgbcolor*



Fe481-3, Picture D5: Script and Landolt-rings N, R, G, B, Z; PS operator *rgb* setrgbcolor*




Fe481-5, Picture D2: Radial gratings W-R, W-G, W-B, W-N, W-Z; PS operator *rgb* setrgbcolor*



Fe481-5, Picture D6: Landolt-rings W-R, W-G; PS operator *rgb* setrgbcolor*



Fe481-8, Picture D7: 16 equidistant steps W-R, W-G, W-B, W-N, W-Z; PS operator *rgb* setrgbcolor*







Fe481-7, Picture D7: Landolt-rings W-B, W-N; PS operator *rgb* setrgbcolor*

Fe48-8; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, *rgb** interpretation










input: *rgb* -> *rgb* setrgbcolor*
output: *rgb* *-> *cmy6* setcmyk*

www.ps.bam.de/Fe48/10Y/Y10100NP.PS. /PDF, Page 17/54; ORS20_95, L*=20_95; transfer and output















c















C

















c

















c
























cm

















cm












cm













m














m









m






=====

=====





=====

m



=====

=====



=====


=====




=====

=====








=====




=====
















my














my











my














my






y

















y









y











c y








c y











c y






c y






See for similar files: <http://www.ps.bam.de/Fe48/>; [www.ps.bam.de/Fe48/Version 2.1, io=1.1, ColSpx=1](http://www.ps.bam.de/Fe48/Version%202.1,%20io=1.1,%20ColSpx=1)


BAM registration: 20081001-Fe48/10Y/Y10100NP.PS. /PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta




Fe481-1, Picture B4: 16 equidistant steps W-C, W-M, W-Y, W-N; PS operator olv* setrgbcolor




Fe481-3, Picture B5: Script and Landolt-rings N, C, M, Y, Z; PS operator olv* setrgbcolor



Fe481-5, Picture B2: Radial gratings W-C, W-M, W-Y, W-N, W-Z; PS operator olv* setrgbcolor



Fe481-5, Picture B6: Landolt-rings W-C, W-M; PS operator olv* setrgbcolor





Fe481-7, Picture B7: CIE-test colours and 2 + 16 grey steps; Use of PS operator olv* setrgbcolor






Fe481-7, Picture B7: Landolt-rings W-Y, W-N; PS operator olv* setrgbcolor

Fe48-1; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, olv* interpretation

input: rgb -> olv* setrgbcolor
output: olv* -> cmyn6* setcmk









See for similar files: <http://www.ps.bam.de/Fe48/>; [http://www.ps.bam.de/Fe48/Version 2.1, io=1, ColSpx=1](http://www.ps.bam.de/Fe48/Version%202.1%2Cio%3D1%2Ccol%3D1)


BAM registration: 20081001-Fe48/10Y/Y10100NP.PS. /PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta




Fe481-1, Picture D4: 16 equidistant steps W-O, W-L, W-V, W-N; PS operator olv* setrgbcolor




Fe481-3, Picture D5: Script and Landolt-rings N, O, L, V, Z; PS operator olv* setrgbcolor



Fe481-5, Picture D2: Radial gratings W-O, W-L, W-V, W-N, W-Z; PS operator olv* setrgbcolor





Fe481-5, Picture D6: Landolt-rings W-O, W-L; PS operator olv* setrgbcolor





Fe481-7, Picture D7: Landolt-rings W-V, W-N; PS operator olv* setrgbcolor

Fe48-3; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, olv* interpretation


input: rgb -> olv* setrgbcolor
output: olv* -> cmyn6* setcmyn6




See for similar files: <http://www.ps.bam.de/Fe48/>; [http://www.ps.bam.de/Fe48/Version 2.1, io=1, ColSpx=1](http://www.ps.bam.de/Fe48/Version%202.1%20io%3D1%20ColSpx%3D1)




Fe480-1, Picture D4N: 16 equidistant steps N-O, N-L, N-V, W-N; PS operator olv* setrgbcolor



Fe480-3, Picture D5N: Script and Landolt-rings W, O, L, V, Z; PS operator olv* setrgbcolor





Fe480-5, Picture D6N: Landolt-rings N-O, N-L; PS operator olv* setrgbcolor




Fe480-7, Picture D7N: Landolt-rings N-V, W-N; PS operator olv* setrgbcolor


Fe48-4; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-Test chart 4, olv* interpretation




Fe481-1, Picture D4Z: 16 equidistant steps Z-O, Z-L, Z-V, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture D5Z: Script and Landolt-rings N, O, L, V, W; PS operator olv* setrgbcolor




Fe481-5, Picture D6Z: Landolt-rings Z-O, Z-L; PS operator olv* setrgbcolor





Fe481-7, Picture D7Z: Landolt-rings Z-V, W-N; PS operator olv* setrgbcolor



input: rgb->olv* setrgbcolor
output: olv*->cmyn6* setcmyk



BAM registration: 20081001-Fe48/10Y/Y10100NP.PS./PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta









See for similar files: <http://www.ps.bam.de/Fe48/>; [http://www.ps.bam.de/Fe48/Version 2.1, io=1, ColSp=1](http://www.ps.bam.de/Fe48/Version%202.1%2Cio%3D1%2CcolSp%3D1)


BAM registration: 20081001-Fe48/10Y/Y10100NP.PS. /PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta




Fe481-1, Picture B4: 16 equidistant steps W-C', W-M', W-J, W-N; PS operator *rgb* setrgbcolor*



Fe481-3, Picture D5: Script and Landolt-rings N, R, G, B, Z; PS operator *rgb* setrgbcolor*




Fe481-5, Picture B2: Radial gratings W-C', W-M', W-J, W-N, W-Z; PS operator *rgb* setrgbcolor*



Fe48-6, Picture B3: 16 CIE-test colours and 2 + 16 grey steps; Use of PS operator *olv* setrgbcolor*

Fe48-6; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, *rgb** interpretation






Fe481-5, Picture B6: Landolt-rings W-C', W-M'; PS operator *rgb* setrgbcolor*




Fe481-7, Picture B7: Landolt-rings W-J, W-N; PS operator *rgb* setrgbcolor*

input: *rgb* -> *rgb* setrgbcolor*
output: *rgb** -> *cmyn6* setcmyk*







See for similar files: <http://www.ps.bam.de/Fe48/>; www.ps.bam.de/Fe48/
Technical information: <http://www.ps.bam.de>
Version 2.1, io=1, ColSpx=1




Fe480-1, Picture B4N: 16 equidistant steps *N-C'*, *N-M'*, *N-J*, *W-N*; PS operator *rgb* setrgbcolor*



Fe480-3, Picture B5N: Script and Landolt-rings *W*, *C'*, *M'*, *J*, *Z*; PS operator *rgb* setrgbcolor*




Fe480-5, Picture B6N: Landolt-rings *N-C'*, *N-M'*; PS operator *rgb* setrgbcolor*




Fe480-7, Picture B7N: Landolt-rings *N-J*, *W-N*; PS operator *rgb* setrgbcolor*


Fe48-7; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-Test chart 2, *rgb** interpretation




BAM registration: 20081001-Fe48/10Y/Y10100NP.PS. /PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta




Fe481-1, Picture B4Z: 16 equidistant steps *Z-C'*, *Z-M'*, *Z-J*, *W-N*; PS operator *rgb* setrgbcolor*



Fe481-3, Picture B5Z: Script and Landolt-rings *N*, *C'*, *M'*, *J*, *W*; PS operator *rgb* setrgbcolor*






Fe481-5, Picture B6Z: Landolt-rings *Z-C'*, *Z-M'*; PS operator *rgb* setrgbcolor*



Fe481-7, Picture B7Z: Landolt-rings *Z-J*, *W-N*; PS operator *rgb* setrgbcolor*


input: *rgb*->*rgb* setrgbcolor*
output: *rgb**->*cmyn6* setcmyk*






See for similar files: <http://www.ps.bam.de/Fe48/>; [http://www.ps.bam.de/Fe48/Version 2.1, io=1, ColSpx=1](http://www.ps.bam.de/Fe48/Version%202.1%2Cio%3D1%2Ccol%3D1)


BAM registration: 20081001-Fe48/10Y/Y10100NP.PS. /PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta




Fe481-1, Picture D4: 16 equidistant steps W-R, W-G, W-B, W-N; PS operator *rgb* setrgbcolor*




Fe481-3, Picture D5: Script and Landolt-rings N, R, G, B, Z; PS operator *rgb* setrgbcolor*




Fe481-5, Picture D6: Landolt-rings W-R, W-G; PS operator *rgb* setrgbcolor*



Fe481-7, Picture D7: Landolt-rings W-B, W-N; PS operator *rgb* setrgbcolor*





Fe481-5, Picture D2: Radial gratings W-R, W-G, W-B, W-N, W-Z; PS operator *rgb* setrgbcolor*




Fe481-8, Picture D3: 2 + 16 grey steps; Use of PS operator *olv* setrgbcolor*

Fe48-8; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, *rgb** interpretation


input: *rgb* -> *rgb* setrgbcolor*
output: *rgb** -> *cmyn6* setcmyk*




See for similar files: <http://www.ps.bam.de/Fe48/>; [http://www.ps.bam.de/Fe48/Version 2.1, io=1, ColSpx=1](http://www.ps.bam.de/Fe48/Version%202.1%20io%3D1%20ColSpx%3D1)




Fe480-1, Picture D4N: 16 equidistant steps N-R, N-G, N-B, W-N; PS operator *rgb* setrgbcolor*



Fe480-3, Picture D5N: Script and Landolt-rings W, R, G, B, Z; PS operator *rgb* setrgbcolor*




Fe480-5, Picture D6N: Landolt-rings N-R, N-G; PS operator *rgb* setrgbcolor*




Fe480-7, Picture D7N: Landolt-rings N-B, W-N; PS operator *rgb* setrgbcolor*


Fe48-9; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-Test chart 4, *rgb** interpretation




Fe481-1, Picture D4Z: 16 equidistant steps Z-R, Z-G, Z-B, W-N; PS operator *rgb* setrgbcolor*



Fe481-3, Picture D5Z: Script and Landolt-rings N, R, G, B, W; PS operator *rgb* setrgbcolor*



Fe481-5, Picture D6Z: Landolt-rings Z-R, Z-G; PS operator *rgb* setrgbcolor*



Fe481-7, Picture D7Z: Landolt-rings Z-B, W-N; PS operator *rgb* setrgbcolor*

input: *rgb** -> *rgb* setrgbcolor*
output: *rgb** -> *cmyn6* setcmyk*