



See for similar files: <http://www.ps.bam.de/Fe48/>; [www.ps.bam.de/Fe48e00NP.PS/](http://www.ps.bam.de/Fe48/Fe48e00NP.PS/).PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1


BAM registration: 20081001-Fe48/10L/L48e00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta




Fe481-1, Picture B4: 16 equidistant steps W-C, W-M, W-Y, W-N; PS operator olv* setrgbcolor




Fe481-3, Picture B5: Script and Landolt-rings N, C, M, Y, Z; PS operator olv* setrgbcolor




Fe481-5, Picture B2: Radial gratings W-C, W-M, W-Y, W-N, W-Z; PS operator olv* setrgbcolor



Fe481-5, Picture B6: Landolt-rings W-C, W-M; PS operator olv* setrgbcolor



Fe480-7, Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator olv* setrgbcolor





Fe481-7, Picture B7: Landolt-rings W-Y, W-N; PS operator olv* setrgbcolor

Fe48-1; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, olv* interpretation

input: rgb->olv* setrgbcolor
output: no change compared to input

See for similar files: <http://www.ps.bam.de/Fe48/>; [http://www.ps.bam.de/Fe48/Version 2.1, io=1,1, ColSp=1](http://www.ps.bam.de/Fe48/Version%202.1%2C%20io%3D1%2C%20ColSp%3D1)


Technical information: <http://www.ps.bam.de>




Fe480-1, Picture B4N: 16 equidistant steps N-C, N-M, N-Y, W-N; PS operator olv* setrgbcolor



Fe480-3, Picture B5N: Script and Landolt-rings W, C, M, Y, Z; PS operator olv* setrgbcolor




Fe480-5, Picture B6N: Landolt-rings N-C, N-M; PS operator olv* setrgbcolor




Fe480-7, Picture B7N: Landolt-rings N-Y, W-N; PS operator olv* setrgbcolor


Fe48-2; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-Test chart 2, olv* interpretation




Fe481-1, Picture B4Z: 16 equidistant steps Z-C, Z-M, Z-Y, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture B5Z: Script and Landolt-rings N, C, M, Y, W; PS operator olv* setrgbcolor



Fe481-5, Picture B6Z: Landolt-rings Z-C, Z-M; PS operator olv* setrgbcolor




Fe481-7, Picture B7Z: Landolt-rings Z-Y, W-N; PS operator olv* setrgbcolor

input: rgb->olv* setrgbcolor
output: no change compared to input


BAM registration: 20081001-Fe48/10L/L48e00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems

BAM material: code=rha4ta




See for similar files: <http://www.ps.bam.de/Fe48/>; [www.ps.bam.de/Fe48e00NP.PS/](http://www.ps.bam.de/Fe48/Fe48e00NP.PS/).PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1


BAM registration: 20081001-Fe48/10L/L48e00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rh4ta




Fe481-1, Picture D4: 16 equidistant steps W-O, W-L, W-V, W-N; PS operator olv* setrgbcolor




Fe481-3, Picture D5: Script and Landolt-rings N, O, L, V, Z; PS operator olv* setrgbcolor




Fe481-5, Picture D2: Radial gratings W-O, W-L, W-V, W-N, W-Z; PS operator olv* setrgbcolor



Fe481-5, Picture D6: Landolt-rings W-O, W-L; PS operator olv* setrgbcolor



Fe480-7, Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator olv* setrgbcolor




Fe481-7, Picture D7: Landolt-rings W-V, W-N; PS operator olv* setrgbcolor


Fe48-3; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, olv* interpretation

input: rgb->olv* setrgbcolor
output: no change compared to input


See for similar files: <http://www.ps.bam.de/Fe48/>; [www.ps.bam.de/Fe48e00NP.PS/.PDF](http://www.ps.bam.de/Fe48/Fe48e00NP.PS/.PDF)
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1




Fe480-1, Picture D4N: 16 equidistant steps N-O, N-L, N-V, W-N; PS operator olv* setrgbcolor



Fe480-3, Picture D5N: Script and Landolt-rings W, O, L, V, Z; PS operator olv* setrgbcolor




Fe480-5, Picture D6N: Landolt-rings N-O, N-L; PS operator olv* setrgbcolor




Fe480-7, Picture D7N: Landolt-rings N-V, W-N; PS operator olv* setrgbcolor


Fe48-4; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-Test chart 4, olv* interpretation




Fe481-1, Picture D4Z: 16 equidistant steps Z-O, Z-L, Z-V, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture D5Z: Script and Landolt-rings N, O, L, V, W; PS operator olv* setrgbcolor




Fe481-5, Picture D6Z: Landolt-rings Z-O, Z-L; PS operator olv* setrgbcolor



Fe481-7, Picture D7Z: Landolt-rings Z-V, W-N; PS operator olv* setrgbcolor


input: rgb->olv* setrgbcolor
output: no change compared to input

BAM registration: 20081001-Fe48/10L/L48e00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rh4ta




See for similar files: <http://www.ps.bam.de/Fe48/>; [www.ps.bam.de/Fe48e00NP.PS/](http://www.ps.bam.de/Fe48/Fe48e00NP.PS/).PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1

BAM registration: 20081001-Fe48/10L/L48e00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta




Fe481-5, Picture B2: Radial gratings W-C, W-M, W-Y, W-N, W-Z; PS operator olv* setrgbcolor




Fe480-7, Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator olv* setrgbcolor


Fe48-6; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, olv* interpretation




Fe481-1, Picture B4: 16 equidistant steps W-C, W-M, W-Y, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture D5: Script and Landolt-rings N, O, L, V, Z; PS operator olv* setrgbcolor




Fe481-5, Picture B6: Landolt-rings W-C, W-M; PS operator olv* setrgbcolor



Fe481-7, Picture B7: Landolt-rings W-Y, W-N, W-Z; PS operator olv* setrgbcolor

input: rgb->olv* setrgbcolor
output: no change compared to input


See for similar files: <http://www.ps.bam.de/Fe48/>; www.ps.bam.de/Fe48/Fe48e00NP.PS/.PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1




Fe480-1, Picture B4N: 16 equidistant steps N-C, N-M, N-Y, W-N; PS operator olv* setrgbcolor



Fe480-3, Picture B5N: Script and Landolt-rings W, C, M, Y, Z; PS operator olv* setrgbcolor




Fe480-5, Picture B6N: Landolt-rings N-C, N-M; PS operator olv* setrgbcolor




Fe480-7, Picture B7N: Landolt-rings N-Y, W-N; PS operator olv* setrgbcolor


Fe48-7; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-Test chart 2, olv* interpretation




Fe481-1, Picture B4Z: 16 equidistant steps Z-C, Z-M, Z-Y, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture B5Z: Script and Landolt-rings N, C, M, Y, W; PS operator olv* setrgbcolor



Fe481-5, Picture B6Z: Landolt-rings Z-C, Z-M; PS operator olv* setrgbcolor




Fe481-7, Picture B7Z: Landolt-rings Z-Y, W-N; PS operator olv* setrgbcolor

input: rgb->olv* setrgbcolor
output: no change compared to input


BAM registration: 20081001-Fe48/10L/L48e00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta

See for similar files: <http://www.ps.bam.de/Fe48/>; [www.ps.bam.de/Fe48e00NP.PS/](http://www.ps.bam.de/Fe48/Fe48e00NP.PS/).PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1


BAM registration: 20081001-Fe48/10L/L48e00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta




Fe481-1, Picture D4: 16 equidistant steps W-O, W-L, W-V, W-N; PS operator olv* setrgbcolor




Fe481-3, Picture D5: Script and Landolt-rings N, O, L, V, Z; PS operator olv* setrgbcolor




Fe481-5, Picture D2: Radial gratings W-O, W-L, W-V, W-N, W-Z; PS operator olv* setrgbcolor



Fe481-5, Picture D6: Landolt-rings W-O, W-L; PS operator olv* setrgbcolor



Fe480-7, Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator olv* setrgbcolor




Fe481-7, Picture D7: Landolt-rings W-V, W-N; PS operator olv* setrgbcolor


Fe48-8; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, olv* interpretation

input: rgb->olv* setrgbcolor
output: no change compared to input


See for similar files: <http://www.ps.bam.de/Fe48/>; www.ps.bam.de/Fe48/Fe48e00NP.PS/.PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1




Fe480-1, Picture D4N: 16 equidistant steps N-O, N-L, N-V, W-N; PS operator olv* setrgbcolor




Fe480-3, Picture D5N: Script and Landolt-rings W, O, L, V, Z; PS operator olv* setrgbcolor




Fe480-5, Picture D6N: Landolt-rings N-O, N-L; PS operator olv* setrgbcolor




Fe480-7, Picture D7N: Landolt-rings N-V, W-N; PS operator olv* setrgbcolor




Fe48-9; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-Test chart 4, olv* interpretation




Fe481-1, Picture D4Z: 16 equidistant steps Z-O, Z-L, Z-V, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture D5Z: Script and Landolt-rings N, O, L, V, W; PS operator olv* setrgbcolor



Fe481-5, Picture D6Z: Landolt-rings Z-O, Z-L; PS operator olv* setrgbcolor




Fe481-7, Picture D7Z: Landolt-rings Z-V, W-N; PS operator olv* setrgbcolor

input: rgb->olv* setrgbcolor
output: no change compared to input


BAM registration: 20081001-Fe48/10L/L48e00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rh4ta

See for similar files: <http://www.ps.bam.de/Fe48/>; [www.ps.bam.de/Fe48e00NP.PS/](http://www.ps.bam.de/Fe48/Fe48e00NP.PS/) .PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1


BAM registration: 20081001-Fe48/10L/L48e00NP.PS/ .PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta



Fe481-1, Picture B4: 16 equidistant steps W-C, W-M, W-Y, W-N; PS operator olv* setrgbcolor




Fe481-3, Picture B5: Script and Landolt-rings N, C, M, Y, Z; PS operator olv* setrgbcolor




Fe481-5, Picture B2: Radial gratings W-C, W-M, W-Y, W-N, W-Z; PS operator olv* setrgbcolor



Fe481-5, Picture B6: Landolt-rings W-C, W-M; PS operator olv* setrgbcolor



Fe480-7, Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator olv* setrgbcolor





Fe481-7, Picture B7: Landolt-rings W-Y, W-N; PS operator olv* setrgbcolor

Fe48-1; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, olv* interpretation

input: rgb->olv* setrgbcolor
output: olv*->cmyn6* setcmyk

See for similar files: <http://www.ps.bam.de/Fe48/>; [http://www.ps.bam.de/Fe48/Version 2.1, io=1,1, ColSpX=1](http://www.ps.bam.de/Fe48/Version%202.1,%20io=1,1,%20ColSpX=1)

Technical information: <http://www.ps.bam.de>



Fe480-1, Picture B4N: 16 equidistant steps N-C, N-M, N-Y, W-N; PS operator olv* setrgbcolor



Fe480-3, Picture B5N: Script and Landolt-rings W, C, M, Y, Z; PS operator olv* setrgbcolor




Fe480-5, Picture B6N: Landolt-rings N-C, N-M; PS operator olv* setrgbcolor




Fe480-7, Picture B7N: Landolt-rings N-Y, W-N; PS operator olv* setrgbcolor


Fe48-2; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-Test chart 2, olv* interpretation



Fe481-1, Picture B4Z: 16 equidistant steps Z-C, Z-M, Z-Y, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture B5Z: Script and Landolt-rings N, C, M, Y, W; PS operator olv* setrgbcolor




Fe481-5, Picture B6Z: Landolt-rings Z-C, Z-M; PS operator olv* setrgbcolor




Fe481-7, Picture B7Z: Landolt-rings Z-Y, W-N; PS operator olv* setrgbcolor

input: rgb->olv* setrgbcolor
output: olv*->cmyn6* setcmyk

BAM registration: 20081001-Fe48/10L/L48e00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta





See for similar files: <http://www.ps.bam.de/Fe48/>; [www.ps.bam.de/Fe48e00NP.PS/](http://www.ps.bam.de/Fe48/Fe48e00NP.PS/).PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1




BAM registration: 20081001-Fe48/10L/L48e00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems


BAM material: code=rh4ta




Fe481-1, Picture D4: 16 equidistant steps W-O, W-L, W-V, W-N; PS operator olv* setrgbcolor




Fe481-3, Picture D5: Script and Landolt-rings N, O, L, V, Z; PS operator olv* setrgbcolor



Fe481-5, Picture D6: Landolt-rings W-O, W-L; PS operator olv* setrgbcolor



Fe481-7, Picture D7: Landolt-rings W-V, W-N; PS operator olv* setrgbcolor



Fe481-5, Picture D2: Radial gratings W-O, W-L, W-V, W-N, W-Z; PS operator olv* setrgbcolor




Fe480-7, Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator olv* setrgbcolor

Fe48-3; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, olv* interpretation

input: rgb->olv* setrgbcolor
output: olv*->cmyn6* setcmyk


See for similar files: <http://www.ps.bam.de/Fe48/>; www.ps.bam.de/Fe48/Fe48e00NP.PS/.PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1



Fe480-1, Picture D4N: 16 equidistant steps N-O, N-L, N-V, W-N; PS operator olv* setrgbcolor



Fe480-3, Picture D5N: Script and Landolt-rings W, O, L, V, Z; PS operator olv* setrgbcolor




Fe480-5, Picture D6N: Landolt-rings N-O, N-L; PS operator olv* setrgbcolor



Fe480-7, Picture D7N: Landolt-rings N-V, W-N; PS operator olv* setrgbcolor


Fe48-4; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-Test chart 4, olv* interpretation




Fe481-1, Picture D4Z: 16 equidistant steps Z-O, Z-L, Z-V, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture D5Z: Script and Landolt-rings N, O, L, V, W; PS operator olv* setrgbcolor




Fe481-5, Picture D6Z: Landolt-rings Z-O, Z-L; PS operator olv* setrgbcolor



Fe481-7, Picture D7Z: Landolt-rings Z-V, W-N; PS operator olv* setrgbcolor


input: rgb->olv* setrgbcolor
output: olv*->cmyn6* setcmyk

BAM registration: 20081001-Fe48/10L/L48e00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta




See for similar files: <http://www.ps.bam.de/Fe48/>; [www.ps.bam.de/Fe48e00NP.PS/](http://www.ps.bam.de/Fe48/Fe48e00NP.PS/).PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1


BAM registration: 20081001-Fe48/10L/L48e00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=th4ta




Fe481-1, Picture B4: 16 equidistant steps W-C', W-M', W-J, W-N; PS operator *rgb* setrgbcolor*



Fe481-3, Picture D5: Script and Landolt-rings N, R, G, B, Z; PS operator *rgb* setrgbcolor*




Fe481-5, Picture B2: Radial gratings W-C', W-M', W-J, W-N, W-Z; PS operator *rgb* setrgbcolor*



Fe481-5, Picture B6: Landolt-rings W-C', W-M'; PS operator *rgb* setrgbcolor*



Fe480-7, Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator *olv* setrgbcolor*



Fe481-7, Picture B7: Landolt-rings W-J, W-N; PS operator *rgb* setrgbcolor*

Fe48-6; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, *rgb** interpretation


input: *rgb*->*rgb* setrgbcolor*
output: *rgb**->*cmyn6* setcmyk*




Fe480-1, Picture B4N: 16 equidistant steps $N-C'$, $N-M'$, $N-J$, $W-N$; PS operator $rgb^* setrgbcolor$



Fe480-3, Picture B5N: Script and Landolt-rings W , C' , M' , J , Z ; PS operator $rgb^* setrgbcolor$




Fe480-5, Picture B6N: Landolt-rings $N-C'$, $N-M'$; PS operator $rgb^* setrgbcolor$




Fe480-7, Picture B7N: Landolt-rings $N-J$, $W-N$; PS operator $rgb^* setrgbcolor$


Fe48-7; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-Test chart 2, rgb^* interpretation




Fe481-1, Picture B4Z: 16 equidistant steps $Z-C'$, $Z-M'$, $Z-J$, $W-N$; PS operator $rgb^* setrgbcolor$



Fe481-3, Picture B5Z: Script and Landolt-rings N , C' , M' , J , W ; PS operator $rgb^* setrgbcolor$




Fe481-5, Picture B6Z: Landolt-rings $Z-C'$, $Z-M'$; PS operator $rgb^* setrgbcolor$




Fe481-7, Picture B7Z: Landolt-rings $Z-J$, $W-N$; PS operator $rgb^* setrgbcolor$

input: $rgb \rightarrow rgb^* setrgbcolor$
output: $rgb^* \rightarrow cmyn6^* setcmyk$


See for similar files: <http://www.ps.bam.de/Fe48/>; [www.ps.bam.de/Fe48e00NP.PS/](http://www.ps.bam.de/Fe48/Fe48e00NP.PS/).PDF
Technical information: <http://www.ps.bam.de> Version 2.1, io=1,1, ColSpX=1




Fe481-1, Picture D4: 16 equidistant steps W-R, W-G, W-B, W-N; PS operator $rgb*setrgbcolor$



Fe481-3, Picture D5: Script and Landolt-rings N, R, G, B, Z; PS operator $rgb*setrgbcolor$




Fe481-5, Picture D2: Radial gratings W-R, W-G, W-B, W-N, W-Z; PS operator $rgb*setrgbcolor$



Fe481-5, Picture D6: Landolt-rings W-R, W-G; PS operator $rgb*setrgbcolor$







Fe480-7, Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator $olv*setrgbcolor$








Fe481-7, Picture D7: Landolt-rings W-B, W-N; PS operator $rgb*setrgbcolor$

Fe48-8; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, rgb^* interpretation




input: $rgb \rightarrow rgb^*setrgbcolor$
output: $rgb^* \rightarrow cmyn6^*setcmyk$











Fe48-9; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-Test chart 4, *rgb** interpretation




input: *rgb*->*rgb* setrgbcolor*
output: *rgb**->*cmyn6* setcmyk*












c














c












c













c





















cm























cm















cm














m
















m





















m












m















m

















m












m
















y




















y










y










c y








c y












c y






c y






See for similar files: <http://www.ps.bam.de/Fe48/>; [www.ps.bam.de/Fe48e00NP.PS/](http://www.ps.bam.de/Fe48/Fe48e00NP.PS/).PDF
Technical information: <http://www.ps.bam.de>
Version 2.1, 10=1,1, ColSpX=1


BAM registration: 20081001-Fe48/10L/L48e00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta




Fe481-1, Picture B4: 16 equidistant steps W-C, W-M, W-Y, W-N; PS operator olv* setrgbcolor




Fe481-3, Picture B5: Script and Landolt-rings N, C, M, Y, Z; PS operator olv* setrgbcolor




Fe481-5, Picture B2: Radial gratings W-C, W-M, W-Y, W-N, W-Z; PS operator olv* setrgbcolor



Fe481-5, Picture B6: Landolt-rings W-C, W-M; PS operator olv* setrgbcolor




Fe480-7, Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator olv* setrgbcolor



Fe481-7, Picture B7: Landolt-rings W-Y, W-N; PS operator olv* setrgbcolor

Fe48-1; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, olv* interpretation


input: rgb->olv* setrgbcolor
output: olv*->cmyn6* setcmyk




Fe480-1, Picture B4N: 16 equidistant steps N-C, N-M, N-Y, W-N; PS operator olv* setrgbcolor



Fe480-3, Picture B5N: Script and Landolt-rings W, C, M, Y, Z; PS operator olv* setrgbcolor




Fe480-5, Picture B6N: Landolt-rings N-C, N-M; PS operator olv* setrgbcolor




Fe480-7, Picture B7N: Landolt-rings N-Y, W-N; PS operator olv* setrgbcolor


Fe48-2; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-Test chart 2, olv* interpretation




Fe481-1, Picture B4Z: 16 equidistant steps Z-C, Z-M, Z-Y, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture B5Z: Script and Landolt-rings N, C, M, Y, W; PS operator olv* setrgbcolor




Fe481-5, Picture B6Z: Landolt-rings Z-C, Z-M; PS operator olv* setrgbcolor




Fe481-7, Picture B7Z: Landolt-rings Z-Y, W-N; PS operator olv* setrgbcolor

input: rgb->olv* setrgbcolor
output: olv*->cmyn6* setcmyk




See for similar files: <http://www.ps.bam.de/Fe48/>; www.ps.bam.de/Fe48/Fe48e00NP.PS/ .PDF
Technical information: <http://www.ps.bam.de> Version 2.1, 10=1,1, ColSpX=1


BAM registration: 20081001-Fe48/10L/L48e00NP.PS/ .PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rh4ta




Fe481-1, Picture D4: 16 equidistant steps W-O, W-L, W-V, W-N; PS operator olv* setrgbcolor




Fe481-3, Picture D5: Script and Landolt-rings N, O, L, V, Z; PS operator olv* setrgbcolor




Fe481-5, Picture D2: Radial gratings W-O, W-L, W-V, W-N, W-Z; PS operator olv* setrgbcolor



Fe481-5, Picture D6: Landolt-rings W-O, W-L; PS operator olv* setrgbcolor




Fe480-7, Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator olv* setrgbcolor





Fe481-7, Picture D7: Landolt-rings W-V, W-N; PS operator olv* setrgbcolor


Fe48-3; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, olv* interpretation

input: rgb->olv* setrgbcolor
output: olv*->cmyn6* setcmyk







See for similar files: <http://www.ps.bam.de/Fe48/>; [http://www.ps.bam.de/Fe48/Version 2.1, io=1,1, ColSp=1](http://www.ps.bam.de/Fe48/Version%202.1%20io=1%20ColSp=1)




Fe480-1, Picture D4N: 16 equidistant steps N-O, N-L, N-V, W-N; PS operator olv* setrgbcolor



Fe480-3, Picture D5N: Script and Landolt-rings W, O, L, V, Z; PS operator olv* setrgbcolor




Fe480-5, Picture D6N: Landolt-rings N-O, N-L; PS operator olv* setrgbcolor




Fe480-7, Picture D7N: Landolt-rings N-V, W-N; PS operator olv* setrgbcolor


Fe48-4; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-Test chart 4, olv* interpretation




Fe481-1, Picture D4Z: 16 equidistant steps Z-O, Z-L, Z-V, W-N; PS operator olv* setrgbcolor



Fe481-3, Picture D5Z: Script and Landolt-rings N, O, L, V, W; PS operator olv* setrgbcolor






Fe481-5, Picture D6Z: Landolt-rings Z-O, Z-L; PS operator olv* setrgbcolor



Fe481-7, Picture D7Z: Landolt-rings Z-V, W-N; PS operator olv* setrgbcolor


input: rgb->olv* setrgbcolor
output: olv*->cmyn6* setcmyk






See for similar files: <http://www.ps.bam.de/Fe48/>; www.ps.bam.de/Fe48/Fe48e00NP.PS/.PDF
Technical information: <http://www.ps.bam.de> Version 2.1, 10=1,1, ColSpX=1


BAM registration: 20081001-Fe48/10L/L48e00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta




Fe481-1, Picture B4: 16 equidistant steps W-C', W-M', W-J, W-N; PS operator *rgb* setrgbcolor*




Fe481-3, Picture D5: Script and Landolt-rings N, R, G, B, Z; PS operator *rgb* setrgbcolor*



Fe481-5, Picture B2: Radial gratings W-C', W-M', W-J, W-N, W-Z; PS operator *rgb* setrgbcolor*



Fe481-5, Picture B6: Landolt-rings W-C', W-M'; PS operator *rgb* setrgbcolor*





Fe480-7, Picture B3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator *olv* setrgbcolor*





Fe481-7, Picture B7: Landolt-rings W-J, W-N; PS operator *rgb* setrgbcolor*





Fe48-6; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B1 to B7 similar ISO/IEC-Test chart 2, *rgb** interpretation

input: *rgb* → *rgb* setrgbcolor*
output: *rgb** → *cmyn6* setcmyk*









See for similar files: <http://www.ps.bam.de/Fe48/>; [http://www.ps.bam.de/Fe48/Version 2.1, io=1.1, ColSpX=1](http://www.ps.bam.de/Fe48/Version%202.1%20io=1.1%20ColSpX=1)



Fe480-7, Picture B7N: Landolt-rings $N-J$, $W-N$; PS operator $rgb^* setrgbcolor$


Fe48-7; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. B4 to B7 similar ISO/IEC-Test chart 2, rgb^* interpretation





Fe481-7, Picture B7Z: Landolt-rings $Z-J$, $W-N$; PS operator $rgb^* setrgbcolor$

input: $rgb \rightarrow rgb^* setrgbcolor$
output: $rgb^* \rightarrow cmyn6^* setcmyk$


BAM registration: 20081001-Fe48/10L/L48e00NP.PS/ .PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta






See for similar files: <http://www.ps.bam.de/Fe48/>; [www.ps.bam.de/Fe48e00NP.PS/](http://www.ps.bam.de/Fe48/Fe48e00NP.PS/) .PDF
Technical information: <http://www.ps.bam.de> Version 2.1, 10=1,1, ColSpX=1


BAM registration: 20081001-Fe48/10L/L48e00NP.PS/ .PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rha4ta




Fe481-1, Picture D4: 16 equidistant steps W-R, W-G, W-B, W-N; PS operator *rgb* setrgbcolor*




Fe481-3, Picture D5: Script and Landolt-rings N, R, G, B, Z; PS operator *rgb* setrgbcolor*




Fe481-5, Picture D2: Radial gratings W-R, W-G, W-B, W-N, W-Z; PS operator *rgb* setrgbcolor*



Fe481-5, Picture D6: Landolt-rings W-R, W-G; PS operator *rgb* setrgbcolor*





Fe480-7, Picture D3: 14 CIE-test colours and 2 + 16 grey steps; Use of PS operator *olv* setrgbcolor*





Fe481-7, Picture D7: Landolt-rings W-B, W-N; PS operator *rgb* setrgbcolor*

Fe48-8; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D1 to D7 similar ISO/IEC-Test chart 4, *rgb** interpretation


input: *rgb* -> *rgb* setrgbcolor*
output: *rgb** -> *cmyn6* setcmyk*






See for similar files: <http://www.ps.bam.de/Fe48/>; [http://www.ps.bam.de/Fe48/Version 2.1, io=1,1, ColSp=1](http://www.ps.bam.de/Fe48/Version%202.1%2C%20io%3D1%2C%20ColSp%3D1)


BAM registration: 20081001-Fe48/10L/L48e00NP.PS/.PDF
application for evaluation and measurement of printer or monitor systems
BAM material: code=rh4ta




Fe480-1, Picture D4N: 16 equidistant steps N-R, N-G, N-B, W-N; PS operator *rgb* setrgbcolor*



Fe480-3, Picture D5N: Script and Landolt-rings W, R, G, B, Z; PS operator *rgb* setrgbcolor*




Fe480-5, Picture D6N: Landolt-rings N-R, N-G; PS operator *rgb* setrgbcolor*




Fe480-7, Picture D7N: Landolt-rings N-B, W-N; PS operator *rgb* setrgbcolor*




Fe48-9; Test elements of ISO/IEC 15775 and ISO/IEC TR 24705
Fig. D4 to D7 similar ISO/IEC-Test chart 4, *rgb** interpretation




Fe481-1, Picture D4Z: 16 equidistant steps Z-R, Z-G, Z-B, W-N; PS operator *rgb* setrgbcolor*



Fe481-3, Picture D5Z: Script and Landolt-rings N, R, G, B, W; PS operator *rgb* setrgbcolor*



Fe481-5, Picture D6Z: Landolt-rings Z-R, Z-G; PS operator *rgb* setrgbcolor*



Fe481-7, Picture D7Z: Landolt-rings Z-B, W-N; PS operator *rgb* setrgbcolor*



input: *rgb*->*rgb* setrgbcolor*
output: *rgb**->*cmyn6* setcmyk*