



Input and output:
Colorimetric Printer Reflective System FRS12_95a
data for any colour:
 u^*_d and number *no.* = 00 .. 15
device hue text:
 u^*_d = 16 hues *o00y, o25y, ..., m50o*
contrast reduction factor:
 c_R = 0.9

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16j</i>	
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>	
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>	
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>	
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>	
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>	
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>	
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>	
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>	
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>	
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>	
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>	
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>	
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>	
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>	
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>	



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{CIE}	39.92	58.74	27.99	65.07	25
Y _{CIE}	81.26	-2.89	71.56	71.62	92
L _{CIE}	52.23	-42.42	13.6	44.55	162
V _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

$u^*_d = o00y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 44 54 40



$LAB^*LCH^*_{Ma}$: 44 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16j</i>	
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>	
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>	
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>	
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>	
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>	
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>	
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>	
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>	
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>	
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>	
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>	
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>	
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>	
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>	
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

$u^*_d = o25y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 42 51



$LAB^*LCH^*_{Ma}$: 52 67 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

$u^*_d = o50y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 30 63



$LAB^*LCH^*_{Ma}$: 62 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

$u^*_d = o75y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 72 16 78

$LAB^*LCH^*_{Ma}$: 72 80 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

$u^*_d = y00l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 88 -5 98



$LAB^*LCH^*_{Ma}$: 88 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

$u^*_d = y25l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 76 -22 80



$LAB^*LCH^*_{Ma}$: 76 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

$u^*_d = y50l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -35 67

$LAB^*LCH^*_{Ma}$: 67 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 59 -46 55

$LAB^*LCH^*_{Ma}$: 59 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

$u^*_d = 100c$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -56 44

$LAB^*LCH^*_{Ma}$: 52 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

$u^*_d = 150c$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 57 -37 -3



$LAB^*LCH^*_{Ma}$: 57 37 184

$lab^*olv^*_{Ma}$: 0.0 1.0 0.5

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

$u^*_d = c00v$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 60 -26 -29



$LAB^*LCH^*_{Ma}$: 60 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

$u^*_d = c50v$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -1 -37

$LAB^*LCH^*_{Ma}$: 47 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	


% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

$u^*_d = v00m$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 25 45 -53

$LAB^*LCH^*_{Ma}$: 25 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

$u^*_d = v50m$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 57 -42



$LAB^*LCH^*_{Ma}$: 35 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.92 0.0 1.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

$u^*_d = m00o$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 46 71 -30



$LAB^*LCH^*_{Ma}$: 46 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

$u^*_d = m50o$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 62 7

$LAB^*LCH^*_{Ma}$: 45 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$


%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$


FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	





Input and output:
Colorimetric Printer Reflective System FRS12_95a
data for any colour:
 u^*_d and number *no.* = 00 .. 15
device hue text:
 u^*_d = 16 hues *o00y, o25y, ..., m50o*
contrast reduction factor:
 $c_R = 0.9$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16j</i>	
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>	
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>	
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>	
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>	
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>	
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>	
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>	
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>	
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>	
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>	
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>	
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>	
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>	
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>	
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>	



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{CIE}	39.92	58.74	27.99	65.07	25
Y _{CIE}	81.26	-2.89	71.56	71.62	92
L _{CIE}	52.23	-42.42	13.6	44.55	162
V _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

$u^*_d = o00y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 44 54 40



$LAB^*LCH^*_{Ma}$: 44 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16j</i>
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

$u^*_d = o25y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 42 51



$LAB^*LCH^*_{Ma}$: 52 67 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

$u^*_d = o50y$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 30 63



$LAB^*LCH^*_{Ma}$: 62 70 64


$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	





$$u_d^* = 0.75y$$
triangle lightness t^* 

FRS12_95a; adapted (a) CIELAB data						
	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16i</i>	
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>	
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>	
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>	
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>	
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>	
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>	
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>	
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>	
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>	
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>	
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>	
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>	
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>	
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>	
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

$u^*_d = y00l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 88 -5 98



$LAB^*LCH^*_{Ma}$: 88 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

$u^*_d = y25l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 76 -22 80



$LAB^*LCH^*_{Ma}$: 76 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

$u^*_d = y50l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 67 -35 67$



$LAB^*LCH^*_{Ma}: 67 75 117$

$lab^*olv^*_{Ma}: 0.5 1.0 0.0$

$lab^*rgb^*_{Ma}: 0.64 1.0 0.0$

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

$u^*_d = y75l$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	43.8	53.91	39.75	66.98	36	
Y_{Ma}	87.58	-4.65	98.29	98.4	93	
L_{Ma}	51.95	-56.34	43.53	71.2	142	
C_{Ma}	59.62	-26.2	-28.62	38.8	228	
V_{Ma}	25.01	45.2	-52.8	69.51	311	
M_{Ma}	45.88	70.67	-29.93	76.75	337	
N_{Ma}	20.0	0.0	0.0	0.0	0	
W_{Ma}	95.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 59 -46 55

$LAB^*LCH^*_{Ma}$: 59 71 129



$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

$u^*_d = 100c$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -56 44



$LAB^*LCH^*_{Ma}$: 52 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

$u^*_d = 150c$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 57 -37 -3$



$LAB^*LCH^*_{Ma}: 57 37 184$

$lab^*olv^*_{Ma}: 0.0 1.0 0.5$

$lab^*rgb^*_{Ma}: 0.0 1.0 0.41$

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

$u^*_d = c00v$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 60 -26 -29

$LAB^*LCH^*_{Ma}$: 60 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

$u^*_d = c50v$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -1 -37

$LAB^*LCH^*_{Ma}$: 47 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

$u^*_d = v00m$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	43.8	53.91	39.75	66.98	36	
Y_{Ma}	87.58	-4.65	98.29	98.4	93	
L_{Ma}	51.95	-56.34	43.53	71.2	142	
C_{Ma}	59.62	-26.2	-28.62	38.8	228	
V_{Ma}	25.01	45.2	-52.8	69.51	311	
M_{Ma}	45.88	70.67	-29.93	76.75	337	
N_{Ma}	20.0	0.0	0.0	0.0	0	
W_{Ma}	95.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 25 45 -53



$LAB^*LCH^*_{Ma}$: 25 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$	
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$	
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$	
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$	
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$	
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$	
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$	
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$	
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$	
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$	
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$	
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$	
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$	
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$	
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$	
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

$u^*_d = v50m$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 57 -42

$LAB^*LCH^*_{Ma}$: 35 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.92 0.0 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

$u^*_d = m00o$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	43.8	53.91	39.75	66.98	36	
Y_{Ma}	87.58	-4.65	98.29	98.4	93	
L_{Ma}	51.95	-56.34	43.53	71.2	142	
C_{Ma}	59.62	-26.2	-28.62	38.8	228	
V_{Ma}	25.01	45.2	-52.8	69.51	311	
M_{Ma}	45.88	70.67	-29.93	76.75	337	
N_{Ma}	20.0	0.0	0.0	0.0	0	
W_{Ma}	95.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 46 71 -30



$LAB^*LCH^*_{Ma}$: 46 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$	
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$	
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$	
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$	
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$	
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$	
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$	
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$	
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$	
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$	
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$	
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$	
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$	
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$	
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$	
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

$u^*_d = m50o$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 62 7

$LAB^*LCH^*_{Ma}$: 45 62 6



$lab^*olv^*_{Ma}$: 1.0 0.0 0.5


$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data


u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r






Input and output:
Colorimetric Printer Reflective System FRS12_95a
data for any colour:
 u^*_d and number $no.$ = 00 .. 15
device hue text:
 $u^*_d = 16$ hues $o00y, o25y, \dots, m50o$
contrast reduction factor:
 $c_R = 0.9$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{CIE}	39.92	58.74	27.99	65.07	25
Y _{CIE}	81.26	-2.89	71.56	71.62	92
L _{CIE}	52.23	-42.42	13.6	44.55	162
V _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 44 54 40

$LAB^*LCH^*_{Ma}$: 44 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16j</i>
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 42 51

$LAB^*LCH^*_{Ma}$: 52 67 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = o25y$

lab^*olv^*

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

$$u_d^* = 0.50y$$

*lab*olv**


LAB data

$$v_{ab,a}^* \quad h_{ab,a}^*$$
56.98 36 *M*

56.53	50	<i>m</i>
70.22	65	<i>m</i>

70.28	65	1
79.53	79	1

98.4 93 *i*



FRS12_95a; adapted (a) CIELAB data


$$u_d^* \quad L^*=L_a^* \quad a_a^* \quad b_a^* \quad C_{ab,a}^* \quad h_{ab}^*$$

000y	43.8	53.91	39.75	66.98	36
------	------	-------	-------	-------	----

o25y	52.46	42.34	51.32	66.53	50
50	61.53	39.3	63.46	79.38	65

050y	61.53	30.2	63.46	70.28	65
075y	72.39	15.68	77.97	79.53	79

<i>y00l</i>	87.58	-4.65	98.29	98.4	93
-------------	-------	-------	-------	------	----



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 72 16 78

$LAB^*LCH^*_{Ma}$: 72 80 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 88 -5 98

$LAB^*LCH^*_{Ma}$: 88 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 76 -22 80

$LAB^*LCH^*_{Ma}$: 76 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = y25l$

lab^*olv^*

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

$i^* \pm 0,25$

$i^* = 0,50$

$i^* = 0,75$

$i^* = 1,00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -35 67

$LAB^*LCH^*_{Ma}$: 67 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$


$$u_d^* = y75l$$

lab*olv*

LAB data

$$u_d^* = y75l \quad u_e^* = j53g$$
 $c_D = 0.9$

R
triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

*LAB*LAB**Ma: 59 -46 55


LAB*LCH*Ma: 59 71 129

*lab*olv**Ma: 0.25 1.0 0.0

*lab*rag*_M3*: 0.46 1.0 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16i</i>	
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>	
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>	
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>	
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>	
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>	
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>	
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>	
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>	
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>	
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>	
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>	
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>	
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>	
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>	
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -56 44

$LAB^*LCH^*_{Ma}$: 52 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 57 -37 -3$

$LAB^*LCH^*_{Ma}: 57 37 184$

$lab^*olv^*_{Ma}: 0.0 1.0 0.5$

$lab^*rgb^*_{Ma}: 0.0 1.0 0.41$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	

$u^*_d = 150c$

lab^*olv^*

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 60 -26 -29

$LAB^*LCH^*_{Ma}$: 60 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = c00v$

lab^*olv^*

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -1 -37

$LAB^*LCH^*_{Ma}$: 47 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = c50v$

lab^*olv^*

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 25 45 -53

$LAB^*LCH^*_{Ma}$: 25 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 57 -42

$LAB^*LCH^*_{Ma}$: 35 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.92 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = \text{lab}^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$\text{LAB}^*\text{LAB}^*_{Ma}$: 46 71 -30


$\text{LAB}^*\text{LCH}^*_{Ma}$: 46 77 337

$\text{lab}^*\text{olv}^*_{Ma}$: 1.0 0.0 1.0

$\text{lab}^*\text{rgb}^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data								
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e		
o00y	43.8	53.91	39.75	66.98	36	r16j		
o25y	52.46	42.34	51.32	66.53	50	r37j		
o50y	61.53	30.2	63.46	70.28	65	r58j		
o75y	72.39	15.68	77.97	79.53	79	r79j		
y00l	87.58	-4.65	98.29	98.4	93	j01g		
y25l	75.85	-21.67	80.26	83.13	105	j18g		
y50l	66.91	-34.64	66.52	75.0	118	j36g		
y75l	59.24	-45.77	54.72	71.34	130	j53g		
l00c	51.95	-56.34	43.53	71.2	142	j71g		
l50c	56.92	-36.83	-3.17	36.97	185	g21b		
c00v	59.62	-26.2	-28.62	38.8	228	g60b		
c50v	47.22	-0.62	-37.28	37.29	269	g97b		
v00m	25.01	45.2	-52.8	69.51	311	b34r		
v50m	34.93	57.3	-41.93	71.01	324	b45r		
m00o	45.88	70.67	-29.93	76.75	337	b57r		
m50o	44.77	61.72	7.28	62.15	7	b83r		



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

$u^*_d = m50o$

lab^*olv^*

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 62 7

$LAB^*LCH^*_{Ma}$: 45 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$


FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Fe630-7A, Page 54/198

Input and output:
 Colorimetric Printer Reflective System FRS12_95a
 data for any colour:
 u^*_d and number *no.* = 00 .. 15
 device hue text:
 u^*_d = 16 hues *o00y*, *o25y*, ..., *m50o*
 contrast reduction factor:
 $c_R = 0.9$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16j</i>
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>



%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{CIE}	39.92	58.74	27.99	65.07	25
Y _{CIE}	81.26	-2.89	71.56	71.62	92
L _{CIE}	52.23	-42.42	13.6	44.55	162
V _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 44 54 40

$LAB^*LCH^*_{Ma}$: 44 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16j</i>	
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>	
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>	
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>	
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>	
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>	
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>	
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>	
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>	
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>	
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>	
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>	
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>	
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>	
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>	
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 42 51

$LAB^*LCH^*_{Ma}$: 52 67 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

lab^*rgb^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^*=0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 30 63

$LAB^*LCH^*_{Ma}$: 62 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 72 16 78

$LAB^*LCH^*_{Ma}$: 72 80 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 88 -5 98

$LAB^*LCH^*_{Ma}$: 88 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 76 -22 80

$LAB^*LCH^*_{Ma}$: 76 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -35 67

$LAB^*LCH^*_{Ma}$: 67 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

lab^*rgb^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 59 -46 55

$LAB^*LCH^*_{Ma}$: 59 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

lab^*rgb^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	43.8	53.91	39.75	66.98	36
Y_{Ma}	87.58	-4.65	98.29	98.4	93
L_{Ma}	51.95	-56.34	43.53	71.2	142
C_{Ma}	59.62	-26.2	-28.62	38.8	228
V_{Ma}	25.01	45.2	-52.8	69.51	311
M_{Ma}	45.88	70.67	-29.93	76.75	337
N_{Ma}	20.0	0.0	0.0	0.0	0
W_{Ma}	95.0	0.0	0.0	0.0	0
O_{Ma}	39.92	58.74	27.99	65.07	25
Y_{Ma}	81.26	-2.89	71.56	71.62	92
L_{Ma}	52.23	-42.42	13.6	44.55	162
V_{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -56 44

$LAB^*LCH^*_{Ma}$: 52 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

$u^*_d = 100c$

lab^*rgb^*

lab^*rgb^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

$i^* \pm 0,25$

$i^* = 0,50$

$i^* = 0,75$

$i^* = 1,00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O_{Ma}	43.8	53.91	39.75	66.98	36	
Y_{Ma}	87.58	-4.65	98.29	98.4	93	
L_{Ma}	51.95	-56.34	43.53	71.2	142	
C_{Ma}	59.62	-26.2	-28.62	38.8	228	
V_{Ma}	25.01	45.2	-52.8	69.51	311	
M_{Ma}	45.88	70.67	-29.93	76.75	337	
N_{Ma}	20.0	0.0	0.0	0.0	0	
W_{Ma}	95.0	0.0	0.0	0.0	0	
O_{Ma}	39.92	58.74	27.99	65.07	25	
Y_{Ma}	81.26	-2.89	71.56	71.62	92	
L_{Ma}	52.23	-42.42	13.6	44.55	162	
V_{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 57 -37 -3$

$LAB^*LCH^*_{Ma}: 57 37 184$

$lab^*olv^*_{Ma}: 0.0 1.0 0.5$

$lab^*rgb^*_{Ma}: 0.0 1.0 0.41$

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$	
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$	
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$	
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$	
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$	
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$	
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$	
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$	
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$	
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$	
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$	
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$	
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$	
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$	
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$	
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 60 -26 -29

$LAB^*LCH^*_{Ma}$: 60 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -1 -37

$LAB^*LCH^*_{Ma}$: 47 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = c50v$

lab^*rgb^*

lab^*rgb^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 25 45 -53

$LAB^*LCH^*_{Ma}$: 25 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 57 -42

$LAB^*LCH^*_{Ma}$: 35 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.92 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	

$u^*_d = v50m$

lab^*rgb^*

lab^*rgb^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 46 71 -30

$LAB^*LCH^*_{Ma}$: 46 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$
data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 62 7

$LAB^*LCH^*_{Ma}$: 45 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = m50o$

lab^*rgb^*

lab^*rgb^*

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*


relative chroma c^*

$i^* = 0.00$

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	lab*rgb*				
01	0.0	0.04	0.07	0.11	0.14	0.18	0.21	0.25	0.28	0.13	0.12	0.16	0.2	0.23	0.27	0.3	0.34	0.37	0.25	0.25	0.25	0.28	0.32	0.36	0.39	0.43	0.46	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	
02	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.02	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.04	0.15	0.25	0.38	0.5	0.63	0.75	0.88	1.0	1.0	0.9	0.79	0.69	0.58	0.48	0.37	0.27	0.16	0.0	0.0	0.0	0.0		
03	0.0	0.0	0.0	0.0	0.0	0.03	0.06	0.1	0.13	0.13	0.13	0.16	0.2	0.23	0.27	0.3	0.34	0.37	0.25	0.25	0.25	0.28	0.32	0.36	0.39	0.43	0.46	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.13	0.13	0.13	0.13	
04	0.0	0.1	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.15	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.98	0.88	0.77	0.56	0.46	0.35	0.25	0.14	0.13	0.13	0.13	0.13	0.13	0.13	0.13
05	0.13	0.13	0.1	0.06	0.01	0.0	0.0	0.0	0.0	0.11	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.08	0.13	0.13	0.13	0.13	0.13	0.13	0.13	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.13	0.13	0.13	0.13	0.13	0.13	
06	0.17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.23	0.21	0.13	0.13	0.13	0.13	0.15	0.19	0.22	0.25	0.25	0.25	0.29	0.32	0.36	0.39	0.43	0.46	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.25	0.25	0.25	0.25	
07	0.0	0.01	0.2	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.23	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.38	0.5	0.63	0.75	0.88	1.0	0.95	0.85	0.75	0.65	0.54	0.44	0.33	0.23	0.12	0.25	0.25	0.25	0.25		
08	0.25	0.25	0.25	0.25	0.21	0.16	0.12	0.07	0.03	0.25	0.25	0.25	0.23	0.18	0.14	0.13	0.13	0.13	0.21	0.23	0.25	0.25	0.25	0.25	0.25	0.25	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.25	0.25	0.25	0.25			
09	0.26	0.07	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.31	0.3	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.37	0.35	0.34	0.25	0.25	0.25	0.25	0.25	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.38	0.38	0.38	0.38		
10	0.0	0.0	0.11	0.3	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.14	0.33	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.35	0.5	0.63	0.75	0.88	1.0	0.93	0.83	0.73	0.63	0.52	0.42	0.31	0.21	0.1	0.38	0.38	0.38	0.38		
11	0.38	0.38	0.38	0.38	0.4	0.36	0.31	0.27	0.22	0.38	0.38	0.38	0.38	0.38	0.38	0.33	0.29	0.24	0.2	0.38	0.38	0.38	0.35	0.31	0.26	0.25	0.25	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.38	0.38	0.38	0.38		
12	0.34	0.16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.38	0.2	0.13	0.13	0.13	0.13	0.13	0.13	0.46	0.44	0.42	0.25	0.25	0.25	0.25	0.25	0.25	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5		
13	0.0	0.0	0.02	0.21	0.4	0.63	0.75	0.88	1.0	0.0	0.13	0.13	0.24	0.43	0.63	0.75	0.88	1.0	0.0	0.13	0.25	0.26	0.45	0.63	0.75	0.88	1.0	0.9	0.8	0.7	0.6	0.5	0.4	0.29	0.19	0.08	0.5	0.5	0.5	0.5		
14	0.5	0.5	0.5	0.5	0.5	0.55	0.51	0.46	0.41	0.5	0.5	0.5	0.5	0.5	0.53	0.48	0.44	0.39	0.5	0.5	0.5	0.5	0.5	0.5	0.46	0.41	0.37	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.5	0.5	0.5	0.5		
15	0.43	0.24	0.06	0.0	0.0	0.0	0.0	0.0	0.0	0.48	0.47	0.28	0.13	0.13	0.13	0.13	0.13	0.13	0.54	0.52	0.51	0.32	0.25	0.25	0.25	0.25	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.38	0.63	0.63	0.63	0.63			
16	0.0	0.0	0.0	0.13	0.32	0.5	0.75	0.88	1.0	0.0	0.13	0.13	0.15	0.34	0.53	0.75	0.88	1.0	0.0	0.13	0.25	0.26	0.36	0.55	0.75	0.88	1.0	0.88	0.78	0.68	0.58	0.48	0.38	0.27	0.17	0.06	0.63	0.63	0.63	0.63		
17	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.7	0.65	0.61	0.63	0.63	0.63	0.63	0.63	0.68	0.63	0.63	0.63	0.63	0.63	0.63	0.63	0.65	0.61	0.56	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.63	0.63	0.63	0.63		
18	0.51	0.33	0.15	0.0	0.0	0.0	0.0	0.0	0.0	0.57	0.55	0.37	0.19	0.13	0.13	0.13	0.13	0.13	0.63	0.61	0.59	0.41	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.75	0.75	0.75	0.75	
19	0.0	0.0	0.0	0.04	0.23	0.42	0.61	0.88	1.0	0.0	0.13	0.13	0.13	0.25	0.44	0.63	0.88	1.0	0.0	0.13	0.25	0.25	0.27	0.45	0.65	0.88	1.0	0.86	0.75	0.65	0.55	0.45	0.35	0.25	0.15	0.04	0.75	0.75	0.75	0.75		
20	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.85	0.8	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.75	0.75	0.75	0.75			
21	0.6	0.41	0.23	0.05	0.0	0.0	0.0	0.0	0.0	0.66	0.64	0.45	0.27	0.13	0.13	0.13	0.13	0.13	0.71	0.7	0.68	0.49	0.31	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.88	0.88	0.88	0.88	
22	0.0	0.0	0.0	0.0	0.14	0.33	0.52	0.71	1.0	0.0	0.13	0.13	0.13	0.16	0.35	0.54	0.73	1.0	0.0	0.13	0.25	0.25	0.25	0.38	0.57	0.75	1.0	0.83	0.73	0.63	0.53	0.43	0.33	0.23	0.13	0.02	0.88	0.88	0.88	0.88		
23	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	1.0	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88		
24	0.68	0.5	0.32	0.14	0.0	0.0	0.0	0.0	0.0	0.74	0.72	0.54	0.36	0.17	0.13	0.13	0.13	0.13	0.8	0.78	0.76	0.58	0.4	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.25		
25	0.0	0.0	0.0	0.0	0.05	0.24	0.43	0.62	0.81	0.0	0.13	0.13	0.13	0.13	0.26	0.45	0.64	0.83	0.0	0.13	0.25	0.25	0.25	0.25	0.48	0.67	0.86	0.81	0.71	0.61	0.5	0.4	0.3	0.2	0.1	0.0	1.0	1.0	1.0	1.0		
26	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0		
27	0.38	0.38	0.38	0.37	0.41	0.44	0.48	0.52	0.55	0.5	0.5	0.5	0.5	0.5	0.53	0.57	0.6	0.64	0.63	0.63	0.63	0.63	0.63	0.62	0.66	0.69	0.73	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.99	0.0	0.0	0.0	0.0		
28	0.06	0.17	0.27	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.01	0.21	0.31	0.42	0.52	0.63	0.75	0.88	1.0	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88			
29	0.0	0.17	0.27	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.19	0.29	0.4	0.5	0.63	0.75	0.88	1.0	0.0	0.21	0.31	0.42	0.52	0.63	0.75	0.88	1.0	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88	0.88			
30	0.06	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.03	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.13	0.01	0.13	0.13	0.13	0.13	0.13	0.13	0.13	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.07	0.07	0.07	0.07			
31	0.38	0.38	0.38	0.37	0.41	0.45	0.48	0.52	0.55	0.5	0.5	0.5	0.5	0.5	0.53	0.57	0.61	0.64	0.63	0.63	0.63	0.63	0.62	0.66	0.69	0.73	0.92	0.84	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75		
32	0.0	0.13	0.27	0.38	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.29	0.4	0.5	0.63	0.75	0.88	1.0	0.0	0.13	0.31	0.42	0.52	0.63	0.75	0.88	1.0	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75	0.75		
33	0.19	0.21	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.16	0.18	0.25	0.25	0.25	0.25	0.25	0.25	0.25	0.14	0.16	0.25	0.25	0.25	0.25	0.25	0.25	1.0	0.88	0.75	0.63	0.5	0.38	0.25	0.13	0.0	0.13	0.13	0.13	0.13			
34	0.38	0.38	0.38	0.38	0.41	0.45	0.48	0.52	0.55	0.5	0.5	0.5	0.5	0.5	0.53	0.57	0.61	0.64	0.63	0.63	0.63	0.63	0.62	0.66	0.69	0.																


Input and output:
Colorimetric Printer Reflective System FRS12_95a
data for any colour:
 u^*_d and number $no.$ = 00 .. 15
device hue text:
 $u^*_d = 16$ hues $o00y, o25y, \dots, m50o$
contrast reduction factor:
 $c_R = 0.9$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O_{Ma}	43.8	53.91	39.75	66.98	36
Y_{Ma}	87.58	-4.65	98.29	98.4	93
L_{Ma}	51.95	-56.34	43.53	71.2	142
C_{Ma}	59.62	-26.2	-28.62	38.8	228
V_{Ma}	25.01	45.2	-52.8	69.51	311
M_{Ma}	45.88	70.67	-29.93	76.75	337
N_{Ma}	20.0	0.0	0.0	0.0	0
W_{Ma}	95.0	0.0	0.0	0.0	0
O_{CIE}	39.92	58.74	27.99	65.07	25
Y_{CIE}	81.26	-2.89	71.56	71.62	92
L_{CIE}	52.23	-42.42	13.6	44.55	162
V_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 44 54 40

$LAB^*LCH^*_{Ma}$: 44 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data					
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
o00y	43.8	53.91	39.75	66.98	36
o25y	52.46	42.34	51.32	66.53	50
o50y	61.53	30.2	63.46	70.28	65
o75y	72.39	15.68	77.97	79.53	79
y00l	87.58	-4.65	98.29	98.4	93
y25l	75.85	-21.67	80.26	83.13	105
y50l	66.91	-34.64	66.52	75.0	118
y75l	59.24	-45.77	54.72	71.34	130
l00c	51.95	-56.34	43.53	71.2	142
l50c	56.92	-36.83	-3.17	36.97	185
c00v	59.62	-26.2	-28.62	38.8	228
c50v	47.22	-0.62	-37.28	37.29	269
v00m	25.01	45.2	-52.8	69.51	311
v50m	34.93	57.3	-41.93	71.01	324
m00o	45.88	70.67	-29.93	76.75	337
m50o	44.77	61.72	7.28	62.15	7

$u^*_d = o00y$

$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 42 51

$LAB^*LCH^*_{Ma}$: 52 67 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, L*=20_95 for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 30 63

$LAB^*LCH^*_{Ma}$: 62 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = o50y$

$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 72 16 78

$LAB^*LCH^*_{Ma}$: 72 80 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = o75y$

$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 88 -5 98

$LAB^*LCH^*_{Ma}$: 88 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 76 -22 80

$LAB^*LCH^*_{Ma}$: 76 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = y25l$


$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^*=1,00$

$i^*=0,80$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -35 67

$LAB^*LCH^*_{Ma}$: 67 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = y50l$
 $LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 59 -46 55

$LAB^*LCH^*_{Ma}$: 59 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -56 44

$LAB^*LCH^*_{Ma}$: 52 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = 100c$

$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^*=1,00$

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

$i^*=0,00$

$i^*=0,00$

$i^*=0,00$

$i^*=0,00$


$i^*=0,00$

$i^*=0,00$

$i^*=0,00$

$i^*=0,00$

$i^*=0,00$



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 57 -37 -3

$LAB^*LCH^*_{Ma}$: 57 37 184

$lab^*olv^*_{Ma}$: 0.0 1.0 0.5

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 60 -26 -29



$LAB^*LCH^*_{Ma}$: 60 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -1 -37

$LAB^*LCH^*_{Ma}$: 47 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS12_95a, L*=20_95 for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 25 45 -53

$LAB^*LCH^*_{Ma}$: 25 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

%Gamut



$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 57 -42

$LAB^*LCH^*_{Ma}$: 35 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.92 0.0 1.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 46 71 -30

$LAB^*LCH^*_{Ma}$: 46 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$


$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$LAB^*LAB^*_a$

$i^*=1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 62 7

$LAB^*LCH^*_{Ma}$: 45 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = m50o$

$LAB^*LAB^*_a$

$LAB^*LAB^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

1,00

0,75

0,50

0,25

0,00

o00y
95.0
0.0
0.0

o00y
76.3
0.0
0.0

o00y
57.5
0.0
0.0

o00y
38.8
0.0
0.0

o00y
20.0
0.0
0.0

m49o
82.4
15.4
1.8

m49o
63.7
15.4
1.8

m49o
44.9
15.4
1.8

m49o
26.2
15.4
1.8

m49o
69.9
30.9
3.6

m49o
51.1
30.9
3.6

m49o
32.4
30.9
3.6

m49o
57.3
46.3
5.5

m49o
38.6
46.3
5.5

m49o
44.8
61.7
7.3

relative chroma c^*

1,00

0,75

0,50

0,25

0,00

95.0
0.0
0.0

91.7
4.1
0.5

88.3
8.2
1.0

85.0
12.3
1.5

81.6
16.5
2.0

78.3
20.6
2.4

74.9
24.7
2.9

71.6
28.8
3.4

68.2
32.9
3.9

64.9
37.0
4.4

61.5
41.1
4.9

58.2
45.3
5.3

54.8
49.4
5.8

90.0
4.1
0.5

86.7
8.2
1.0

83.3
12.3
1.5

80.0
16.5
2.0

76.7
20.6
2.4

73.3
24.7
2.9

70.0
28.8
3.4

66.7
32.9
3.9

63.3
37.0
4.4

60.0
41.1
4.9

56.7
45.3
5.3

53.3
49.4
5.8

50.0
53.5
6.3

85.0
8.2
1.0

81.6
12.3
1.5

78.3
16.5
2.0

74.9
20.6
2.4

71.6
24.7
2.9

68.2
28.8
3.4

64.9
32.9
3.9

61.5
37.0
4.4

58.2
41.1
4.9

54.8
45.3
5.3

51.5
49.4
5.8

48.1
53.5
6.3

44.8
57.6
6.8

80.0
8.2
1.0

76.7
12.3
1.5

73.3
16.5
2.0

70.0
20.6
2.4

66.7
24.7
2.9

63.3
28.8
3.4

60.0
32.9
3.9

56.7
37.0
4.4

53.3
41.1
4.9

50.0
45.3
5.3

46.7
49.4
5.8

43.3
53.5
6.3

40.0
57.6
6.8

75.0
8.2
1.0

71.6
12.3
1.5

68.2
16.5
2.0

64.9
20.6
2.4

61.5
24.7
2.9

58.2
28.8
3.4

54.8
32.9
3.9

51.5
37.0
4.4

48.1
41.1
4.9

44.8
45.3
5.3

41.5
49.4
5.8

38.2
53.5
6.3

34.9
57.6
6.8

70.0
8.2
1.0

66.7
12.3
1.5

63.3
16.5
2.0

60.0
20.6
2.4

56.7
24.7
2.9

53.3
28.8
3.4

50.0
32.9
3.9

46.7
37.0
4.4

43.3
41.1
4.9

40.0
45.3
5.3

36.7
49.4
5.8

33.3
53.5
6.3

30.0
57.6
6.8

65.0
8.2
1.0

61.6
12.3
1.5

58.2
16.5
2.0

54.8
20.6
2.4

51.5
24.7
2.9

48.1
28.8
3.4

44.8
32.9
3.9

41.5
37.0
4.4

38.2
41.1
4.9

34.9
45.3
5.3

31.6
49.4
5.8

28.3
53.5
6.3

25.0
57.6
6.8

60.0
8.2
1.0

56.6
12.3
1.5

53.2
16.5
2.0

50.0
20.6
2.4

46.7
24.7
2.9

43.3
28.8
3.4

40.0
32.9
3.9

36.7
37.0
4.4

33.3
41.1
4.9

30.0
45.3
5.3

26.7
49.4
5.8

23.3
53.5
6.3

20.0
57.6
6.8

55.0
8.2
1.0

51.6
12.3
1.5

48.2
16.5
2.0

44.8
20.6
2.4

41.5
24.7
2.9

38.2
28.8
3.4

34.9
32.9
3.9

31.6
37.0
4.4

28.3
41.1
4.9

25.0
45.3
5.3

21.7
49.4
5.8

18.4
53.5
6.3

15.1
57.6
6.8

50.0
8.2
1.0

46.6
12.3
1.5

43.2
16.5
2.0

40.0
20.6
2.4

36.7
24.7
2.9

33.3
28.8
3.4

30.0
32.9
3.9

26.7
37.0
4.4

23.3
41.1
4.9

20.0
45.3
5.3

16.7
49.4
5.8

13.4
53.5
6.3

10.1
57.6
6.8

45.0
8.2
1.0

41.5
12.3
1.5

38.1
16.5
2.0

34.7
20.6
2.4

31.3
24.7
2.9

27.9
28.8
3.4

24.5
32.9
3.9

21.1
37.0
4.4

17.8
41.1
4.9

14.4
45.3
5.3

11.1
49.4
5.8


7.7
53.5
6.3

4.4
57.6
6.8

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LAB*a			
01	20.0	24.0	28.0	32.0	36.0	40.0	44.0	48.0	52.0	23.0	28.4	31.7	35.6	39.6	43.6	47.6	51.6	55.6	26.0	30.4	36.9	39.7	43.5	47.3	51.3	55.3	59.2	95.0	88.6	82.2	75.8	69.4	63.0	56.6	50.2	43.8	20.0	20.0	20.0	20.0	
	9.0	-7.0	-14.1	-21.1	-28.2	-35.2	-42.3	-49.3	-56.3	7.0	-0.6	-8.7	-15.8	-22.9	-29.9	-37.0	-44.0	-51.1	113.5	7.5	-1.2	-9.9	-17.3	-24.5	-31.6	-38.7	-45.8	0.0	6.7	13.5	20.2	27.0	33.7	40.4	47.2	53.9	0.0	0.0	0.0	0.0	
	0.0	5.4	10.9	16.3	21.8	27.2	32.6	38.1	43.5	5.0	12.3	16.6	21.9	27.4	32.8	38.2	43.7	49.1	9.9	15.9	24.6	28.3	33.3	38.5	43.9	49.3	54.7	0.0	5.0	9.9	14.9	19.9	24.8	29.8	34.8	39.7	0.0	0.0	0.0	0.0	
02	20.6	25.0	29.2	33.5	37.6	41.7	45.8	49.9	53.9	23.2	29.4	33.4	37.4	41.4	45.4	49.3	53.3	57.3	26.2	32.4	37.8	41.1	45.0	49.0	53.0	57.0	61.0	90.6	85.6	79.2	72.8	66.4	60.0	53.6	47.2	40.8	29.4	29.4	29.4	29.4	
	-3.9	-9.2	-15.4	-21.6	-28.3	-35.0	-41.7	-48.5	-55.8	0.0	-7.0	-14.1	-21.1	-28.2	-35.2	-42.3	-49.3	-56.3	6.7	-0.6	-8.7	-15.8	-22.9	-29.9	-37.0	-44.0	-51.1	0.0	6.7	13.5	20.2	27.0	33.7	40.4	47.2	53.9	0.0	0.0	0.0	0.0	
	-6.6	-3.6	-0.8	2.5	6.4	10.7	15.2	19.9	24.8	-3.7	0.0	5.4	10.9	16.3	21.8	27.2	32.6	38.1	1.8	5.0	12.3	16.6	21.9	27.4	32.8	38.2	43.7	-3.6	0.0	5.0	9.9	14.9	19.9	24.8	29.8	34.8	39.8	0.0	0.0	0.0	0.0
03	23.1	26.8	29.9	34.2	38.5	42.7	46.9	51.1	55.2	23.7	30.0	34.3	38.6	42.8	47.0	51.1	55.2	59.3	26.5	32.6	38.8	42.7	46.7	50.7	54.7	58.7	62.7	86.2	81.2	76.3	69.9	63.5	57.1	50.7	44.3	37.9	38.8	38.8	38.8	38.8	
	-11.3	-0.2	-6.6	-12.5	-18.4	-24.5	-30.7	-37.1	-43.5	14.3	5.6	-3.3	-9.2	-15.4	-21.6	-28.3	-35.0	-41.7	17.7	8.8	0.0	-7.0	-14.1	-21.1	-28.2	-35.2	-42.3	-6.6	-3.3	0.0	6.7	13.5	20.2	27.0	33.7	40.4	0.0	0.0	0.0	0.0	
	-13.2	-9.3	-7.2	-4.3	-1.6	1.5	5.0	8.8	12.8	-10.5	-6.6	-3.6	-0.8	2.5	6.4	10.7	15.2	19.9	-7.5	-3.7	0.0	5.4	10.9	16.3	21.8	27.2	32.6	-7.2	-3.6	0.0	5.0	9.9	14.9	19.9	24.8	29.8	0.0	0.0	0.0	0.0	
04	21.9	28.4	31.7	34.9	39.1	43.4	47.7	51.9	56.2	24.3	30.6	36.2	39.3	43.6	47.8	52.1	56.3	60.4	26.9	33.1	39.4	43.7	48.0	52.2	56.4	60.5	64.6	71.7	66.8	61.8	55.4	49.1	42.7	36.3	34.9	48.1	48.1	48.1	48.1		
	16.9	3.5	-3.4	-9.8	-15.8	-21.7	-27.6	-33.7	-39.8	20.0	11.3	-0.2	-6.6	-12.5	-18.4	-24.5	-30.7	-37.1	123.1	14.3	5.6	-3.3	-9.2	-15.4	-21.6	-28.3	-35.0	-9.8	-6.6	-3.3	0.0	6.7	13.5	20.2	27.0	33.7	0.0	0.0	0.0	0.0	
	-19.8	-15.2	-12.9	-10.7	-7.8	-5.2	-2.4	0.7	4.0	-17.1	-13.2	-9.3	-7.2	-4.3	-1.6	1.5	5.0	8.8	-14.3	-10.5	-6.6	-3.6	-0.8	2.5	6.4	10.7	15.2	-10.7	-7.2	-3.6	0.0	5.0	9.9	14.9	19.9	24.8	0.0	0.0	0.0	0.0	
05	22.5	29.7	33.6	36.6	39.8	44.1	48.4	52.6	56.9	25.0	31.3	37.8	41.1	44.2	48.5	52.8	57.1	61.3	27.5	33.7	40.0	45.6	48.7	52.9	57.2	61.4	65.7	77.3	72.4	67.4	62.5	57.5	51.1	44.7	38.3	31.9	57.5	57.5	57.5	57.5	
	22.6	7.7	-0.3	-6.6	-13.1	-19.1	-25.0	-30.9	-36.8	25.6	16.9	3.5	-3.4	-9.8	-15.8	-21.7	-27.6	-33.7	72.8	20.0	11.3	-0.2	-6.6	-12.5	-18.4	-24.5	-30.7	-13.1	-9.8	-6.6	-3.3	0.0	6.7	13.5	20.2	27.0	0.0	0.0	0.0	0.0	
	-26.4	-21.4	-18.6	-16.5	-14.3	-11.3	-8.7	-6.0	-3.2	-23.7	-19.8	-15.2	-12.9	-10.7	-7.8	-5.2	-2.4	0.7	-21.0	-17.1	-13.2	-9.3	-7.2	-4.3	-1.6	1.5	5.0	-14.3	-10.7	-7.2	-3.6	0.0	5.0	9.9	14.9	19.9	0.0	0.0	0.0	0.0	
06	23.1	30.9	35.3	38.6	41.6	44.8	49.0	53.3	57.6	25.6	31.9	39.1	43.0	46.0	49.2	53.4	57.7	62.0	28.1	34.3	40.6	47.2	50.5	53.6	57.9	62.2	66.4	72.9	67.9	63.0	58.0	53.1	48.1	41.7	35.3	28.9	66.9	66.9	66.9	66.9	
	28.2	12.3	3.2	-3.6	-9.8	-16.4	-22.5	-28.3	-34.3	23.1	22.6	7.7	-0.3	-6.6	-13.1	-19.1	-25.0	-30.9	34.3	25.6	16.9	3.5	-3.4	-9.8	-15.8	-21.7	-27.6	-16.4	-13.1	-9.8	-6.6	-3.3	0.0	6.7	13.5	20.2	0.0	0.0	0.0	0.0	
	-33.0	-27.6	-24.5	-22.2	-20.1	-17.9	-14.8	-12.1	-9.5	-30.3	-26.4	-21.4	-18.6	-16.5	-14.3	-11.3	-8.7	-6.0	-27.6	-23.7	-19.8	-15.2	-12.9	-10.7	-7.8	-5.2	-2.4	-17.9	-14.3	-10.7	-7.2	-3.6	0.0	5.0	9.9	14.9	0.0	0.0	0.0	0.0	
07	23.8	31.9	36.8	40.4	43.5	46.5	49.7	53.9	58.2	26.2	32.5	40.0	44.7	48.0	50.9	54.1	58.4	62.7	28.7	35.0	41.3	48.5	52.4	55.4	58.6	62.8	67.1	68.5	63.5	58.6	53.6	48.7	43.7	38.8	32.4	26.0	76.3	76.3	76.3	76.3	
	33.9	17.1	7.0	-0.5	-6.8	-13.0	-19.7	-25.8	-31.6	33.6	28.2	12.3	3.2	-3.6	-9.8	-16.4	-22.5	-28.3	39.9	31.2	22.6	7.7	-0.3	-6.6	-13.1	-19.1	-25.0	-19.7	-16.4	-13.1	-9.8	-6.6	-3.3	0.0	6.7	13.5	0.0	0.0	0.0	0.0	
	-39.6	-33.9	-30.5	-28.0	-25.8	-23.7	-21.5	-18.3	-15.6	-36.9	-33.0	-27.6	-24.5	-22.2	-20.1	-17.9	-14.8	-12.1	-34.2	-30.3	-26.4	-21.4	-18.6	-16.5	-14.3	-11.3	-8.7	-21.8	-17.9	-14.3	-10.7	-7.2	-3.6	0.0	5.0	9.9	0.0	0.0	0.0		
08	24.4	32.9	38.2	42.1	45.4	48.4	51.4	54.7	58.9	26.8	33.1	41.3	46.2	49.8	52.9	55.8	58.9	63.3	29.3	35.6	41.9	49.6	54.0	57.3	60.3	63.5	67.5	64.0	59.1	54.1	49.2	44.2	39.3	34.3	29.4	23.0	85.6	85.6	85.6	85.6	
	25.9	22.0	11.1	2.9	-3.8	-10.0	-16.2	-22.9	-29.4	24.5	33.9	17.1	7.0	-0.5	-6.8	-13.0	-19.7	-25.8	45.5	36.9	28.2	12.3	3.2	-3.6	-9.8	-16.4	-22.5	-22.9	-19.7	-16.4	-13.1	-9.8	-6.6	-3.3	0.0	6.7	0.0	0.0	0.0		
	-46.2	-40.3	-36.6	-33.8	-31.5	-29.2	-27.3	-25.0	-21.8	-43.5	-39.6	-33.9	-30.5	-28.0	-25.8	-23.7	-21.5	-18.3	-40.8	-36.9	-33.0	-27.6	-24.5	-22.2	-20.1	-17.9	-14.8	-25.0	-21.5	-17.9	-14.3	-10.7	-7.2	-3.6	0.0	5.0	0.0	0.0	0.0		
09	25.0	33.3	38.6	42.7	47.2	50.3	53.3	56.3	59.6	27.5	33.8	42.0	47.6	51.5	54.8	57.8	60.8	63.9	29.9	36.2	42.5	50.7	55.6	58.2	62.5	66.7	68.5	64.7	59.7	54.7	49.7	44.7	39.7	34.7	29.7	23.0	95.0	95.0	95.0	95.0	
	25.2	27.2	15.4	6.6	-0.6	-7.0	-13.2	-19.4	-26.4	28.2	39.5	22.0	11.1	2.9	-3.8	-10.0	-16.2	-22.9	25.2	33.9	17.1	7.0	-0.5	-6.8	-13.0	-19.7	-26.2	-22.9	-19.7	-16.4	-13.1	-9.8	-6.6	-3.3	0.0	0.0	0.0	0.0	0.0		
	-52.8	-46.7	-42.7	-39.7	-37.3	-35.1	-33.0	-30.9	-28.6	-50.1	-46.2	-42.0	-38.6	-36.3	-33.9	-31.5	-29.4	-27.3	-25.0	-47.4	-43.5	-39.6	-33.9	-30.5	-28.0	-25.8	-23.7	-21.5	-18.3	-15.6	-12.9	-10.7	-7.2	-3.6	0.0	0.0	0.0	0.0			
10	28.9	33.3	38.2	45.3	47.9	51.4	55.2	59.1	63.0	31.9	36.2	40.8	46.2	53.8	56.2	59.5	63.1	66.9	34.9	39.2	43.6	48.5	54.3	62.2	64.5	67.6	71.2	95.0	94.1	93.1	92.2	91.3	90.4	89.4	88.5	87.6	20.0	20.0	20.0	20.0	
	20.2	14.4	7.9	-1.7	-10.8	-18.6	-26.0	-33.2	-40.3	32.0	21.2	15.1	7.8	-2.3	-10.7	-19.7	-27.3	-34.3	63.3	27.9	22.0	15.5	7.7	-2.9	-12.5	-20.7	-28.0	-0.6	-1.2	-1.7	-2.3	-2.9	-3.5	-4.1	-4.6	0.0	0.0	0.0	0.0		
	14.9	20.7	27.3	36.9	40.1	44.8	49.9	55.1	60.9	19.9	25.7	31.7	39.0	49.1	52.1	56.5	61.4	66.5	24.8	30.6	36.5	43.0	50.9	61.4	64.2	68.3	73.0	0.0	0.0	12.3	24.6	36.9	49.1	61.4	73.7	86.0	98.3	0.0	0.0		
11	29.2	35.3	39.8	43.6	49.1	52.8	56.7	60.7	64.6	32.2	38.3	42.6	47.5	54.7	57.3	60.8	64.6	68.4	35.1	41.3	45.6	50.1	55.6	63.2	65.6	68.9	72.5	86.3	85.6	84.7	83.8	82.8	81.9	81.0	80.1	79.1	25.0	25.0	25.0	25.0	
	22.2	13.5	7.5	-1.2	-9.9	-17.3	-24.5	-31.6	-38.7	29.0	20.2	14.4	7.9	-1.7	-10.8	-18.6	-26.0	-33.2	33.3	23.5	17.0	12.2	15.1	7.8	-2.3	-11.7	-19.7	-27.3	-0.6	-1.2	-1.7	-2.3	-2.9	-3.5	-4.1	0.0	0.0	0.0	0.0		
	6.6	9.9	15.9	24.6	28.3	33.3	38.5	43.9	49.3	11.5	14.9	20.7	27.9	36.9	40.1	44.8	49.9	55.1	16.3	19.9	25.7	31.7	39.0	49.1	52.1	56.5	61.4	-6.6	0.0	12.3	24.6	36.9	49.1	61.4	73.7	86.0	0.0	0.0			
12	29.4	35.6	41.7	47.2	50.5	54.4	58.4	62.4	66.4	32.4	38.5	44.7	49.1	55.6	58.5	62.2	66.1	70.0	35.4	41.5	47.7	52.0	56.9	64.1	66.7	70.2	73.9	77.5	76.9	76.3	75.3	74.4	73.5	72.5	71.6	70.7	30.0	30.0	30.0	30.0	
	24.1	15.4	6.7																																						


Input and output:
Colorimetric Printer Reflective System FRS12_95a
data for any colour:
 u^*_d and number *no.* = 00 .. 15
device hue text:
 u^*_d = 16 hues *o00y*, *o25y*, ..., *m50o*
contrast reduction factor:
 $c_R = 0.9$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16j</i>
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{CIE}	39.92	58.74	27.99	65.07	25
Y _{CIE}	81.26	-2.89	71.56	71.62	92
L _{CIE}	52.23	-42.42	13.6	44.55	162
V _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 44 54 40

$LAB^*LCH^*_{Ma}$: 44 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16j</i>
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>

$u^*_d = o00y$

$LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 42 51

$LAB^*LCH^*_{Ma}$: 52 67 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = o25y$

$LAB^*LCH^*_a$

$LAB^*LCH^*_a$

$i^* = 1.00$

brilliantness i^*

$i^* = 0.80$

$i^* = 0.60$

$i^* = 0.40$

$i^* = 0.20$

$i^* = 0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 30 63

$LAB^*LCH^*_{Ma}$: 62 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 72 16 78

$LAB^*LCH^*_{Ma}$: 72 80 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$LAB^*LCH^*_{Ma}$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 88 -5 98

$LAB^*LCH^*_{Ma}$: 88 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = y00l$
 $LAB^*LCH^*_a$

$LAB^*LCH^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 76 -22 80

$LAB^*LCH^*_{Ma}$: 76 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = y25l$

$LAB^*LCH^*_{Ma}$

$LAB^*LCH^*_{Ma}$

$i^*=1,00$

$i^*=0,80$


brilliantness i^*

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$
 data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -35 67

$LAB^*LCH^*_{Ma}$: 67 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 59 -46 55

$LAB^*LCH^*_{Ma}$: 59 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = y75l$
 $LAB^*LCH^*_{a}$

$LAB^*LCH^*_{a}$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -56 44

$LAB^*LCH^*_{Ma}$: 52 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = 100c$

$LAB^*LCH^*_a$

$LAB^*LCH^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 57 -37 -3

$LAB^*LCH^*_{Ma}$: 57 37 184

$lab^*olv^*_{Ma}$: 0.0 1.0 0.5

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = 150c$

$LAB^*LCH^*_a$

$LAB^*LCH^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 60 -26 -29

$LAB^*LCH^*_{Ma}$: 60 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -1 -37

$LAB^*LCH^*_{Ma}$: 47 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 25 45 -53

$LAB^*LCH^*_{Ma}$: 25 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = v00m$

$LAB^*LCH^*_a$

$LAB^*LCH^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 57 -42

$LAB^*LCH^*_{Ma}$: 35 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.92 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = v50m$

$LAB^*LCH^*_a$

$LAB^*LCH^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 46 71 -30

$LAB^*LCH^*_{Ma}$: 46 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = m00o$

$LAB^*LCH^*_a$

$LAB^*LCH^*_a$

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 62 7

$LAB^*LCH^*_{Ma}$: 45 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$


FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*LCH*a						
01	20.0	24.0	28.0	32.0	36.0	40.0	44.0	48.0	52.0	23.0	28.4	31.7	35.6	39.6	43.6	47.6	51.6	55.6	26.0	30.4	36.9	39.7	43.5	47.3	51.3	55.3	59.2	95.0	88.6	82.2	75.8	69.4	63.0	56.6	50.2	43.8	20.0	20.0	20.0	20.0				
02	9.0	8.9	17.8	26.7	35.6	44.5	53.4	62.3	71.2	8.4	12.3	18.7	27.1	35.7	44.4	53.2	62.0	70.9	16.7	17.6	24.6	29.9	37.5	45.7	54.1	62.7	71.3	80.0	88.6	82.2	75.8	69.4	63.0	56.6	50.2	43.8	20.0	20.0	20.0	20.0				
03	20.6	25.0	29.2	33.5	37.6	41.7	45.8	49.9	53.9	23.2	29.4	33.4	37.4	41.4	45.4	49.3	53.3	57.3	26.2	32.4	37.8	41.1	45.0	48.6	52.6	57.0	61.0	90.6	85.6	79.2	72.8	66.4	60.0	53.6	47.2	40.8	29.4	29.4	29.4	29.4				
04	8.7	4.9	9.2	15.6	22.7	30.2	38.1	46.2	54.4	9.6	0.0	9.9	17.8	26.7	35.6	44.5	53.4	62.3	15.5	8.4	12.3	18.7	27.1	35.7	44.4	53.2	62.0	4.8	0.0	8.0	16.7	25.1	33.5	41.9	50.2	58.6	0.0	0.0	0.0	0.0				
05	31.1	228	185	171	164	159	157	154	153	337	0	142	142	142	142	142	142	142	7	36	93	118	126	139	132	134	135	228	0	36	36	36	36	36	36	36	36	36	36	36	36			
06	21.3	26.8	29.9	34.2	38.5	42.7	46.9	51.1	55.2	23.7	30.0	34.3	38.6	42.8	47.0	51.1	55.2	59.3	26.5	32.6	38.8	42.7	46.7	50.7	54.7	58.7	62.7	86.2	81.2	76.3	69.9	63.5	57.1	50.7	44.3	37.9	38.8	38.8	38.8	38.8				
07	17.4	9.3	9.7	13.2	18.5	24.5	31.1	38.1	45.3	17.8	8.7	4.9	9.2	15.6	22.7	30.2	38.1	46.2	19.2	9.6	0.0	8.0	16.7	25.1	33.5	41.9	50.2	58.6	9.7	4.9	8.4	16.7	25.1	33.5	41.9	50.2	58.6	0.0	0.0	0.0	0.0			
08	31.1	269	228	199	185	176	171	167	164	324	311	228	185	171	164	159	157	154	337	337	0	142	142	142	142	142	142	142	228	228	0	36	36	36	36	36	36	36	36	36	36	36	36	
09	21.9	28.4	31.7	34.9	39.1	43.4	47.7	51.9	56.2	24.3	30.6	36.2	39.3	43.6	47.8	51.2	56.3	60.4	26.9	33.1	39.4	43.7	48.0	52.2	56.4	60.5	64.6	81.7	76.8	71.8	66.9	60.5	54.1	47.7	41.3	34.9	48.1	48.1	48.1	48.1				
10	26.1	15.6	13.3	14.6	17.6	22.2	27.7	33.7	40.0	26.3	17.4	9.3	9.7	13.2	18.5	24.5	31.1	38.1	27.1	17.8	8.7	4.9	9.2	15.6	22.7	30.2	38.1	14.6	9.7	4.9	0.0	8.4	16.7	25.1	33.5	41.9	0.0	0.0	0.0	0.0	0.0			
11	28.3	255	228	206	193	185	179	174	171	319	311	269	228	199	185	176	171	167	328	324	311	228	185	171	164	159	157	228	228	228	0	36	36	36	36	36	36	36	36	36	36	36	36	
12	22.5	29.7	33.6	36.8	39.8	44.1	48.4	52.6	56.9	25.0	31.3	37.8	41.1	44.2	48.5	52.8	57.1	61.3	27.5	33.7	40.0	45.6	48.7	52.9	57.2	61.4	65.7	77.3	72.4	67.4	62.5	57.5	51.1	44.7	38.3	31.9	57.5	57.5	57.5	57.5				
13	34.4	22.7	18.6	17.8	19.4	22.2	26.5	31.5	37.0	34.9	26.1	15.6	13.3	14.6	17.6	22.2	27.7	33.7	35.5	26.3	17.4	9.3	9.7	13.2	18.5	24.5	31.1	19.4	14.6	9.7	4.9	0.0	8.4	16.7	25.1	33.5	0.0	0.0	0.0	0.0	0.0			
14	31.1	290	269	248	228	210	199	191	185	317	311	283	255	228	206	193	185	179	324	319	311	269	228	199	185	176	171	228	228	228	228	0	36	36	36	36	36	36	36	36	36	36	36	
15	23.1	30.9	35.3	38.6	41.6	44.8	49.0	53.3	57.6	25.6	31.9	39.1	43.0	46.0	49.2	53.4	57.7	62.0	28.1	34.3	40.6	47.2	50.5	53.6	57.9	62.2	66.4	72.9	67.9	63.0	58.0	53.1	48.1	41.7	35.3	28.9	66.9	66.9	66.9	66.9				
16	43.4	30.2	24.7	22.2	22.4	24.3	26.9	30.8	35.5	43.5	34.8	22.7	18.6	17.8	19.4	22.2	26.5	31.5	34.0	34.9	26.1	15.6	13.3	14.6	17.6	22.2	27.7	24.3	19.4	14.6	9.7	4.9	0.0	8.4	16.7	25.1	0.0	0.0	0.0	0.0	0.0			
17	31.1	294	277	261	244	228	213	203	196	316	311	290	269	248	228	210	199	191	321	317	311	283	255	228	206	193	185	228	228	228	228	228	0	36	36	36	36	36	36	36	36	36	36	36
18	23.8	31.9	36.8	40.4	43.5	46.5	49.7	53.9	58.2	26.2	32.5	40.3	44.7	48.0	50.9	54.1	58.4	62.7	28.7	35.0	41.3	48.5	52.4	55.4	59.6	62.8	67.1	68.5	63.5	58.6	53.6	48.7	43.7	38.8	32.4	26.0	76.3	76.3	76.3	76.3				
19	52.1	38.0	31.3	28.0	26.7	27.9	29.1	31.6	35.3	52.2	43.4	30.2	24.7	22.5	22.4	24.3	26.9	30.8	52.6	43.5	34.8	22.7	18.6	17.8	19.4	22.2	26.5	29.1	24.3	19.4	14.6	9.7	4.9	0.0	8.4	16.7	0.0	0.0	0.0	0.0	0.0			
20	31.1	297	283	269	255	241	228	215	206	315	311	294	277	261	244	228	213	203	319	316	311	290	269	248	228	210	199	228	228	228	228	228	228	228	228	228	228	228	228	228	228	228	228	228
21	24.4	32.9	38.8	42.1	45.4	48.4	51.4	54.7	58.9	26.8	33.1	41.3	46.2	49.8	52.9	56.8	59.1	63.3	29.3	35.6	41.9	49.6	54.0	57.3	60.8	63.5	67.8	64.0	59.1	54.1	49.2	44.2	39.3	34.3	29.4	23.0	85.6	85.6	85.6	85.6				
22	60.8	45.9	38.2	33.9	31.7	31.1	31.8	34.0	36.3	60.9	52.1	38.0	31.3	28.0	26.7	27.9	29.1	31.6	61.2	52.2	43.4	30.2	24.7	22.5	22.4	24.3	26.9	30.8	29.1	24.3	19.4	14.6	9.7	4.9	0.0	8.4	0.0	0.0	0.0	0.0				
23	25.0	33.8	39.5	43.7	47.2	50.3	53.3	56.3	59.6	27.5	33.8	42.2	47.6	51.5	54.8	57.8	59.8	64.0	29.9	36.2	42.5	50.7	56.2	59.2	62.2	65.2	68.5	59.6	54.7	49.7	44.8	39.8	34.9	29.9	25.0	20.0	95.0	95.0	95.0	95.0				
24	69.5	54.0	45.4	40.3	37.3	35.8	35.6	36.5	38.8	69.5	60.8	45.9	38.2	33.9	31.7	31.1	31.8	34.0	69.6	60.9	52.1	38.0	31.3	28.0	26.7	27.9	29.1	38.8	34.0	29.1	24.3	19.4	14.6	9.7	4.9	0.0	0.0	0.0	0.0	0.0	0.0			
25	31.1	300	290	279	269	259	248	238	228	314	311	299	287	275	263	251	239	228	317	314	311	297	283	269	255	241	228	228	228	228	228	228	228	228	228	228	228	228	228	228	228	228	228	
26	28.9	33.3	38.2	45.3	47.9	51.4	55.2	59.1	63.0	31.9	36.2	40.8	46.2	53.8	56.2	59.5	63.1	66.9	34.9	39.2	43.6	48.5	54.3	62.2	64.5	67.6	71.2	95.0	94.1	93.1	92.2	91.3	90.4	89.4	88.5	87.6	20.0	20.0	20.0	20.0				
27	25.1	25.2	28.2	36.9	41.6	48.5	56.2	64.4	72.7	33.5	33.3	35.1	36.8	49.2	53.4	59.9	67.2	75.0	41.9	41.4	42.6	45.7	51.4	61.5	65.4	71.4	78.4	0.0	12.3	24.6	36.9	49.2	61.5	73.8	86.1	98.4	0.0	0.0	0.0	0.0				
28	36	55	74	93	105	113	118	121	124	36	50	65	79	93	103	109	114	118	36	55	70	81	93	101	107	111	0	93	93	93	93	93	93	93	93	93	93	93	93	93	93	93		
29	23.2	16.7	17.6	24.6	29.9	37.5	45.7	54.1	62.7	31.2	25.1	25.2	28.2	36.9	41.6	48.5	56.2	64.4	39.3	33.5	33.3	35.1	39.8	49.2	53.4	59.9	67.2	8.7	0.0	12.3	24.6	36.9	49.2	61.5	73.8	86.1	0.0	0.0	0.0	0.0				
30	17.3	66	65	93	109	118	122	126	128	22	36	55	74	93	105	113	118	121	25	36	50	65	79	93	103	109	114	111	0	93	93	93	93	93	93	93	93	93	93	93	93	93		
31	24.9	35.6	41.7	47.2	50.5	54.4	58.4	62.4	66.4	32.4	38.5	44.7	49.1	55.6	68.5	82.2	86.1	90.0	35.4	41.5	47.7	52.0	56.9	64.1	66.7	70.2	73.9	77.5	76.9	76.3	75.3	74.4	73.5	72.5	71.6	70.7	30.0	30.0	30.0	30.0				
32	24.2	15.5	8.4	12.3	18.7	27.1	35.7	44.4	53.2	31.1	23.2	16.7	17.4	17.6	24.6	29.9	37.5	45.7	54.1	38.6	31.2	25.1	25.2	28.2	36.9	41.6	48.5	56.2	64.4	72.7	33.5	33.3	35.1	39.8	49.2	61.5	73.8	86.1	0.0	0.0	0.0	0.0		
33	357	7	36	93	118	126	130	132	134	7	17	36	65	93	109	118	122	126	13	22	36	55	74	93	105	113	118	111	311	0	93	93	93	93	93	93	93	93	93	93	93	93	93	
34	29.7	35.8	42.0	48.1	52.1	56.1	60.1	64.1	68.1	32.6	38.8	44.9	51.1	56.6	69.9	83.8	87.7	91.7	35.6	41.8	47.9	54.1	58.5	65.0	67.9	71.6	75.5	68.8	68.1	67.5</														

Input and output:
 Colorimetric Printer Reflective System FRS12_95a
 data for any colour:
 u^*_d and number $no.$ = 00 .. 15
 device hue text:
 $u^*_d = 16$ hues $o00y, o25y, \dots, m50o$
 contrast reduction factor:
 $c_R = 0.9$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$



%Gamut


$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{CIE}	39.92	58.74	27.99	65.07	25
Y _{CIE}	81.26	-2.89	71.56	71.62	92
L _{CIE}	52.23	-42.42	13.6	44.55	162
V _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 44 54 40

$LAB^*LCH^*_{Ma}$: 44 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16j</i>	
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>	
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>	
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>	
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>	
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>	
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>	
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>	
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>	
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>	
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>	
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>	
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>	
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>	
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>	
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 42 51

$LAB^*LCH^*_{Ma}$: 52 67 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



$$u_d^* = 0.50y$$

*lab*tch**


LAB data

$$v_{ab,a}^* \quad h_{ab,a}^*$$

56.98	36	r
53.75	33	r

56.53	50	<i>m</i>
70.28	65	

70.28	65	<i>r</i>
79.53	79	<i>r</i>

98.4 93 *j*

FRS12_95a; adapted (a) CIELAB data


u_d^*	$L^*=L_a^*$	a_a^*	b_a^*	$C_{ab,a}^*$	h_a^*
---------	-------------	---------	---------	--------------	---------

000y	43.8	53.91	39.75	66.98	36
------	------	-------	-------	-------	----

o25y	52.46	42.34	51.32	66.53	50.00
50	61.53	39.2	62.46	79.28	65.00

050y	61.53	30.2	63.46	70.28	65
075y	72.39	15.68	77.97	79.53	79

y00l	87.58	-4.65	98.29	98.4	93
------	-------	-------	-------	------	----



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 72 16 78


$LAB^*LCH^*_{Ma}$: 72 80 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 88 -5 98

$LAB^*LCH^*_{Ma}$: 88 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 76 -22 80

$LAB^*LCH^*_{Ma}$: 76 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -35 67

$LAB^*LCH^*_{Ma}$: 67 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 59 -46 55

$LAB^*LCH^*_{Ma}$: 59 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = y75l$

lab^*tch^*

lab^*tch^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -56 44

$LAB^*LCH^*_{Ma}$: 52 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 57 -37 -3

$LAB^*LCH^*_{Ma}$: 57 37 184

$lab^*olv^*_{Ma}$: 0.0 1.0 0.5

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

lab^*tch^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 60 -26 -29

$LAB^*LCH^*_{Ma}$: 60 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -1 -37

$LAB^*LCH^*_{Ma}$: 47 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 25 45 -53

$LAB^*LCH^*_{Ma}$: 25 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

$u^*_d = v50m$

lab^*tch^*

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 57 -42

$LAB^*LCH^*_{Ma}$: 35 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.92 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 46 71 -30

$LAB^*LCH^*_{Ma}$: 46 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 62 7

$LAB^*LCH^*_{Ma}$: 45 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r

$u^*_d = m50o$

lab^*tch^*

lab^*tch^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$


relative chroma c^*

relative chroma c^*

$i^* = 0,00$


Input and output:
Colorimetric Printer Reflective System FRS12_95a
data for any colour:
 u^*_d and number $no.$ = 00 .. 15
device hue text:
 $u^*_d = 16$ hues $o00y, o25y, \dots, m50o$
contrast reduction factor:
 $c_R = 0.9$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data					
Name	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{CIE}	39.92	58.74	27.99	65.07	25
Y _{CIE}	81.26	-2.89	71.56	71.62	92
L _{CIE}	52.23	-42.42	13.6	44.55	162
V _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 44 54 40

$LAB^*LCH^*_{Ma}$: 44 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16j</i>	
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>	
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>	
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>	
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>	
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>	
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>	
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>	
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>	
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>	
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>	
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>	
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>	
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>	
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>	
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 42 51

$LAB^*LCH^*_{Ma}$: 52 67 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 30 63

$LAB^*LCH^*_{Ma}$: 62 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 72 16 78

$LAB^*LCH^*_{Ma}$: 72 80 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 88 -5 98

$LAB^*LCH^*_{Ma}$: 88 98 92

$lab^*olv^*_{Ma}$: 1.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.99 1.0 0.0

triangle lightness t^*

% Gamut



$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 76 -22 80

$LAB^*LCH^*_{Ma}$: 76 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -35 67

$LAB^*LCH^*_{Ma}$: 67 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 59 -46 55

$LAB^*LCH^*_{Ma}$: 59 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -56 44

$LAB^*LCH^*_{Ma}$: 52 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 57 -37 -3

$LAB^*LCH^*_{Ma}$: 57 37 184

$lab^*olv^*_{Ma}$: 0.0 1.0 0.5

$lab^*rgb^*_{Ma}$: 0.0 1.0 0.41

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 60 -26 -29

$LAB^*LCH^*_{Ma}$: 60 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91	39.75	66.98	36
Y _{Ma}	87.58	-4.65	98.29	98.4	93
L _{Ma}	51.95	-56.34	43.53	71.2	142
C _{Ma}	59.62	-26.2	-28.62	38.8	228
V _{Ma}	25.01	45.2	-52.8	69.51	311
M _{Ma}	45.88	70.67	-29.93	76.75	337
N _{Ma}	20.0	0.0	0.0	0.0	0
W _{Ma}	95.0	0.0	0.0	0.0	0
O _{Ma}	39.92	58.74	27.99	65.07	25
Y _{Ma}	81.26	-2.89	71.56	71.62	92
L _{Ma}	52.23	-42.42	13.6	44.55	162
V _{Ma}	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -1 -37

$LAB^*LCH^*_{Ma}$: 47 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
o00y	43.8	53.91	39.75	66.98	36	r16j
o25y	52.46	42.34	51.32	66.53	50	r37j
o50y	61.53	30.2	63.46	70.28	65	r58j
o75y	72.39	15.68	77.97	79.53	79	r79j
y00l	87.58	-4.65	98.29	98.4	93	j01g
y25l	75.85	-21.67	80.26	83.13	105	j18g
y50l	66.91	-34.64	66.52	75.0	118	j36g
y75l	59.24	-45.77	54.72	71.34	130	j53g
l00c	51.95	-56.34	43.53	71.2	142	j71g
l50c	56.92	-36.83	-3.17	36.97	185	g21b
c00v	59.62	-26.2	-28.62	38.8	228	g60b
c50v	47.22	-0.62	-37.28	37.29	269	g97b
v00m	25.01	45.2	-52.8	69.51	311	b34r
v50m	34.93	57.3	-41.93	71.01	324	b45r
m00o	45.88	70.67	-29.93	76.75	337	b57r
m50o	44.77	61.72	7.28	62.15	7	b83r



$$u_d^* = v_{00}m$$

Data for maximum colour (Ma):

FRS12_95a; adapted (a) CIELAB data


*LAB*LAB**_{Ma}: 25 45 -53

LAB*LCH*_{Ma}: 25 70 310

*lab*olv**Ma: 0.0 0.0 1.0



lab*rgb*_{Ma}: 0.68 0.0 1.0

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$
O _{Ma}	43.8	53.91		39.75	66.98	36
Y _{Ma}	87.58	-4.65		98.29	98.4	93
L _{Ma}	51.95	-56.34		43.53	71.2	142
C _{Ma}	59.62	-26.2		-28.62	38.8	228
V _{Ma}	25.01	45.2		-52.8	69.51	311
M _{Ma}	45.88	70.67		-29.93	76.75	337
N _{Ma}	20.0	0.0		0.0	0.0	0
W _{Ma}	95.0	0.0		0.0	0.0	0
O _{Ma}	39.92	58.74		27.99	65.07	25
Y _{Ma}	81.26	-2.89		71.56	71.62	92
L _{Ma}	52.23	-42.42		13.6	44.55	162
V _{Ma}	30.57	1.41		-46.47	46.49	272

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16j</i>	
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>	
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>	
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>	
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>	
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>	
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>	
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>	
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>	
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>	
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>	
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>	
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>	
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>	
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>	
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 57 -42

$LAB^*LCH^*_{Ma}$: 35 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.92 0.0 1.0

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 46 71 -30

$LAB^*LCH^*_{Ma}$: 46 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; adapted (a) CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	
O _{Ma}	43.8	53.91	39.75	66.98	36	
Y _{Ma}	87.58	-4.65	98.29	98.4	93	
L _{Ma}	51.95	-56.34	43.53	71.2	142	
C _{Ma}	59.62	-26.2	-28.62	38.8	228	
V _{Ma}	25.01	45.2	-52.8	69.51	311	
M _{Ma}	45.88	70.67	-29.93	76.75	337	
N _{Ma}	20.0	0.0	0.0	0.0	0	
W _{Ma}	95.0	0.0	0.0	0.0	0	
O _{Ma}	39.92	58.74	27.99	65.07	25	
Y _{Ma}	81.26	-2.89	71.56	71.62	92	
L _{Ma}	52.23	-42.42	13.6	44.55	162	
V _{Ma}	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 62 7

$LAB^*LCH^*_{Ma}$: 45 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

% Gamut


$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$


FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
o00y	43.8	53.91	39.75	66.98	36	r16j	
o25y	52.46	42.34	51.32	66.53	50	r37j	
o50y	61.53	30.2	63.46	70.28	65	r58j	
o75y	72.39	15.68	77.97	79.53	79	r79j	
y00l	87.58	-4.65	98.29	98.4	93	j01g	
y25l	75.85	-21.67	80.26	83.13	105	j18g	
y50l	66.91	-34.64	66.52	75.0	118	j36g	
y75l	59.24	-45.77	54.72	71.34	130	j53g	
l00c	51.95	-56.34	43.53	71.2	142	j71g	
l50c	56.92	-36.83	-3.17	36.97	185	g21b	
c00v	59.62	-26.2	-28.62	38.8	228	g60b	
c50v	47.22	-0.62	-37.28	37.29	269	g97b	
v00m	25.01	45.2	-52.8	69.51	311	b34r	
v50m	34.93	57.3	-41.93	71.01	324	b45r	
m00o	45.88	70.67	-29.93	76.75	337	b57r	
m50o	44.77	61.72	7.28	62.15	7	b83r	



Fe630-7A, Page 144/198



Input and output:
Colorimetric Printer Reflective System FRS12_95a
data for any colour:
 u^*_d and number *no.* = 00 .. 15
device hue text:
 u^*_d = 16 hues *o00y*, *o25y*, ..., *m50o*
contrast reduction factor:
 c_R = 0.9

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16j</i>	
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>	
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>	
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>	
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>	
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>	
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>	
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>	
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>	
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>	
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>	
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>	
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>	
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>	
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>	
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>	



%Gamut
 u^*_{rel} = 88
%Regularity
 $g^*_{H,rel}$ = 31
 $g^*_{C,rel}$ = 39

FRS12_95; CIELAB data					
Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	43.8	54.41	32.95	63.61	31
Y _M	87.58	-4.04	90.02	90.11	93
L _M	51.95	-55.83	36.46	66.68	147
C _M	59.62	-25.67	-35.94	44.17	234
V _M	25.01	45.64	-58.96	74.57	308
M _M	45.88	71.17	-36.79	80.12	333
N _M	20.0	0.43	-5.99	6.01	274
W _M	95.0	0.62	-8.52	8.54	274
O _{CIE}	39.92	58.74	27.99	65.07	25
Y _{CIE}	81.26	-2.89	71.56	71.62	92
L _{CIE}	52.23	-42.42	13.6	44.55	162
V _{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95; CIELAB data						
u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 44 54 40

$LAB^*LCH^*_{Ma}$: 44 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

%Gamut

$u^*_{rel} = 88$

%Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

data for any colour:

lab^*tc^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95; CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 42 51

$LAB^*LCH^*_{Ma}$: 52 67 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^*=0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95; CIELAB data						
u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 62\ 30\ 63$

$LAB^*LCH^*_{Ma}: 62\ 70\ 64$

$lab^*olv^*_{Ma}: 1.0\ 0.5\ 0.0$

$lab^*rgb^*_{Ma}: 1.0\ 0.58\ 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95; CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 72 16 78

$LAB^*LCH^*_Ma$: 72 80 78

$lab^*olv^*_Ma$: 1.0 0.75 0.0

$lab^*rgb^*_Ma$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95; CIELAB data						
u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}	
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 88 -5 98$

$LAB^*LCH^*_{Ma}: 88 98 92$

$lab^*olv^*_{Ma}: 1.0 1.0 0.0$

$lab^*rgb^*_{Ma}: 0.99 1.0 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 76 -22 80

$LAB^*LCH^*_Ma$: 76 83 105

$lab^*olv^*_Ma$: 0.75 1.0 0.0

$lab^*rgb^*_Ma$: 0.82 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$


FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95; CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 67 -35 67$

$LAB^*LCH^*_Ma: 67 75 117$

$lab^*olv^*_Ma: 0.5 1.0 0.0$

$lab^*rgb^*_Ma: 0.64 1.0 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95; CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 59 -46 55$

$LAB^*LCH^*_Ma: 59 71 129$

$lab^*olv^*_Ma: 0.25 1.0 0.0$

$lab^*rgb^*_Ma: 0.46 1.0 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95; CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 52 -56 44

$LAB^*LCH^*_Ma$: 52 71 142

$lab^*olv^*_Ma$: 0.0 1.0 0.0

$lab^*rgb^*_Ma$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$	
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$	
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$	
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$	
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$	
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$	
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$	
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$	
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$	
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$	
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$	
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$	
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$	
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$	
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$	
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$	

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

$i^* \pm 0,25$

0,50

0,75

1,00

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95; CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 57 -37 -3$

$LAB^*LCH^*_Ma: 57 37 184$

$lab^*olv^*_Ma: 0.0 1.0 0.5$

$lab^*rgb^*_Ma: 0.0 1.0 0.41$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$	
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$	
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$	
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$	
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$	
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$	
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$	
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$	
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$	
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$	
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$	
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$	
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$	
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$	
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$	
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$	

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$

0.50

0.75

1.00

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95; CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 60 -26 -29

$LAB^*LCH^*_{Ma}$: 60 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$	
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$	
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$	
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$	
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$	
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$	
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$	
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$	
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$	
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$	
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$	
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$	
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$	
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$	
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$	
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$	



$$u_d^* = c50v$$

LAB*LAB*

FRS12_95; CIELAB data						
	u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O _M	43.8	54.41	32.95	63.61	31	
Y _M	87.58	-4.04	90.02	90.11	93	
L _M	51.95	-55.83	36.46	66.68	147	
C _M	59.62	-25.67	-35.94	44.17	234	
V _M	25.01	45.64	-58.96	74.57	308	
M _M	45.88	71.17	-36.79	80.12	333	
N _M	20.0	0.43	-5.99	6.01	274	
W _M	95.0	0.62	-8.52	8.54	274	
O _M	39.92	58.74	27.99	65.07	25	
Y _M	81.26	-2.89	71.56	71.62	92	
L _M	52.23	-42.42	13.6	44.55	162	
V _M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

LAB*LAB*_{Ma}: 47 -1 -37

LAB*LCH*Ma: 47 37 269

*lab*olv**Ma: 0.0 0.5 1.0

— **g** —

*lab*rgb*_{Ma}: 0.0 0.05 1.0

triangle lightness t^*

%Gamut

$$\mathbf{u}_{\text{rel}}^* = 88$$

%Regularity

$$g^*_{H,rel} = 31$$
$$g^*_{C,rel} = 39$$

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
<i>o00y</i>	43.8	53.91	39.75	66.98	36	<i>r16j</i>
<i>o25y</i>	52.46	42.34	51.32	66.53	50	<i>r37j</i>
<i>o50y</i>	61.53	30.2	63.46	70.28	65	<i>r58j</i>
<i>o75y</i>	72.39	15.68	77.97	79.53	79	<i>r79j</i>
<i>y00l</i>	87.58	-4.65	98.29	98.4	93	<i>j01g</i>
<i>y25l</i>	75.85	-21.67	80.26	83.13	105	<i>j18g</i>
<i>y50l</i>	66.91	-34.64	66.52	75.0	118	<i>j36g</i>
<i>y75l</i>	59.24	-45.77	54.72	71.34	130	<i>j53g</i>
<i>l00c</i>	51.95	-56.34	43.53	71.2	142	<i>j71g</i>
<i>l50c</i>	56.92	-36.83	-3.17	36.97	185	<i>g21b</i>
<i>c00v</i>	59.62	-26.2	-28.62	38.8	228	<i>g60b</i>
<i>c50v</i>	47.22	-0.62	-37.28	37.29	269	<i>g97b</i>
<i>v00m</i>	25.01	45.2	-52.8	69.51	311	<i>b34r</i>
<i>v50m</i>	34.93	57.3	-41.93	71.01	324	<i>b45r</i>
<i>m00o</i>	45.88	70.67	-29.93	76.75	337	<i>b57r</i>
<i>m50o</i>	44.77	61.72	7.28	62.15	7	<i>b83r</i>

*LAB*LAB**

 $i^*=1,00$

brilliantness i^*

relative chroma c^* relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95; CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma$: 25 45 -53

$LAB^*LCH^*_Ma$: 25 70 310

$lab^*olv^*_Ma$: 0.0 0.0 1.0

$lab^*rgb^*_Ma$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^*=0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95; CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 35 \ 57 \ -42$

$LAB^*LCH^*_Ma: 35 \ 71 \ 323$

$lab^*olv^*_Ma: 0.5 \ 0.0 \ 1.0$

$lab^*rgb^*_Ma: 0.92 \ 0.0 \ 1.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95; CIELAB data						
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}	
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_Ma: 46\ 71\ -30$

$LAB^*LCH^*_Ma: 46\ 77\ 337$

$lab^*olv^*_Ma: 1.0\ 0.0\ 1.0$

$lab^*rgb^*_Ma: 1.0\ 0.0\ 0.85$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 62 7

$LAB^*LCH^*_{Ma}$: 45 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

LAB^*LAB^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*


relative chroma c^*

$i^*=0.00$

Fe630-7A, Page 162/198


Input and output:
Colorimetric Printer Reflective System FRS12_95a
data for any colour:
 u^*_d and number $no.$ = 00 .. 15
device hue text:
 $u^*_d = 16$ hues $o00y, o25y, \dots, m50o$
contrast reduction factor:
 $c_R = 0.9$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$	
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$	
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$	
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$	
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$	
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$	
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$	
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$	
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$	
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$	
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$	
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$	
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$	
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$	
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$	
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$	



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 39$

FRS12_95a; CIELAB data					
Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_{CIE}	39.92	58.74	27.99	65.07	25
Y_{CIE}	81.26	-2.89	71.56	71.62	92
L_{CIE}	52.23	-42.42	13.6	44.55	162
V_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 44 54 40

$LAB^*LCH^*_{Ma}$: 44 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0


$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36		$r16j$
$o25y$	52.46	42.34	51.32	66.53	50		$r37j$
$o50y$	61.53	30.2	63.46	70.28	65		$r58j$
$o75y$	72.39	15.68	77.97	79.53	79		$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93		$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105		$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118		$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130		$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142		$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185		$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228		$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269		$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311		$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324		$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337		$b57r$
$m50o$	44.77	61.72	7.28	62.15	7		$b83r$

$u^*_d = o00y$
 lab^*olv^*



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 42 51

$LAB^*LCH^*_{Ma}$: 52 67 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^*=0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 30 63

$LAB^*LCH^*_{Ma}$: 62 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 0.75y$ $u^*_e = r.79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 72 16 78

$LAB^*LCH^*_{Ma}$: 72 80 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

lab^*olv^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 88 -5 98$

$LAB^*LCH^*_{Ma}: 88 98 92$

$lab^*olv^*_{Ma}: 1.0 1.0 0.0$

$lab^*rgb^*_{Ma}: 0.99 1.0 0.0$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 76 -22 80

$LAB^*LCH^*_{Ma}$: 76 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -35 67

$LAB^*LCH^*_{Ma}$: 67 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 59 -46 55

$LAB^*LCH^*_{Ma}$: 59 71 129

$lab^*olv^*_{Ma}$: 0.25 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.46 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -56 44

$LAB^*LCH^*_{Ma}$: 52 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

1,00

0,75

0,50

0,25

0,00

$o00y$

1.0

1.0

1.0

$o00y$

0.75

0.75

0.75

$o00y$

0.5

0.5

0.5

$o00y$

0.25

0.25

0.25

$o00y$

0.0

0.0

0.0

$y99l$

0.75

1.0

0.75

$y99l$

0.5

1.0

0.5

$y99l$

0.25

0.5

0.25

$y99l$

0.0

0.25

0.0

$y99l$

0.5

1.0

0.5

$y99l$

0.25

0.75

0.25

$y99l$

0.0

0.5

0.0

$y99l$

0.25

1.0

0.25

$y99l$

0.0

0.75

0.0

$i^*=1,00$

brilliantness i^*

$i^*=0,50$

relative chroma c^*

$i^*=0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 57 -37 -3$

$LAB^*LCH^*_{Ma}: 57 37 184$

$lab^*olv^*_{Ma}: 0.0 1.0 0.5$

$lab^*rgb^*_{Ma}: 0.0 1.0 0.41$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 60 -26 -29

$LAB^*LCH^*_{Ma}$: 60 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

	u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -1 -37

$LAB^*LCH^*_{Ma}$: 47 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36		$r16j$
$o25y$	52.46	42.34	51.32	66.53	50		$r37j$
$o50y$	61.53	30.2	63.46	70.28	65		$r58j$
$o75y$	72.39	15.68	77.97	79.53	79		$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93		$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105		$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118		$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130		$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142		$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185		$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228		$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269		$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311		$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324		$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337		$b57r$
$m50o$	44.77	61.72	7.28	62.15	7		$b83r$



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 25 45 -53

$LAB^*LCH^*_{Ma}$: 25 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

$u^*_d = v00m$

lab^*olv^*

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 57 -42

$LAB^*LCH^*_{Ma}$: 35 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.92 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 46 71 -30

$LAB^*LCH^*_{Ma}$: 46 77 337


$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 62 7

$LAB^*LCH^*_{Ma}$: 45 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

$u^*_d = m50o$

lab^*olv^*

lab^*olv^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*


relative chroma c^*

$i^* = 0,00$

Fe630-7A, Page 180/198


Input and output:
Colorimetric Printer Reflective System FRS12_95a
data for any colour:
 u^*_d and number $no.$ = 00 .. 15
device hue text:
 $u^*_d = 16$ hues $o00y, o25y, \dots, m50o$
contrast reduction factor:
 $c_R = 0.9$

FRS12_95a; adapted (a) CIELAB data							
u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e	
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$	
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$	
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$	
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$	
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$	
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$	
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$	
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$	
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$	
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$	
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$	
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$	
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$	
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$	
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$	
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$	



%Gamut
 $u^*_{rel} = 88$
%Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 39$

FRS12_95a; CIELAB data					
Name	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_{CIE}	39.92	58.74	27.99	65.07	25
Y_{CIE}	81.26	-2.89	71.56	71.62	92
L_{CIE}	52.23	-42.42	13.6	44.55	162
V_{CIE}	30.57	1.41	-46.47	46.49	272



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.101$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o00y$ $u^*_e = r16j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 44 54 40

$LAB^*LCH^*_{Ma}$: 44 67 36

$lab^*olv^*_{Ma}$: 1.0 0.0 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.16 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

$u^*_d = o00y$

LAB^*cmyn^*

LAB^*cmyn^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

$i^* \pm 0,25$

$i^* = 0,50$

$i^* = 0,75$

$i^* = 1,00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.14$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o25y$ $u^*_e = r37j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

	u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 42 51

$LAB^*LCH^*_{Ma}$: 52 67 50

$lab^*olv^*_{Ma}$: 1.0 0.25 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.37 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$	
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$	
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$	
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$	
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$	
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$	
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$	
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$	
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$	
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$	
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$	
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$	
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$	
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$	
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$	
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$	

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.179$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o50y$ $u^*_e = r58j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 62 30 63

$LAB^*LCH^*_{Ma}$: 62 70 64

$lab^*olv^*_{Ma}$: 1.0 0.5 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.58 0.0

triangle lightness t^*


FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

LAB^*cmyn^*

$i^*=1,00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.218$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = o75y$ $u^*_e = r79j$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 72 16 78

$LAB^*LCH^*_{Ma}$: 72 80 78

$lab^*olv^*_{Ma}$: 1.0 0.75 0.0

$lab^*rgb^*_{Ma}$: 1.0 0.8 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

$u^*_d = o75y$

LAB^*cmyn^*

LAB^*cmyn^*

$i^*=1,00$

brilliantness i^*

1,00

0,75

0,50

0,25

0,00

0.0
0.0
0.0
0.0

0.0
0.06
0.25
0.0

0.0
0.13
0.5
0.0

0.0
0.19
0.75
0.0

0.0
0.25
1.0
0.0

0.5
0.5
0.5
0.0

0.25
0.31
0.5
0.0

0.5
0.56
0.75
0.0

0.25
0.44
1.0
0.0

0.75
0.75
0.75
0.0

0.75
0.81
1.0
0.0

1.0
1.0
1.0
0.0

0.75
0.81
1.0
0.0

$i^* \pm 0,25$
0,25

0,50

0,75

1,00

relative chroma c^*

$i^* = 0,00$

1,00

0,75

0,50

0,25

0,00

% Gamut
 $u^*_{rel} = 88$
% Regularity
 $g^*_{H,rel} = 31$
 $g^*_{C,rel} = 39$

$i^*=0,00$

$i^*=0,20$

$i^*=0,40$

$i^*=0,60$

$i^*=0,80$

$i^*=1,00$

$i^*=0,00$

$i^*=0,20$

$i^*=0,40$

$i^*=0,60$

$i^*=0,80$

$i^*=1,00$

relative chroma c^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.258$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y00l$ $u^*_e = j01g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

	u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 88 -5 98$

$LAB^*LCH^*_{Ma}: 88 98 92$

$lab^*olv^*_{Ma}: 1.0 1.0 0.0$

$lab^*rgb^*_{Ma}: 0.99 1.0 0.0$

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$	
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$	
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$	
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$	
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$	
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$	
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$	
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$	
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$	
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$	
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$	
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$	
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$	
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$	
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$	
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$	

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.292$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y25l$ $u^*_e = j18g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 76 -22 80

$LAB^*LCH^*_{Ma}$: 76 83 105

$lab^*olv^*_{Ma}$: 0.75 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.82 1.0 0.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

$u^*_d = y25l$

LAB^*cmyn^*

LAB^*cmyn^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.326$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y50l$ $u^*_e = j36g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 67 -35 67

$LAB^*LCH^*_{Ma}$: 67 75 117

$lab^*olv^*_{Ma}$: 0.5 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.64 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36		$r16j$
$o25y$	52.46	42.34	51.32	66.53	50		$r37j$
$o50y$	61.53	30.2	63.46	70.28	65		$r58j$
$o75y$	72.39	15.68	77.97	79.53	79		$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93		$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105		$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118		$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130		$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142		$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185		$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228		$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269		$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311		$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324		$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337		$b57r$
$m50o$	44.77	61.72	7.28	62.15	7		$b83r$

LAB^*cmyn^*

$i^*=1,00$

$i^*=0,80$

brilliantness i^*

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

$i^* \pm 0,25$
0,25

0,50

0,75

1,00

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.361$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = y75l$ $u^*_e = j53g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 59 -46 55$

$LAB^*LCH^*_{Ma}: 59 71 129$

$lab^*olv^*_{Ma}: 0.25 1.0 0.0$

$lab^*rgb^*_{Ma}: 0.46 1.0 0.0$

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36		$r16j$
$o25y$	52.46	42.34	51.32	66.53	50		$r37j$
$o50y$	61.53	30.2	63.46	70.28	65		$r58j$
$o75y$	72.39	15.68	77.97	79.53	79		$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93		$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105		$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118		$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130		$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142		$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185		$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228		$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269		$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311		$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324		$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337		$b57r$
$m50o$	44.77	61.72	7.28	62.15	7		$b83r$

$u^*_d = y75l$

LAB^*cmyn^*

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^* = 0.00$

$i^* \pm 0.25$

$i^* = 0.50$

$i^* = 0.75$

$i^* = 1.00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.395$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 100c$ $u^*_e = j71g$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

	u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 52 -56 44

$LAB^*LCH^*_{Ma}$: 52 71 142

$lab^*olv^*_{Ma}$: 0.0 1.0 0.0

$lab^*rgb^*_{Ma}$: 0.28 1.0 0.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36		$r16j$
$o25y$	52.46	42.34	51.32	66.53	50		$r37j$
$o50y$	61.53	30.2	63.46	70.28	65		$r58j$
$o75y$	72.39	15.68	77.97	79.53	79		$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93		$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105		$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118		$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130		$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142		$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185		$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228		$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269		$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311		$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324		$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337		$b57r$
$m50o$	44.77	61.72	7.28	62.15	7		$b83r$

LAB^*cmyn^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

$i^* \pm 0,25$
0,25

0,50

0,75

1,00

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.514$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = 150c$ $u^*_e = g21b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

	u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}: 57 -37 -3$

$LAB^*LCH^*_{Ma}: 57 37 184$

$lab^*olv^*_{Ma}: 0.0 1.0 0.5$

$lab^*rgb^*_{Ma}: 0.0 1.0 0.41$

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*$	a^*	b^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36		$r16j$
$o25y$	52.46	42.34	51.32	66.53	50		$r37j$
$o50y$	61.53	30.2	63.46	70.28	65		$r58j$
$o75y$	72.39	15.68	77.97	79.53	79		$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93		$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105		$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118		$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130		$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142		$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185		$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228		$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269		$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311		$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324		$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337		$b57r$
$m50o$	44.77	61.72	7.28	62.15	7		$b83r$

LAB^*cmyn^*

$i^*=1.00$

brilliantness i^*

$i^*=0.80$

$i^*=0.60$

$i^*=0.40$

$i^*=0.20$

$i^*=0.00$

relative chroma c^*

relative chroma c^*

$i^*=0.00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.632$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c00v$ $u^*_e = g60b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31	
Y_M	87.58	-4.04	90.02	90.11	93	
L_M	51.95	-55.83	36.46	66.68	147	
C_M	59.62	-25.67	-35.94	44.17	234	
V_M	25.01	45.64	-58.96	74.57	308	
M_M	45.88	71.17	-36.79	80.12	333	
N_M	20.0	0.43	-5.99	6.01	274	
W_M	95.0	0.62	-8.52	8.54	274	
O_M	39.92	58.74	27.99	65.07	25	
Y_M	81.26	-2.89	71.56	71.62	92	
L_M	52.23	-42.42	13.6	44.55	162	
V_M	30.57	1.41	-46.47	46.49	272	

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 60 -26 -29

$LAB^*LCH^*_{Ma}$: 60 39 227

$lab^*olv^*_{Ma}$: 0.0 1.0 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.81 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$


% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

	u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36		$r16j$
$o25y$	52.46	42.34	51.32	66.53	50		$r37j$
$o50y$	61.53	30.2	63.46	70.28	65		$r58j$
$o75y$	72.39	15.68	77.97	79.53	79		$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93		$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105		$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118		$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130		$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142		$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185		$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228		$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269		$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311		$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324		$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337		$b57r$
$m50o$	44.77	61.72	7.28	62.15	7		$b83r$



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.747$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = c50v$ $u^*_e = g97b$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 47 -1 -37

$LAB^*LCH^*_{Ma}$: 47 37 269

$lab^*olv^*_{Ma}$: 0.0 0.5 1.0

$lab^*rgb^*_{Ma}$: 0.0 0.05 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

LAB^*cmyn^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

$i^* \pm 0,25$
0,25

0,50

0,75

1,00

brilliantness i^*

$i^* = 0,75$

$i^* = 0,50$

$i^* = 1,00$

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.863$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v00m$ $u^*_e = b34r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 25 45 -53

$LAB^*LCH^*_{Ma}$: 25 70 310

$lab^*olv^*_{Ma}$: 0.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.68 0.0 1.0

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

$u^*_d = v00m$

LAB^*cmyn^*

LAB^*cmyn^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

$i^* \pm 0,25$
0,25

0,50

0,75

1,00

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.899$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = v50m$ $u^*_e = b45r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 35 57 -42

$LAB^*LCH^*_{Ma}$: 35 71 323

$lab^*olv^*_{Ma}$: 0.5 0.0 1.0

$lab^*rgb^*_{Ma}$: 0.92 0.0 1.0

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$


FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

$LAB^*cmy^n^*$

$i^*=1.00$

brilliantness i^*



Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_{95}$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.936$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m00o$ $u^*_e = b57r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 46 71 -30

$LAB^*LCH^*_{Ma}$: 46 77 337

$lab^*olv^*_{Ma}$: 1.0 0.0 1.0

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.85

triangle lightness t^*

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*_a	b^*_a	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

$u^*_d = m00o$

LAB^*cmyn^*

LAB^*cmyn^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

$i^* \pm 0,25$

$i^* = 0,50$

$i^* = 0,75$

$i^* = 1,00$

brilliantness i^*

Input and output: Colorimetric Printer Reflective System FRS12_95a, $L^*=20_95$ for relative CIELAB hue $h^* = lab^*h^* = h_{ab}/360 = 0.019$

data for any colour:

lab^*tch^* and lab^*icu^*


Hue texts:

$u^*_d = m50o$ $u^*_e = b83r$

contrast reduction factor:

$c_R = 0.9$

triangle lightness t^*



FRS12_95a; CIELAB data

u^*_d	$L^*=L^*_a$	a^*	b^*	C^*_{ab}	h^*_{ab}
O_M	43.8	54.41	32.95	63.61	31
Y_M	87.58	-4.04	90.02	90.11	93
L_M	51.95	-55.83	36.46	66.68	147
C_M	59.62	-25.67	-35.94	44.17	234
V_M	25.01	45.64	-58.96	74.57	308
M_M	45.88	71.17	-36.79	80.12	333
N_M	20.0	0.43	-5.99	6.01	274
W_M	95.0	0.62	-8.52	8.54	274
O_M	39.92	58.74	27.99	65.07	25
Y_M	81.26	-2.89	71.56	71.62	92
L_M	52.23	-42.42	13.6	44.55	162
V_M	30.57	1.41	-46.47	46.49	272

Data for maximum colour (Ma):

$LAB^*LAB^*_{Ma}$: 45 62 7

$LAB^*LCH^*_{Ma}$: 45 62 6

$lab^*olv^*_{Ma}$: 1.0 0.0 0.5

$lab^*rgb^*_{Ma}$: 1.0 0.0 0.33

triangle lightness t^*

% Gamut

$u^*_{rel} = 88$

% Regularity

$g^*_{H,rel} = 31$

$g^*_{C,rel} = 39$

FRS12_95a; adapted (a) CIELAB data

u^*_d	$L^*=L^*_a$	a^*	b^*	$C^*_{ab,a}$	$h^*_{ab,a}$	u^*_e
$o00y$	43.8	53.91	39.75	66.98	36	$r16j$
$o25y$	52.46	42.34	51.32	66.53	50	$r37j$
$o50y$	61.53	30.2	63.46	70.28	65	$r58j$
$o75y$	72.39	15.68	77.97	79.53	79	$r79j$
$y00l$	87.58	-4.65	98.29	98.4	93	$j01g$
$y25l$	75.85	-21.67	80.26	83.13	105	$j18g$
$y50l$	66.91	-34.64	66.52	75.0	118	$j36g$
$y75l$	59.24	-45.77	54.72	71.34	130	$j53g$
$l00c$	51.95	-56.34	43.53	71.2	142	$j71g$
$l50c$	56.92	-36.83	-3.17	36.97	185	$g21b$
$c00v$	59.62	-26.2	-28.62	38.8	228	$g60b$
$c50v$	47.22	-0.62	-37.28	37.29	269	$g97b$
$v00m$	25.01	45.2	-52.8	69.51	311	$b34r$
$v50m$	34.93	57.3	-41.93	71.01	324	$b45r$
$m00o$	45.88	70.67	-29.93	76.75	337	$b57r$
$m50o$	44.77	61.72	7.28	62.15	7	$b83r$

LAB^*cmyn^*

$i^*=1,00$

brilliantness i^*

$i^*=0,80$

$i^*=0,60$

$i^*=0,40$

$i^*=0,20$

$i^*=0,00$

relative chroma c^*

relative chroma c^*

$i^* = 0,00$

	A	B	C	D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T	U	V	W	X	Y	Z	a	b	c	d	e	f	g	h	i	j	k	LAB*cmyn**
01	000																																					