

















see similar files: <http://farbe.li.tu-berlin.de/BE12/BE12.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE12; CIE (x, y) and chroma (A^*_i, B^*_i)

















Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P60, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE12/BE12L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE12/BE12.HTM>
 technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmetrik>



















TUB-test chart BE12; CIE (x, y) and chroma (A^*_i, B^*_i)
 Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P55, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE12/BE12L0NA.TXT /PS
 application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE12/BE12.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmetrik>



















TUB-test chart BE12; CIE (x, y) and chroma (A*_i, B*_i)
Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P50, Y_w=100

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE12/BE12L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE12/BE12.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmetrik>



















TUB-test chart BE12; CIE (x, y) and chroma (A^*_i, B^*_i)
Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P45, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE12/BE12L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE12/BE12.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmetrik>



















TUB-test chart BE12; CIE (x, y) and chroma (A^*_i, B^*_i)
Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P40, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE12/BE12L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE12/BE12.HTM>
 technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



















TUB-test chart BE12; CIE (x, y) and chroma (A^*_i , B^*_i)
 Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P35, $Y_w=100$

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE12/BE12L0NA.TXT /PS
 application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE12/BE12.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE12; CIE (x, y) and chroma (A^*_i, B^*_i)
Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P30, $Y_w=100$

















input: w/rgb/cmyk -> rgb

Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P30, $Y_w=100$

TUB registration: 20170801-BE12/BE12L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta

see similar files: <http://farbe.li.tu-berlin.de/BE12/BE12.HTM>
technical information: <http://farbe.li.tu-berlin.de> or <http://130.149.60.45/~farbmeterik>



TUB-test chart BE12; CIE (x, y) and chroma (A*, B*)
Munsell Chroma=2, Value=1,2,5,8 & 9 for CIE illuminant C; diagram for illuminant P25, Yw=100

input: w/rgb/cmyk -> rgb

TUB registration: 20170801-BE12/BE12L0NA.TXT /PS
application for measurement of offset print output

TUB material: code=rha4ta